

AUTOMOTIVE LUBRICANTS

GENESIS | LUXE



ALWAYS MOVING FORWARD.



GENESIS

NEW	LUKOIL GENESIS SPECIAL C5 0W-20	
NEW	LUKOIL GENESIS SPECIAL RN 0W-20	
NEW	LUKOIL GENESIS SPECIAL 0W-40	7
	LUKOIL GENESIS SPECIAL VN 0W-20	
	LUKOIL GENESIS SPECIAL VN 5W-30	
	LUKOIL GENESIS SPECIAL C1 5W-30	
	LUKOIL GENESIS SPECIAL C2 0W-30	9
	LUKOIL GENESIS SPECIAL C2 5W-30	
	LUKOIL GENESIS SPECIAL C3 5W-30	
	LUKOIL GENESIS SPECIAL C3 5W-40	
	LUKOIL GENESIS SPECIAL C4 5W-30	10
	LUKOIL GENESIS SPECIAL 5W-40	
	LUKOIL GENESIS SPECIAL FD 0W-30	
	LUKOIL GENESIS SPECIAL FD 5W-20	
	LUKOIL GENESIS SPECIAL JLR 0W-20	11
	LUKOIL GENESIS SPECIAL MC 0W-20	
	LUKOIL GENESIS SPECIAL MD 0W-30	
	LUKOIL GENESIS SPECIAL RN 5W-30	
	LUKOIL GENESIS SPECIAL VL 0W-20	14
	LUKOIL GENESIS SPECIAL XFE 5W-30	
	LUKOIL GENESIS SPECIAL FE 0W-20	
	LUKOIL GENESIS SPECIAL A5/B5 0W-30	
	LUKOIL GENESIS SPECIAL A5/B5 5W-30	15
	LUKOIL GENESIS SPECIAL RACING 10W-60	
	LUKOIL GENESIS ADVANCED 5W-40	
	LUKOIL GENESIS ADVANCED 10W-40	16

LUXE

	LUKOIL LUXE SYNTHETIC 5W-30	
	LUKOIL LUXE SYNTHETIC 5W-40	
	LUKOIL LUXE VN 5W-30	
	LUKOIL LUXE C3 5W-30	
	LUKOIL LUXE C3 5W-40	21
	LUKOIL LUXE A3/B4 10W-40	
	LUKOIL LUXE 10W-40	
	LUKOIL LUXE 15W-40	
	LUKOIL LUXE 20W-50	22

LUKOIL LUBRICANTS ENABLE RELIABLE MOBILITY FOR MILLIONS WORLDWIDE AND PROVE THEMSELVES DAILY UNDER ALL CONDITIONS.

Lubricants are some of the most important technical components of our daily life – and yet they are rarely noticed. And so it should be. After all, safety and progress can only be guaranteed by high-quality products with long service lives that invisibly keep our ever more dynamic world turning smoothly. LUKOIL Lubricants takes its responsibility as a manufacturer of first-class, reliable lubricants extremely seriously. The company's products are used across a range of industries, ensuring the smooth functioning of vehicles as well as boats and agricultural machinery.

In this way, LUKOIL helps keep today's highly complex logistics networks from grinding to a halt – which would be unthinkable in our modern ultramobile society. Nor is coming to a halt an option for the LUKOIL company. Stable growth, securing of resources and steady improvement of products and processes are essential in a highly dynamic market. LUKOIL has therefore established the goal of being at the absolute top in the most challenging segment: fully synthetic, high-performance oils for modern vehicle engines. The development of LUKOIL GENESIS is an impressive and successful example of this strategy – but we are always striving for more.

Founded in 1991 by a merger of regional oil and gas transport companies in the western Siberian cities of Langeepas, Uray and Kogalym (LUK), LUKOIL developed into the largest private oil group in Russia. In line with its established creed of vertical integration – in other words raw material extraction, production and development as well as sales of high-quality products all at a single company – LUKOIL always strives to offer perfect service to its customers. In recent years,



the focus here has been on the lubricants business. Through constant development work at seven refineries and production sites in Europe, including the newly added production and filling plant at the oil port of Lobau, LUKOIL Lubricants has already won over more than 300 manufacturers in the automotive industry, especially with the high-quality oils for the critical European market.

The Austrian market is also gaining in importance here. After all, it is from here that LUKOIL serves all Western European countries, not only with production and development, but also with the operation of a highly efficient distribution network. The lion's share of the value creation is therefore situated in Austria – at the heart of Europe. An important signal of stability and a long-term orientation. The decades of experience of Austrian experts in the role of a Central European hub and interface between East and West also ensure smooth functioning of all critical logistical flows. With the Danube port of Lobau and the Vienna Airport, high-capacity transport routes are a given.

LUKOIL GENESIS MOTOR OIL

THE PREMIUM ENGINE OIL FROM LUKOIL IS PREPARING TO CONQUER THE EUROPEAN MARKET FROM VIENNA – WITH HIGH QUALITY AND A SUSTAINABLE BUSINESS MODEL.

With the expansion of the Vienna production site and the associated strict quality controls, LUKOIL is sending a strong signal for the quality standard of LUKOIL GENESIS. As a home for modern technology enterprises, Austria also guarantees a product that not only meets the strict quality, environmental and ethical standards in Austria but subsequently throughout Europe as well.

As a fully synthetic Engine Oil, LUKOIL GENESIS meets all the requirements of modern petrol and

diesel engines. Especially with regard to ever higher performance, more efficient consumption and, not least, fulfilment of the strictest environmental standards, selecting the right Engine Oil has now become a critical decision. And not only for OEMs, particularly in mid-range and luxury vehicles, but especially at maintenance and service centres.

LUKOIL is working to ensure that GENESIS is available at all retailers, service stations, workshops and fuel stations.





**QUALITY IS OUR STRENGTH.
ENGINES ARE OUR PASSION.**

QUALITY FROM AUSTRIA

In our state-of-the-art production facilities in Lobau, Vienna, as well as in Finland and Romania, we manufacture over 40,000 tonnes of lubricant every year, using first-class source materials. Our scientific experts also work continuously to improve our products to guarantee ever greater reliability and progress.

In this way, LUKOIL can supply customers around the world – even in the most demanding segment of fully synthetic, high-performance lubricants – with reliable and individual solutions for special applications.

IT'S A MATTER OF TRUST.

NEW LUKOIL GENESIS SPECIAL C5 0W-20



Prod. No.: 563127	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Synthetic low ash engine oil specially developed for the latest generations of gasoline and diesel engines from leading manufacturers Synthetic high performance engine oil for the highest manufacturer requirements and strictest emission limits The viscosity range of SAE 0W 20 ensures the best possible fuel saving potential Optimal for many Asian OEM such as Honda, Hyundai, Kia, Mazda, Mitsubishi, Nissan, Subaru, Suzuki & Toyota 	API SN/SN PLUS/ SN-RC BMW LL-17FE+ ILSCAC GF-5 Jaguar/Land Rover STJLR.03.5006 MB-Approval 229.71 Opel OV0401547	ACEA C5 BMW LL-14FE+ Chrysler MS-12145 Fiat 9.55535-GSX Ford WSS M2C-947-B1

NEW LUKOIL GENESIS SPECIAL RN 0W-20



Prod. No.: 563125	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Specially developed for the latest Renault & Dacia gasoline and diesel engine generations, which require the „RN17 FE“ specification The RN 0W-20 “low viscosity” variant has a further improved fuel saving potential Synthetic, low-ash high-performance engine oil Can also be used in many other engines according to the manufacturer's instructions, where an engine oil according to ACEA C5 with a viscosity class of SAE 0W-20 is required 	Renault RN17 FE	ACEA C5

NEW LUKOIL GENESIS SPECIAL 0W-40



Prod. No.: 563003	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Wide viscosity range of SAE 0W-40 ensures maximum safety and extreme lubricity, even at the highest temperatures in the engine Optimal antioxidative and corrosion-inhibiting properties guarantee maximum engine cleanliness and long durability for all components High fuel saving potential during the warm-up phase due to the reduced internal friction of the engine Ideal for: <ul style="list-style-type: none"> Highly-loaded Mercedes and AMG engines Water and air cooled engines from Porsche Many other applications in gasoline and diesel engines from the Renault and VW group 	API SN BMW LL-01 MB-Approval 229.5 Porsche A40 Renault RN 0710/0700 VW 502 00/505 00	ACEA A3/B4 & (A3/B3 obsolet) API CF Ford WSS-M2C-937-A MB 229.3/226.5

**YOU ARE A
GREAT DRIVER,
WE MAKE YOU A
SMOOTH ONE.**



GENESIS MOTOR OIL

LUKOIL GENESIS SPECIAL VN 0W-20



Prod. No.: 563117	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Fully synthetic, fuel-efficient Engine Oil for high-performance petrol and diesel engines (with and without DPF) Newest product specially for vehicles from the VW GROUP (LongLife IV) For engines that achieve maximum fuel savings thanks to the reduced viscosity (BLUE OIL) Minimized wear thanks to rapid lubrication, outstanding low-temperature properties Not backwards-compatible with older VW standards 	Porsche C20 VW 508 00/ 509 00	ACEA A1/ B1, C5

LUKOIL GENESIS SPECIAL VN 5W-30



Prod. No.: 563113	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Synthetic, low-ash, fuel-efficient Engine Oil for the highest performance requirements Excellent suited for modern car engines from BMW, Mercedes, Porsche and the VW Group (LongLife III) Advanced additive technology guarantees the longest oil change intervals and effectively protects the engine and the particulate filter 	API SN BMW LL-04 MB-Approval 229.51 Porsche C30 VW 504 00/ 507 00	ACEA C3 Fiat 9.55535-S3 MB 229.31

LUKOIL GENESIS SPECIAL C1 5W-30



Prod. No.: 563106	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Synthetic, extremely low-ash, fuel-efficient Engine Oil that guarantees maximum fuel savings Maximum base oil quality and advanced additive technology guarantee the longest DPF lifespan Guarantees maximum component cleanliness in the engine 	Jaguar Land Rover ST JLR.03.5005	ACEA C1

LUKOIL GENESIS SPECIAL C2 0W-30



Prod. No.: 563108	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Low-ash, synthetic, high-performance Engine Oil developed for modern petrol and diesel engines with particulate filter – especially for the newest PEUGEOT and CITROEN models Maximum environmental protection and minimized oil-related emissions Extremely good low-temperature behaviour thanks to rapid lubrication in cold conditions Good fuel savings 	PSA B71 2312	ACEA C2

LUKOIL GENESIS SPECIAL C2 5W-30



Prod. No.: 563107

SPECIFICATIONS

- Synthetic, low-ash, fuel-efficient Engine Oil, especially suited for petrol and diesel engines with particulate filter from PEUGEOT, CITROEN, HONDA and TOYOTA
- Easy on the environment, protects engines and particulate filters
- Maximum engine cleanliness, reduced friction, long engine lifespan thanks to the newest additive technology

ACEA A1/ B1, A5/ B5, C2
API SN, CF
Fiat 9.55535-S1/ S3
IVECO 18-1811 Classe SC1
PSA B71 2290
Renault RN0700

LUKOIL GENESIS SPECIAL C3 5W-30



Prod. No.: 563104



APPROVALS

SPECIFICATIONS

- Synthetic, low-ash, fuel-efficient Engine Oil for maximum performance requirements
- Specially developed for modern car engines, excellently suited for vehicles with diesel particulate filter
- Excellent wear protection and outstanding piston cleanliness, guarantees a long engine lifespan
- Longest oil change intervals, protects engines and particulate filters

API SN
GM dexos2™-licensed
D20271HC072
MB-Approval 226.5
MB-Approval 229.51/
229.52
Renault RN 0700/
0710

ACEA C2, C3
API CF
BMW LL-04
Fiat 9.55535-S3
MB 229.31
PSA B71 2290

LUKOIL GENESIS SPECIAL C3 5W-40



Prod. No.: 563105

APPROVALS

SPECIFICATIONS

- For universal use – ideal for the modern vehicle fleet
- Synthetic, low-ash, fuel-efficient Engine Oil for maximum performance requirements
- Specially developed for modern car engines, excellently suited for vehicles with diesel particulate filter and pump-nozzle injection
- Longest oil change intervals, reliably protects engines and particulate filters

API SN
GM dexos2™-licensed
GB2C0426072
MB-approval 229.51
Porsche A40
Renault RN 0700/
0710
VW 505 00/505 01

ACEA C3
API CF
BMW LL-04
Fiat 9.55535 S2
Ford WSS-M2C917-A
MB 229.31/226.5

LUKOIL GENESIS SPECIAL C4 5W-30



Prod. No.: 563111

APPROVALS

SPECIFICATIONS

- Extremely low-ash, synthetic, high-performance Engine Oil, specially developed for modern petrol and diesel engines with particulate filters from RENAULT
- The advanced additive technology enables the longest oil change intervals
- Reliably protects engines and particulate filters

MB-Approval 226.51
MB-Approval 229.51
Renault RN0720

ACEA C4
MB 229.31

GENESIS

ENGINE OILS FOR PASSENGER VEHICLES

LUKOIL GENESIS SPECIAL 5W-40



Prod. No.: 563002

APPROVALS

SPECIFICATIONS

- Synthetic, fuel-efficient Engine Oil for petrol engines without particulate filters
- Optimal for older diesel engines without diesel particulate filter
- Advanced additive technology offers optimal lubrication reliability and ideal engine wear protection with maximum performance reserves
- Maximum efficiency, energy yield and fuel savings thanks to reduced friction in the engine

API SN
MB-Approval 226.5
MB-Approval 229.5
Porsche A40
VW 502 00/ 505 00

ACEA A3/ B4
API CF
BMW LL-01
Fiat 9.55535-N2/ Z2
MB 229.3
Opel GM-LL-B-025
PSA B71 2296
Renault RN0700/ 0710



LUKOIL GENESIS SPECIAL FD 0W-30

Prod. No.: 563116

APPROVALS

SPECIFICATIONS

- Synthetic, fuel-efficient Engine Oil, specially developed for the new Ford TDCi Duratorq Euro 6 diesel engines
- Optimal wear protection for all engine components
- Reduces the friction of the moving parts and prolongs the engine lifespan
- Outstanding low-temperature properties and long usage periods

Ford WSS-M2C950-A

ACEA C2
Fiat 9.55535-GS1/ DS1



LUKOIL GENESIS SPECIAL FD 5W-20

Prod. No.: 563115

APPROVALS

SPECIFICATIONS

- Synthetic, fuel-efficient Engine Oil for modern FORD ECOBOOST engines
- Guarantees maximum engine cleanliness, optimal compatibility with toothed belts running in oil, prolongs the engine lifespan
- Maximum fuel savings
- Rapid lubrication in the warm-up phase of the engine, guarantees fast starting at extremely cold temperatures

API SN, SN-RC
Ford WSS-M2C948-B
Jaguar Land Rover
ST JLR.03.5004
ILSAC GF-5

ACEA A1/ B1
Fiat 9.55535-CR1
Ford WSS-M2C948-A



LUKOIL GENESIS SPECIAL JLR 0W-20

Prod. No.: 563119

APPROVALS

SPECIFICATIONS

- Fully synthetic, fuel-efficient Engine Oil for high-performance petrol and diesel engines with and without DPF, specially developed for Jaguar and Land Rover
- Specially for engines that achieve maximum fuel savings thanks to the reduced viscosity and are compatible with exhaust after-treatment systems
- Minimized engine wear, especially in the warm-up phase

Jaguar Land Rover
ST JLR.51.5122

ACEA A1/ B1, C5
MB 229.71



Product Name	Product No.	ACEA	API	BMW	FIAT
LUKOIL GENESIS SPECIAL VN 0W-20	563117	C5 A1/B1			
LUKOIL GENESIS SPECIAL VN 5W-30	563113	C3	SN	LL-04	Fiat 9.55535-S3
LUKOIL GENESIS SPECIAL C1 5W-30	563106	C1			
LUKOIL GENESIS SPECIAL C2 5W-30	563107	C2 A5/B5 A1/B1	SN CF		9.55535-S1 9.55535-S3
LUKOIL GENESIS SPECIAL C2 0W-30	563108	C2			
LUKOIL GENESIS SPECIAL C3 5W-30	563104	C2 C3	SN CF		9.55535-S3*
LUKOIL GENESIS SPECIAL C3 5W-40	563105	C3	SN CF		9.55535-S2*
LUKOIL GENESIS SPECIAL C4 5W-30	563111	C4			
LUKOIL GENESIS SPECIAL C5 0W-20	563127	C5	SN/ SN-RC SN Plus	LL-14FE+ LL-17FE+	9.55535-GSX
LUKOIL GENESIS SPECIAL XFE 5W-30	563118		SN/ SN-RC SN Plus SP		
LUKOIL GENESIS SPECIAL A5/B5 5W-30	563100	A5/B5 A1/B1	SL CF		
LUKOIL GENESIS SPECIAL A5/B5 0W-30	563112	A5/B5 A1/B1	SL		
LUKOIL GENESIS SPECIAL 5W-40	563002	A3/B4 A3/B3	SN CF	LL-01	9.55535-N2/-Z2
LUKOIL GENESIS SPECIAL 0W-40	563003	A3/B4 A3/B3	SN CF	LL-01	
LUKOIL GENESIS SPECIAL FD 5W-20	563115	A1/B1	SN SN-RC		9.55535-CR1
LUKOIL GENESIS SPECIAL FD 0W-30	563116	C2			9.55535-GS1/-DS1
LUKOIL GENESIS SPECIAL FE 0W-20	563114		SN SN-RC		9.55535-CR1
LUKOIL GENESIS SPECIAL JLR 0W-20	563119	C5 A1/B1			
LUKOIL GENESIS SPECIAL MC 0W-20	563021	C5			
LUKOIL GENESIS SPECIAL MD 0W-30	563031				
LUKOIL GENESIS SPECIAL RACING 10W-60	563109	A3/B4 A3/B3	SN		9.55535-H3
LUKOIL GENESIS SPECIAL RN 5W-30	563124	C3			
LUKOIL GENESIS SPECIAL RN 0W-20	563125	C5			
LUKOIL GENESIS SPECIAL VL 0W-20	563102	C5 A1/B1	SN		9.55535-DSX
LUKOIL GENESIS ADVANCED 10W-40	563040	A3/B4 A3/B3	SN CF		9.55535-G2
LUKOIL GENESIS ADVANCED 5W-40	563041	A3/B4 A3/B3	SN CF		9.55535-H2/M2/N2

Legal Notice:

The information contained herein is subject to change without notice. This table is only an overview of product specifications and does not state any official approvals. For detailed information about 'Approvals' and 'Meets Requirements' please refer to the technical data sheet or to the specific product in the catalogue.

FORD	Mercedes-Benz	OPEL/ GM	PORSCHE	PSA-Group	RENAULT	VW	Other manufacturers
			C20			508 00 509 00	
	229.31 229.51		C30			504 00 507 00	
							Jaguar Land Rover ST JLR.03.5005
				B71 2290	RN0700		IVECO 18-1811 Classe SC1
				B71 2312			
	229.31/.52/.51 226.5	dexos2™ licensed D20271HC072		B71 2290	RN0700 RN0710		
917-A	229.31/.51 226.5	dexos2™ licensed GB2C0426072	A40		RN0700 RN0710	502 00 505 00 505 01	
	229.31/.51 226.51				RN0720		
947-B1	229.71	OV0401547					Chrysler MS-15145 ILSAC GF-5 Jaguar Land Rover STJLR.03.5006
946-A		dexos1 Gen2 licensed D10531HH072					ILSAC GF-5/GF-6A
913-A/B/C 913-D					RN0700		Jaguar Land Rover ST JLR.03.5003 IVECO 18-1811 Classe S1
					RN0700		Volvo 95200377
	229.3/.5 226.5	GM-LL-B-025	A40	B71 2296	RN0700 RN0710	502 00 505 00	
937-A	226.5 229.3/.5		A40		RN0700 RN0710	502 00 505 00	
948-A/-B							Jaguar Land Rover ST JLR.03.5004 ILSAC GF-5
950-A							
							ILSAC GF-5
	229.71						Jaguar Land Rover ST JLR.51.5122
	229.71						
	229.61						
					RN17		
					RN17 FE		
							Volvo VCC-RBS0-2AE
	229.3	GM-LL-A-025 GM-LL-B-025		B71 2294 B71 2300	RN0700 RN0710	502 00 505 00	
	229.3			B71 2296	RN0700 RN0710	502 00 505 00	

LUKOIL GENESIS SPECIAL MC 0W-20



Prod. No.: 563021	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Specially developed for use in modern diesel and petrol engines from MB/Daimler that require Engine Oil with viscosity 0W-20 and specification MB 229.71 Fully synthetic, fuel-efficient Engine Oil, specially developed for use in modern diesel and petrol engines Extreme fuel savings due to reduced friction and long lifespans thanks to high-quality synthetic base oils Minimized wear thanks to rapid lubrication and outstanding low-temperature properties guarantee reliable starting at cold temperatures 	MB-Approval 229.71	ACEA C5

LUKOIL GENESIS SPECIAL MD 0W-30



Prod. No.: 563031	APPROVALS
<ul style="list-style-type: none"> Specially developed for use in modern diesel and petrol engines from MB/Daimler that require Engine Oil with viscosity 0W-30 and specification MB 229.61 Fully synthetic, fuel-efficient Engine Oil, specially developed for use in modern diesel and petrol engines Extreme fuel savings due to reduced friction and long lifespans thanks to high-quality synthetic base oils Minimized wear thanks to rapid lubrication and outstanding low-temperature properties guarantee reliable starting at cold temperatures 	MB-Approval 229.61

LUKOIL GENESIS SPECIAL RN 5W-30



Prod. No.: 563124	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Synthetic, low-ash, fuel-efficient Engine Oil for maximum performance requirements Specially developed for the newest RENAULT engines (petrol and diesel), excellently suited for vehicles with particulate filter Excellent wear protection and outstanding piston cleanliness, guarantees a long engine lifespan Longest oil change intervals, protects engines and particulate filters 	Renault RN17	ACEA C3

LUKOIL GENESIS SPECIAL VL 0W-20



Prod. No.: 563102	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Fully synthetic, fuel-efficient Engine Oil for the highest performance requirements – for Volvo vehicles Combines maximum performance and ultimate fuel savings with 40% beyond the ACEA standard Enables the longest maintenance intervals without sacrificing operational reliability, 3 times greater wear protection than required Rapid lubrication – especially during cold starts in the winter – ensures reduced wear 	VOLVO VCC-RBSO-2AE API SN	ACEA A1/ B1, C5 Fiat 9.55535-DSX

LUKOIL GENESIS SPECIAL XFE 5W-30



Prod. No.: 563118	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> ■ Synthetic, fuel-efficient Engine Oil for modern petrol engines from GM that require oil satisfying GM dexos1™ Gen2 ■ Effectively prevents LSPI (low-speed pre-ignition) ■ This product can only be used in vehicles with petrol engines – NOT suitable for diesel engines ■ Additive technology keeps turbochargers and intercoolers clean ■ Guarantees maximum engine cleanliness, reduced friction of moving parts and a long engine lifespan 	API SN, SN-RC, SN-Plus, SP GM dexos1 Gen2-licensed D10531HH072 ILSAC GF-5/GF-6A	Ford WSS-M2L-946A

LUKOIL GENESIS SPECIAL FE 0W-20



Prod. No.: 563114	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> ■ Newly developed, synthetic, fuel-efficient Engine Oil for petrol engines of the newest generation of EEV (Environment Enhanced Vehicle) and hybrid vehicles ■ Combines maximum performance with optimal fuel savings ■ Ensures the highest engine cleanliness, prolongs the engine lifespan ■ Minimizes wear thanks to rapid lubrication in the warm-up phase and during cold starts in winter 	API SN, SN-RC ILSAC GF-5	Fiat 9.55535-CR1

LUKOIL GENESIS SPECIAL A5/B5 0W-30



Prod. No.: 563112	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> ■ Fully synthetic, fuel-efficient Engine Oil for the highest performance requirements ■ Extended maintenance intervals, maximum operational reliability and performance reserves ■ Maximum fuel savings due to reduced high-temperature viscosity ■ Outstanding low-temperature properties guarantee reliable cold starting ■ Specially recommended for older VOLVO vehicles 	VOLVO 95200377	ACEA A1/ B1, A5/ B5 API SL Renault RN0700

LUKOIL GENESIS SPECIAL A5/B5 5W-30



Prod. No.: 563100	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> ■ The synthetic, fuel-efficient Engine Oil satisfies the highest performance requirements ■ Optimal for use in modern passenger car engines ■ 20% higher fuel savings over standard requirements, maximum engine cleanliness and high ageing stability guarantee long oil change intervals and high efficiency ■ Excellently suited for vehicles from Ford. Except for: Ford KA manufactured as of August 2008, Ford Galaxy 1.9 TDI and Ford Focus RS as of March 2009 	API SL Ford WSS-M2C913-D Jaguar Land Rover ST JLR.03.5003 Renault RN0700	ACEA A1/ B1, A5/ B5 API CF Ford WSS-M2C913-A/ B/ C Iveco 18-1811 Classe S1



LUKOIL GENESIS SPECIAL RACING 10W-60

Prod. No.: 563109



SPECIFICATIONS

- Fully synthetic, high-performance Engine Oil, specially suited for use in 4-stroke engines under extreme conditions, such as racing
- Optimal lubrication and wear protection at extreme RPMs and temperatures
- Ensures maximum engine cleanliness under extreme racing conditions

ACEA A3/ B4
API SN
Fiat 9.55535-H3



LUKOIL GENESIS ADVANCED 5W-40

Prod. No.: 563041

APPROVALS

SPECIFICATIONS

- Partly synthetic, fuel-efficient Engine Oil for petrol and diesel engines without diesel particulate filter
- Good cold start properties and rapid lubrication, especially during the warm-up phase of the engine
- Maximum reliability in urban stop-and-go traffic
- Ideal for older car models

API SN
MB-Approval 229.3

ACEA A3/ B4
API CF
Fiat 9.55535-H2/
M2/ N2
PSA B71 2296
Renault RN0700/ 0710
VW 502 00/ 505 00



LUKOIL GENESIS ADVANCED 10W-40

Prod. No.: 563040

APPROVALS

SPECIFICATIONS












- Partly synthetic, fuel-efficient Engine Oil for petrol and diesel engines without diesel particulate filter
- Reduces friction in cold operation, spares the engine thanks to rapid lubrication, especially during the warm-up phase of the engine
- Maximum reliability in urban stop-and-go traffic
- Good fit for 2005 models and older


API SN

ACEA A3/B4
API CF
Fiat 9.55535-G2
MB 229.3
Opel GM-LL-A-025
Opel GM-LL-B-025
PSA B71 2294/ B71
2300
Renault RN0700/ 0710
VW 502 00/ 505 00



+ 1 LITRE AT EVERY SERVICE

WHY YOU SHOULD OFFER EVERY CUSTOMER AN ADDITIONAL LITRE		ADVANTAGES AND ARGUMENTS FOR YOUR CUSTOMERS
 DURING AN OIL CHANGE		Avoidance of technical problems – the right oil is always used
		Service providers know the right oil quality; an unsuitable oil could void warranty claims
		Extended oil change intervals require special oils that are often not available at petrol stations
 UPON PURCHASE OF A NEW CAR		The operating manual contains recommendations concerning top-up quantities
		Extended oil change intervals require special oils that are often not available at petrol stations
		Service providers know the right oil quality; an unsuitable oil could void warranty claims
 AT ALL SERVICE VISITS		Oil level checks are important since 32% of vehicles operate at too low a level, which can lead to engine damage.
		Safety on the road



WHICH ENGINE OIL DO I NEED?

Information on the individual car brands can be obtained in the LUKOIL Lubricant Advisor at www.lukoil-lubricants.eu or requested by email: technics.lubes@eu.lukoil.com.




LUKOIL TRANSMISSION

Fully synthetic transmission oils developed for hard-working transmissions.



LUKOIL GENESIS SPECIAL

Your car deserves the best Engine Oil, treat it well.



LUKOIL COOLANT

We offer a wide range of radiator antifreeze fluids for diverse specifications and needs – whether pure or diluted.



LUKOIL ATF

Our range of automatic transmission fluids covers every need.



PACKAGING INFORMATION

PACKAGING	TARE BOX (KG)	TARE CONTAINER (KG)	WIDTH (MM)	HEIGHT (MM)	LENGTH (MM)	DIA-METER (MM)	UNITS PER PALLET	PALLET SIZE (CM)	UNITS PER SALE UNIT
1 LITRE BOTTLE	0,35	0,08	260	240	380	–	432	120 x 80	12
5 LITRE BOTTLE	0,32	0,3	260	330	380	–	81	120 x 80	3
20 LITRE CANISTER & BAG IN BOX	–	1,0	260	362	300	–	36	120 x 80	–
DRUM 60 LITRES	–	4,0	–	586	–	384	6	120 x 80	–
DRUM 205 LITRES	–	14,5	–	878	–	585	4	120 x 120	–
IBC CONTAINER 1000 LITRES	–	60	1000	1200	1200	–	–	–	–

LUKOIL LUXE SYNTHETIC 5W-30



Prod. No.: 568107	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Synthetic multi-grade Engine Oil, developed for modern petrol and diesel engines, including turbocharged Oil usage time corresponds to the oil change intervals specified by OEMs Suitable for FORD vehicles requiring the specification FORD WSS-M2C913-C 	API SL	ACEA A1/ B1, A5/ B5 API CF Fiat 9.55535-G1 Ford WSS-M2C913-A/ B/ C/ D IVECO 18-1811 Classe S1 Renault RN0700

LUKOIL LUXE SYNTHETIC 5W-40



Prod. No.: 568108	APPROVALS	SPECIFICATIONS
<ul style="list-style-type: none"> Synthetic multi-grade Engine Oil, exceeds the requirements of API SN/CF and ACEA A3/B4 The product is produced with high-quality base oils and modern additive technology Good viscosity and temperature behaviour Good cold start properties 	API SN MB-Approval 226.5 MB-Approval 229.5 Renault RN0700/ 0710	ACEA A3/ B4 API CF Fiat 9.55535-N2/ Z2 PSA B71 2296 VW 502 00/ 505 00

LUKOIL LUXE VN 5W-30



Prod. No.: 568112	SPECIFICATIONS
<ul style="list-style-type: none"> A synthetic, low-ash, fuel-efficient Engine Oil for the highest performance requirements Excellent suited for modern car engines, especially vehicles with diesel particulate filter and pump-nozzle injection Supports the longest oil change intervals, protects the engine Specially suited for vehicles from the VW Group (LongLife III) 	ACEA C3 MB 229.31/ 229.51 Porsche C30 VW 504 00/ 507 00

LUKOIL LUXE C3 5W-30



Prod. No.: 568111	SPECIFICATIONS
<ul style="list-style-type: none"> Low-ash, synthetic, fuel-efficient Engine Oil for modern petrol and diesel engines with particulate filter The new mid-SAPS technology is easy on the environment and diesel particulate filters (DPF) Maximum engine cleanliness, reduces the friction of the moving parts and ensures a long engine lifespan Suitable for use in petrol and diesel engines with particulate filter from BMW, Mercedes Benz, Renault and Opel 	ACEA C3 API SN, CF GM dexos2™ MB 226.5/ 229.31/ 229.51 Renault RN0700/ 0710

LUKOIL LUXE C3 5W-40



Prod. No.: 568110	SPECIFICATIONS
<ul style="list-style-type: none"> Low-ash, synthetic, fuel-efficient Engine Oil for modern petrol and diesel engines with particulate filter The new mid-SAPS technology is easy on the environment and diesel particulate filters (DPF) Very good ageing resistance thanks to high operating reliability Maximum engine cleanliness, reduces the friction of the moving parts and ensures a long engine lifespan 	ACEA C3 API SN, CF MB 226.5/ 229.31/ 229.51 Porsche A40 Renault RN0700/ 0710

LUKOIL LUXE A3/B4 10W-40



Prod. No.: 568109

SPECIFICATIONS

- Partly synthetic, fuel-efficient Engine Oil for petrol and diesel engines without diesel particulate filter
- Compatible with turbochargers and catalytic converters, offers large performance reserves within the permitted oil change intervals
- Specially suitable for older petrol and diesel engines without diesel particulate filter

ACEA A3/ B4
API SN, CF
Fiat 9.55535-G2
MB 229.3
Opel GM-LL-A-025
Opel GM-LL-B-025
PSA B71 2294/ 2300
Renault RN0700/ 0710
VW 502 00/ 505 00

LUKOIL LUXE 10W-40



Prod. No.: 568113

APPROVALS

SPECIFICATIONS

- Semi-synthetic multi-grade Engine Oil for year-round operation of petrol and diesel engines, such as in cars, minibuses or light trucks
- Very good ageing resistance and high operational reliability within the permitted maintenance intervals
- Good viscosity and temperature behaviour, good cold start properties and high wear and corrosion protection

API SL, SM

API CF

LUKOIL LUXE 15W-40



Prod. No.: 568114

SPECIFICATIONS

- Multi-grade mineral Engine Oil for year-round operation of car engines, produced from high-quality base oils with new additive technology
- Good ageing resistance and high operational reliability within the permitted maintenance intervals
- High wear and corrosion protection, increases the engine lifespan

API SL, CF

LUKOIL LUXE 20W-50



Prod. No.: 568115

SPECIFICATIONS

- Multi-grade mineral Engine Oil for year-round operation of car engines, produced from high-quality base oils with a robust additive package
- Recommended for petrol and diesel engines, such as in cars, minibuses or light trucks
- Protects the engine from deposits that result from extremely high temperatures
- Especially suited for older vehicles from before 1990

API SL, CF

LUKOIL LUBRICANTS EUROPE GmbH

1220 Vienna, Uferstrasse 8
www.lukoil-lubricants.eu
Version: 2.0, November 2020

MORE INFORMATION AVAILABLE FROM:

AUSTRIA

Automotive: Telephone 0810 959 8884
info.schmierstoffe-automotive@eu.lukoil.com
Industry: Telephone 0810 959 8886
info.schmierstoffe-industry@eu.lukoil.com
Dealer: Telephone 0810 959 8885
info.schmierstoffe-dealer@eu.lukoil.com

GERMANY

Automotive: Telephone 01806 06 00 004
info.schmierstoffe-automotive@eu.lukoil.com
Industry: Telephone 01806 06 00 006
info.schmierstoffe-industry@eu.lukoil.com
Dealer: Telephone 01806 06 00 005
info.schmierstoffe-dealer@eu.lukoil.com

CZECH REPUBLIC

Telephone 844 900 033
info.lubes-CEE@eu.lukoil.com

HUNGARY

Telephone 0680 980 975
info.lubes-CEE@eu.lukoil.com

SLOVAKIA

Telephone 0850 166 670
info.lubes-CEE@eu.lukoil.com

ITALY

Telephone +43 1 205 222 8007
info.lubes-CEE@eu.lukoil.com

SWEDEN

Telephone +46 (0)8 466 88 60
order.se@eu.lukoil.com



LUKOIL
IN MY HEART



WWW.LUKOIL-LUBRICANTS.EU