



Teleassistenza
Teleservice
Teleservice


Rulliere di estensione
Rollers table extension
Rouleaux de prolongement table



Soffiatore compatto
Compact belts blower
Soufflette compacte



Turbo-soffiatori
Turbo rotating blowers
Turbo soufflettes



Touch screen 7" Touch screen 7" Pantalla táctil 7"

INDUSTRY 4.0 READY




Posizionatore automatico
Automatic positioner
Palpeur automatique



Posizionatore automatico
Automatic positioner
Palpeur automatique

MACCHINA BASE
BASIC MACHINE
MACHINE DE BASE

- ✓ Versione a 2/3 operatori
Version 2/3 operators
Version à 2/3 groupes
- ✓ Larghezza utile di lavoro 1350mm
Working width 1350mm
Largeur utile de travail 1350mm
- ✓ Spessore di lavoro min/max 3-170mm
Working thickness min/max 3-170mm
Epaisseur de travail min/max 3-170mm
- ✓ Dimensione nastri abrasivi (sviluppo) 2200mm
Abrasive belt (length) 2200mm
Dimension de la bande abrasive (développement) 2200mm
- ✓ Inverter controllo velocità avanzamento
Inverter for feed speed control
Convertisseur vitesse d'entraînement




Mercury 1350

MACHINE DIMENSIONS
(LxPxH) mm
.2 Abrasive Belts 1770x1900x2200
.3 Abrasive Belts 1770x2100x2200



Need Help?
No problem. Just connect the electronic cable we gave you to the machine. EMC technician will do the rest of the job.



**"Sanding is an Art, which comes from the Heart".
And we have a big Heart.**



Via Brodolini, 23 - 40026 Imola (Bo) Italy
Tel. +39 0542 688034 - Fax +39 0542 643959
E-mail: info@emc-italia.it



@emcrealfinishing

emcsrl

www.emc-italia.it

EMC si riserva il diritto di modificare le specifiche tecniche - EMC se réserve le droit de modifier les spécifications techniques - Printed by Nuova Grafica Imola



Mercury 1350

Reliable and production guaranteed





Mercury 1350

The highest quality finishing



Performing and Reliable for each type of work



Gruppo operatore Pialla
Planner head unit
Groupe de ponçage à couteaux




Gruppo operatore Rullo
Working unit roller
Groupe de ponçage à Rouleau

Ø180 Ø250



Gruppo operatore Kombi
Kombi Group
Groupe de ponçage Kombi




Gruppo operatore Pattino
Electronic segmented pad
Groupe de ponçage patin




Configurazione 3 operatori
Configuration 3 groups
Configuration à 3 groupes



Gruppo spazzole tangenziali / sistema planetario
Tangential brushes unit / planetary system
Brosses tangentielles avec système planétaire



Gruppo spazzola
Brushing unit
Groupe de brossage à Brosse



Sistema on-off pneumatico
On-off pneumatic system
Système on-off pneumatique




Spazzola pulizia pezzi
Brush for panels cleaning
Brosse nettoyage des pièces




Spazzola pulizia tappeto
Brush for feed belt cleaning
Brosse nettoyage du tapis



Tampone elettronico sezionato di nuova concezione
Electronic sectioned pad of new conception
Patin électronique sectionné de nouvelle conception




Intervento automatico del tampone levigatore sincronizzato
Automatic timing control for pads
Contrôle automatique du timing pour les pads



Depressore interno (taratura variabile, inverter)
Internal vacuum fan (setting variable, inverter)
Ventilateur dépression à l'intérieur (réglage variable, inverter)

Dimensione nastri abrasivi (sviluppo) 2620mm
Abrasive belt (length) 2620mm
Dimension de la bande abrasive (développement) 2620mm



Motori indipendenti
Independent motors
Moteurs indépendantes



Scarpette di pressione
Pressure shoes
Sabots presseurs