

# BATTERY TERMINAL



**RACO A/S**  
 Overgade 4  
 DK-6670 Holsted  
 Tel. +45 69106680  
 E-Mail: [info@raco.dk](mailto:info@raco.dk)  
 Web: [www.raco.dk](http://www.raco.dk)

Part no.	Description	Pol D.	Drilling	Connection	Material	Cable size	DIN	Colli
203001	Positive +	Ø 19mm		Right angled	Brass, tin-plated	25-35 mm <sup>2</sup>	72331 form A	25 pcs. 
203002	Positive +	Ø 19mm		Left angled	Brass, tin-plated	25-35 mm <sup>2</sup>	72331 form C	25 pcs. 
204001	Negative -	Ø 17mm		Right angled	Brass, tin-plated	25-35 mm <sup>2</sup>	72331 form D	25 pcs. 
204002	Negative -	Ø 17mm		Left angled	Brass, tin-plated	25-35 mm <sup>2</sup>	72331 form B	25 pcs. 
205000	Positive + Solderless	Ø 19mm	Ø10mm		Brass, tin-plated	25-35 mm <sup>2</sup>	72332 form A	25 pcs. 
206000	Negative - Solderless	Ø 17mm	Ø10mm		Brass, tin-plated	25-35 mm <sup>2</sup>	72332 form B	25 pcs. 
207000	Positive + Solderless	Ø 19mm	Ø13mm		Brass, tin-plated	35-50 mm <sup>2</sup>	72332 form A	25 pcs. 
208000	Negative - Solderless	Ø 17mm	Ø13mm		Brass, tin-plated	35-50 mm <sup>2</sup>	72332 form B	25 pcs. 
209000	Positive + Solderless	Ø 19mm	Ø15mm		Brass, tin-plated	50-70 mm <sup>2</sup>	72332 form A	25 pcs. 
210000	Negative - Solderless	Ø 17mm	Ø15mm		Brass, tin-plated	50-70 mm <sup>2</sup>	72332 form B	25 pcs.
211000	Positive + Solder connection	Ø 19mm	Ø9,7mm	With groove	Brass, tin-plated	35-50 mm <sup>2</sup>		25 pcs.
212000	Negative - Solder connection	Ø 17mm	Ø9,7mm	With groove	Brass, tin-plated	35-50 mm <sup>2</sup>		25 pcs.
211500	Positive + Solder connection	Ø 19mm	Ø9,7mm	With groove	Brass, tin-plated	35-50 mm <sup>2</sup>		250 pcs. Industrial
212500	Negative - Solder connection	Ø 17mm	Ø9,7mm	With groove	Brass, tin-plated	35-50 mm <sup>2</sup>		250 pcs. Industrial
211501	Positive + Solder connection	Ø 19mm	Ø9,7mm	Without groove	Brass, tin-plated	35-50 mm <sup>2</sup>		250 pcs. Industrial
212501	Negative - Solder connection	Ø 17mm	Ø9,7mm	Without groove	Brass, tin-plated	35-50 mm <sup>2</sup>		250 pcs. Industrial



# BATTERY TERMINAL



**RACO A/S**  
 Overgade 4  
 DK-6670 Holsted  
 Tel. +45 69106680  
 E-Mail: [info@raco.dk](mailto:info@raco.dk)  
 Web: [www.raco.dk](http://www.raco.dk)

Part no.	Description	Pol D.	Drilling	Connection	Material	Cable size	DIN	Colli	
211502	Positive + Solder connection	Ø 19mm	Ø7,5mm	Without groove	Brass, tin-plated	16-25 mm <sup>2</sup>		250 pcs. Industrial	
212502	Negative - Solder connection	Ø 17mm	Ø7,5mm	Without groove	Brass, tin-plated	16-25 mm <sup>2</sup>		250 pcs. Industrial	
217500	Positive + Solder connection	Ø 19mm			Brass, tin-plated	35-50 mm <sup>2</sup>		250 pcs. Industrial	
218500	Negative - Solder connection	Ø 17mm			Brass, tin-plated	35-50 mm <sup>2</sup>		250 pcs. Industrial	
221500	Positive + Solder connection	Ø 19mm			Brass, tin-plated	16-25 mm <sup>2</sup>		250 pcs. Industrial	
219000	Positive +	Ø 14mm		Right angled (E.g. Fiat Mazda, Suzuki)	Brass, tin-plated	25-35 mm <sup>2</sup>	72331 form A	25 pcs.	
220000	Negative -	Ø 12mm		Left angled (E.g. Fiat Mazda, Suzuki)	Brass, tin-plated	25-35 mm <sup>2</sup>	72331 form B	25 pcs.	
224500	Negative -	Ø 17mm		For earth straps	Brass, tin-plated			250 pcs. Industrial	
225000	Positive +	Ø 19mm		Int. Threaded	Brass, tin-plated		DIN/USA	25 pcs.	
226000	Negative -	Ø 17mm		Int. Threaded	Brass, tin-plated		DIN/USA	25 pcs.	
227000	Positive +	Ø 19mm		M10 x 22mm Bolt	Brass, tin-plated	25-70 mm <sup>2</sup>		25 pcs.	
228000	Negative -	Ø 17mm		M10 x 22mm Bolt	Brass, tin-plated	25-70 mm <sup>2</sup>		25 pcs.	
227003	Positive + W/wing nut	Ø 19mm		M10 x 22mm Bolt	Brass, tin-plated	25-70 mm <sup>2</sup>		20 pcs.	
228003	Negative - W/wing nut	Ø 17mm		M10 x 22mm Bolt	Brass, tin-plated	25-70 mm <sup>2</sup>		20 pcs.	
229000	Positive +	Ø 19mm		M8 x 22mm Bolt	Brass, tin-plated	25-70 mm <sup>2</sup>		25 pcs.	
230000	Negative -	Ø 17mm		M8 x 22mm Bolt	Brass, tin-plated	25-70 mm <sup>2</sup>		25 pcs.	



















# BATTERY TERMINAL



**RACO A/S**

Overgade 4  
DK-6670 Holsted  
Tel. +45 69106680  
E-Mail: [info@raco.dk](mailto:info@raco.dk)  
Web: [www.raco.dk](http://www.raco.dk)

Part no.	Description	Pol D.	Drilling	Connection	Material	Cable size	DIN	Colli
229003	Positive + W/wing nut	Ø 19mm		M8 x 22mm Bolt	Brass, tin-plated	25-70 mm <sup>2</sup>		25 pcs. 
230003	Negative - W/wing nut	Ø 17mm		M8 x 22mm Bolt	Brass, tin-plated	25-70 mm <sup>2</sup>		25 pcs. 
235001	Positive +	Ø 19mm		Right angled	Brass, tin-plated	35-70 mm <sup>2</sup>	72331 form A	20 pcs. 
235002	Positive +	Ø 19mm		Left angled	Brass, tin-plated	35-70 mm <sup>2</sup>	72331 form C	20 pcs. 
236001	Negative -	Ø 17mm		Right angled	Brass, tin-plated	35-70 mm <sup>2</sup>	72331 form D	20 pcs. 
236002	Negative -	Ø 17mm		Left angled	Brass, tin-plated	35-70 mm <sup>2</sup>	72331 form B	20 pcs. 
237001	Positive + Double connection	Ø 19mm		Right angled	Brass, tin-plated	35-70 mm <sup>2</sup>		15 pcs. 
237002	Positive + Double connection	Ø 19mm		Left angled	Brass, tin-plated	35-70 mm <sup>2</sup>		15 pcs. 
238001	Negative - Double connection	Ø 17mm		Right angled	Brass, tin-plated	35-70 mm <sup>2</sup>		15 pcs. 
238002	Negative - Double connection	Ø 17mm		Left angled	Brass, tin-plated	35-70 mm <sup>2</sup>		15 pcs. 
239000	Positive + With 5mm screw connection	Ø 19mm		Right angled	Brass, tin-plated	35-70 mm <sup>2</sup>		15 pcs. 
240000	Negative - With 5mm screw connection	Ø 17mm		Left angled	Brass, tin-plated	35-70 mm <sup>2</sup>		15 pcs. 
245000	Positive + Solderless	Ø 19mm	Ø 9mm		Brass, tin-plated	25-35 mm <sup>2</sup>	72332 form A	25 pcs. 
246000	Negative - Solderless	Ø 17mm	Ø 9mm		Brass, tin-plated	25-35 mm <sup>2</sup>	72332 form B	25 pcs. 
247000	Positive + Solderless	Ø 19mm	Ø 11mm		Brass, tin-plated	35-50 mm <sup>2</sup>	72332 form A	25 pcs. 
248000	Negative - Solderless	Ø 17mm	Ø 11mm		Brass, tin-plated	35-50 mm <sup>2</sup>	72332 form B	25 pcs. 





# BATTERY TERMINAL



**RACO A/S**

Overgade 4  
DK-6670 Holsted  
Tel. +45 69106680  
E-Mail: [info@raco.dk](mailto:info@raco.dk)  
Web: [www.raco.dk](http://www.raco.dk)

Part no.	Description	Pol D.	Drilling	Connection	Material	Cable size	DIN	Colli	
249000	Positive +	Ø 19mm		Adapter for flat poles. FORD	Brass, tin-plated			25 pcs.	
250000	Negative -	Ø 17mm			Brass, tin-plated			25 pcs.	
255000	Positive +	Ø 19mm		Easy click	Brass, tin-plated	16-70 mm <sup>2</sup>		12 pcs.	
256000	Negative -	Ø 17mm		Easy click	Brass, tin-plated	16-70 mm <sup>2</sup>		12 pcs.	
257000	Positive +	Ø 19mm		10mm thread	Brass, tin-plated			25 pcs.	
258000	Negative -	Ø 17mm		8mm thread	Brass, tin-plated			25 pcs.	
257002	Positive +	Ø 19mm		10mm bolt	Brass, tin-plated			25 pcs.	
259002	Positive +	Ø 19mm		12mm bolt	Brass, tin-plated			25 pcs.	
260002	Negative -	Ø 17mm		10mm bolt	Brass, tin-plated			25 pcs.	
4005	Bolt pozi			M6 x 19mm	Brass, tin-plated			100 pcs.	
4006	Bolt pozi			M6 x 15mm	Brass, tin-plated			100 pcs.	
4011	Washer			Inside 10mm Outside 22mm				100 pcs.	
4020	Nut			M8	6-edged			100 pcs.	
4024	Nut			M10	6-edged			100 pcs.	
926000	Bolt with nut			Bolt = M8 x 28mm Nut = M8				100 pcs.	

