



PROMOTIONS

Valid from 1st January to 30th June, 2025

**1st half
2025**



TINY M^{INI} TURN MULTI

Valid from 1st January to 30th June, 2025



SOLID CARBIDE BORING BAR FOR SMALL-DIAMETER DRILLING AND TURNING

Multifunctional solid carbide boring bar for small-diameter drilling and various turning processes

BUY 4 solid carbide bars

AND

GET 1 corresponding sleeve

40 %
additional discount!

Solid Carbide bars (Grade SH725):

TBMFR07...

Sleeve:

JBBS16-7-L100C-4N

JBBS19-7-L100C-4N

JBBS20-7-L100C-4N

JBBS22-7-L100C-4N

JBBS254-7-L100C-4N

JBBS25-7-L100C-4N

TBMFR07...

From drilling to internal, external, and face turning

DC = \varnothing 3, 4, 5, 6, 7 mm



e-catalog



Member IMC Group
Tungaloy

MULTIFUNCTIONAL TOOLS FOR DRILLING AND TURNING

Reduced machine downtime thanks to eliminating the need for tool changes.

BUY 10 inserts

AND

GET 1 corresponding toolholder

50 %
additional discount!

Inserts (Grade AH725):

XCMT-PS (for DC = $\varnothing 8$ mm)

XOMU-PS (for DC = $\varnothing 10$ - $\varnothing 32$ mm)

Toolholder:

TBM

A-SXUOR/L



XOMU-PS

Optimized chipbreaker design enables effective chip control in all applications



XCMT-PS

Single-sided insert with 2 corners for multifunctional tools



e-catalog



INNOVATIVE GROOVING TOOLS WITH 4 CUTTING-EDGE INSERTS

The ground insert clamps securely into a unique insert pocket, ensuring high rigidity and repeatability. It is paired with high-productivity PVD grades such as AH7025, AH8005, and AH6235

BUY 10 inserts

AND

GET 1 corresponding toolholder

60 %
additional discount!

BUY 10 inserts

AND

GET 1 corresponding CHP toolholder

40 %
additional discount!

Inserts (Grades AH7025, AH8005 and AH6235):

TCL27

TCS27

TCM27

Toolholder:

STCR/L

STCR/L-CHP



e-catalog



INNOVATIVE TURNING TOOL SERIES FOR CNC AUTOMATIC LATHES AND CAM-DRIVEN LATHES

Ideal for machining small parts of 12 mm or smaller diameters


BUY 10 inserts
 AND
GET 1 toolholder

FREE
of charge!



Inserts (Grade SH7025/SH725):
 JVPN**R/L (for Grooving and Parting-off)
 CW = 0.5, 0.6, 0.8, 1 mm
 JVFN45R/L (for Front Turning)
 JVBN45/70 (Back Turning)
 JVTN (Threading)
 JVGN (Grooving)
 CW = 0.5, 0.75, 0.95, 1.00, 1.50 mm
 JVNR/L (Blank insert)

Toolholder:
 0606, 0707, 0808, and 1010 type



VERSATILE SHOULDER MILLING CUTTER WITH UNIQUE V-SHAPED INSERT BOTTOM FOR MAXIMUM PRODUCTIVITY

Unmatched stability across all materials, with an innovative clamping system

BUY 10 inserts per pocket up to max 50 inserts
AND pocket
GET 1 Cutter

FREE
of charge!

Limited up to diameter 125 mm

Inserts (Grades: AH3225, AH8015, AH120, T1215, T3225, KS05F):

AV**T12
AV**T18

Cutter bodies:

Bore type:
TPAV12/18
DCX = $\varnothing 40 - \varnothing 125$ mm

Shank type:
EPAV12/18
DCX = $\varnothing 12 - \varnothing 63$ mm

Modular type:
HPAV12/18
DCX = $\varnothing 16 - \varnothing 40$ mm



V shape design prevents insert movement during machining.



AV*T18 Max. depth of cut: 16.5 mm **AV*T12** Max. depth of cut: 11.5 mm



HIGH FEED MILLING CUTTERS WITH SIX CUTTING EDGE INSERTS

The cutter's small entry angle ensures smooth material access, perfect for long reach applications

BUY 10 inserts per
AND pocket up to max 50 inserts
GET 1 Cutter

FREE
of charge!

Insert (Grades: AH3225, AH8015):

WXMU03

Cutter bodies:

Bore type:

TXWX03

DCX = $\varnothing 40 - \varnothing 50$ mm

Shank type:

EXWX03...

DCX = $\varnothing 16 - \varnothing 32$ mm

Modular type:

HXWX03

DCX = $\varnothing 16 - \varnothing 32$ mm



WXMU03-MM

Double-sided,
6-edged insert
APMX = 1 mm



video



e-catalog



MORE THAN 13,000 POSSIBLE COMBINATIONS

Easy and accurate head-holder coupling provides reduced tool change time and high accuracy of cutting point repeatability

BUY 6 heads

AND

GET 1 Steel or Carbide shank

**60 %
additional
discount!**

Heads (Grade: AH715, AH725, AH750, GH730, KS15F):

Square heads: **VEH, VEE, VED**

Face mills: **VFM**

High-feed: **VFX**

Ball: **VBB, VBD, VBE**

Radius: **VRB, VRC, VRD**

Barrel: **VBO**

Bull nose: **VBN**

Lens: **VBL**

Chamfering: **VCA, VCW, VCR**

Chamfering and spot drill: **VCP, VDS**

Center drill: **VDP**

Counterboring: **VGC**

Slotting: **VST, VTB**

Threading: **VMT, VTR**

Shanks:

Steel, Carbide, ER collet type



e-catalog



HEAD-CHANGEABLE DRILL FOR DRILLING LARGE HOLES

Unique clamping concept and two effective cutting edges on the drill head provide excellent hole quality and high productivity

BUY 4 drill heads
AND
GET 1 drill body
up to 3xD

50 % additional discount!



SMC

Drill dia.:
ø26 - ø33 mm
High precision drilling head with self-centering chisel edge

BUY 6 drill heads
AND
GET 1 drill body
up to 5xD

50 % additional discount!



SMP

Drill dia.:
ø20 - ø41 mm
General purpose drilling head ideal for various drilling applications

BUY 8 drill heads
AND
GET 1 drill body
up to 8xD

50 % additional discount!



SMF

Drill dia.:
ø20 - ø41 mm
For efficient drilling of flat-bottom holes

Drill heads (Grades: AH9130, AH725):
SMC, SMP, SMF

Drill bodies:
TIS (3xD, 5xD, 8xD)



e-catalog





11-1 Yoshima Kogyodanchi
Iwaki 970-1144 Japan
tungaloy.com

Leading in Innovation

Distributed by:



OSG Scandinavia A/S
Langebjergvænget 16
DK-4000 Roskilde
Tel. 4675 6555
osg@osg-scandinavia.com
dk.osgeurope.com



 FIND US ON THE CLOUD!
machiningcloud.com