

RE-Rail-PC-1750

Box PC with Intel® BayTrail Celeron Quad Core J1900



Technical Information

Housing

RAL 7021 powder coated
(WxDxH) 180 X 134 X 50mm
Weight: ~ 1kg

Integrated SBC

CPU Intel® BayTrail Celeron Quad Core J1900
4GB RAM (up to 8GB)
Storage: 64GB mSATA SSD

Power Supply included

16-30V_{DC} Input via Phoenix Connector PSC 1,5/ 3-F

EMC

EN55022 class B

Interfaces

4x USB2.0
1x USB3.0
2x GbE
1x HDMI
1x VGA
2x COM (RS232, RS422, RS485, BIOS configurable)

OS Support

Windows7, Windows8, Linux

Environment

Fanless passive cooling
Operating temp.: 0 °-50°C ambient
Humidity: 10%-90% @ 39°C, non condensing

Product Information

Order#

EN00-005001-01

Description

RE-Rail-PC-1750


s&t embedded GmbH – Breslauer Str. 3 – 85386 Eching - Germany
Phone: +49 89 370058 – 0 Fax: +49 89 37000 689
Mail to: info@snt-embedded.de
www.snt-embedded.de



RE-Rail-PC-1750



Box PC with Intel® BayTrail Celeron Quad Core J1900

Dimension:



RE-Rail-PC-1750

Box PC with Intel® BayTrail Celeron Quad Core J1900



RE-Rail-PC-1750

Box PC with Intel® BayTrail Celeron Quad Core J1900

Mounting options

Always make sure to mount the DIN rail retaining clamp in upper position

