



**FIBER LIFTING SLINGS &
LASHING EQUIPMENT**
**LØFTEBÅND, RUNDSLING &
SURREINGER**





LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLING - WEBBING SLINGS - WEB LASHING
SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

INDEX

- ROUNDSLING
- ROUNDSLING XL
- ROUNDSLING XXL
- ROUNSLING W/ DYNEEMA®
- WEBSLINGS
- LIFTING SLINGS W/ DYNEEMA®
- WEBLASHING
- LOADBINDER
- CHAIN LASHING SET
- CAR LASHING OC
- CAR LASHING R15
- TRUCK LASHING 50
- TRUCK LASHING HD50
- VAN LASHING
- TOP LASHING
- TRAILER LASHING
- TRAILER HORSES
- TRAILER JACKS
- CORNERPROTECTORS
- CHOCKS
- ANTI-SKID MATS
- LASHING CHAINS
- LEVER TENSIONER
- CHAIN TENSIONER
- SPEED LASH
- TWISTLOCKS
- TERMINAL STACKER
- BRIDGE FITTINGS
- LASHING BARS
- TURNBUCKLES
- CORNERCASTINGS
- DOVETAIL DECKSOCKETS
- DOVETAIL TWISTLOCKS
- BREECH BASE TWISTLOCK
- REMOVEABLE D-RINGS
- LASHING PLATES & D-RINGS
- ELEPHANT FOOT SOCKETS
- LIFTING HOOKS

INDHOLDSFORTEGNELSE

- RUNDSLING
- RUNDSLING XL
- RUNDSLING XXL
- RUNDSLING M. DYNEEMA®
- LØFTEBÅND
- LØFTESTROPPER M. DYNEEMA®
- BÅNDSURRING
- KÆDESTRAMMERE
- KÆDESURRINGSSÆT
- BIL CURRING OC
- BIL SURRING R15
- LASTBILS SURRING 50
- LASTBILS SURRING HD50
- VAREVOGNS SURRING
- TOP SURRING
- TRAILER SURRING
- TRAILER BUKKE
- TRAILER DONKRAFT
- KANTBESKYTTERE
- STOPKLODSE
- ANTISKRID MÅTTER
- SURRINGS KÆDER
- SPÆNDEBJØRNE
- SURRINGS VANTSKRUE
- SPEED LASH VANTSKRUE
- TWISTLOCKS
- BASE TWISTLOCKS
- BRIDGE FITTINGS
- SURRINGSSTÆNGER
- VANTSKRUE
- CONTAINERHJØRNER
- DOVETAIL DÆKBESLAG
- DOVETAIL TWISTLOCKS
- BREECH BASE TWISTLOCK
- GENBRUGELIGE D-RINGE
- SURRINGS PLADER & D-RINGE
- ELEFANTFODS DÆKBESLAG
- LØFTEKROGE



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLING - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

ROUNDSLING

- Polyester
- Safety factor 7:1
- According to EN 1492-2

RUNDSLING

- Polyester
- Sikkerhedsfaktor 7:1
- I henhold til EN 1492-2



WLL →	1T	2T	3T	5T	8T	10T	12T
Color →							
EWL* ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
0,5	06 01 0101	06 01 0201	06 01 0301				
1	06 01 0102	06 01 0202	06 01 0302	06 01 0501	06 01 0801	06 01 1001	06 01 1201
1,5	06 01 0103	06 01 0203	06 01 0303	06 01 0502	06 01 0802	06 01 1002	06 01 1202
2	06 01 0104	06 01 0204	06 01 0304	06 01 0503	06 01 0803	06 01 1003	06 01 1203
2,5	06 01 0105	06 01 0205	06 01 0305	06 01 0504	06 01 0804	06 01 1004	06 01 1204
3	06 01 0106	06 01 0206	06 01 0306	06 01 0505	06 01 0805	06 01 1005	06 01 1205
3,5	06 01 0107	06 01 0207	06 01 0307	06 01 0506	06 01 0806	06 01 1006	06 01 1206
4	06 01 0108	06 01 0208	06 01 0308	06 01 0507	06 01 0807	06 01 1007	06 01 1207
4,5	06 01 0109	06 01 0209	06 01 0309	06 01 0508	06 01 0808	06 01 1008	06 01 1208
5	06 01 0110	06 01 0210	06 01 0310	06 01 0509	06 01 0809	06 01 1009	06 01 1209
5,5	06 01 0111	06 01 0211	06 01 0311	06 01 0510	06 01 0810	06 01 1010	06 01 1210
6	06 01 0112	06 01 0212	06 01 0312	06 01 0511	06 01 0811	06 01 1011	06 01 1211
6,5	06 01 0113	06 01 0213	06 01 0313	06 01 0512	06 01 0812	06 01 1012	06 01 1212
7	06 01 0114	06 01 0214	06 01 0314	06 01 0513	06 01 0813	06 01 1013	06 01 1213
7,5	06 01 0115	06 01 0215	06 01 0315	06 01 0514	06 01 0814	06 01 1014	06 01 1214
8	06 01 0116	06 01 0216	06 01 0316	06 01 0515	06 01 0815	06 01 1015	06 01 1215
8,5	06 01 0117	06 01 0217	06 01 0317	06 01 0516	06 01 0816	06 01 1016	06 01 1216
9	06 01 0118	06 01 0218	06 01 0318	06 01 0517	06 01 0817	06 01 1017	06 01 1217
9,5	06 01 0119	06 01 0219	06 01 0319	06 01 0518	06 01 0818	06 01 1018	06 01 1218
10	06 01 0120	06 01 0220	06 01 0320	06 01 0519	06 01 0819	06 01 1019	06 01 1219
11	06 01 0121	06 01 0221	06 01 0321	06 01 0520	06 01 0820	06 01 1020	06 01 1220
12	06 01 0122	06 01 0222	06 01 0322	06 01 0521	06 01 0821	06 01 1021	06 01 1221
13	06 01 0123	06 01 0223	06 01 0323	06 01 0522	06 01 0822	06 01 1022	06 01 1222
14	06 01 0124	06 01 0224	06 01 0324	06 01 0523	06 01 0823	06 01 1023	06 01 1223
15	06 01 0125	06 01 0225	06 01 0325	06 01 0524	06 01 0824	06 01 1024	06 01 1224
16	06 01 0126	06 01 0226	06 01 0326	06 01 0525	06 01 0825	06 01 1025	06 01 1225
17	06 01 0127	06 01 0227	06 01 0327	06 01 0526	06 01 0826	06 01 1026	06 01 1226
18	06 01 0128	06 01 0228	06 01 0328	06 01 0527	06 01 0827	06 01 1027	06 01 1227
19	06 01 0129	06 01 0229	06 01 0329	06 01 0528	06 01 0828	06 01 1028	06 01 1228
20	06 01 0130	06 01 0230	06 01 0330	06 01 0529	06 01 0829	06 01 1029	06 01 1229

*EWL = Effective working length

*EWL = Effektiv arbejds længde



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLING - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

ROUNDSLING XL

- Polyester
- Safety factor 7:1
- According to EN 1492-2

WLL →	15T	20T	25T	30T	35T	40T	45T
Color →							
EWL ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
1	06 02 1501	06 02 2001	06 02 2501	06 02 3001			
1,5					06 02 3501	06 02 4001	
2	06 02 1502	06 02 2002	06 02 2502	06 02 3002	06 02 3502	06 02 4002	06 02 4501
3	06 02 1503	06 02 2003	06 02 2503	06 02 3003	06 02 3503	06 02 4003	06 02 4502
4	06 02 1504	06 02 2004	06 02 2504	06 02 3004	06 02 3504	06 02 4004	06 02 4503
5	06 02 1505	06 02 2005	06 02 2505	06 02 3005	06 02 3505	06 02 4005	06 02 4504
6	06 02 1506	06 02 2006	06 02 2506	06 02 3006	06 02 3506	06 02 4006	06 02 4505
7	06 02 1507	06 02 2007	06 02 2507	06 02 3007	06 02 3507	06 02 4007	06 02 4506
8	06 02 1508	06 02 2008	06 02 2508	06 02 3008	06 02 3508	06 02 4008	06 02 4507
9	06 02 1509	06 02 2009	06 02 2509	06 02 3009	06 02 3509	06 02 4009	06 02 4508
10	06 02 1510	06 02 2010	06 02 2510	06 02 3010	06 02 3510	06 02 4010	06 02 4509
11	06 02 1511	06 02 2011	06 02 2511	06 02 3011	06 02 3511	06 02 4011	06 02 4510
12	06 02 1512	06 02 2012	06 02 2512	06 02 3012	06 02 3512	06 02 4012	06 02 4511
13	06 02 1513	06 02 2013	06 02 2513	06 02 3013	06 02 3513	06 02 4013	06 02 4512
14	06 02 1514	06 02 2014	06 02 2514	06 02 3014	06 02 3514	06 02 4014	06 02 4513
15	06 02 1515	06 02 2015	06 02 2515	06 02 3015	06 02 3515	06 02 4015	06 02 4514
16	06 02 1516	06 02 2016	06 02 2516	06 02 3016	06 02 3516	06 02 4016	06 02 4515
17	06 02 1517	06 02 2017	06 02 2517	06 02 3017	06 02 3517	06 02 4017	06 02 4516
18	06 02 1518	06 02 2018	06 02 2518	06 02 3018	06 02 3518	06 02 4018	06 02 4517
19	06 02 1519	06 02 2019	06 02 2519	06 02 3019	06 02 3519	06 02 4019	06 02 4518
20	06 02 1520	06 02 2020	06 02 2520	06 02 3020	06 02 3520	06 02 4020	06 02 4519



WLL →	50T	55T	60T	70T	75T	80T	85T
Color →							
EWL ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
2	06 02 5001	06 02 5501	06 02 6001	06 02 7001			
2,5					06 02 7501	06 02 8001	06 02 8501
3	06 02 5002	06 02 5502	06 02 6002	06 02 7002	06 02 7502	06 02 8002	06 02 8502
4	06 02 5003	06 02 5503	06 02 6003	06 02 7003	06 02 7503	06 02 8003	06 02 8503
5	06 02 5004	06 02 5504	06 02 6004	06 02 7004	06 02 7504	06 02 8004	06 02 8504
6	06 02 5005	06 02 5505	06 02 6005	06 02 7005	06 02 7505	06 02 8005	06 02 8505
7	06 02 5006	06 02 5506	06 02 6006	06 02 7006	06 02 7506	06 02 8006	06 02 8506
8	06 02 5007	06 02 5507	06 02 6007	06 02 7007	06 02 7507	06 02 8007	06 02 8507
9	06 02 5008	06 02 5508	06 02 6008	06 02 7008	06 02 7508	06 02 8008	06 02 8508
10	06 02 5009	06 02 5509	06 02 6009	06 02 7009	06 02 7509	06 02 8009	06 02 8509
11	06 02 5010	06 02 5510	06 02 6010	06 02 7010	06 02 7510	06 02 8010	06 02 8510
12	06 02 5011	06 02 5511	06 02 6011	06 02 7011	06 02 7511	06 02 8011	06 02 8511
13	06 02 5012	06 02 5512	06 02 6012	06 02 7012	06 02 7512	06 02 8012	06 02 8512
14	06 02 5013	06 02 5513	06 02 6013	06 02 7013	06 02 7513	06 02 8013	06 02 8513
15	06 02 5014	06 02 5514	06 02 6014	06 02 7014	06 02 7514	06 02 8014	06 02 8514
16	06 02 5015	06 02 5515	06 02 6015	06 02 7015	06 02 7515	06 02 8015	06 02 8515
17	06 02 5016	06 02 5516	06 02 6016	06 02 7016	06 02 7516	06 02 8016	06 02 8516
18	06 02 5017	06 02 5517	06 02 6017	06 02 7017	06 02 7517	06 02 8017	06 02 8517
19	06 02 5018	06 02 5518	06 02 6018	06 02 7018	06 02 7518	06 02 8018	06 02 8518
20	06 02 5019	06 02 5519	06 02 6019	06 02 7019	06 02 7519	06 02 8019	06 02 8519

*EWL = Effective working length

Other sizes available on request, up to 43mtrs!

*EWL = Effektiv arbejds længde

Andre størrelser muligt på forespørgsel, op til 43m!



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLING - WEBBING SLINGS - WEB LASHING
SURREINGS KÆDER - SURREINGS SYSTEMER - CONTAINER SURREINGER - RUNDSLING - LØFTEBÅND - BÅNDSURREINGER

ROUNDSLING XXL

- Polyester
- Safety factor 7:1
- According to EN 1492-2

WLL →	90T	100T	120T	125T	130T	135T	140T
Color →							
EWL ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
2,5	06 03 9001	06 03 1001	06 03 1201				
3	06 03 9002	06 03 1002	06 03 1202	06 03 2501	06 03 1301	06 03 3501	06 03 1401
4	06 03 9003	06 03 1003	06 03 1203	06 03 2502	06 03 1302	06 03 3502	06 03 1402
5	06 03 9004	06 03 1004	06 03 1204	06 03 2503	06 03 1303	06 03 3503	06 03 1403
6	06 03 9005	06 03 1005	06 03 1205	06 03 2504	06 03 1304	06 03 3504	06 03 1404
7	06 03 9006	06 03 1006	06 03 1206	06 03 2505	06 03 1305	06 03 3505	06 03 1405
8	06 03 9007	06 03 1007	06 03 1207	06 03 2506	06 03 1306	06 03 3506	06 03 1406
9	06 03 9008	06 03 1008	06 03 1208	06 03 2507	06 03 1307	06 03 3507	06 03 1407
10	06 03 9009	06 03 1009	06 03 1209	06 03 2508	06 03 1308	06 03 3508	06 03 1408
11	06 03 9010	06 03 1010	06 03 1210	06 03 2509	06 03 1309	06 03 3509	06 03 1409
12	06 03 9011	06 03 1011	06 03 1211	06 03 2510	06 03 1310	06 03 3510	06 03 1410
13	06 03 9012	06 03 1012	06 03 1212	06 03 2511	06 03 1311	06 03 3511	06 03 1411
14	06 03 9013	06 03 1013	06 03 1213	06 03 2512	06 03 1312	06 03 3512	06 03 1412
15	06 03 9014	06 03 1014	06 03 1214	06 03 2513	06 03 1313	06 03 3513	06 03 1413
16	06 03 9015	06 03 1015	06 03 1215	06 03 2514	06 03 1314	06 03 3514	06 03 1414
17	06 03 9016	06 03 1016	06 03 1216	06 03 2515	06 03 1315	06 03 3515	06 03 1415
18	06 03 9017	06 03 1017	06 03 1217	06 03 2516	06 03 1316	06 03 3516	06 03 1416
19	06 03 9018	06 03 1018	06 03 1218	06 03 2517	06 03 1317	06 03 3517	06 03 1417
20	06 03 9019	06 03 1019	06 03 1219	06 03 2518	06 03 1318	06 03 3518	06 03 1418



WLL →	150T	160T	180T	190T	200T	230T	250T
Color →							
EWL ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
3	06 03 1501						
4	06 03 1502	06 03 1601	06 03 1801	06 03 1901	06 03 2001	06 03 2301	06 03 2501
5	06 03 1503	06 03 1602	06 03 1802	06 03 1902	06 03 2002	06 03 2302	06 03 2502
6	06 03 1504	06 03 1603	06 03 1803	06 03 1903	06 03 2003	06 03 2303	06 03 2503
7	06 03 1505	06 03 1604	06 03 1804	06 03 1904	06 03 2004	06 03 2304	06 03 2504
8	06 03 1506	06 03 1605	06 03 1805	06 03 1905	06 03 2005	06 03 2305	06 03 2505
9	06 03 1507	06 03 1606	06 03 1806	06 03 1906	06 03 2006	06 03 2306	06 03 2506
10	06 03 1508	06 03 1607	06 03 1807	06 03 1907	06 03 2007	06 03 2307	06 03 2507
11	06 03 1509	06 03 1608	06 03 1808	06 03 1908	06 03 2008	06 03 2308	06 03 2508
12	06 03 1510	06 03 1609	06 03 1809	06 03 1909	06 03 2009	06 03 2309	06 03 2509
13	06 03 1511	06 03 1610	06 03 1810	06 03 1910	06 03 2010	06 03 2310	06 03 2510
14	06 03 1512	06 03 1611	06 03 1811	06 03 1911	06 03 2011	06 03 2311	06 03 2511
15	06 03 1513	06 03 1612	06 03 1812	06 03 1912	06 03 2012	06 03 2312	06 03 2512
16	06 03 1514	06 03 1613	06 03 1813	06 03 1913	06 03 2013	06 03 2313	06 03 2513
17	06 03 1515	06 03 1614	06 03 1814	06 03 1914	06 03 2014	06 03 2314	06 03 2514
18	06 03 1516	06 03 1615	06 03 1815	06 03 1915	06 03 2015	06 03 2315	06 03 2515
19	06 03 1517	06 03 1616	06 03 1816	06 03 1916	06 03 2016	06 03 2316	06 03 2516
20	06 03 1518	06 03 1617	06 03 1817	06 03 1917	06 03 2017	06 03 2317	06 03 2517



*EWL = Effective working length
Other sizes available on request,
up to 43mtrs!

*EWL = Effektiv arbejds længde
Andre størrelser muligt på
forespørgsel, op til 43m!



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLING - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

ROUNDSLING w/ DYNEEMA®

- 2,5 times lighter than PES
- Safety factor 7:1
- According to EN 1492-2

RUNDSLING m. DYNEEMA®

- 2,5 gange lettere end PES
- Sikkerhedsfaktor 7:1
- I henhold til EN 1492-2

Dyneema®



WLL →	15T	20T	25T	30T	40T	50T	60T	70T
EWL* ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
2,5	06 04 1501	06 04 2001	06 04 2501	06 04 3001	06 04 4001	06 04 5001	06 04 6001	06 04 7001
3	06 04 1502	06 04 2002	06 04 2502	06 04 3002	06 04 4002	06 04 5002	06 04 6002	06 04 7002
3,5	06 04 1503	06 04 2003	06 04 2503	06 04 3003	06 04 4003	06 04 5003	06 04 6003	06 04 7003
4	06 04 1504	06 04 2004	06 04 2504	06 04 3004	06 04 4004	06 04 5004	06 04 6004	06 04 7004
4,5	06 04 1505	06 04 2005	06 04 2505	06 04 3005	06 04 4005	06 04 5005	06 04 6005	06 04 7005
5	06 04 1506	06 04 2006	06 04 2506	06 04 3006	06 04 4006	06 04 5006	06 04 6006	06 04 7006
5,5	06 04 1507	06 04 2007	06 04 2507	06 04 3007	06 04 4007	06 04 5007	06 04 6007	06 04 7007
6	06 04 1508	06 04 2008	06 04 2508	06 04 3008	06 04 4008	06 04 5008	06 04 6008	06 04 7008
6,5	06 04 1509	06 04 2009	06 04 2509	06 04 3009	06 04 4009	06 04 5009	06 04 6009	06 04 7009
7	06 04 1510	06 04 2010	06 04 2510	06 04 3010	06 04 4010	06 04 5010	06 04 6010	06 04 7010
7,5	06 04 1511	06 04 2011	06 04 2511	06 04 3011	06 04 4011	06 04 5011	06 04 6011	06 04 7011
8	06 04 1512	06 04 2012	06 04 2512	06 04 3012	06 04 4012	06 04 5012	06 04 6012	06 04 7012
8,5	06 04 1513	06 04 2013	06 04 2513	06 04 3013	06 04 4013	06 04 5013	06 04 6013	06 04 7013
9	06 04 1514	06 04 2014	06 04 2514	06 04 3014	06 04 4014	06 04 5014	06 04 6014	06 04 7014
9,5	06 04 1515	06 04 2015	06 04 2515	06 04 3015	06 04 4015	06 04 5015	06 04 6015	06 04 7015
10	06 04 1516	06 04 2016	06 04 2516	06 04 3016	06 04 4016	06 04 5016	06 04 6016	06 04 7016
11	06 04 1571	06 04 2017	06 04 2517	06 04 3017	06 04 4017	06 04 5017	06 04 6017	06 04 7017
12	06 04 1518	06 04 2018	06 04 2518	06 04 3018	06 04 4018	06 04 5018	06 04 6018	06 04 7018
13	06 04 1519	06 04 2019	06 04 2519	06 04 3019	06 04 4019	06 04 5019	06 04 6019	06 04 7019
14	06 04 1520	06 04 2020	06 04 2520	06 04 3020	06 04 4020	06 04 5020	06 04 6020	06 04 7020
15	06 04 1521	06 04 2021	06 04 2521	06 04 3021	06 04 4021	06 04 5021	06 04 6021	06 04 7021
16	06 04 1522	06 04 2022	06 04 2522	06 04 3022	06 04 4022	06 04 5022	06 04 6022	06 04 7022
17	06 04 1523	06 04 2023	06 04 2523	06 04 3023	06 04 4023	06 04 5023	06 04 6023	06 04 7023
18	06 04 1524	06 04 2024	06 04 2225	06 04 3024	06 04 4024	06 04 5024	06 04 6024	06 04 7024
19	06 04 1525	06 04 2025	06 04 2525	06 04 3025	06 04 4025	06 04 5025	06 04 6025	06 04 7025
20	06 04 1526	06 04 2026	06 04 2526	06 04 3026	06 04 4026	06 04 5026	06 04 6026	06 04 7026

*EWL = Effective working length

*EWL = Effektiv arbejds længde

Continued / Forsættelse →



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

WLL →	80T	90T	100T	120T	140T	160T	180T	200T
EWL* ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
2,5	06 04 8001	06 04 9001						
3	06 04 8002	06 04 9002	06 04 1001	06 04 1201	06 04 1401	06 04 1601	06 04 1801	06 04 0001
3,5	06 04 8003	06 04 9003	06 04 1002	06 04 1202	06 04 1402	06 04 1602	06 04 1802	06 04 0002
4	06 04 8004	06 04 9004	06 04 1003	06 04 1203	06 04 1403	06 04 1603	06 04 1803	06 04 0003
4,5	06 04 8005	06 04 9005	06 04 1004	06 04 1204	06 04 1404	06 04 1604	06 04 1804	06 04 0004
5	06 04 8006	06 04 9006	06 04 1005	06 04 1205	06 04 1405	06 04 1605	06 04 1805	06 04 0005
5,5	06 04 8007	06 04 9007	06 04 1006	06 04 1206	06 04 1406	06 04 1606	06 04 1806	06 04 0006
6	06 04 8008	06 04 9008	06 04 1007	06 04 1207	06 04 1407	06 04 1607	06 04 1807	06 04 0007
6,5	06 04 8009	06 04 9009	06 04 1008	06 04 1208	06 04 1408	06 04 1608	06 04 1808	06 04 0008
7	06 04 8010	06 04 9010	06 04 1009	06 04 1209	06 04 1409	06 04 1609	06 04 1809	06 04 0009
7,5	06 04 8011	06 04 9011	06 04 1010	06 04 1210	06 04 1410	06 04 1610	06 04 1810	06 04 0010
8	06 04 8012	06 04 9012	06 04 1011	06 04 1211	06 04 1411	06 04 1611	06 04 1811	06 04 0011
8,5	06 04 8013	06 04 9013	06 04 1012	06 04 1212	06 04 1412	06 04 1612	06 04 1812	06 04 0012
9	06 04 8014	06 04 9014	06 04 1013	06 04 1213	06 04 1413	06 04 1613	06 04 1813	06 04 0013
9,5	06 04 8015	06 04 9015	06 04 1014	06 04 1214	06 04 1414	06 04 1614	06 04 1814	06 04 0014
10	06 04 8016	06 04 9016	06 04 1015	06 04 1215	06 04 1415	06 04 1615	06 04 1815	06 04 0015
11	06 04 8017	06 04 9017	06 04 1016	06 04 1216	06 04 1416	06 04 1616	06 04 1816	06 04 0016
12	06 04 8018	06 04 9018	06 04 1017	06 04 1217	06 04 1417	06 04 1617	06 04 1817	06 04 0017
13	06 04 8019	06 04 9019	06 04 1018	06 04 1218	06 04 1418	06 04 1618	06 04 1818	06 04 0018
14	06 04 8020	06 04 9020	06 04 1019	06 04 1219	06 04 1419	06 04 1619	06 04 1819	06 04 0019
15	06 04 8021	06 04 9021	06 04 1020	06 04 1220	06 04 1420	06 04 1620	06 04 1820	06 04 0020
16	06 04 8022	06 04 9022	06 04 1021	06 04 1221	06 04 1421	06 04 1621	06 04 1821	06 04 0021
17	06 04 8023	06 04 9023	06 04 1022	06 04 1222	06 04 1422	06 04 1622	06 04 1822	06 04 0022
18	06 04 8024	06 04 9024	06 04 1023	06 04 1223	06 04 1423	06 04 1623	06 04 1823	06 04 0023
19	06 04 8025	06 04 9025	06 04 1024	06 04 1224	06 04 1424	06 04 1624	06 04 1824	06 04 0024
20	06 04 8026	06 04 9026	06 04 1025	06 04 1225	06 04 1425	06 04 1625	06 04 1825	06 04 0025

*EWL = Effective working length

*EWL = Effektiv arbejds længde



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

WEBSLINGS

- Polyester - Protected eye in each end
- Safety factor 7:1



LØFTEBÅND

- Polyester – Beskyttet øje i begge ender
- Sikkerhedsfaktor 7:1



WLL →	1T	2T	3T	5T	8T
Color →					
Width mm →	30	60	90	150	240
EWL* m ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
1	06 05 01	06 05 0201	06 05 0301		
1,5	06 05 0102	06 05 0202	06 05 0302		
2	06 05 0103	06 05 0203	06 05 0303		
2,5	06 05 0104	06 05 0204	06 05 0304		
3	06 05 0105	06 05 0205	06 05 0305		
3,5	06 05 0106	06 05 0206	06 05 0306	06 05 0501	06 05 0801
4	06 05 0107	06 05 0207	06 05 0307	06 05 0502	06 05 0802
4,5	06 05 0108	06 05 0208	06 05 0308	06 05 0503	06 05 0803
5	06 05 0109	06 05 0209	06 05 0309	06 05 0504	06 05 0804
5,5	06 05 0110	06 05 0210	06 05 0310	06 05 0505	06 05 0805
6	06 05 0111	06 05 0211	06 05 0311	06 05 0506	06 05 0806
7	06 05 0112	06 05 0212	06 05 0312	06 05 0507	06 05 0807
8	06 05 0113	06 05 0213	06 05 0313	06 05 0508	06 05 0808
9	06 05 0114	06 05 0214	06 05 0314	06 05 0509	06 05 0809
10	06 05 0115	06 05 0215	06 05 0315	06 05 0510	06 05 0810
11	06 05 0116	06 05 0216	06 05 0316	06 05 0511	06 05 0811
12	06 05 0117	06 05 0217	06 05 0317	06 05 0512	06 05 0812

WLL →	10T	12T	15T	16T	20T
Color →					
Width mm →	300	240	300	240	300
EWL* m ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
3	06 05 1001	06 05 1201	06 05 1501	06 05 1601	06 05 2001
3,5	06 05 1002	06 05 1202	06 05 1502	06 05 1602	06 05 2002
4	06 05 1003	06 05 1203	06 05 1503	06 05 1603	06 05 2003
4,5	06 05 1004	06 05 1204	06 05 1504	06 05 1604	06 05 2004
5	06 05 1005	06 05 1205	06 05 1505	06 05 1605	06 05 2005
5,5	06 05 1006	06 05 1206	06 05 1506	06 05 1606	06 05 2006
6	06 05 1007	06 05 1207	06 05 1507	06 05 1607	06 05 2007
7	06 05 1008	06 05 1208	06 05 1508	06 05 1608	06 05 2008
8	06 05 1009	06 05 1209	06 05 1509	06 05 1609	06 05 2009
9	06 05 1010	06 05 1210	06 05 1510	06 05 1610	06 05 2010
10	06 05 1011	06 05 1211	06 05 1511	06 05 1611	06 05 2011
11	06 05 1012	06 05 1212	06 05 1512	06 05 1612	06 05 2012
12	06 05 1013	06 05 1213	06 05 1513	06 05 1613	06 05 2013

*EWL = Effective working length

Other sizes available on request, up to 43mtrs

*EWL = Effektiv arbejds længde

Andre størrelser muligt på forespørgsel, op til 43m

WEBSLING XL MODELS:

Art. No.	Color	WLL Ton	Sizes
06 06 xxxx		21 - 80	3.0 m to 43.0 m



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

LIFTING SLINGS w/ DYNEEMA®

- 12 Strand
- Single or Double Grommet, Spliced and Whipped
- Geothane coating for top protection against the elements and abrasion
- LA₃ Certificate from GL
- Certified in accordance with DIN EN 1492-4



LØFTESTROPPER m. DYNEEMA®

- 12 slået
- Enkelt eller dobbelt Grommet, Splejset og Taklet
- Geothane coating for beskyttelse mod vejrforholdene og slitage
- LA₃ Certifikat fra GL
- Certificeret i henhold til DIN EN 1492-4



Model	DynaOne® HS 24 R1	DynaOne® HS 28 R1	DynaOne® HS 28 R2	DynaOne® HS 40 R2	DynaOne® HS 48 R2	DynaOne® HS 56 R2	DynaOne® HS 64 R2
Art. No.	06 07 0001	06 07 0002	06 07 0003	06 07 0004	06 07 0005	06 07 0006	06 07 0007
Dia. mm	24	28	28	40	48	56	64
Material	Dyneema® SK75 heat-set	Dyneema® SK75 heat-set	Dyneema® SK75 heat-set	Dyneema® SK75 heat-set	Dyneema® SK75 heat-set	Dyneema® SK75 heat-set	Dyneema® SK75 heat-set
Type	Single Grommet	Single Grommet	Double Grommet	Double Grommet	Double Grommet	Double Grommet	Double Grommet
Min. length m	2,3	2,3	2,5	2,8	3	5	5
Weight kg - min. length	2,6	3,4	9,5	13,4	21,1	43,9	59
SWL Ton	10,20	15,30	30,59	50,99	71,30	91,77	101,97
Break Load Ton	71,30	107,07	214,14	356,9	499,66	642,42	713,80

NB! Remember to specify desired length!

NB! Husk at oplyse den ønskede længde!



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

WEBLASHINGS



Ratchet & hook/hook



Ratchet - endless




Cambuckle & hook/hook

Art. No.	Width mm	Length m	Type	Lashing Capacity - kg	Lashing Capacity - daN
06 08 0001	25	0,5 x 4,5	Cambuckle - hook/hook	400	200
06 08 0002	25	0,5 x 4,5	Ratchet - hook/hook	1000	500
06 08 0003	25	6,5	Ratchet - endless	500	250
06 08 0004	35	0,5 x 5,5	Ratchet - hook/hook	2000	1000
06 08 0005	50	0,5 x 9,5	Ratchet - hook/hook	5000	2000
06 08 0006	50		Ratchet - endless	5000	2000
06 08 0007	75	0,5 x 9,5	Ratchet - hook/hook	10000	4500
06 08 0008	75		Ratchet - endless	10000	4500


Other sizes and models available on request!

Andre størrelser og modeller muligt på forespørgsel!

LOADBINDER



Type 1



Type 2

Art. No.	Type	Chain mm	Body mm	Handle mm	Closed / Open Length - mm	Take-Up mm	Lashing Capacity kN	Weight approx. kg
06 39 0001	1	8	255	170	560 / 730	170	40	4
06 39 0002	1	10	260	230	630 / 800	170	63	6
06 39 0003	1	13	260	305	720 / 900	180	100	8
06 39 0101	2	8	-	392	495,05 / 589,28	94,20	40	3,80
06 39 0102	2	10	-	438	560,07 / 670,05	109,98	63	5,50
06 39 0103	2	13	-	533,4	654,80 / 765,05	110,25	106	8,94

CHAIN LASHING SET

- Length on request



With 2 Sling Hooks w. Latch

KÆDESURRINGSSÆT

- Ønsket længde på forespørgsel



With 1 Sling Hook w. Latch & 1 Grab Hook w. Safety Pin (not pictured)

Art. No.	Type	Chain Dia. mm	Lashing Capacity kN	Standard Tensioning force - daN	Breaking Force kN
06 40 0001	Sling Hook / Sling Hook	8	40	1000	80,4
06 40 0002	Sling Hook / Sling Hook	10	63	1575	126
06 40 0003	Sling Hook / Sling Hook	13	100	1500	212
06 40 0004	Sling Hook / Grab Hook	8	40	1000	80,4
06 40 0005	Sling Hook / Grab Hook	10	63	1575	126
06 40 0006	Sling Hook / Grab Hook	13	100	1500	212



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 Surrings Kæder - Surrings Systemer - Container Surringer - Rundslings - LøftEBånd - Båndsurringer

LASHING SYSTEMS

CAR LASHING OC



Art. No.	Length m	Loop m	Width mm	Material	MBL ton	MSL ton	Weight kg
06 09 0001	2,0	none	25	100% Polyester	1,5	0,75	0,5
06 09 0002	2,0	0,8	25	100% Polyester	1,5	0,75	0,5

Coated buckle & hooks
 Other sizes available on request!

SURRINGS SYSTEMER

BIL Surring OC

Belagte spænder & kroge
 Andre størrelser muligt på forespørgsel!



Art. No.	Length m	Loop m	Width mm	Material	MBL ton	MSL ton	Weight kg
06 10 0003	0,3 + 2,0	none	25	100% Polyester	2,0	1,0	0,8
06 10 0004	0,3 + 2,0	1,0	25	100% Polyester	2,0	1,0	0,8

Plastic coated buckle & hooks
 Other sizes available on request!

Plastic belagte spænder & kroge
 Andre størrelser muligt på forespørgsel!

CAR LASHING R15

BIL Surring R15



Art. No.	Length m	Loop m	Width mm	Material	MBL ton	MSL ton	Weight kg
06 11 0001	2,0	-	25	100% Polyester	1,5	0,75	0,5

Metal buckle & hooks
 Other sizes available on request!

Metal spænde & kroge
 Andre størrelser muligt på forespørgsel!



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 Surrings Kæder - Surrings Systemer - Container Surringer - Rundslings - Løftebånd - Båndsuringer

TRUCK LASHING 50

LASTBILS Surring 50




Art. No.	Length m	Loop m	Width mm	Material	MBL ton	MSL ton	Weight kg
06 12 0001	0,5 + 2,5	1,5	50	100% Polyester	5	2,5	2,5
06 12 0002	0,5 + 2,5	none	50	100% Polyester	5	2,5	2,5

Plastic coated hooks
 Other sizes available on request!

Plastik belagte kroge
 Andre størrelser muligt på forespørgsel!

TRUCK LASHING HD50

LASTBILS Surring HD50



Art. No.	Length m	Loop m	Width mm	Material	MBL ton	MSL ton	Weight kg
06 13 0001	5	1,5	50	100% Polyester	10	5	4,5

Other sizes available on request!

Andre størrelser muligt på forespørgsel!

VAN LASHING

VAREVOGNS Surring



Art. No.	Length m	Width mm	Areal mm	Material	MBL ton	MSL ton	Weight kg
06 14 0001	0,5 + 2,5	50	16	100% Polyester	5	2,5	3

Other sizes available on request!


Andre størrelser muligt på forespørgsel!



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 Surrings Kæder - Surrings Systemer - Container Surringer - Rundslings - LøftEBånd - Båndsurringer

TOP LASHING

TOP SURREING



Art. No.	Length m	Width mm	Areal mm	Material	MBL ton	MSL ton	Weight kg
06 15 0001	0,4 + 4	50	42	100% Polyester	5	2,5	4,5

Other sizes available on request!

Andre størrelser på forespørgsel!

TRAILER LASHING

TRAILER SURREING



Art. No.	Length m	Width mm	Hex mm	Material	MBL ton	MSL ton	Weight kg
06 16 0001	3	63	28	100% Polyester	20	10	10
	0,5	-	28	Steel (tool)	-	-	-



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

LASHING EQUIPMENT

TRAILER HORSES

- The "Z" shape makes it easier to stow on limited space



TH50TLL

SURRINGS UDSTYR

TRAILER BUKKE

- "Z" formen gør det nemt at opbevare bukkene på begrænset plads



TH100TLL


Art. No.	Model	Length mm	Width mm	Height mm	Material	MBL ton	MSL ton	Weight kg
06 17 0001	TH50TLL	1600	650	1250	Steel Painted	50	25	80
06 17 0002	TH50TLL	1600	650	1100	Steel Painted	50	25	70
06 17 0003	TH100TLL	1600	650	1250	Steel HDG	100	50	120
06 17 0004	TH100TLL	1600	650	1100	Steel HDG	100	50	110

Other sizes available on request!

Andre størrelser på forespørgsel!

TRAILER JACK

TRAILER DONKRAFT



Art. No.	Height min mm	Height max mm	Width mm	Material	MBL kN - Compression	Weight kg
06 18 0001	950	1250	350	Shipbuilding Steel	400	36

Other sizes available on request!

Andre størrelser muligt på forespørgsel!



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

CORNERPROTECTORS

KANTBESKYTTERE



C2R



Standard Black




Blue

Art. No.	Model	Material	For web mm	Length m	Dim. cm	Weight kg
06 19 0001	C2R	Plastic	50	-	-	0,3
06 19 0002	Standard Black	Plastic	50	-	-	0,05
06 19 0003	Blue	Plastic	-	6	17 x 13 x 1,2	1,6

CHOCKS

STOPKLODSE



CAR CHOCK



TRAILER CHOCK

Art. No.	Model	Length mm	Width mm	Height mm	Material	R mm	Weight kg
06 20 0001	Car Chock	167	67	100	Plastic	-	0,5
06 20 0002	Car Chock	240	100	140	Rubber	-	2
06 20 0003	Trailer Chock	250	150	195	Rubber	525	4,2

ANTI-SKID MATS

ANTISKRID MÅTTER



Art. No.	Length mm	Width mm	Height mm	Material	Weight kg
06 21 0001	1600	300	20	Rubber	9




LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

LASHING CHAINS

Nb! Not for use with road transport

SURRINGS KÆDER


Nb! Ikke til brug ved land transport



Art. No.	Chain Dia. A - mm	Inside Length B - mm	Inside Width C - mm	Break Load kN	Weight per m - kg
06 22 + type	9	57	16	100	1,5
06 22 + type	11	66	18	150	2,1
06 22 + type	13	81	22	200	2,9

Type + Diameter + Length: To Be Specified
 Other types available on request!

Type + Diameter + Længde: Skal Angives
 Andre størrelser muligt på forespørgelse!



Type	0100	0200	0300	0400	0500	0600	0700	0800	0900
------	------	------	------	------	------	------	------	------	------

REMEMBER TO SPECIFY REQUIRED LENGTH

HUSK AT OPLYSE DEN ØNSKEDE LÆNGDE



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURREINGS KÆDER - SURREINGS SYSTEMER - CONTAINER SURREINGER - RUNDSLING - LØFTEBÅND - BÅNDSURREINGER

LEVER TENSIONER

Nb! Not for use with road transport

- Forged Steel
- Painted


Art. No.	For Chain Size mm	Break Load kN - Tension	Weight kg
06 23 0001	9	100	3,4
06 23 0002	11	150	4,3
06 23 0003	13	200	5,0
06 23 0004	900mm extension handle / 900mm forlængerhåndtag		



BINDEBJØRNE

Nb! Ikke til brug ved land transport


- Smedet Stål
- Malet




CHAIN TENSIONER

Nb! Not for use with road transport

- Forged Steel
- Hot Dip Galvanized



HJ



HH

Art. No.	Model	Break Load kN - Tension	Weight kg
06 24 0001	HJ	200	4,7
06 24 0002	HH	200	4,7

HJ can be assembled with a Hook or an Elephant foot!

HJ kan leveres med krog eller elefantfod!

SPEED LASH

Nb! Not for use with road transport


- Forged Steel
- Hot Dip Galvanized

Art. No.	Break Load kN - Tension	Weight kg
06 25 0001	200	7,0

SPEED LASH VANTSKRUE

Nb! Ikke til brug ved land transport

- Smedet Stål
- Galvaniseret






LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

TWISTLOCKS

Nb! Not for use with road transport


- Hot Dip Galvanized



TWISTLOCKS

Nb! Ikke til brug ved land transport

- Galvaniseret



Art. No.	Model	Type	Material	Break Load kN Tension / Shear	Position	Weight kg
06 26 0001	Standard	Right	Cone: Forged Steel Body: Casted Steel	500 / 420	Hatches & Deck	5,8
06 26 0002	Standard	Left	Cone: Forged Steel Body: Casted Steel	500 / 420	Hatches & Deck	5,8
06 26 0003	Big Surface	Right	-	500 / 420	-	6,9
06 26 0004	Big Surface	Left	-	500 / 420	-	6,9
06 26 0005	Fixed Base	Right	-	500 / 420	-	6,0
06 26 0006	Fixed Base	Left	-	500 / 420	-	6,0
06 26 0007	Semi Automatic	Right	Forged Steel	500 / 420	Hatches & Deck	6,3
06 26 0008	Semi Automatic	Left	Forged Steel	500 / 420	Hatches & Deck	6,3

TERMINAL STACKER

Nb! Not for use with road transport


- Hot Dip Galvanized

Art. No.	Material	Break Load kN – Shear	Position	Weight kg
06 27 0001	Cast Steel	420	Holds & Terminals	4,2

BASE TWISTLOCK

Nb! Ikke til brug ved land transport

- Galvaniseret






LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER


BRIDGE FITTINGS

Nb! Not for use with road transport


- Hot Dip Galvanized



SB-1



SB-2



SB-7

Art. No.	Model	Material	Break Load kN	Postion	Weight kg
06 28 0001	SB-1S	Cast- + Rolled Steel	100	Deck	3,4
06 28 0002	SB-1L	Cast- + Rolled Steel	100	Deck	5,2
06 28 0003	SB-2 (25)	Cast- + Rolled Steel	100	Holds	5,0
06 28 0004	SB-2 (80)	Cast- + Rolled Steel	100	Holds	5,2
06 28 0005	SB-7	Cast Steel	250	-	8,6

SB-2: Other sizes available on request!

SB-2: Andre størrelser muligt på forespørgsel!




LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER


LASHING BARS

Nb! Not for use with road transport


- Hot Dip Galvanized




KNOB




VERTICAL




EYE-SWIVELHEAD




SMALL EXTENSION ROD



LARGE EXTENSION ROD



EXTENSION ROD HOOK



EYE-EYE

Art. No.	Model	Material	Break Load kN - Tension	Length mm	Weight kg
06 29 0001	Knob	Forged Steel	500	2500	15
06 29 0002	Knob	Forged Steel	500	5000	24
06 29 0003	Vertical	Forged Steel	500	4400	21,5
06 29 0004	Eye-Swivelhead	Forged Steel	500	2400	14
06 29 0005	Eye-Swivelhead	Forged Steel	500	4650	23
06 29 0006	Small Extension Rod	Forged Steel	500	360	5,6
06 29 0007	Large Extension Rod	Forged Steel	500	1250	7,8
06 29 0008	Extension Rod Hook	Forged Steel	500	310	4,2
06 29 0009	Extension Rod Hook	Forged Steel	500	600	5,3
06 29 0010	Eye-Eye	Forged Steel	500	2400	13,8
06 29 0011	Eye-Eye	Forged Steel	500	4650	22,8

Other sizes available on the following models, on request:
 Knob – Vertical – Small Extension Rod – Large Extension Rod –
 Eye-Swivelhead


Andre størrelser muligt på følgende modeller, ved forespørgsel:
 Knob – Vertical – Small Extension Rod – Large Extension Rod –
 Eye-Swivelhead




LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURREINGS KÆDER - SURREINGS SYSTEMER - CONTAINER SURREINGER - RUNDSLING - LØFTEBÅND - BÅNDSURREINGER

TURNBUCKLES


Nb! Not for use with road transport




KNOB



EYE, CLOSED BODY, SINGLE ACTING



EYE, OPEN BODY, DOUBLE ACTING



Pear link

Slip hook

TIMBER/LUMBER LASHING

Art. No.	Model	Material	Break Load kN – Tension or Compression	Weight kg
06 30 0001	Knob	Forged Steel	500 (T)	13,0
06 30 0002	Eye, Closed, Single*	Forged Steel	500 (T)	17,8
06 30 0003	Eye, Open, Double**	Forged Steel	500 (T)	14
06 30 0004	Timber/Lumber***	Forged/Welded Steel	170 (C)	16,4

Knob is available in other sizes on request!

* Available as open body on request!

** Available as closed body on request!

*** Only works with 13mm chain!

*** Other sizes available on request!


Knob kan leveres i andre størrelser på forespørgsel!

* Kan leveres som open model på forespørgsel!

** Kan leveres som lukket model på forespørgsel!

*** Fungere kun med 13mm kæde!

*** Andre størrelser muligt på forespørgsel!






LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

CORNERCASTINGS


Nb! Not for use with road transport



TOP ISO LEFT

CONTAINERHJØRNER

Nb! Ikke til brug ved land transport



BOTTOM ISO LEFT

Art. No.	Model	Material	Weight kg
06 31 0001	Top Iso - Left	Cast Steel	10,8
06 31 0002	Top Iso - Right	Cast Steel	10,8
06 31 0003	Bottom Iso - Left	Cast Steel	10,8
06 31 0004	Bottom Iso - Right	Cast Steel	10,8

Right type mirror inverted


Højre model er spejlvendt



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLING - WEBBING SLINGS - WEB LASHING
SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER


DOVETAIL DECKSOCKETS

Nb! Not for use with road transport



DOVETAIL DÆKSBSLAG

Nb! Ikke til brug ved land transport



Art. No.	Model	Material	Break Load kN Tension / Shear	Længde CC* mm	Weight kg
06 32 0001	Single 45°	Cast Steel	500 / 420	-	4,6
06 32 0002	Single 55°	Cast Steel	500 / 420	-	4,9
06 32 0003	Double Transversal 45° - 25mm	Cast Steel	500 / 420	203	7,5
06 32 0004	Double Transversal 45° - 38mm	Cast Steel	500 / 420	216	7,7
06 32 0005	Double Transversal 45° - 80mm	Cast Steel	500 / 420	258	7,8
06 32 0006	Double Transversal 55° - 25mm	Cast Steel	500 / 420	203	8,5
06 32 0007	Double Transversal 55° - 38mm	Cast Steel	500 / 420	216	8,7
06 32 0008	Double Transversal 55° - 80mm	Cast Steel	500 / 420	258	8,8

* Other sizes available on request!

* Andre størrelser muligt på forespørgsel!




LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER


DOVETAIL TWISTLOCKS

Nb! Not for use with road transport


- Hot Dip Galvanized




LONGITUDINAL 45°




LONGITUDINAL 55°




TRANSVERSAL 45°



TRANSVERSAL 55°



LINE LOAD 45°



LINE LOAD 55°

Art. No.	Model	Type	Material	Break Load kN - Tension / Shear	Weight kg
06 33 0001	Longitudinal 45°	Left	Cone: Forged Steel Body: Cast Steel	500 / 420	6,8
06 33 0002	Longitudinal 45°	Right	Cone: Forged Steel Body: Cast Steel	500 / 420	6,8
06 33 0003	Transversal 45°	Left	Cone: Forged Steel Body: Cast Steel	500 / 420	7,0
06 33 0004	Transversal 45°	Right	Cone: Forged Steel Body: Cast Steel	500 / 420	7,0
06 33 0005	Longitudinal 55°	Left	Cone: Forged Steel Body: Cast Steel	500 / 420	7,6
06 33 0006	Longitudinal 55°	Right	Cone: Forged Steel Body: Cast Steel	500 / 420	7,6
06 33 0007	Transversal 55°	Left	Cone: Forged Steel Body: Cast Steel	500 / 420	7,8
06 33 0008	Transversal 55°	Right	Cone: Forged Steel Body: Cast Steel	500 / 420	7,8
06 33 0009	Line Load 45°	left	Cone: Forged Steel Body: Cast Steel	500 / 420	7,2
06 33 0010	Line Load 45°	Right	Cone: Forged Steel Body: Cast Steel	500 / 420	7,2
06 33 0011	Line Load 55°	Left	Cone: Forged Steel Body: Cast Steel	500 / 420	7,8
06 33 0012	Line Load 55°	Right	Cone: Forged Steel Body: Cast Steel	500 / 420	7,8



LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

BREECH BASE TWISTLOCK

Nb! Not for use with road transport


- Hot Dip Galvanized
- Cone: Forged Steel
- Body: Casted Steel

Art. No.	Type	Break Load kN – Tension / Shear	Weight kg
06 34 0001	Left	500 / 420	6,5
06 34 0002	Right	500 / 420	6,5

BREECH BASE TWISTLOCK

Nb! Ikke til brug ved land transport


- Galvaniseret
- Kegle: Smedet Stål
- Krop: Støbt Stål



REMOVEABLE D-RINGS

Nb! Not for use with road transport

- Ring: Drop Forged Steel
- Plate: Shipbuilding Steel




DOVETAIL 45°


GENBRUGELIGE D-RINGE

Nb! Ikke til brug ved land transport


- Ring: Smedet Stål
- Plade: Skibsstål



DOVETAIL 55°



TURNFOOT



BREECH BASE


Art. No.	Model	Break Load kN - Tension	Weight kg
06 35 0001	Dovetail 45°	400	8,6
06 35 0002	Dovetail 55°	400	8,6
06 35 0003	Turnfoot	400	8,8
06 35 0004	Breech Base	400	6,9




LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER

LASHING PLATES & D-RINGS


Nb! Not for use with road transport




SINGLE LASHING PLATE




DOUBLE LASHING PLATE




DOUBLE CARLASHING




20 TON




36 TON



50 TON




DOUBLE 36 & 50 TON



FLUSH

Art. No.	Model	Material	Break Load kN - Tension	Weight kg
06 36 0001	Single	Drop Forged Steel	500	1,8
06 36 0002	Double	Drop Forged Steel	500	3,5
06 36 0003	Carlashing	Ring: Drop Forged Steel HTS-Steel Plate: Bent Steel	40	0,7
06 36 0004	Double Carlashing	Ring: Drop Forged Steel HTS-Steel Plate: Bent Steel	40	1,4
06 36 0005	20 Ton	Ring: Forged HTS-Steel Plate: Bend Steel	200	1,4
06 36 0006	36 Ton	Ring: Forged HTS-Steel Plate: Bend Steel	360	2,7
06 36 0007	50 Ton	Ring: Forged HTS-Steel Plate: Bend Steel	500	4,5
06 36 0008	Double 36 Ton	Ring: Forged HTS-Steel Plate: Bend Steel	360	6,2
06 36 0009	Double 50 Ton	Ring: Forged HTS-Steel Plate: Bend Steel	500	9,9
06 36 0010	Flush	Ring: Drop Forged HTS-Steel Plate: Bend Steel	360	15,6
06 36 0011	Lashing Point	Cast Steel	360	11,3



LASHING POINT




LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUND SLINGS - WEBBING SLINGS - WEB LASHING
 SURREINGS KÆDER - SURREINGS SYSTEMER - CONTAINER SURREINGER - RUNDSLING - LØFTEBÅND - BÅNDSURREINGER


ELEPHANT FOOT SOCKETS

Nb! Not for use with road transport

- Shipbuilding Steel




RAISED




LARGE FLUSH

HALF RAISED




FLUSH ISO

FLUSH



RAISED CAR LASHING

HALF FLUSH




FLUSH CAR LASHING

ELEFANTFODS DÆKBESLAG

Nb! Ikke til brug ved land transport

- Skibsstål



Art. No.	Model	Material	Break Load kN – (T)ension / (S)hear	Weight kg
06 37 0001	Raised	Shipbuilding Steel	250 (T)	4,8
06 37 0002	Half Raised	Shipbuilding Steel	250 (T)	3,2
06 37 0003	Flush	Shipbuilding Steel	250 (T)	7,5
06 37 0004	Half Flush	Shipbuilding Steel	250 (T)	5,5
06 37 0005	Large Flush	Shipbuilding Steel	250 (T)	10,3
06 37 0006	Flush Iso*	Shipbuilding Steel	500 (T) / 420 (S)	18,0
06 37 0007	Raised Car Lashing	Shipbuilding Steel	up to 40 (T)	0,8
06 37 0008	Flush Car Lashing	Shipbuilding Steel	up to 40 (T)	3,2

* Available in double & quadruple model on request!

* Muligt i dobbelt & firdobbelt model på forespørgsel!






LASHING CHAINS - LASHING SYSTEMS - CONTAINER LASHING - ROUNDSLINGS - WEBBING SLINGS - WEB LASHING
 SURRINGS KÆDER - SURRINGS SYSTEMER - CONTAINER SURRINGER - RUNDSLING - LØFTEBÅND - BÅNDSURRINGER


LIFTING HOOKS

Nb! Not for use with road transport


- Delivered in set of 4 pcs.
- Wires not included, but can be delivered with a set on request!




TOP LIFTING HOOK



LEFT TYPE



RIGHT TYPE



BOTTOM LIFTING HOOK

Art. No.	Model	Pull	SWL - Ton
06 38 0001	Top 20'	-	25
06 38 0002	Top 40'	-	32
06 38 0003	Buttom	Vertical ↑	50
06 38 0004	Buttom	45° ↗	32