

Want your machines to perform better? Don't change oil

#circularuseofoil





SKF

RecondOil

SKF
RecondOil


SKF
RecondOil

OIL MOUNTING

SKF RecondOil Box makes it possible to use the same oil over and over again

What if you could get cleaner oil in your application without having to change it? With RecondOil Box from SKF, you can use the same oil over and over again. In fact, you can get cleaner oil than ever before. Your machines can perform better, and at the same time, your oil can be transformed from a costly CO₂ footprint into a sustainable asset.

Don't change oil. Change to circular use of oil.



* CO₂ reduction when compared with traditional oil cycle. Source: Life cycle analysis performed by IVL Swedish Environmental Research Institute (2021).


Minimal oil cost is just one of many benefits

Today, most companies use their industrial oil until it degrades. This means that the oil eventually needs to be discarded and replaced with new oil. But since application owners want to get the most out of their oil, machines are often run with contaminated oil for long periods – a common cause of premature equipment failure. In fact, up to 40% of maintenance costs are lubricant related.

With the RecondOil Box, oil change intervals can be significantly extended – in some cases indefinitely. Our Double Separation

Technology (DST) removes contamination particles down to nano-size from the oil. In fact, DST-regenerated oil is often cleaner than a virgin oil. And by keeping the oil ultra-clean continuously, the RecondOil Box allows you to use the same oil over and over again – without losing any of its original qualities.

Shifting to a circular use of oil offers several benefits, both in terms of sustainability, reduced oil costs and better machine performance.



Sustainability improvement

- Reduced CO₂ impact
- Reduced energy consumption thanks to less friction
- Reduced consumables use



Total oil cost reduction

- Reduced costs for purchasing oil
- Reduced costs for shipment, storage and disposal of used oil
- Reduced costs for oil-related maintenance and production stops



Performance improvement

- Improved system performance
- Higher availability of the machine
- Higher productivity



The smallest
particles are your
biggest problem



The lifetime of oil is influenced by contamination – if left unchecked in a system, the contaminants cause the oil to continually degrade, until it is no longer functional.

Nanoparticles


Microparticles that most often can be removed from oils with conventional filters make up for about just 20% of the total surface area of all particles in an oil. At the same time, nanoparticles that normally slip through conventional filters constitute the remaining 80% of the surface area. The nanoparticles cause severe harm – and they are a catalyst for oxidation in the oil. Oxidation accelerates the oil's aging process.

Varnish

The growing popularity of the highly-refined Group II and Group III base oil composition has played a role in the increasing prevalence of varnish-related issues in oil – these base stock oils have lower solubility for varnish-forming materials. And while there are several causes for varnish formation in an oil, oxidation by-products are seen as the primary source. Varnish causes machine wear and thermal stress as well as accelerates the oil's degradation process.

Water

For most oils, water ingress can compromise nearly every beneficial property. The presence of water in a system can cause corrosion and reduce component life. Water also affects the oil's viscosity and deteriorates its lubricating properties.





SKF

RecondOil

One system – three functions

The RecondOil Box is an enhanced depth filtration system that incorporates RecondOil's patented Double Separation Technology (DST). It features a chemical/mechanical separation process which is not limited by filter pore size, and there is therefore no lower limit on the size of particles that can be removed from an oil.



We can get rid of the nanoparticles – and all other particles as well, for that matter. This means we can stop the oxidation process from even beginning and create a potentially endless oil life.



With its DST filter, the RecondOil Box also removes both soluble and insoluble varnish, thereby avoiding clogged systems. Varnish removal also offers cooler operational temperature and longer component and oil life.



In addition, the RecondOil Box is also efficient at water removal, and can remove dissolved, emulsified and free water out of an oil.

We make it easy not to change oil

In one compact system, easily installed to your application, you get continuously clean oil, resulting in reliable and stable processes. The RecondOil Box is also an investment with a short payback time, offered at a fixed monthly cost, where you can choose between different service packages. In addition to the Box itself, the packages can include everything from commissioning, new filters, technical support, and oil condition monitoring of your oil.

Do you want to know more about the payback time for RecondOil Box? Please contact your SKF representative.



0 — 250 ml
APPROX.

50 — 200

00 — 150

0 — 100



#circularuseofoil

[skf.com](https://www.skf.com)

® SKF and RecondOil are registered trademark of the SKF Group.

© SKF Group 2022

The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless prior written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.

PUB LS/P2 19393 EN · April 2022

Certain image(s) used under license from Shutterstock.com.