

CABLE CONNECTIONS



RACO A/S
Overgade 4
DK-6670 Holsted
Tel. +45 69106680
E-Mail: info@raco.dk
Web: www.raco.dk

Part No.	Description	Length	Cable size	Load	Connections
150800	Starter connector cable	200 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
151000	Starter connector cable	250 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
151200	Starter connector cable	300 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
151400	Starter connector cable	350 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
151600	Starter connector cable	400 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
151800	Starter connector cable	450 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
152000	Starter connector cable	500 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
152200	Starter connector cable	550 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
152600	Starter connector cable	650 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
152800	Starter connector cable	700 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
153200	Starter connector cable	800 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
153600	Starter connector cable	900 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
154000	Starter connector cable	1000 mm	25 mm ²	Max 150 A	Ring terminal Ø 10 mm
150808	Starter connector cable	200 mm	25 mm ²	Max 150 A	Ring terminal Ø 8 mm
151208	Starter connector cable	300 mm	25 mm ²	Max 150 A	Ring terminal Ø 8 mm
151608	Starter connector cable	400 mm	25 mm ²	Max 150 A	Ring terminal Ø 8 mm
152008	Starter connector cable	500 mm	25 mm ²	Max 150 A	Ring terminal Ø 8 mm



160800	Starter connector cable	200 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
161000	Starter connector cable	250 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
161200	Starter connector cable	300 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
161400	Starter connector cable	350 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
161600	Starter connector cable	400 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
162000	Starter connector cable	500 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
162800	Starter connector cable	700 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
163200	Starter connector cable	800 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
163600	Starter connector cable	900 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
164000	Starter connector cable	1000 mm	35 mm ²	Max 200 A	Ring terminal Ø 10 mm
160808	Starter connector cable	200 mm	35 mm ²	Max 200 A	Ring terminal Ø 8 mm
161008	Starter connector cable	250 mm	35 mm ²	Max 200 A	Ring terminal Ø 8 mm
161208	Starter connector cable	300 mm	35 mm ²	Max 200 A	Ring terminal Ø 8 mm
161608	Starter connector cable	400 mm	35 mm ²	Max 200 A	Ring terminal Ø 8 mm
162008	Starter connector cable	500 mm	35 mm ²	Max 200 A	Ring terminal Ø 8 mm
160806	Starter connector cable	200 mm	35 mm ²	Max 200 A	Ring terminal Ø 6 mm
161206	Starter connector cable	300 mm	35 mm ²	Max 200 A	Ring terminal Ø 6 mm



PRODUCT CATALOG

G.S.E.

CABLE CONNECTIONS



RACO A/S

Overgade 4
DK-6670 Holsted
Tel. +45 69106680
E-Mail: info@raco.dk
Web: www.raco.dk

Part No.	Description	Length	Cable size	Load	Connections
170800	Starter connector cable	200 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
171000	Starter connector cable	250 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
171200	Starter connector cable	300 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
171400	Starter connector cable	350 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
171600	Starter connector cable	400 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
171800	Starter connector cable	450 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
172000	Starter connector cable	500 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
172200	Starter connector cable	550 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
172400	Starter connector cable	600 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
172800	Starter connector cable	700 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
173200	Starter connector cable	800 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
174000	Starter connector cable	1000 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
175200	Starter connector cable	1300 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
175600	Starter connector cable	1400 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
176000	Starter connector cable	1500 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
176400	Starter connector cable	1600 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
176800	Starter connector cable	1700 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
177200	Starter connector cable	1800 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
177600	Starter connector cable	1900 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
178000	Starter connector cable	2000 mm	50 mm ²	Max 250 A	Ring terminal Ø 10 mm
170608	Starter connector cable	150 mm	50 mm ²	Max 250 A	Ring terminal Ø 8 mm
170808	Starter connector cable	200 mm	50 mm ²	Max 250 A	Ring terminal Ø 8 mm
171208	Starter connector cable	300 mm	50 mm ²	Max 250 A	Ring terminal Ø 8 mm



260800	Battery connector cable	200 mm	35 mm ²	Max 200 A	+ Ø 19 & - Ø 17 pol terminals
261000	Battery connector cable	250 mm	35 mm ²	Max 200 A	+ Ø 19 & - Ø 17 pol terminals
261200	Battery connector cable	300 mm	35 mm ²	Max 200 A	+ Ø 19 & - Ø 17 pol terminals
261600	Battery connector cable	400 mm	35 mm ²	Max 200 A	+ Ø 19 & - Ø 17 pol terminals



270800	Battery connector cable	200 mm	50 mm ²	Max 250 A	+ Ø 19 & - Ø 17 pol terminals
271000	Battery connector cable	250 mm	50 mm ²	Max 250 A	+ Ø 19 & - Ø 17 pol terminals
271200	Battery connector cable	300 mm	50 mm ²	Max 250 A	+ Ø 19 & - Ø 17 pol terminals
271600	Battery connector cable	400 mm	50 mm ²	Max 250 A	+ Ø 19 & - Ø 17 pol terminals
272000	Battery connector cable	500 mm	50 mm ²	Max 250 A	+ Ø 19 & - Ø 17 pol terminals



PRODUCT CATALOG

G.S.E.

CABLE CONNECTIONS



RACO A/S

Overgade 4
DK-6670 Holsted
Tel. +45 69106680
E-Mail: info@raco.dk
Web: www.raco.dk

Part No.	Description	Length	Cable size	Load	Connections
508000	Battery to starter cable	200 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
510000	Battery to starter cable	250 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
512000	Battery to starter cable	300 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
514000	Battery to starter cable	350 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
516000	Battery to starter cable	400 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
518000	Battery to starter cable	450 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
520000	Battery to starter cable	500 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
522000	Battery to starter cable	550 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
524000	Battery to starter cable	600 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
526000	Battery to starter cable	650 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
528000	Battery to starter cable	700 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
532000	Battery to starter cable	800 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
538000	Battery to starter cable	950 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
540000	Battery to starter cable	1000 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
542000	Battery to starter cable	300 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
543000	Battery to starter cable	350 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
544000	Battery to starter cable	400 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
547000	Battery to starter cable	550 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
545000	Battery to starter cable	700 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
548000	Battery to starter cable	750 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
546000	Battery to starter cable	950 mm	25 mm ²	Max 150 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
608000	Battery to starter cable	200 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
610000	Battery to starter cable	250 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
612000	Battery to starter cable	300 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
614000	Battery to starter cable	350 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
616000	Battery to starter cable	400 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
618000	Battery to starter cable	450 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
620000	Battery to starter cable	500 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
622000	Battery to starter cable	550 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
624000	Battery to starter cable	600 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
626000	Battery to starter cable	650 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
628000	Battery to starter cable	700 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
632000	Battery to starter cable	800 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
640000	Battery to starter cable	1000 mm	35 mm ²	Max 200 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
644000	Battery to starter cable	250 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
646000	Battery to starter cable	300 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
648000	Battery to starter cable	350 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
650000	Battery to starter cable	400 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
652000	Battery to starter cable	450 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
654000	Battery to starter cable	500 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
658000	Battery to starter cable	600 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
662000	Battery to starter cable	700 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
666000	Battery to starter cable	800 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
670000	Battery to starter cable	1000 mm	35 mm ²	Max 200 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm



PRODUCT CATALOG

G.S.E.

CABLE CONNECTIONS



RACO A/S

Overgade 4
DK-6670 Holsted
Tel. +45 69106680
E-Mail: info@raco.dk
Web: www.raco.dk

Part No.	Description	Length	Cable size	Load	Connections
708000	Battery to starter cable	200 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
710000	Battery to starter cable	250 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
712000	Battery to starter cable	300 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
714000	Battery to starter cable	350 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
716000	Battery to starter cable	400 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
718000	Battery to starter cable	450 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
720000	Battery to starter cable	500 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
724000	Battery to starter cable	600 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
728000	Battery to starter cable	700 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
732000	Battery to starter cable	800 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
736000	Battery to starter cable	900 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
740000	Battery to starter cable	1000 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
744000	Battery to starter cable	1100 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
748000	Battery to starter cable	1200 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
752000	Battery to starter cable	1300 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
756000	Battery to starter cable	1400 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
760000	Battery to starter cable	1500 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
764000	Battery to starter cable	1600 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
790000	Battery to starter cable	2250 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm
755000	Battery to starter cable	300 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
749000	Battery to starter cable	400 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
759000	Battery to starter cable	500 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
751000	Battery to starter cable	650 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
747000	Battery to starter cable	750 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
753000	Battery to starter cable	1000 mm	50 mm ²	Max 250 A	+ pol terminal Ø 19 & Ring terminal Ø 10 mm RED
763000	Battery to starter cable	200 mm	50 mm ²	Max 250 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
741000	Battery to starter cable	300 mm	50 mm ²	Max 250 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
757000	Battery to starter cable	400 mm	50 mm ²	Max 250 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
745000	Battery to starter cable	500 mm	50 mm ²	Max 250 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
761000	Battery to starter cable	750 mm	50 mm ²	Max 250 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm
743000	Battery to starter cable	900 mm	50 mm ²	Max 250 A	- pol terminal Ø 17 & Ring terminal Ø 10 mm



PRODUCT CATALOG

G.S.E.