



**PRODUCT OVERVIEW
SOLVENT BORNE**

GLOBALPARTNER

Your partner for long-term success with a broad product portfolio and know-how in wood coatings solutions and global coverage.

FAST RESPONSE TIMES

State-of-the-art research, development and application labs will shorten your innovation lead time and minimize production downtime. Coupled with our global presence we provide fast response times in service and logistics – wherever and whenever you need it.

TRAINING PROGRAMS



With a wide range of training programs and customized workshops in all application areas, you are kept abreast of the latest trends and technologies.



SUSTAINABILITY

Our coating solutions meet the highest standards of quality. We drive our industry to become environmentally friendly, ultimately making sure your products add to a healthy living environment and help you make a verified ecological claim.







FILLER

RAPIFILL 1080		 Hardener 279/H901	 Thinner 0 - 15%
Inside Wood Wood based Materials			
2C high build Filler. Fast drying (2h) with good sandability. Very good run resistance on vertical applications.			
Art. No.	Description	Packaging	
10800080	RAPIFILL 1080 WHITE	10 kg	
10800085	RAPIFILL 1080 GREY		


ISOFILL 1070		 Hardener 279/H901	 Thinner 0 - 10%
Inside Wood Wood based materials Metal			
2C insulating filler for spraying. This product provides excellent insulation on high-quality wood-based boards in rooms with a high level of moisture such as bathrooms and kitchens. Due to the high level of penetration into the substrate, the filler provides optimum insulation against the penetration of moisture. The very high filling properties and excellent adhesion to vertical surfaces round off the special properties of the product.			
Art. No.	Description	Packaging	
10700080	ISOFILL 1070 WHITE	10 kg	

PRIMER


SUPREMO FÜLLGRUND 3910		 Hardener H3910	 Thinner 5 - 10%
Inside Wood Wood based materials			
2C – colourless, quick drying primer with good sanding properties. Already after 1 hour abrasive and reworkable.			
Art. No.	Description	Packaging	
39100000	SUPREMO FÜLLGRUND 3910	8 L	

ALPOLAN UNIVERSALGRUND 242		 Hardener H243	 Thinner 0 - 30%
Inside Outside Wood Wood based materials			
Colourless, fully transparent, high building primer and top coat. Suitable for the insulation of high resin content wood and for the sealing of wood composites such as MDF boards. Because of the low shrinkage behaviour, it is special recommended for high-quality, closed-pore surfaces.			
Art. No.	Description	Packaging	
242000	ALPOLAN UNIVERSALGRUND 242	10 L	

ADHESION PROMOTER



FEYCO UNIVERSALPRIMER 2160		 Thinner V100 0 - 20%
Inside Outside Metal		
Coloured, fast drying adhesion promotor with an excellent adhesion e.g. to aluminium, steel and cast iron. After 40 minutes, it is ready to recoat with Feyco coloured Paints.		
Art. No.	Description	Packaging
215900RAL7009	FEYCO UNIVERSALPRIMER 2160 RAL7009	5 / 10 kg
215900RAL9005	FEYCO UNIVERSALPRIMER 2160 RAL9005	
215900RAL9010	FEYCO UNIVERSALPRIMER 2160 RAL9010	

COLOURED LACQUERS

ALPOCRYL 2K – PU – EMAILACK			
Inside Outside Wood Wood based materials PVC Glass Metal			
Fast drying 2C PU-Enamel paint with high coverage and excellent chemical and mechanical resistance. Direct coating of wood based Materials, Plastics and PVC (Adhesion test necessary), Metal (with adhesion promoter) and Glass (with adhesion additiv). For in- and outside use. Metallic colours are available.			
		 Hardener 279/H901	 Thinner 20 - 30%
Art. No.	Description	Gloss	Packaging
53700xxxx	ALPOCRYL EMAILACK LE SILKY GLOSS	35	1 / 3 / 10 L
53560xxxx (Colour like request)	ALPOCRYL EMAILACK LH (SILKY) MATT	25	

READY MIX COLOURS ALPOCRYL 2C - PU - EMAILACK

Art. No.	Description	Packaging
53700081	ALPOCRYL EMAILACK LE 81 WHITE	3 / 10L
53700085	ALPOCRYL EMAILACK LE 85 BLACK	3 / 10L
537000182	ALPOCRYL EMAILACK LE 182 BLACK	3 L
53700021	ALPOCRYL EMAILACK LE 21 YELLOW	3 L
53700025	ALPOCRYL EMAILACK LE 25 ORANGE	3 L
53700028	ALPOCRYL EMAILACK LE 28 VIOLET	3 L
53700051	ALPOCRYL EMAILACK LE 51 OXIDE YELLOW	3 L
53700054	ALPOCRYL EMAILACK LE 54 OXIDE RED	3 L
53700061	ALPOCRYL EMAILACK LE 61 PHTALOBBLUE	3 L
53700069	ALPOCRYL EMAILACK LE 69 OXIDE GREEN	3 L
53700072	ALPOCRYL EMAILACK LE 72 GREEN BLUE	3 L
53700091	ALPOCRYL EMAILACK LE 91 SILVER	3 L
537000119	ALPOCRYL EMAILACK LE 119 PEARL WHITE	3 L
537000132	ALPOCRYL EMAILACK LE 132 ORANGE	3 L
537000150	ALPOCRYL EMAILACK LE 150 RED	3 L
537000159	ALPOCRYL EMAILACK LE 159 RED	3 L
537000161	ALPOCRYL EMAILACK LE 161 BLUE	3 L

OWEDUR 4350 Hochglanzbuntlack			
Inside Wood Wood based materials			
2C PU High gloss coloured paint with high abrasion resistance for interior fittings. Because of the elegant und smooth finish Quality it is specially recommended for high end interior fittings. After 24h it is ready to polish. Colours are available in RAL, NCS-S etc..			
		 Hardener H50370	 Thinner 5 - 15%
Art. No.	Description	Gloss	Packaging
331390xxxx	OWEDUR 4350	< 95	5 kg

* The gloss levels are approximate guides and may vary depending on substrate and coating thickness.

REASONS FOR USING ALPOCRYL EMAILLACK LE LACQUER IN LACQUER MIX SYSTEM

YOU ALWAYS MATCH THE RIGHT COLOUR

The lacquer in lacquer system guarantees a high colour accuracy and an exact reproducibility.

MINIMUM LACQUER LOSS

By producing precise consumption quantities.

EVERYONE WITH EVERYONE

Each ready-mix colour can be mixed with another ready-mix colour in every ratio.

COST SAVINGS BY SELF MIXING

Cost saving in the production of colours, delivery and disposal.

IN 5 MINUTES YOUR COLOUR IS READY

No time loss due to delivery times.

CHOOSE YOUR COLOUR

More than 10 000 colour formulars are available (RAL, NCS-S etc.). The selection can be expanded with your own color shades.

AREA OF APPLICATION

Interior / Furniture

Interior
Furnitures
Fair/Shopfittings
Glass

Doors

Doors
PVC Windows



MIXING RAMP







Art. No.	Description	Remarks
990619	TECMEC MIXING MACHINE SIRIO HH	excl. Mixing lids
990620	MIXING LIDS	Mixing lids for 3L / KG Container


CLEAR VARNISHES

SUPREMO KLARLACK W3990			 Hardener 279/H901	 Thinner 0 - 25%
Inside Wood Wood based materials				
Clear, quick-drying, colour enhancing 2C-primer and top coat with a high solid content. Particularly suitable for applications on vertical surfaces thanks to its high bonding.				
Art. No.	Description	Gloss	Packaging	
W39901	SUPREMO KLARLACK W3990 NATURAL MATT (only natural wood)	4	5 / 10 L	
W39902	SUPREMO KLARLACK W3990 DULL MATT	8		
W39904	SUPREMO KLARLACK W3990 MATT	15		
W39906	SUPREMO KLARLACK W3990 SILKY MATT	35		
W39908	SUPREMO KLARLACK W3990 SILKY GLOSS	50		
W39909	SUPREMO KLARLACK W3990 GLOSSY	80		

SUPREMO AUFHELLEND 2025			 Hardener 279/H901	 Thinner 0 - 25%
Inside Wood Wood based materials				
Natural effect, high resistant, 2C-primer and top coat. Special Natural effect on light and bleached wood.				
Art. No.	Description	Gloss	Packaging	
20251000	SUPREMO AUFHELLEND 2025 NATURAL MATT	4	5 / 10 L	

VELLUTO SOFTLACK W5339			 Hardener 279/H901	 Thinner 0 - 30%
Inside Wood Wood based materials Metal				
Colourless 2C-PU-Effectlacquer with a velvet-soft, virtually invisible and extreme mat surface.				
Art. No.	Description	Gloss	Packaging	
W53990	VELLUTO SOFTLACK W5399	3	4 L	

ALPOCRYL KLARLACK			 Hardener 279/H901	 Thinner 10 - 25%
Inside Outside Wood Wood based materials PVC				
Colourless, high UV resistance, 2C Clear top coat with high chemical and high scratch resistance.				
Art. No.	Description	Gloss	Packaging	
148300	ALPOCRYL KLARLACK 1483 GLOSS	80	5 / 10 L	
148500	ALPOCRYL KLARLACK 1485 SILKY GLOSS	50		
149500	ALPOCRYL KLARLACK 1495 HIGHGLOSS	<95		

BASCODUR 3312 Hochglanzklarlack			 Hardener H50370	 Thinner 10 - 20%
Inside Wood Wood based materials				
2C-PU High gloss clear vanish with extreme high scratch resistance and enormous brilliance. After 24h it is ready to polish.				
Art. No.	Description	Gloss	Packaging	
331290	BASCODUR 331290 HIGHGLOSS	< 95	5 kg	

* The gloss levels are approximate guides and may vary depending on substrate and coating thickness.

HARDENERS

2

Art. No.	Description	Remarks	Packaging
H90100	UNIPUR HÄRTER 279/H901	Universal Hardener 279/H901	1 / 5 L
H39100	HÄRTER H3910	Special Hardener for Supremo Füllgrund 3910	2 L
H24300	ALPOLAN HÄRTER 243	Special Hardener for Alpolan Universalgrund242	2,5 L
H50370	OWEDUR HÄRTER H50370	Special Hardener for OWEDUR 4350 / Bascodur 3312	2,5 kg

THINNERS

Art. No.	Description	Remarks	Packaging
V13000	VERDÜNNER V130	PU Thinner standard	5 / 10 /25 L
V09500	VERDÜNNER V095	PU Thinner middle	5 / 10 /25 L
V55000	VERDÜNNER V550	PU Thinner slow	5 / 10 /25 L
V56000	VERDÜNNER V560	PU Thinner very slow	5 / 10 /25 L
V10000	VERDÜNNER V100	Thinner for Universalprimer 2160	5 / 10 / 25 L

ADDITIVES

Art. No.	Description	Remarks	Packaging
Z63799	MATTPASTE Z63799	max. 10% - Matting Agent	1 / 3 kg
Z06640	STRUKTURPULVER GROB Z0664 (50µm)	0 - 3% Structure Powder coarse	0.2 kg
Z07040	STRUKTURPULVER FEIN Z0704 (30µm)	0 - 3% Structure Powder fine	0.2 kg
Z50100	FEY(N)VETRO-ZUSATZ Z5010	5% for coatings on glass	1 L
Z63960	ALPOCRYL ACCELERATOR Z63960	max. 2% - Accelerator	1 L
Z39980	RETARDER Z3998	max. 5% - Retarder	1 L

CLEANERS

Art. No.	Description	Remarks	Packaging
V15300	REINIGUNGSMITTEL V153	Cleaner for PVC	5 / 10 L
V00190	ISOPROPYLALKOHOL V0019	Cleaner for Glass	5 L
V8200	REINIGUNGSMITTEL S V820	Cleaner for Tools	5 / 10 L

FEYCO AG

Industriestrasse 11
9430 St. Margrethen / SG, Switzerland

T +41 71 747 84 11
F +41 71 747 85 10
ch-info@teknos.com

TREFFERT COATINGS GmbH

Am Kirchberg 1
63755 Alzenau, Germany

T +49 6023 961 0
F +49 6023 961 262
info.alzenau@teknos.com

TREFFERT Coatings (S.E.A.) Sdn. Bhd.

PLO 577, Jalan Keluli 8, Kawasan Perindustrian Pasir Gudang
81700 Pasir Gudang, Johor, Malaysia

T +60 7 251 5115
F +60 7 251 3115
info.malaysia@teknos.com

Shanghai TREFFERT Special Coatings Co., Ltd.

No. 1299 Beihe Road, Jiading North Industrial Zone
201807 Shanghai, China

T +86 21 5165 1818
F +86 21 5165 1388
info@feycotreffert.com.cn

TREFFERT Coatings US, Inc.

2915 Whitehall Park Drive, Suite 700
Charlotte, North Carolina 28273, USA

T +1 704 588 5812
F +1 704 588 5813
info@feycotreffert.us