Cestek

Special modules for mobile robots



INDEX

Introduction	2
Omron Solution Partner - Special Modules Matrix	3

CesTek Special modules for Mobile Robots

\$ 0	DOX & Accessories	4
X	Cart & Pallet Stand	5
	Pallet - Lift Station	6
٩	Spacers & Accessories	7
68	Lifters	8-9
1.	CoPal	12
÷	ArmAnDo	13
2	WMR	14
	MOMA	15

WE DELIVER EFFICIENT SOLUTIONS, TO HELP REDUCE MANUAL LABOR.



Let the robot do the LIFT - PULL - PUSH




FOR A NUMBER OF YEARS, CESTEK AUTOMATION HAS SPECIALIZED IN PRODUCING ACCESSORIES FOR OMRONS MOBILE ROBOTS.

The modules, mounted on a mobile robot, increase the efficiency and capacity of your production.

Whether you are a mobile robot integrator or manufacturer, we sell the modules separately, so if you already have Omron robots in your production, you can simply buy the modules you want.

If you, as a manufacturer, are about to start implementing mobile robots in an existing production, then we can also help - we have the experience and are always ready for a dialogue about the considerations and issues you have, in connection with the integration of one or more mobile robots in an existing environment.



A mobile robot solution for your needs...


OMRON SOLUTION PARTNER	COMPABILITY MATRIX - CESTEK SPECIAL DESIGNED MODULES Available/recommended add ons						
Omron Robot	Transport of	Lift	Conveyor	Spacer	Cart 500	Cart Coupling	Pallet Stand
LD-60/90	Boxes- Trays - Sacks	REX 100	CNV61R CNV62R	۰	٥	DOX 100*	
LD-250	Boxes - Trays - Sacks - Half Pallet	REX 250 C REX 250 M	CNV61R250	٥	0	DOX 250	
MD-650/900	EUR-Pallet	REX 650* HDX 30-2	CNV61R650*		0	DOX 1000*	٠
HD-1500	US-Pallet 2 x EUR-Pallets	REX 1250 HDX 35C HDX 30-2	CNV61R1500				٠

* not shown in catalog



DOX 250

Type: CesTek trolley coupling SKU: 20110000



(D-250

Add-on for autonomous mobile robots, moving loads of up to 500 kg. Ensures an easy and reliable connection of mobile robot and cart. Made of solid materials that can withstand an industrial environment. Can easily dock in and out of a cart with your mobile robot, to take the cart and drop it off at a desired location.


We supply both the unit for the robot and the number of top units for carts you need. The trolley coupling is delivered incl. control box and drawings of interface.

DOX universal top

Type: Unit for cart SKU: 20110002

Unit for cart, used with DOX 250 on your own cart.





Sidelaser Boom



Type: Boom for sidelaser mounting SKU: 20110003

Boom for sidelaser mounting on LD-250 used with CesTek trolley coupling.



CART 500

Type: Cart transport for LD-250 SKU: 20106000

Transport of boxes, pallets, sacks etc. up to 500 kg. Used with DOX 250, which hooks up with the cart and drives it to the designated station.



Pallet Stand

Type: Generic Pallet Stand SKU: ST 20201000 /WD 20201500

 HD-1500

 MD-650*

 1250 kg

 Left

 Datasheet

Compatible/Rec. with

LD-250

500 kg

CesTek Generic Pallet Stand is compatible with HD-1500 or *MD-650 - equipped with HDX 30-2 [] pallet lift. The pallet stand can also be serviced with a truck or electric

pallet lifter.

The stands can be setup for both EUR pallets or US pallets. With bolt holes for floor fixation. Pallet platform height 340 mm.



PALLET - LIFT STATION



ELV 1000

MD-650

Type: Lift Station SKU: 20150000

Lift station, designed to exchange pallets with a autonomous mobile robot MD-650 equipped with HDX $30-2 \square$ lift. The robot docks in to the lift station, which elevates/lower the pallet from/to the floor.





Spacer

LD-60/90

Type: Spacer for LD-60/90 SKU: 423022-0002

- Powder coated aluminium
- 24 V IO controller
- Available in variable height, minimum 150mm

Options:

Extra emergency stop PLC for advanced control and data processing Side Laser Kit

Options:

Extra emergency stop PLC for advanced control and data processing Sidelaser Kit

Spacer

LD-250

Type: Spacer for LD-250 SKU: 423022-0003

Designed to match the body of the LD250 at 100%. Standard height 420 mm. Has mounting plates for sidelasers, extra emergency stop bottons and blue light in front. Easy access hatch, for service inside the spacer.

- Powder coated aluminium
- 24 V IO controller
- Available in variable height, minimum 150mm



L-Shape

Type: Accuracy guide for mobile robot SKU: 423021-0010

Mounted under conveyors etc. for optimized accuracy of Omron Mobile robots.

- Caps license needed
- Powder Coated Aluminum

Compatible with our floor conveyors CNV61F, CNV62F and Cart 500

LD-250

Datasheet



REX 100

HEIGHT 420 mm (O) LD-60/90 100 kg

490 mm

200 kg

Datasheet

Type: Lift SKU: 20082000+ 20082205 (Bellow Cover)

Add-on for autonomous mobile robots, and/or as a stationary workplace - lifting equipment or other loads of up to 100 kg.

Dimensions L 632 mm x W 452 mm Height 120 mm Lifted height 420 mm in 60 seconds. Transport of boxes, trays, sacks etc.



REX 250 C

Type: Lift SKU: 20220000

Add-on for autonomous mobile robots, and/or as a stationary workplace - lifting pallets and other loads of up to 200 kg.

Dimensions L 943 mm x W 690 mm Height 170 mm Lifted height 440 mm Transport boxes, trays, sacks, half pallets, etc.

Can be combined with our top conveyor CNV61R



REX 250 M



100 kg



Datasheet

Type: Lift with extra height SKU: 20085000

Add-on for autonomous mobile robots, and/or as a stationary workplace - lifting equipment or other loads up to 100 kg.

Dimensions L 943 mm x W 690 mm Height 180 mm Lifted height 1060 mm Transport boxes, trays, sacks etc.

Can be combined with our top conveyor CNV61 R \square

HD-1500

Datasheet



REX 1250 LL




Datasheet

Type: Lift SKU: 20091600+20090030 (Bellow Cover)

Add-on for autonomous mobile robots, and/or as a stationary workplace - lifting pallets and other loads of up to 1250 kg.

Dimensions L 1260 mm x W 820 mm Height 130 mm Lifted height 390 mm Transport: boxes, trays, pallets, sacks etc.

Can be combined with our top conveyor CNV61R250



HDX 35C

Type: Low lift SKU: 20072000

Add-on for autonomous mobile robots, and/or as a stationary workplace - lifting pallets and other loads of up to 1200 kg.

HEIGHT

150 mm

1250 kg

Dimensions L 1324 mm x W 884 mm Height 90 mm Lifted height 150 mm Transport boxes, trays, sacks, pallets, etc.

Can be combined with our top conveyor CNV61R250



HDX 30-2



1250 kg



Datasheet

Type: Lift SKU: 20050005

Add-on for autonomous mobile robots. Lifing pallets of up to 1250 kg from a pallet stand. Drives it to the destination and delivers it on another pallet stand.

Dimensions L 1200 mm x W 161 mm (each leg) Height 90 mm Lifted height 150 mm

Recommended with our Pallet Stand 20106100 or Lift station ELV 1000 \square

CNV61R60

Type: Top Conveyor - Single SKU: 423022-0000

- CesTek Spacer
- Conveyor with aluminium Chassis
- Steel Rollers

Option: PUR-coated rollers



CNV62R60

Type: Top Conveyor - Double SKU: 423022-0001

- CesTek Spacer
- Conveyor with aluminium Chassis
- Steel Rollers

Option: PUR-coated rollers

Options:

PUR-coated rollers Lifting unit (instead of spacer) Sidelasers 420/820 mm conveyor



CNV61R250



Built-in


Sensor

Type: Top Conveyor - Single SKU: 423022-0005

Cestek top single conveyor with drum motor, spacer and electrical equipment. Designed to recieve and unload boxes from conveyor. Conveyor has sensors for box detection built in.

- CesTek Spacer (H 150-800 mm)
- Conveyor with aluminium Chassis
- Steel Rollers W 620, pitch 90 mm
- Std. height 800 mm to roller top

Dimensions L 1050 mm x W 720 mm





LD-60/90

Datasheet

 \oplus

CONVEYORS

Accessories for mobile robots		CONVEYORS		
	CNV61F Type: Floor Conveyor - Single SKU: 423023-0000 • Steel frame • Steel rollers	Compatible/Rec. with LD-60/90 Compatible/Rec. with LD-60/90 50 kg Lotasheet		
	• Standard conveyor width 4	420 mm or with speed control or 230 V Options: Optional width PUR-coated rollers System control for subsequent conveyors		
	 CNV62F Type: Floor Conveyor - Double SKU: 423023-0001 Steel frame Steel rollers Standard conveyor width 4 Electric: 24VDC Drum moto Conveyor control 	Datasheet 20 mm (per lane) or with speed control or 230 V Options: Optional width		
Options:		PUR-coated rollers System control for subsequent conveyors HD-1500		
PUR-coated rollers Sidelasers Lifting unit Pallet stand Weight measurements	CNV61R1500 Type: Top Conveyor - Single SKU: 423022-0006	1500 kg Isol kg Isol kg Isol kg Isol kg		
The light inclusion of the light	 CesTek single Conveyor for HD 1500, drum motor, spacer and electrical equipment. Conveyor has sensors for pallet detection built in. Transport of EUR, US and half pallets Dimensions: L 1324 mm x W 884 mm x H 190 mm Weight 150 kg 			

PALLETIZING

TM-12

12 kg



CoPal

Type: Enterprise SKU: 30010012

When your company wants to automate palletizing with one complete purchase. In collaboration with Omron, we deliver the complete solution for palletizing.

HMI

90-180 cm

Lift Coloumn

12″

With the Enterprise-package yout get:

- All from CoPal Pro
 - TM 12 cobot from Omron
- Standard tool for cardboard boxes





12

CoPal

Type: Basic SKU: 30010010

Basic element for those of you who supply robots and controls yourself.

₽


90-180 cm


Lift Coloumn

Basic-package includes:

- CoPal frame
- All metal parts and our custom designed lifting coloumn* (90-180 cm.)
- Fuse, cable, freight and full documentation

*enables your robot to palletize up to 180 cm in height





Safety Scanner



WMR

LD-60/90

Type: Warehouse Management Robot

We deliver an integrated solution that includes both software and robots, so that it fits your specific needs. We adapt the solution to the number of racks and the size of the boxes needed in your warehouse.

The solution can handle many of the physical and routine tasks, so that your employees get rid of the tedious work tasks and thus you achieve a better working environment.

By choosing our solution, you will be able to process several orders with the same staff and at the same time achieve a faster delivery because the unproductive time for the employees is minimized, as they do not have to go so many times between storage locations and packing tables.

A mobile robot solution like this gives you an opportunity to automate part of your warehouse without having to invest in a fully automatic solution.

In short, you achieve:

Increased order flow with the same staffing Better working environment Minimized picking time



TM-12

(D-250



MOMA

Type: Mobile Manipulator SKU: 423022-0004

CesTek Mobile Manipulator, ex. gripper

MOMA is overall a Omron LD-250 with a reinforced Cestek Spacer and a TM-12 on top.


MOMA is designed to bring higher autonomy to production machines, it enables loading and unloading of parts without human intervention. Additionally, the automation of parts handling between different production operations such as measuring, marking or packaging, can be accomplished.

The Kit contains:

- 1x LD-250
- 1x Battery LD-250
- 1x CesTek Spacer for LD-250
- 1 x TM 12

Option:

Sidelasers



Ces ek

CesTek A/S

Bogensevej 9 DK-4200 Slagelse

Hattingvej 7C DK-8700 Horsens

T: +45 30499050 info@cestek.dk

www.cestek.dk



CesTek Catalog 2024 version 3 - CesTek pursue a policy of continuing improvement in design and performance of our products. The right is therefore reserved to vary specifications