



S & B Beschläge GmbH
Quality ship locks and hardware solutions

EDITION 8
2018/19

LOCKS AND HARDWARE

FOR SHIP AND YACHTBUILDERS



INFORMATION

INFORMATION

- CERTIFICATE	7
- SURFACE TREATMENTS	8
- FACEPLATE DESCRIPTION	9
- DOOR DIRECTIONS	10
- LOCK DESCRIPTION	11

LOCKS & ATTACHMENTS BRASS

MORTISE LOCKS BRASS BACKSET 30 MM

- MORTISE LOCK WC	13
- MORTISE LOCK BB	14
- MORTISE CATCHLOCK	15
- MORTISE LOCK PC	16
- DOOR HANDLE SETS FOR SERIES 106	18
- STRIKING PLATES FOR SERIES 106	23

MORTISE LOCKS BRASS BACKSET 40 MM

- MORTISE LOCK WC	24
- MORTISE LOCK BB	25
- MORTISE LOCK PC	26
- MORTISE CATCHLOCK	27
- DOOR HANDLE SETS FOR SERIES 104	28
- STRIKING PLATES FOR SERIES 104	32

MORTISE LOCKS BRASS BACKSET 55 MM

- MORTISE LOCKS DIN 81301 KEY HOLE	33
- MORTISE LOCKS DIN 81301 PROFILE CYLINDER HOLE	34
- MORTISE LOCKS DIN 81303 LAVATORY VERSION	35
- MORTISE CATCH LOCKS	35
- MORTISE DEAD LOCKS	38
- SLIDING DOOR MORTISE LOCKS PROFILE CYLINDER HOLE	39
- MORTISE DOOR CATCH	42

RIM LOCKS BRASS

- RIM LOCKS DIN 81311 C PROFILE CYLINDER HOLE	45
- RIM LOCKS DIN 81311 C KEY HOLE	46
- RIM LOCKS WITH FLANGE	47
- RIM DEAD LOCKS DIN 81308 A KEY HOLE	48
- RIM DEAD LOCKS DIN 81308 B PROFILE CYLINDER HOLE	48
- STRIKING PLATES DIN 81314 A	49
- STRIKING PLATES DIN 81314 B	50
- STRIKING PLATES DIN 81314 C	50
- STRIKING BOX BRASS	51

DOOR HANDLES BRASS

- DOOR HANDLES FOR MORTISE LOCKS	52
- DOOR HANDLES FOR RIM LOCKS	53

ESCUTCHEONS & ROSETTES BRASS

- ESCUTCHEONS 165X45 MM	54
- ESCUTCHEONS FOR LAVATORY	55
- ESCUTCHEONS WITH KNOB	56
- DOOR KNOB	57
- ESCUTCHEONS LONG 230 MM	58
- ESCUTCHEONS ROUND WITH KEY HOLE	60
- ESCUTCHEONS ROUND WITH PROFILE CYLINDER HOLE	60
- ESCUTCHEONS ROUND FOR LAVATORY	61
- HANDLE ROSETTES	61
- ESCUTCHEONS FOR KEYHOLES	62
- ESCUTCHEONS FOR KEYHOLES WITH COVERPLATE	62
- ESCUTCHEONS FOR PROFILE CYLINDER HOLES	63
- PROFILE CYLINDER COVERPLATES	63
- ATTACHMENTS	64

LOCKS & ATTACHMENTS STAINLESS STEEL

MORTISE LOCKS STAINLESS STEEL

- MORTISE LOCKS DIN 81301 TUMBLER KEY	65
- MORTISE LOCKS DIN 81301 PROFILE CYLINDER HOLE	66
- MORTISE PROFILE CYLINDER LOCKS 16 MM LATCH	67
- MORTISE CATCH LOCKS 16 MM LATCH	68
- MORTISE WEDGE LOCK	69
- MORTISE LOCKS LAVATORY VERSION	70
- MORTISE CATCH LOCKS 12 MM LATCH	72
- MORTISE DEAD LOCKS	73
- MORTISE LOCKS 65 MM BACKSET	74
- MORTISE LOCKS 80 MM BACKSET	79
- THREE POINT LOCK	82
- MORTISE CATCH LOCK	84
- MORTISE DEAD LOCK	84
- STRIKING PLATES DIN 81314 A	85
- STRIKING PLATES DIN 81314 B	87
- STRIKING PLATES DIN 81314 C	87

RIM LOCKS STAINLESS STEEL

- RIM LOCKS DIN 81311 C STAINLESS STEEL	88
- RIM DEAD LOCKS STAINLESS STEEL	91
- RIM CATCH LOCKS STAINLESS STEEL	92
- RIM LOCKS DIN 81312 C, DOUBLE TURN STAINLESS STEEL	93
- RIM LOCKS DIN 81312 D, DOUBLE TURN STAINLESS STEEL	94

DOOR HANDLES STAINLESS STEEL

- DOOR HANDLES FOR MORTISE LOCKS	95
- ROSETS PC	97
- ESCUTCHEONS ROUND FOR LAVATORY VERSION	98
- DOOR HANDLES FOR RIM LOCKS DIN 81317 E	99
- DOOR HANDLE FOR ANTI PANIC LOCK	100

ESCUTCHEONS & ROSETS STAINLESS STEEL

- LONG ESCUTCHEONS 230 MM	101
- ESCUTCHEONS ANGULAR.....	102
- ESCUTCHEONS WITH COVERPLATE	103
- ESCUTCHEONS FOR LAVATORY VERSION	104
- DOOR KNOB.....	105
- ESCUTCHEONS WITH ROUND KNOB.....	106
- ESCUTCHEONS ROUND WITH KEY HOLE.....	108
- ESCUTCHEONS ROUND WITH PROFILE CYLINDER HOLE	108
- ESCUTCHEONS ROUND FOR LAVATORY VERSION	109
- ESCUTCHEON HANDLE SETS	110
- RECESSED FLAT HANDLE GRIP	111
- RECESSED PULL RING HANDLE	113
- HANDLE ROSETTES	113
- PROFILE CYLINDER COVERPLATE	114
- ATTACHMENTS	114

CYLINDERS

MASTER KEY SYSTEMS

- INFORMATION CENTRAL LOCKING SYSTEM.....	115
- INFORMATION MASTER KEY SYSTEM.....	115
- INFORMATION GENERAL MASTER KEY SYSTEM	115

EUROPROFILE CYLINDERS

- ELITE 1	116
- KEYS	117

CABINET LOCKS & SNAPPERS

CABINET SNAPPERS

- 1503 SNAPPER	119
- 1517 PRESS KNOB SNAPPER.....	120
- 1518 RIM FURNITURE LOCK.....	120
- 1535 FURNITURE LOCK	121
- PUSH KNOB AND RING FOR 151770	121
- 1184 RIM LOCK WITH TURN KNOB LOCKABLE	122
- 1185 RIM LOCK WITH TURN KNOB.....	123
- 1305 DOUBLE DEAD RIM LOCK.....	123
- 1515 PRESS KNOB SNAPPER.....	124
- FINGER SNAPPER	124
- GRIP SNAPPER.....	125
- GRIP SNAPPER LOCKABLE	125
- GRIP SNAPPER WITH 1503	126

CABINET RIM LOCKS

- CABINET LOCK FLAT WITH GRIP	127
- CABINET LOCK WITH FLAT GRIP LOCKABLE.....	128
- GRIP SNAPPER INVISIBLE 1500	128
- CABINET RIM LOCK 1511 WITH KEY HOLE	129
- CABINET RIM LOCK 1512 WITH PROFILE CYLINDER.....	130

LOCKING SYSTEMS

DOOR HOLDERS & FASTENERS

- PIN BOLTS BRASS	131
- BOLTS.....	132
- DOOR STOPPERS DIN 81409 A.....	135
- DOOR STOPPERS DIN 81409 B	135
- FURNITURE DOOR STOPPER	136
- SPRING CLIPS 45/70 MM	136
- DOOR STOPPERS SMALL	137
- DOOR STOPPER HEAVY VERSION.....	137
- DOOR STOPPERS 80 MM	138
- DOOR STOPPERS 60 MM DIN 81406 A.....	139
- DOOR STOPPERS 90 MM DIN 81406 A	140
- DOOR STOPPERS 85 MM	141
- DOOR STOPPERS 60 MM	141
- DOOR STOPPERS 90 MM	142
- MAGNETIC DOOR STOPPER	142
- MAGNETIC DOOR STOPPERS 10° TURNABLE	143
- MAGNETIC SNAPPER	144
- DOOR CLOSER EN 1154 A.....	144
- BALL CATCHERS	145
- ARTICULATED HOOKS.....	145
- ARTICULATED HOOKS STAINLESS STEEL A4	146
- DOOR HOOKS	146
- AJAR HOOKS.....	148
- TURNBUCKLES	148

WINDOW, HATCH & DOOR HARDWARE

WINDOW & HATCH FASTENER ELEMENTS

- HATCH FASTENERS	151
- WINDOW FASTENERS	151
- CABINET SHEAR.....	156
- DOOR STAY STAINLESS STEEL	158

DECK HARDWARE

DECK HARDWARE

- FLUSH PULL GRIPS BRASS	160
- FLUSH PULL GRIPS STAINLESS STEEL	161
- DECK HARDWARE INSIDE.....	162

INTERIOR HARDWARE

INTERIOR HARDWARE

- INTERIOR HARDWARE	165
---------------------------	-----

NUTS & BOLTS

BOLTS

- DIN 444 BRASS.....	171
- DIN 444 STAINLESS STEEL	172

NUTS

- DIN 80704 BRASS.....	173
- DIN 80704 STAINLESS STEEL.....	173
- DIN 582 BRASS.....	174
- DIN 83407 FORM A WITH LIFTING NUT.....	175
- HATCH AND WINDOW FASTENER SET	176
- DIN 83407 FORM B WITH WING NUT	176
- DIN 83407 PRESS FORKS FORM C.....	177
- DIN 83407 PRESS FORKS FORM D.....	177
- DIN 315 BRASS.....	178
- DIN 80701 BRASS.....	178
- DIN 80701 STAINLESS STEEL.....	180

INTERIOR HARDWARE

HINGES BRASS

- HINGES DIN 81401 A.....	181
- HINGES BRASS	182
- HINGES DIN 81402 A.....	183
- HINGES DIN 81401 B.....	184
- HINGES REVERSABLE	185

HINGES STAINLESS STEEL

- HINGES NO. 377	187
- HINGES 2017/2027	188
- HINGES 2001/2002	188
- HINGES NR. 138	189
- HINGES NR. 139.....	189
- HINGES NR. 110.....	190
- HINGES NR. 120.....	190
- HINGES NR. 172.....	191
- HINGES NR. 193.....	191
- HINGES NR. 188.....	192
- HINGES NR. 116.....	192
- HINGES NR. 134.....	193
- HINGES NR. 146.....	193

HASPS

- HASPS STAMPED	194
- HASPS CASTED	194
- HASPS WITH RING GRIP CASTED VERSION	196
- WARDROBE FASTENER.....	197

AIR VENTILATING ELEMENTS BRASS

- VENTILATING VALVES ANGULAR	198
------------------------------------	-----

TABLE OF CONTENTS

- VENTILATING VALVES ROUND	199
- VENTILATING GRILLS	200

VENTILATING GRILLS STAINLESS STEEL

- VENTILATING VALVES ROUND	201
----------------------------------	-----

HAT, COAT, TOWEL AND CUP HOOKS

- HAT AND COAT HOOKS	203
- COAT HOOK TWIN	205
- CEILING TURN HOOK	206
- CUP HOOKS BRASS	206
- TOWEL HOOKS	207
- WINE GLASS HOLDER STAINLESS STEEL	209

RAILING SYSTEMS

- RAILING HOLDERS BRASS	210
-------------------------------	-----

BOARD HOLDER

- BOARD HOLDER CASTED OR STAMPED	212
--	-----

ASHTRAY

- ASHTRAY FOR WALL MOUNTING	213
-----------------------------------	-----

HINGES FOR SHIP DOORS

STEEL HINGES FOR HEAVY HINGED SHIP DOORS

- HINGE DIN 83105 FORM C	215
- HINGE DIN 83105 FORM D	215

DOGS

DOGS FOR HEAVY HINGED SHIP DOORS AND HATCHES

- DOG ASSEMBLY SET	217
- DOG ASSEMBLY DIN 83104 FORM B	218
- DOG ASSEMBLY DIN 83104 FORM C	219
- DOG ASSEMBLY DIN 83104 FORM A, STAINLESS STEEL	220

ATTACHMENT PARTS FOR DOGS

- SPARE PART LIST STEEL	221
- SPARE PART LIST STAINLESS STEEL	221

DELIVERYTERMS & CONDITIONS

DELIVERYTERMS & CONDITIONS

- DELIVERYTERMS & CONDITIONS	223
------------------------------------	-----



Quality & Service
Güter Straßburg

CERTIFICATE

The Certification Body of QSGS
certifies that

S&B Beschläge GmbH

Illingheimer Straße 10
D-59846 Sundern-Amecke

Manufacturing and Distribution of foundry products and nonferrous metal
products for the boat, ship & yacht industry, furniture and piano and
grand piano producers and supplier of building hardware

a quality management system
has established and applies.

Proof has been furnished that the
requirements according to

DIN EN ISO 9001:2015

are fulfilled.

Certificate Registration No.	11101-20-QMS15
Initial certification	14.08.2017
Valid until	11.08.2020

Head of certification body of QSGS vom 14.08.2017

QSGS

G. Strauß
Sankt-Martinus-Straße 11
D-67360 Lingenfeld
www.qsgs.de / E-Mail: info@qsgs.de



Rheinland-Pfalz

QSGS Sankt-Martinus-Straße 11 D-67360 Lingenfeld

Güter Straßburg Qualitätsprüfer der Deutschen Gesellschaft für Qualität e.V.

Full Member of the European Organisation for Quality (EOQ)

DQS Reg. Nr. P0008



LFQ/120810/13

SURFACE TREATMENTS - BRASS & STAINLESS STEEL

Order example 114201.4 = Surface Brass polished. 114201.9 = Surface Brass matt chromium plated. Please ask for additional surfaces.

Abbreviation	Surface	Endnr.
Brp	Brass rolled polished	.1
Brpn	Brass rolled polished nickel plated	.2
Brpc	Brass rolled polished chromium plated	.3
Bp	Brass polished	.4
Bpn	Brass polished nickel plated	.5
Bpc	Brass polished chromium plated	.6
Bm	Brass matt	.7
Bmn	Brass matt nickel plated	.8
Bmc	Brass matt chromium plated	.9
S/S brushed	Stainless steel brushed	.0
S/S polished	Stainless steel polished	.4
S/S matt	Stainless steel satin matt	.9
S/S raw	Stainless steel raw	.0

FACEPLATE DESCRIPTION - FACEPLATES

faceplate versions

angular




half round




round



DOOR DIRECTIONS - DOOR DIRECTIONS




LOCK DESCRIPTION - LOCK DESCRIPTION



MORTISE LOCK WC - MORTISE LOCK WC, SERIE 1060

Brass Ms 63

- Faceplate: Angular
- Backset 30 mm
- For 7 mm door handles
- Olive nut 7 mm
- Handle set recommended: 207067
- Striking plate: 226101/02




Art.code	Surface	Article description	Unit	Weight
106011.4	Bp	Mortise WC lock, right, 30/7/7 mm, with solid latch	pc.	0,275
106011.6	Bpc	Mortise WC lock, right, 30/7/7 mm, with solid latch	pc.	0,275
106011.9	Bmc	Mortise WC lock, right, 30/7/7 mm, with solid latch	pc.	0,275
106012.4	Bp	Mortise WC lock, left, 30/7/7 mm, with solid latch	pc.	0,275
106012.6	Bpc	Mortise WC lock, left, 30/7/7 mm, with solid latch	pc.	0,275
106012.9	Bmc	Mortise WC lock, left, 30/7/7 mm, with solid latch	pc.	0,275

MORTISE LOCK BB - MORTISE LOCK BB, SERIE 1061

Brass Ms 63

- With 2 keys
- Faceplate: Angular
- Backset 30 mm
- For 7 mm door handles
- Handle set recommended: 207167
- Striking plate: 226101/02




Art.code	Surface	Article description	Unit	Weight
106111.4	Bp	Mortise lock BB, right, 30/7 mm, with solid latch	pc.	0,310
106111.6	Bpc	Mortise lock BB, right, 30/7 mm, with solid latch	pc.	0,310
106111.9	Bmc	Mortise lock BB, right, 30/7 mm, with solid latch	pc.	0,310
106112.4	Bp	Mortise lock BB, left, 30/7 mm, with solid latch	pc.	0,310
106112.6	Bpc	Mortise lock BB, left, 30/7 mm, with solid latch	pc.	0,310
106112.9	Bmc	Mortise lock BB, left, 30/7 mm, with solid latch	pc.	0,310

MORTISE CATCHLOCK - MORTISE CATCH LOCK, SERIE 1063

Brass Ms 63

- Faceplate: Angular
- Backset 30 mm
- For 7 mm door handles

- Handle set recommended: 207367
- Striking plate: 226301/02




Art.code	Surface	Article description	Unit	Weight
106311.4	Bp	Mortise catchlock, right, 30/7 mm, with solid latch	pc.	0,230
106311.6	Bpc	Mortise catchlock, right, 30/7 mm, with solid latch	pc.	0,230
106311.9	Bmc	Mortise catchlock, right, 30/7 mm, with solid latch	pc.	0,230
106312.4	Bp	Mortise catchlock, left, 30/7 mm, with solid latch	pc.	0,230
106312.6	Bpc	Mortise catchlock, left, 30/7 mm, with solid latch	pc.	0,230
106312.9	Bmc	Mortise catchlock, left, 30/7 mm, with solid latch	pc.	0,230

MORTISE LOCK PC - MORTISE PC LOCK, SERIE 1064

PC/PC

- 2 round cylinders with 2 keys
- Faceplate: Angular
- Backset 30 mm
- For 7 mm door handles
- Handle set recommended: 207467
- Striking plate: 226101/02




Art.code	Surface	Article description	Unit	Weight
106411.4	Bp	Mortise PC lock, right, 55/30/7 mm, with solid latch	pc.	0,430
106411.6	Bpc	Mortise PC lock, right, 55/30/7 mm, with solid latch	pc.	0,430
106411.9	Bmc	Mortise PC lock, right, 55/30/7 mm, with solid latch	pc.	0,430
106412.4	Bp	Mortise PC lock, left, 55/30/7 mm, with solid latch	pc.	0,430
106412.6	Bpc	Mortise PC lock, left, 55/30/7 mm, with solid latch	pc.	0,430
106412.9	Bmc	Mortise PC lock, left, 55/30/7 mm, with solid latch	pc.	0,430

MORTISE LOCK PC - MORTISE PC/KNOB LOCK, SERIE 1065

PC/Knob

- 1 side round cylinder one side knob with 2 keys
- Faceplate: Angular
- Backset 30 mm
- For 7 mm door handles
- Handle set recommended: 207467
- Striking plate: 226101/02



Art.code	Surface	Article description	Unit	Weight
106511.4	Bp	Mortise PC/Knob lock, right, 55/30/7 mm, with solid latch	pc.	0,475
106511.6	Bp	Mortise PC/Knob lock, right, 55/30/7 mm, with solid latch	pc.	0,475
106511.9	Bp	Mortise PC/Knob lock, right, 55/30/7 mm, with solid latch	pc.	0,475
106512.4	Bp	Mortise PC/Knob lock, left, 55/30/7 mm, with solid latch	pc.	0,475
106512.6	Bp	Mortise PC/Knob lock, left, 55/30/7 mm, with solid latch	pc.	0,475
106512.9	Bp	Mortise PC/Knob lock, left, 55/30/7 mm, with solid latch	pc.	0,475


1 LOCKS & ATTACHMENTS BRASS

MORTISE LOCKS BRASS BACKSET 30 MM

DOOR HANDLE SETS FOR SERIES 106.. - HANDLE SET FOR 1060, WC

130x30x2 mm

- Application for door thickness 22-50 mm
- Please indicate door thickness
- Door handle with spindle 7 mm
- WC Olive 7 mm
- Distance 55 mm




Art.code	Surface	Article description	Unit	Weight
207067.4	Bp	Door handle set, WC, for Series 106..	set	0,430
207067.6	Bpc	Door handle set, WC, for Series 106..	set	0,430
207067.9	Bm	Door handle set, WC, for Series 106..	set	0,430

DOOR HANDLE SETS FOR SERIES 106.. - HANDLE SET FOR 1061, BB

130x30x2 mm

- Application for door thickness 22-50 mm
- Please indicate door thickness

- Door handle with spindle 7 mm
- Distance 55 mm



Art.code	Surface	Article description	Unit	Weight
207167.4	Bp	Door handle set, BB, for Series 1061	set	0,345
207167.6	Bpc	Door handle set, BB, for Series 1061	set	0,345
207167.9	Bmc	Door handle set, BB, for Series 1061	set	0,345

1 LOCKS & ATTACHMENTS BRASS


MORTISE LOCKS BRASS BACKSET 30 MM

DOOR HANDLE SETS FOR SERIES 106.. - HANDLE SET FOR 1063, CATCH LOCK

130x30x2 mm

• Application for door thickness 22-50 mm

• Please indicate door thickness




Art.code	Surface	Article description	Unit	Weight
207367.4	Bp	Door handle set, for catch lock, series 1063	set	0,340
207367.6	Bpc	Door handle set, for catch lock, series 1063	set	0,340
207367.9	Bmc	Door handle set, for catch lock, series 1063	set	0,340

DOOR HANDLE SETS FOR SERIES 106.. - HANDLE SET FOR 1064/65, PC

130x30x2 mm

- Application for door thickness 22-50 mm
- Please indicate door thickness

- Door handle with spindle 7 mm
- Distance 55 mm



Art.code	Surface	Article description	Unit	Weight
207467.4	Bp	Door handle set, for PC lock, series 1064 / 1065	set	0,520
207467.6	Bpc	Door handle set, for PC lock, series 1064 / 1065	set	0,520
207467.9	Bmc	Door handle set, for PC lock, series 1064 / 1065	set	0,520

1 LOCKS & ATTACHMENTS BRASS


MORTISE LOCKS BRASS BACKSET 30 MM

DOOR HANDLE SETS FOR SERIES 106.. - KNOB / KNOB SET FOR SERIES 106

130x30x2 mm

- Application for door thickness 22-50 mm
- Standard: one knob fixed other side loose with fixing pin


• Or: Indicate door thickness in the order



Art.code	Surface	Article description	Unit	Weight
207567.4	Bp	Knob / Knob handle set, for series 106	set	0,360
207567.6	Bpc	Knob / Knob handle set, for series 106	set	0,360
207567.9	Bmc	Knob / Knob handle set, for series 106	set	0,360

STRIKING PLATES FOR SERIES 106.. - STRIKING PLATE 95X40X1,5 MM

• Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
226101.4	Bp	Striking plate, right, for series 106, WC, BB, PC	set	0,015
226101.6	Bpc	Striking plate, right, for series 106, WC, BB, PC	set	0,015
226101.9	Bmc	Striking plate, right, for series 106, WC, BB, PC	set	0,015
226102.4	Bp	Striking plate, left, for series 106, WC, BB, PC	set	0,015
226102.6	Bpc	Striking plate, left, for series 106, WC, BB, PC	set	0,015
226102.9	Bmc	Striking plate, left, for series 106, WC, BB, PC	set	0,015
226301.4	Bp	Striking plate, right, for series 106, Catch lock	set	0,015
226301.6	Bpc	Striking plate, right, for series 106, Catch lock	set	0,015
226301.9	Bmc	Striking plate, right, for series 106, Catch lock	set	0,015
226302.4	Bp	Striking plate, left, for series 106, Catch lock	set	0,015
226302.6	Bpc	Striking plate, left, for series 106, Catch lock	set	0,015
226302.9	Bmc	Striking plate, left, for series 106, Catch lock	set	0,015


1 LOCKS & ATTACHMENTS BRASS

MORTISE LOCKS BRASS BACKSET 40 MM

MORTISE LOCK WC - MORTISE LOCK WC, SERIE 1040

Brass Ms 63

- Faceplate round R=10 mm
- Triple latch bolt
- 38 mm handle and roset horizontal fixing holes
- Backset 40 mm
- Distance 60 mm
- WC Olive 7 mm spindle




Art.code	Surface	Article description	Unit	Weight
104031.4	Bp	Mortise WC lock, right, 60/40/8 mm	pc.	0,500
104031.6	Bpc	Mortise WC lock, right, 60/40/8 mm	pc.	0,500
104031.9	Bmc	Mortise WC lock, right, 60/40/8 mm	pc.	0,500
104032.4	Bp	Mortise WC lock, left, 60/40/8 mm	pc.	0,500
104032.6	Bpc	Mortise WC lock, left, 60/40/8 mm	pc.	0,500
104032.9	Bmc	Mortise WC lock, left, 60/40/8 mm	pc.	0,500

MORTISE LOCK BB - MORTISE LOCK BB, SERIE 1041

Brass Ms 63

- Faceplate round R=10 mm
- Triple latch bolt
- 38 mm handle and roset horizontal fixing holes
- Backset 40 mm
- Distance 60 mm
- delivered with 2 keys



Art.code	Surface	Article description	Unit	Weight
104131.4	Bp	Mortise lock BB, right, 60/40/8 mm, 2 keys	pc.	0,520
104131.6	Bpc	Mortise lock BB, right, 60/40/8 mm, 2 keys	pc.	0,520
104131.9	Bmc	Mortise lock BB, right, 60/40/8 mm, 2 keys	pc.	0,520
104132.4	Bp	Mortise BB lock, left, 60/40/8 mm, 2 keys	pc.	0,520
104132.6	Bpc	Mortise BB lock, left, 60/40/8 mm, 2 keys	pc.	0,520
104132.9	Bmc	Mortise BB lock, left, 60/40/8 mm, 2 keys	pc.	0,520


1 LOCKS & ATTACHMENTS BRASS

MORTISE LOCKS BRASS BACKSET 40 MM

MORTISE LOCK PC - MORTISE LOCK PC, SERIE 1042

Brass Ms 63

- Faceplate round R=10 mm
- Triple latch bolt
- 38 mm handle and roset horizontal fixing holes
- Backset 40 mm
- Distance 60 mm




Art.code	Surface	Article description	Unit	Weight
104231.4	Bp	Mortise PC lock, right, 60/40/8 mm	pc.	0,480
104231.6	Bpc	Mortise PC lock, right, 60/40/8 mm	pc.	0,480
104231.9	Bmc	Mortise PC lock, right, 60/40/8 mm	pc.	0,480
104232.4	Bp	Mortise PC lock, left, 60/40/8 mm	pc.	0,480
104232.6	Bpc	Mortise PC lock, left, 60/40/8 mm	pc.	0,480
104232.9	Bmc	Mortise PC lock, left, 60/40/8 mm	pc.	0,480

MORTISE CATCHLOCK - MORTISE CATCH LOCK, SERIE 1043

Brass Ms 63

- Faceplate round R=10 mm
- Triple latch bolt

- 38 mm handle roset horizontal fixing holes
- Backset 40 mm



Art.code	Surface	Article description	Unit	Weight
104331.4	Bp	Mortise catch lock, right, 40/8 mm	pc.	0,430
104331.6	Bpc	Mortise catch lock, right, 40/8 mm	pc.	0,430
104331.9	Bmc	Mortise catch lock, right, 40/8 mm	pc.	0,430
104332.4	Bp	Mortise catch lock, left, 40/8 mm	pc.	0,430
104332.6	Bpc	Mortise catch lock, left, 40/8 mm	pc.	0,430
104332.9	Bmc	Mortise catch lock, left, 40/8 mm	pc.	0,430




1 LOCKS & ATTACHMENTS BRASS

MORTISE LOCKS BRASS BACKSET 40 MM

DOOR HANDLE SETS FOR SERIES 104.. - HANDLE SET FOR 1040, WC

170x30x2 mm

- Application for door thickness 22-50 mm
- Please indicate door thickness
- Door handle with spindle 8 mm
- WC Olive 7 mm
- Distance 60 mm




Art.code	Surface	Article description	Unit	Weight
208068.4	Bp	Door handle set, WC, for Series 1040	set	0,610
208068.6	Bpc	Door handle set, WC, for Series 1040	set	0,610
208068.9	Bmc	Door handle set, WC, for Series 1040	set	0,610

DOOR HANDLE SETS FOR SERIES 104.. - HANDLE SET FOR 1041, BB

170x30x2 mm

- Application for door thickness 22-50 mm
- Please indicate door thickness

- Door handle with spindle 8 mm
- Distance 60 mm



Art.code	Surface	Article description	Unit	Weight
208168.4	Bp	Door handle set, BB, for Series 1041	set	0,400
208168.6	Bpc	Door handle set, BB, for Series 1041	set	0,400
208168.9	Bmc	Door handle set, BB, for Series 1041	set	0,400

1 LOCKS & ATTACHMENTS BRASS


MORTISE LOCKS BRASS BACKSET 40 MM

DOOR HANDLE SETS FOR SERIES 104.. - HANDLE SET FOR 1042, PC

170x30x2 mm

- Application for door thickness 22-50 mm
- Please indicate door thickness

- Door handle with spindle 8 mm
- Distance 60 mm




Art.code	Surface	Article description	Unit	Weight
208268.4	Bp	Door handle set, PC, for Series 1042	set	0,400
208268.6	Bpc	Door handle set, PC, for Series 1042	set	0,400
208268.9	Bmc	Door handle set, PC, for Series 1042	set	0,400

DOOR HANDLE SETS FOR SERIES 104.. - HANDLE SET FOR 1043, CATCH

170x30x2 mm

- Application for door thickness 22-50 mm
- Please indicate door thickness


- Door handle with spindle 8 mm



Art.code	Surface	Article description	Unit	Weight
208368.4	Bp	Door handle set, Catch, for Series 1043	set	0,410
208368.6	Bpc	Door handle set, Catch, for Series 1043	set	0,410
208368.9	Bmc	Door handle set, Catch, for Series 1043	set	0,410

STRIKING PLATES FOR SERIES 104.. - STRIKING PLATE 165X20X1,5 MM

• Brass Ms 63




Art.code	Surface	Article description	Unit	Weight
224031.4	Bp	Striking plate, right, for series 104, WC, BB, PC	set	0,045
224031.6	Bpc	Striking plate, right, for series 104, WC, BB, PC	set	0,045
224031.9	Bmc	Striking plate, right, for series 104, WC, BB, PC	set	0,045
224032.4	Bp	Striking plate, left, for series 104, WC, BB, PC	set	0,045
224032.6	Bpc	Striking plate, left for series 104, WC, BB, PC	set	0,045
224032.9	Bmc	Striking plate, left, for series 104, WC, BB, PC	set	0,045
224331.4	Bp	Striking plate, right, for series 104, Catch lock	set	0,045
224331.6	Bpc	Striking plate, right, for series 104, Catch lock	set	0,045
224331.9	Bmc	Striking plate, right, for series 104, Catch lock	set	0,045
224332.4	Bp	Striking plate, left, for series 104, Catch lock	set	0,045
224332.6	Bpc	Striking plate, left, for series 104, Catch lock	set	0,045
224332.9	Bmc	Striking plate, left, for series 104, Catch lock	set	0,045

MORTISE LOCKS DIN 81301 KEY HOLE - SOLID OR TRIPLE LATCH

Mortise locks with 9 mm spindle hole, 55mm backset, distance 75 mm

- Delivered with 2 keys no. 210013
- With PC change lever on request
- Straight faceplate or Radius R=10 mm on request
- 8 mm nut on request
- Key alike or masterkey system on request
- Recommended door handles article group 17, striking plates group 22 and escutcheons group 18




Art.code	Surface	Article description	Unit	Weight
100131.4	Bp	Mortise key lock, DIN 81301 A, right, 55/9/75 mm, solid latch	pc.	0,830
100131.6	Bpc	Mortise key lock, DIN 81301 A, right, 55/9/75 mm, solid latch	pc.	0,830
100131.9	Bmc	Mortise key lock, DIN 81301 A, right, 55/9/75 mm, solid latch	pc.	0,830
100132.4	Bp	Mortise key lock, DIN 81301 A, left, 55/9/75 mm, solid latch	pc.	0,830
100132.6	Bpc	Mortise key lock, DIN 81301 A, left, 55/9/75 mm, solid latch	pc.	0,830
100132.9	Bmc	Mortise key lock, DIN 81301 A, left, 55/9/75 mm, solid latch	pc.	0,830
101131.4	Bp	Mortise key lock, DIN 81301 AK, right, 55/9/75 mm, triple latch	pc.	0,830
101131.6	Bpc	Mortise key lock, DIN 81301 AK, right, 55/9/75 mm, triple latch	pc.	0,830
101131.9	Bmc	Mortise key lock, DIN 81301 AK, right, 55/9/75 mm, triple latch	pc.	0,830
101132.4	Bp	Mortise key lock, DIN 81301 AK, left, 55/9/75 mm, triple latch	pc.	0,830
101132.6	Bpc	Mortise key lock, DIN 81301 AK, left, 55/9/75 mm, triple latch	pc.	0,830
101132.9	Bmc	Mortise key lock, DIN 81301 AK, left, 55/9/75 mm, triple latch	pc.	0,830
210013.1	Brp	Extra key, length 85 mm	pc.	0,049
210013.4	Bp	Extra key, length 85 mm	pc.	0,049
210013.6	Bpc	Extra key, length 85 mm	pc.	0,049
210013.9	Bmc	Extra key, length 85 mm	pc.	0,049

MORTISE LOCKS DIN 81301 PROFILE CYLINDER HOLE - SOLID OR TRIPLE LATCH

Mortise lock with 9 mm spindle hole, 55mm backset, distance 75 mm

- With PC change lever on request
- Straight faceplate or Radius R=10 mm on request
- Horizontal fixing holes for rosettes 38 mm distance
- 8 mm nut on request
- Recommended door handles article group 17, striking plates group 22 and escutcheons group 18
- Profile cylinders article group 41




Art.code	Surface	Article description	Unit	Weight
100231.4	Bp	Mortise PC lock, DIN 81301 B, right, 55/9/75 mm, solid latch	pc.	0,730
100231.6	Bpc	Mortise PC lock, DIN 81301 B, right, 55/9/75 mm, solid latch	pc.	0,730
100231.9	Bmc	Mortise PC lock, DIN 81301 B, right, 55/9/75 mm, solid latch	pc.	0,730
100232.4	Bp	Mortise PC lock, DIN 81301 B, left, 55/9/75 mm, solid latch	pc.	0,730
100232.6	Bpc	Mortise PC lock, DIN 81301 B, left, 55/9/75 mm, solid latch	pc.	0,730
100232.9	Bmc	Mortise PC lock, DIN 81301 B, left, 55/9/75 mm, solid latch	pc.	0,730
101231.4	Bp	Mortise PC lock, DIN 81301 B, right, 55/9/75 mm, triple latch	pc.	0,695
101231.6	Bpc	Mortise PC lock, DIN 81301 B, right, 55/9/75 mm, triple latch	pc.	0,695
101231.9	Bmc	Mortise PC lock, DIN 81301 B, right, 55/9/75 mm, triple latch	pc.	0,695
101232.4	Bp	Mortise PC lock, DIN 81301 B, left, 55/9/75 mm, triple latch	pc.	0,695
101232.6	Bpc	Mortise PC lock, DIN 81301 B, left, 55/9/75 mm, triple latch	pc.	0,695
101232.9	Bmc	Mortise PC lock, DIN 81301 B, left, 55/9/75 mm, triple latch	pc.	0,695

MORTISE LOCKS DIN 81303 LAVATORY VERSION - SOLID OR TRIPLE LATCH

Mortise lock with 9 mm spindle hole, 55mm backset, distance 75 mm

- Straight faceplate or Radius R=10 mm on request
- Horizontal fixing holes for rosettes 38 mm distance
- 8 mm nut on request
- Recommended door handles article group 17, striking plates group 22 and escutcheons group 18



Art.code	Surface	Article description	Unit	Weight
100031.4	Bp	Mortise WC lock, DIN 81303 A, right, 55/9/75 mm, solid latch	pc.	0,690
100031.6	Bpc	Mortise WC lock, DIN 81303 A, right, 55/9/75 mm, solid latch	pc.	0,690
100031.9	Bmc	Mortise WC lock, DIN 81303 A, right, 55/9/75 mm, solid latch	pc.	0,690
100032.4	Bp	Mortise WC lock, DIN 81303 A, left, 55/9/75 mm, solid latch	pc.	0,690
100032.6	Bpc	Mortise WC lock, DIN 81303 A, left, 55/9/75 mm, solid latch	pc.	0,690
100032.9	Bmc	Mortise WC lock, DIN 81303 A, left, 55/9/75 mm, solid latch	pc.	0,690
101031.4	Bp	Mortise WC lock, DIN 81303 AK, right, 55/9/75 mm, triple latch	pc.	0,710
101031.6	Bpc	Mortise WC lock, DIN 81303 AK, right, 55/9/75 mm, triple latch	pc.	0,710
101031.9	Bmc	Mortise WC lock, DIN 81303 AK, right, 55/9/75 mm, triple latch	pc.	0,710
101032.4	Bp	Mortise WC lock, DIN 81303 AK, left, 55/9/75 mm, triple latch	pc.	0,710
101032.6	Bpc	Mortise WC lock, DIN 81303 AK, left, 55/9/75 mm, triple latch	pc.	0,710
101032.9	Bmc	Mortise WC lock, DIN 81303 AK, left, 55/9/75 mm, triple latch	pc.	0,710


1 LOCKS & ATTACHMENTS BRASS

MORTISE LOCKS BRASS BACKSET 55 MM

MORTISE CATCH LOCKS - MORTISE CATCH LOCKS WITH 9 MM SPINDLE HOLE

Mortise locks with solid or triple latch


- Straight faceplate or Radius R=10 mm on request
- Latch 16 mm length on request
- Nut 8 mm on request
- Recommended door handles article group 17, striking plates group 22 and escutcheons group 18



Art.code	Surface	Article description	Unit	Weight
100631.4	Bp	Mortise catch lock right, solid latch	pc.	0,590
100631.6	Bpc	Mortise catch lock right, solid latch	pc.	0,590
100631.9	Bmc	Mortise catch lock right, solid latch	pc.	0,590
100632.4	Bp	Mortise catch lock left, solid latch	pc.	0,590
100632.6	Bpc	Mortise catch lock left, solid latch	pc.	0,590
100632.9	Bmc	Mortise catch lock left, solid latch	pc.	0,590
101631.4	Bp	Mortise catch lock right, triple latch	pc.	0,580
101631.6	Bpc	Mortise catch lock right, triple latch	pc.	0,580
101631.9	Bmc	Mortise catch lock right, triple latch	pc.	0,580
101632.4	Bp	Mortise catch lock left, triple latch	pc.	0,580
101632.6	Bpc	Mortise catch lock left, triple latch	pc.	0,580
101632.9	Bmc	Mortise catch lock left, triple latch	pc.	0,580

MORTISE CATCH LOCKS - MORTISE CATCH LOCK 55 MM BACKSET

• Also available in stainless steel, see article N-1003...




Art.code	Surface	Article description	Unit	Weight
100331.4	Bp	Mortise catch lock with solid latch, right	pc.	0,435
100331.6	Bpc	Mortise catch lock with solid latch, right	pc.	0,435
100331.9	Bmc	Mortise catch lock with solid latch, right	pc.	0,435
100332.4	Bp	Mortise catch lock with solid latch, left	pc.	0,435
100332.6	Bpc	Mortise catch lock with solid latch, left	pc.	0,435
100332.9	Bmc	Mortise catch lock with solid latch, left	pc.	0,435
101331.4	Bp	Mortise catch lock with triple latch, right	pc.	0,435
101331.6	Bpc	Mortise catch lock with triple latch, right	pc.	0,435
101331.9	Bmc	Mortise catch lock with triple latch, right	pc.	0,435
101332.4	Bp	Mortise catch lock with triple latch, left	pc.	0,435
101332.6	Bpc	Mortise catch lock with triple latch, left	pc.	0,435
101332.9	Bmc	Mortise catch lock with triple latch, left	pc.	0,435

1 LOCKS & ATTACHMENTS BRASS

MORTISE LOCKS BRASS BACKSET 55 MM

MORTISE DEAD LOCKS - MORTISE DEAD LOCK DIN 81302 B

• Also available in stainless steel, see article N-1005...




Art.code	Surface	Article description	Unit	Weight
100530.4	Bp	Mortise dead lock, DIN 81302 B	pc.	0,320
100530.6	Bpc	Mortise dead lock, DIN 81302 B	pc.	0,320
100530.9	Bmc	Mortise dead lock, DIN 81302 B	pc.	0,320

SLIDING DOOR MORTISE LOCKS PROFILE CYLINDER HOLE - SLIDING DOOR MORTISE LOCKS DISTANCE 90 MM

• Distance 90 mm


• 55 mm backset



Art.code	Surface	Article description	Unit	Weight
100930.4	Bp	Sliding door lock with PC hole 55/9 mm	pc.	0,890
100930.6	Bpc	Sliding door lock with PC hole 55/9 mm	pc.	0,890
100930.9	Bmc	Sliding door lock with PC hole 55/9 mm	pc.	0,890
200969.4	Bp	Door handle set with PC hole for sliding door lock 1009	pc.	2,450
200969.6	Bpc	Door handle set with PC hole for sliding door lock 1009	pc.	2,450
200969.9	Bmc	Door handle set with PC hole for sliding door lock 1009	pc.	2,450
220830.4	Bp	Closing block for sliding door lock 1009	pc.	0,410
220830.6	Bpc	Closing block for sliding door lock 1009	pc.	0,410
220830.9	Bmc	Closing block for sliding door lock 1009	pc.	0,410

- Backset 55 mm

- Recommended handles article group 17




Art.code	Surface	Article description	Unit	Weight
105630.4	Bp	Sliding door lock with PC hole 55/9 mm	pc.	0,780
105630.6	Bpc	Sliding door lock with PC hole 55/9 mm	pc.	0,780
105630.9	Bmc	Sliding door lock with PC hole 55/9 mm	pc.	0,780
225603.4	Bp	Striking plate for sliding door lock 1056	pc.	0,029
225603.6	Bpc	Striking plate for sliding door lock 1056	pc.	0,029
225603.9	Bmc	Striking plate for sliding door lock 1056	pc.	0,029

SLIDING DOOR MORTISE LOCKS PROFILE CYLINDER HOLE - PUSH BUTTON SLIDING DOOR LOCK

• Housing steel and zinc coated

• Faceplate brass polished fixed with 2 brass screws



Art.code	Surface	Article description	Unit	Weight
104500.4	Bp	Push button sliding door lock	pc.	0,580
104500.6	Bpc	Push button sliding door lock	pc.	0,580
104500.9	Bmc	Push button sliding door lock	pc.	0,580


1 LOCKS & ATTACHMENTS BRASS

MORTISE LOCKS BRASS BACKSET 55 MM

MORTISE DOOR CATCH - MORTISE DOOR CATCH BRASS 117X25 MM

• Striking plate to be ordered separately

• Surface: satin mattnickle on request






Art.code	Surface	Article description	Unit	Weight
103000.4	Bp	Mortise door catch 117x25 mm, adjustable	pc.	0,185
103000.6	Bpc	Mortise door catch 117x25 mm, adjustable	pc.	0,185
103000.9	Bmc	Mortise door catch 117x25 mm, adjustable	pc.	0,185
103300.4	Bp	Striking plate 80x25 mm	pc.	0,050
103300.6	Bpc	Striking plate 80x25 mm	pc.	0,050
103300.9	Bmc	Striking plate 80x25 mm	pc.	0,050

MORTISE DOOR CATCH - MORTISE DOOR CATCH 115X25 MM

• Striking plate to be ordered separately


• Stainless steel polished on request



Art.code	Surface	Article description	Unit	Weight
N-103000.0	S/S brushed	Mortise door catch 115x25 mm, adjustable	pc.	0,170
N-103300.0	S/S brushed	Striking plate 88x25 mm	pc.	0,050

MORTISE DOOR CATCH - SLIDING DOOR LOCK ESCUTCHEON PLATE SET

• Profile cylinders article group 41




Art.code	Surface	Article description	Unit	Weight
225610.4	Bp	Sliding door lock escutcheon plate set with PC hole for 105630	pc.	1,280
225610.6	Bpc	Sliding door lock escutcheon plate set with PC hole for 105630	pc.	1,280
225610.9	Bmc	Sliding door lock escutcheon plate set with PC hole for 105630	pc.	1,280

RIM LOCKS DIN 81311 C PROFILE CYLINDER HOLE - 1102 RIM LOCKS

Rim locks with 9 mm spindle hole, 55mm backset, distance 75 mm, profile cylinder hole

- Available versions: Right or left / In- or outwards
- Recommended door handles article group 17, striking box group 22 and escutcheons group 18
- Door directions please see also page 9



Art.code	Surface	Article description	Unit	Weight
110201.4	Bp	Rim lock, Ri/O, 55/9 mm, DIN 81311 C, PC hole	pc.	1,560
110201.6	Bpc	Rim lock, Ri/O, 55/9 mm, DIN 81311 C, PC hole	pc.	1,560
110201.9	Bmc	Rim lock, Ri/O, 55/9 mm, DIN 81311 C, PC hole	pc.	1,560
110202.4	Bp	Rim lock, Le/O, 55/9 mm, DIN 81311 C, PC hole	pc.	1,560
110202.6	Bpc	Rim lock, Le/O, 55/9 mm, DIN 81311 C, PC hole	pc.	1,560
110202.9	Bmc	Rim lock, Le/O, 55/9 mm, DIN 81311 C, PC hole	pc.	1,560


RIM LOCKS DIN 81311 C KEY HOLE - 1101 RIM LOCKS

Rim locks with 9 mm spindle hole, 55mm backset, distance 75 mm, profile cylinder hole

- Available versions: Right or left / In- or outwards
- Door directions please see also page 9
- Delivered with 2 keys
- Key alike or Masterkey system on request
- Recommended door handles article group 17, striking box group 22 and escutcheons group 18



110102.4




Art.code	Surface	Article description	Unit	Weight
110101.4	Bp	Rim lock, Ri/O, 55/9 mm, DIN 81311 D, key hole	pc.	1,560
110101.6	Bpc	Rim lock, Ri/O, 55/9 mm, DIN 81311 D, key hole	pc.	1,560
110101.9	Bmc	Rim lock, Ri/O, 55/9 mm, DIN 81311 D, key hole	pc.	1,560
110102.4	Bp	Rim lock, Le/O, 55/9 mm, DIN 81311 D, key hole	pc.	1,560
110102.6	Bpc	Rim lock, Le/O, 55/9 mm, DIN 81311 D, key hole	pc.	1,560
110102.9	Bmc	Rim lock, Le/O, 55/9 mm, DIN 81311 D, key hole	pc.	1,560
210012.1	Brp	Extra key, length 110 mm	pc.	0,060
210012.4	Bp	Extra key, length 110 mm	pc.	0,060
210012.6	Bpc	Extra key, length 110 mm	pc.	0,060
210012.9	Bmc	Extra key, length 110 mm	pc.	0,060

RIM LOCKS WITH FLANGE - 1140-1142 RIM LOCKS WITH FLANGE

Rim locks with 9 mm spindle hole, 55mm backset, distance 75 mm

- Available versions: Right or left / In- or outwards
- Door directions please see also page 9
- Keyhole version delivered with 2 keys
- Also with horizontal fixing holes 38 mm for rosettes
- Recommended door handles article group 17, striking box group 22 and escutcheons group 18



Art.code	Surface	Article description	Unit	Weight
114001.4	Bp	Rim lock DIN 81309, WC, Ri/O, 55/9 mm	pc.	1,110
114001.6	Bpc	Rim lock DIN 81309, WC, Ri/O, 55/9 mm	pc.	1,110
114001.9	Bmc	Rim lock DIN 81309, WC, Ri/O, 55/9 mm	pc.	1,110
114002.4	Bp	Rim lock DIN 81309, WC, Le/O, 55/9 mm	pc.	1,110
114002.6	Bpc	Rim lock DIN 81309, WC, Le/O, 55/9 mm	pc.	1,110
114002.9	Bmc	Rim lock DIN 81309, WC, Le/O, 55/9 mm	pc.	1,110
114101.4	Bp	Rim lock DIN 81307 A, Ri/O, 55/9 mm, key hole	pc.	1,150
114101.6	Bpc	Rim lock DIN 81307 A, Ri/O, 55/9 mm, key hole	pc.	1,150
114101.9	Bmc	Rim lock DIN 81307 A, Ri/O, 55/9 mm, key hole	pc.	1,150
114102.4	Bp	Rim lock DIN 81307 A, Le/O, 55/9 mm, key hole	pc.	1,150
114102.6	Bpc	Rim lock DIN 81307 A, Le/O, 55/9 mm, key hole	pc.	1,150
114102.9	Bmc	Rim lock DIN 81307 A, Le/O, 55/9 mm, key hole	pc.	1,150
114201.4	Bp	Rim lock DIN 81307 B, Ri/O, 55/9 mm, PC hole	pc.	1,000
114201.6	Bpc	Rim lock DIN 81307 B, Ri/O, 55/9 mm, PC hole	pc.	1,000
114201.9	Bmc	Rim lock DIN 81307 B, Ri/O, 55/9 mm, PC hole	pc.	1,000
114202.4	Bp	Rim lock DIN 81307 B, Le/O, 55/9 mm, PC hole	pc.	1,000
114202.6	Bpc	Rim lock DIN 81307 B, Le/O, 55/9 mm, PC hole	pc.	1,000
114202.9	Bmc	Rim lock DIN 81307 B, Le/O, 55/9 mm, PC hole	pc.	1,000
210012.1	Brp	Extra key, length 110 mm	pc.	0,060
210012.4	Bp	Extra key, length 110 mm	pc.	0,060
210012.6	Bpc	Extra key, length 110 mm	pc.	0,060
210012.9	Bmc	Extra key, length 110 mm	pc.	0,060


1 LOCKS & ATTACHMENTS BRASS

RIM LOCKS BRASS

RIM DEAD LOCKS DIN 81308 A KEY HOLE - 1144 RIM DEAD LOCKS WITH FLANGE

Rim dead locks with 9 mm spindle hole, 55mm backset


- Door directions please see also page 10
- 2 keys included
- With striking box or striking plate
- Key alike or masterkey system on request



Art.code	Surface	Article description	Unit	Weight
114401.4	Bp	Rim dead lock DIN 81308 A, Ri/O, 55 mm backset, key hole	pc.	0,590
114401.6	Bpc	Rim dead lock DIN 81308 A, Ri/O, 55 mm backset, key hole	pc.	0,590
114401.9	Bmc	Rim dead lock DIN 81308 A, Ri/O, 55 mm backset, key hole	pc.	0,590
114402.4	Bp	Rim dead lock DIN 81308 A, Le/O, 55 mm backset, key hole	pc.	0,590
114402.6	Bpc	Rim dead lock DIN 81308 A, Le/O, 55 mm backset, key hole	pc.	0,590
114402.9	Bmc	Rim dead lock DIN 81308 A, Le/O, 55 mm backset, key hole	pc.	0,590
210012.1	Brp	Extra key, length 110 mm	pc.	0,060
210012.4	Bp	Extra key, length 110 mm	pc.	0,060
210012.6	Bpc	Extra key, length 110 mm	pc.	0,060
210012.9	Bmc	Extra key, length 110 mm	pc.	0,060

RIM DEAD LOCKS DIN 81308 B PC HOLE - 1145 RIM DEAD LOCKS WITH FLANGE


Rim dead lock with 9 mm spindle hole, 55mm backset



Art.code	Surface	Article description	Unit	Weight
114501.4	Bp	Rim dead lock DIN 81308 B, Ri/O, 55 mm backset, PC hole	pc.	0,450
114501.6	Bpc	Rim dead lock DIN 81308 B, Ri/O, 55 mm backset, PC hole	pc.	0,450
114501.9	Bmc	Rim dead lock DIN 81308 B, Ri/O, 55 mm backset, PC hole	pc.	0,460
114502.4	Bp	Rim dead lock DIN 81308 B, Le/O, 55 mm backset, PC hole	pc.	0,450
114502.6	Bpc	Rim dead lock DIN 81308 B, Le/O, 55 mm backset, PC hole	pc.	0,450
114502.9	Bmc	Rim dead lock DIN 81308 B, Le/O, 55 mm backset, PC hole	pc.	0,460

STRIKING PLATES DIN 81314 A - STRIKING PLATES FOR MORTISE AND RIM LOCKS

Striking plates for distances 72-78 mm




Art.code	Surface	Article description	Unit	Weight
220031.4	Bp	Striking plate 25x1,5x180 mm, right, for mortise and rim locks	pc.	0,060
220031.6	Bpc	Striking plate 25x1,5x180 mm, right, for mortise and rim locks	pc.	0,060
220031.9	Bmc	Striking plate 25x1,5x180 mm, right, for mortise and rim locks	pc.	0,060
220032.4	Bp	Striking plate 25x1,5x180 mm, left, for mortise and rim locks	pc.	0,060
220032.6	Bpc	Striking plate 25x1,5x180 mm, left, for mortise and rim locks	pc.	0,060
220032.9	Bmc	Striking plate 25x1,5x180 mm, left, for mortise and rim locks	pc.	0,060
220031F.4	Bp	Striking plate 25x1,5x180 mm, right, for mortise catch locks	pc.	0,060
220031F.6	Bpc	Striking plate 25x1,5x180 mm, right, for mortise catch locks	pc.	0,060
220031F.9	Bmc	Striking plate 25x1,5x180 mm, right, for mortise catch locks	pc.	0,060
220032F.4	Bp	Striking plate 25x1,5x180 mm, left, for mortise catch locks	pc.	0,060
220032F.6	Bpc	Striking plate 25x1,5x180 mm, left, for mortise catch locks	pc.	0,060
220032F.9	Bmc	Striking plate 25x1,5x180 mm, left, for mortise catch locks	pc.	0,060

STRIKING PLATES DIN 81314 B - STRIKING PLATES FOR CATCH AND RIM LOCKS

• For right and left usage

• Radius R10 or angular on request




Art.code	Surface	Article description	Unit	Weight
220330.4	Bp	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,032
220330.6	Bpc	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,032
220330.9	Bmc	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,032

STRIKING PLATES DIN 81314 C - STRIKING PLATES FOR DEAD AND RIM LOCKS


• For right and left usage

• Radius R10 or angular on request



Art.code	Surface	Article description	Unit	Weight
220430.4	Bp	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,020
220430.6	Bpc	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,020
220430.9	Bmc	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,020

STRIKING BOX BRASS - STRIKING BOX FOR DEAD AND RIM LOCKS



Art.code	Surface	Article description	Unit	Weight
222400.4	Bp	Striking box for dead and rim locks	pc.	0,095
222400.6	Bpc	Striking box for dead and rim locks	pc.	0,095
222400.9	Bmc	Striking box for dead and rim locks	pc.	0,095

1 LOCKS & ATTACHMENTS BRASS


DOOR HANDLES BRASS

DOOR HANDLES FOR MORTISE LOCKS - HANDLES FOR DOOR THICKNESS 28-70 MM

Brass Ms 63

• Application for door thickness 28-70 mm

• Please indicate door thickness



Art.code	Surface	Article description	Unit	Weight
171009.4	Bp	Door handles 115 mm, 9 mm spindle, for doors 28-50 mm	set	0,570
171009.6	Bpc	Door handles 115 mm, 9 mm spindle, for doors 28-50 mm	set	0,570
171009.9	Bmc	Door handles 115 mm, 9 mm spindle, for doors 28-50 mm	set	0,570
171096.4	Bp	Door handles 115 mm, 9 mm spindle, for doors 48-70 mm	set	0,580
171096.6	Bpc	Door handles 115 mm, 9 mm spindle, for doors 48-70 mm	set	0,580
171096.9	Bmc	Door handles 115 mm, 9 mm spindle, for doors 48-70 mm	set	0,580

DOOR HANDLES FOR MORTISE LOCKS - HANDLES 110 MM

Brass Ms 63

• Application for door thickness 28-70 mm

• Please indicate door thickness

• With 8 or 9 mm spindle



Art.code	Surface	Article description	Unit	Weight
172009.4	Bp	Door handles 110 mm, 9 mm spindle, for doors 28-50 mm	set	0,545
172009.6	Bpc	Door handles 110 mm, 9 mm spindle, for doors 28-50 mm	set	0,545
172009.9	Bmc	Door handles 110 mm, 9 mm spindle, for doors 28-50 mm	set	0,545
172008.4	Bp	Door handles 110 mm, 8 mm spindle, for doors 28-50 mm	set	0,545
172008.6	Bpc	Door handles 110 mm, 8 mm spindle, for doors 28-50 mm	set	0,545
172008.9	Bmc	Door handles 110 mm, 8 mm spindle, for doors 28-50 mm	set	0,545


DOOR HANDLES FOR RIM LOCKS - HANDLES FOR DOOR THICKNESS 28-70

MM

Brass Ms 63

• For rim locks up to door thickness 71 mm

• Please indicate door thickness on the order



Art.code	Surface	Article description	Unit	Weight
171139.4	Bp	Door handles 115 mm, 9 mm spindle, for doors 32-43 mm	set	0,570
171139.6	Bpc	Door handles 115 mm, 9 mm spindle, for doors 32-43 mm	set	0,570
171139.9	Bmc	Door handles 115 mm, 9 mm spindle, for doors 32-43 mm	set	0,570
171169.4	Bp	Door handles 115 mm, 9 mm spindle, for doors 62-70 mm	set	0,650
171169.6	Bpc	Door handles 115 mm, 9 mm spindle, for doors 62-70 mm	set	0,650
171169.9	Bmc	Door handles 115 mm, 9 mm spindle, for doors 62-70 mm	set	0,650


DOOR HANDLES FOR RIM LOCKS - HANDLES 110 MM

Brass Ms 63

• For rim locks up to door thickness 70 mm

• Please indicate door thickness on the order


• With 8 or 9 mm spindle



Art.code	Surface	Article description	Unit	Weight
172139.4	Bp	Door handles 110 mm, 9 mm spindle, for doors 32-43 mm	set	0,580
172139.6	Bpc	Door handles 110 mm, 9 mm spindle, for doors 32-43 mm	set	0,580
172139.9	Bmc	Door handles 110 mm, 9 mm spindle, for doors 32-43 mm	set	0,580

ESCUTCHEONS 165X45 MM - ESCUTCHEONS 165X45 MM - BLIND, KEY HOLE, PROFILE CYLINDER HOLE


- Distance 72 mm on request
- Escutcheon plates also available single with round or square hole
- complete with set screw M5x65 mm and nut
- key hole version with coverplate on request
- Please indicate door thickness



Art.code	Surface	Article description	Unit	Weight
183010.4	Bp	Escutcheon pair 165x45 mm, blind	set	0,250
183010.6	Bpc	Escutcheon pair 165x45 mm, blind	set	0,250
183010.9	Bmc	Escutcheon pair 165x45 mm, blind	set	0,250
183011.4	Bp	Escutcheon pair 165x45 mm, key hole, distance 75 mm	set	0,250
183011.6	Bpc	Escutcheon pair 165x45 mm, key hole, distance 75 mm	set	0,250
183011.9	Bmc	Escutcheon pair 165x45 mm, key hole, distance 75 mm	set	0,250
183012.4	Bp	Escutcheon pair 165x45 mm, PC hole, distance 75 mm	set	0,250
183012.6	Bpc	Escutcheon pair 165x45 mm, PC hole, distance 75 mm	set	0,250
183012.9	Bmc	Escutcheon pair 165x45 mm, PC hole, distance 75 mm	set	0,250
183512.9	Bmc	Escutcheon plate 165x45 mm, PC hole, distance 75 mm, with s/s coverplate 12 mm, angular fixing holes	pc.	0,150
183519.4	Bp	Escutcheon plate 165x45 mm, PC hole, distance 75 mm, with brass coverplate 17 mm, angular fixing holes	pc.	0,160
183519.6	Bpc	Escutcheon plate 165x45 mm, PC hole, distance 75 mm, with brass coverplate 17 mm, angular fixing holes	pc.	0,160
183519.9	Bmc	Escutcheon plate 165x45 mm, PC hole, distance 75 mm, with brass coverplate 17 mm, angular fixing holes	pc.	0,160

ESCUTCHEONS FOR LAVATORY - ESCUTCHEONS 165X45 MM LAVATORY VERSION

• Please indicate door thickness




Art.code	Surface	Article description	Unit	Weight
188011.4	Bp	Escutcheon WC outside with red/green sign, 165x45 mm	pc.	0,115
188011.6	Bpc	Escutcheon WC outside with red/green sign, 165x45 mm	pc.	0,115
188011.9	Bmc	Escutcheon WC outside with red/green sign, 165x45 mm	pc.	0,115
188012.4	Bp	Escutcheon WC inside with brass olive, 165x45 mm	pc.	0,210
188012.6	Bpc	Escutcheon WC inside with brass olive, 165x45 mm	pc.	0,210
188012.9	Bmc	Escutcheon WC inside with brass olive, 165x45 mm	pc.	0,210

ESCUTCHEONS WITH KNOB - ESCUTCHEON WITH KNOB AND PC HOLE

Brass

- In stainless steel material on demand
- With through bolt and nut set M5x65 mm
- For outside assembly
- Please indicate door thickness




Art.code	Surface	Article description	Unit	Weight
183532.4	Bp	Escutcheon 165x45 mm with knob, PC hole	pc.	0,360
183532.6	Bpc	Escutcheon 165x45 mm with knob, PC hole	pc.	0,360
183532.9	Bmc	Escutcheon 165x45 mm with knob, PC hole	pc.	0,360

ESCUTCHEONS WITH KNOB - ESCUTCHEON WITH KNOB, PC HOLE AND COVERPLATE

Brass


- In stainless steel material on demand
- With bolt and nut set M5x65 mm
- For outside assembly
- Please indicate door thickness



Art.code	Surface	Article description	Unit	Weight
183535.4	Bp	Escutcheon 165x45 mm with knob, PC hole, s/s coverplate 12 mm	pc.	0,410
183535.6	Bpc	Escutcheon 165x45 mm with knob, PC hole, s/s coverplate 12 mm	pc.	0,410
183535.9	Bmc	Escutcheon 165x45 mm with knob, PC hole, s/s coverplate 12 mm	pc.	0,410
183536.4	Bp	Escutcheon 165x45 mm with knob, PC hole, brass coverplate 17 mm	pc.	0,420
183536.6	Bpc	Escutcheon 165x45 mm with knob, PC hole, brass coverplate 17 mm	pc.	0,420
183536.9	Bmc	Escutcheon 165x45 mm with knob, PC hole, brass coverplate 17 mm	pc.	0,420

DOOR KNOB - DOOR KNOB ROUND 45 MM


- In stainless steel please check article number N-183540



Art.code	Surface	Article description	Unit	Weight
183540.4	Bp	Knob Rd 45 mm, on fixing plate Rd 50x4 mm	pc.	0,490
183540.6	Bpc	Knob Rd 45 mm, on fixing plate Rd 50x4 mm	pc.	0,490
183540.9	Bmc	Knob Rd 45 mm, on fixing plate Rd 50x4 mm	pc.	0,490

ESCUTCHEONS LONG 230 MM - ESCUTCHEONS 230 MM


- PC and keyhole version extendable with coverplate
- Please indicate door thickness



Art.code	Surface	Article description	Unit	Weight
180001.4	Bp	Escutcheon 230 mm, WC outside with red-green sign	pc.	0,130
180001.6	Bpc	Escutcheon 230 mm, WC outside with red-green sign	pc.	0,130
180001.9	Bmc	Escutcheon 230 mm, WC outside with red-green sign	pc.	0,130
180002.4	Bp	Escutcheon 230 mm, WC inside with olive	pc.	0,130
180002.6	Bpc	Escutcheon 230 mm, WC inside with olive	pc.	0,130
180002.9	Bmc	Escutcheon 230 mm, WC inside with olive	pc.	0,130
180101.4	Bp	Escutcheon 230 mm, key hole	pc.	0,130
180101.6	Bpc	Escutcheon 230 mm, key hole	pc.	0,130
180101.9	Bmc	Escutcheon 230 mm, key hole	pc.	0,130
180200.4	Bp	Escutcheon 230 mm, PC hole	pc.	0,130
180200.6	Bpc	Escutcheon 230 mm, PC hole	pc.	0,130
180200.9	Bmc	Escutcheon 230 mm, PC hole	pc.	0,130
180300.4	Bp	Escutcheon 230 mm, blind	pc.	0,140
180300.6	Bpc	Escutcheon 230 mm, blind	pc.	0,140
180300.9	Bmc	Escutcheon 230 mm, blind	pc.	0,140

ESCUTCHEONS LONG 230 MM - ESCUTCHEONS 230 MM WITH COVERPLATE



- Distance 72 mm on request
- Also available with stainless steel coverplate 12 or 17 mm thick
- Please indicate door thickness



Art.code	Surface	Article description	Unit	Weight
180202.4	Bp	Escutcheon 230 mm, PC hole with coverplate 17 mm	pc.	0,130
180202.6	Bpc	Escutcheon 230 mm, PC hole with coverplate 17 mm	pc.	0,130
180202.9	Bmc	Escutcheon 230 mm, PC hole with coverplate 17 mm	pc.	0,130



ESCUTCHEONS ROUND WITH KEY HOLE - ESCUTCHEONS RD 51 MM

• Also available with coverplate




Art.code	Surface	Article description	Unit	Weight
190401.4	Bp	Keyhole escutcheon Rd 51 mm, for wood screws	pc.	0,025
190401.6	Bpc	Keyhole escutcheon Rd 51 mm, for wood screws	pc.	0,025
190401.9	Bmc	Keyhole escutcheon Rd 51 mm, for wood screws	pc.	0,025
190402.4	Bp	Keyhole escutcheon Rd 51 mm, with coverplate, for wood screws	pc.	0,028
190402.6	Bpc	Keyhole escutcheon Rd 51 mm, with coverplate, for wood screws	pc.	0,028
190402.9	Bmc	Keyhole escutcheon Rd 51 mm, with coverplate, for wood screws	pc.	0,028
190410.4	Bp	Escutcheons Rd 51 mm, key hole, through bolt and nut M5x45 mm	set	0,055
190410.6	Bpc	Escutcheons Rd 51 mm, key hole, through bolt and nut M5x45 mm	set	0,055
190410.9	Bmc	Escutcheons Rd 51 mm, key hole, through bolt and nut M5x45 mm	set	0,055

ESCUTCHEONS ROUND WITH PC HOLE - ESCUTCHEONS RD 51 MM




Art.code	Surface	Article description	Unit	Weight
190200.4	Bp	PC hole escutcheon Rd 51 mm, for wood screws	pc.	0,025
190200.6	Bpc	PC hole escutcheon Rd 51 mm, for wood screws	pc.	0,025
190200.9	Bmc	PC hole escutcheon Rd 51 mm, for wood screws	pc.	0,025
190210.4	Bp	PC hole escutcheon pair Rd 51 mm, DIN 81316 with through bolt and nut M5x45 mm	set	0,043
190210.6	Bpc	PC hole escutcheon pair Rd 51 mm, DIN 81316 with through bolt and nut M5x45 mm	set	0,043
190210.9	Bmc	PC hole escutcheon pair Rd 51 mm, DIN 81316 with through bolt and nut M5x45 mm	set	0,043

ESCUTCHEONS ROUND FOR LAVATORY - ESCUTCHEONS FOR LAVATORY RD 51 MM



Art.code	Surface	Article description	Unit	Weight
190001.4	Bp	WC roset with red green sign, for outside, for wood screws	pc.	0,035
190001.6	Bpc	WC roset with red green sign, for outside, for wood screws	pc.	0,035
190001.9	Bmc	WC roset with red green sign, for outside, for wood screws	pc.	0,035
190002.4	Bp	WC roset with olive, for inside, for wood screws	pc.	0,119
190002.6	Bpc	WC roset with olive, for inside, for wood screws	pc.	0,119
190002.9	Bmc	WC roset with olive, for inside, for wood screws	pc.	0,119
190011.4	Bp	WC roset with red green sign, for outside, for through bolt and nut	pc.	0,035
190011.6	Bpc	WC roset with red green sign, for outside, for through bolt and nut	pc.	0,035
190011.9	Bmc	WC roset with red green sign, for outside, for through bolt and nut	pc.	0,035
190012.4	Bp	WC roset with olive, for inside, for through bolt and nut	pc.	0,126
190012.6	Bpc	WC roset with olive, for inside, for through bolt and nut	pc.	0,126
190012.9	Bmc	WC roset with olive, for inside, for through bolt and nut	pc.	0,126


HANDLE ROSETTES - HANDLE ROSETTES RD 51 MM



Art.code	Surface	Article description	Unit	Weight
190300.4	Bp	Roset Rd 51 mm for wood screws	pc.	0,044
190300.6	Bpc	Roset Rd 51 mm for wood screws	pc.	0,044
190300.9	Bmc	Roset Rd 51 mm for wood screws	pc.	0,044
190310.4	Bp	Handle roset pair Rd 51 mm with through bolt and nuts M5x45 mm	set	0,074
190310.6	Bpc	Handle roset pair Rd 51 mm with through bolt and nuts M5x45 mm	set	0,074
190310.9	Bmc	Handle roset pair Rd 51 mm with through bolt and nuts M5x45 mm	set	0,074

ESCUTCHEONS FOR KEYHOLES - ESCUTCHEONS 66X33 MM


- For key hole and profile cylinder version



Art.code	Surface	Article description	Unit	Weight
192501.4	Bp	Escutcheon with key hole 66x33 mm	pc.	0,027
192501.6	Bpc	Escutcheon with key hole 66x33 mm	pc.	0,027
192501.9	Bmc	Escutcheon with key hole 66x33 mm	pc.	0,027

ESCUTCHEONS FOR KEYHOLES WITH COVERPLATE - ESCUTCHEONS WITH KEY HOLE WITH COVERPLATE 66X33 MM


- For key hole and profile cylinder version



Art.code	Surface	Article description	Unit	Weight
192502.4	Bp	Escutcheon with key hole with coverplate 66x33 mm	pc.	0,033
192502.6	Bpc	Escutcheon with key hole with coverplate 66x33 mm	pc.	0,033
192502.9	Bmc	Escutcheon with key hole with coverplate 66x33 mm	pc.	0,033

ESCUTCHEONS FOR PROFILE CYLINDER HOLES - ESCUTCHEONS WITH PROFILE CYLINDER HOLES 66X33 MM


- For key hole and profile cylinder version



Art.code	Surface	Article description	Unit	Weight
192401.4	Bp	Escutcheon with PC hole 66x33 mm	pc.	0,024
192401.6	Bpc	Escutcheon with PC hole 66x33 mm	pc.	0,024
192401.9	Bmc	Escutcheon with PC hole 66x33 mm	pc.	0,024

PROFILE CYLINDER COVERPLATES - COVERPLATE 17 MM HEIGHT BRASS

- Delivered with screws and nuts



Art.code	Surface	Article description	Unit	Weight
183598.4	Bp	Cover plate with screws and nuts, 17 mm height	pc.	0,085
183598.6	Bpc	Cover plate with screws and nuts, 17 mm height	pc.	0,085
183598.9	Bmc	Cover plate with screws and nuts, 17 mm height	pc.	0,085

1 LOCKS & ATTACHMENTS BRASS

ESCUTCHEONS & ROSETTES BRASS

ATTACHMENTS - SCREWS & NUTS




Art.code	Surface	Article description	Unit	Weight
209945.4	Bp	Fixing screw with nut M5x45 mm for escutcheon plates	pc.	0,010
209945.6	Bpc	Fixing screw with nut M5x45 mm for escutcheon plates	pc.	0,010
209945.9	Bmc	Fixing screw with nut M5x45 mm for escutcheon plates	pc.	0,010
209975.4	Bp	Fixing screw with nut M5x65 mm for escutcheon plates	pc.	0,015
209975.6	Bpc	Fixing screw with nut M5x65 mm for escutcheon plates	pc.	0,015
209975.9	Bmc	Fixing screw with nut M5x65 mm for escutcheon plates	pc.	0,015
209966.4	Bp	Adjustable fixing screw M5x66 mm, 6 distances, 7 times divisible	pc.	0,008
209966.6	Bpc	Adjustable fixing screw M5x66 mm, 6 distances, 7 times divisible	pc.	0,008
209966.9	Bmc	Adjustable fixing screw M5x66 mm, 6 distances, 7 times divisible	pc.	0,008

MORTISE LOCKS DIN 81301 TUMBLER KEY - MORTISE LOCKS DIN 81301 A

Mortise locks with 9 mm spindle hole, 55mm backset, distance 75 mm

- On request with 38 mm horizontal fixing holes for rosettes
- Recommended door handles article group 17, striking plates group 22 and escutcheons group 18
- 8 mm locknut in brass on request
- Faceplate in satin matt or polished on request
- delivered with 2 keys



Art.code	Surface	Article description	Unit	Weight
N-100131	S/S brushed	Mortise BB lock, DIN 81301 A, right, solid latch	pc.	0,830
N-100132	S/S brushed	Mortise BB lock, DIN 81301 A, left, solid latch	pc.	0,830
N-101131	S/S brushed	Mortise BB lock, DIN 81301 A, right, triple latch	pc.	0,830
N-101132	S/S brushed	Mortise BB lock, DIN 81301 A, left, triple latch	pc.	0,830


MORTISE LOCKS DIN 81301 PROFILE CYLINDER HOLE - MORTISE LOCKS DIN 81301

Mortise locks with 9 mm spindle hole, 55mm backset, distance 75 mm

- With PC change lever on request
- Recommended door handles article group 17, striking plates group 22 and escutcheons group 18
- 8 mm locknut in brass on request
- Faceplate in satin matt on request



N-101232




Art.code	Surface	Article description	Unit	Weight
N-100231	S/S brushed	Mortise PC lock, DIN 81301 B, right, solid latch	pc.	0,640
N-100232	S/S brushed	Mortise PC lock, DIN 81301 B, left, solid latch	pc.	0,640
N-100231.4	S/S polished	Mortise PC lock, DIN 81301 B, right, solid latch	pc.	0,630
N-100232.4	S/S polished	Mortise PC lock, DIN 81301 B, left, solid latch	pc.	0,630
N-101231	S/S brushed	Mortise PC lock, DIN 81301 B, right, triple latch	pc.	0,650
N-101232	S/S brushed	Mortise PC lock, DIN 81301 B, left, triple latch	pc.	0,650
N-101231.4	S/S polished	Mortise PC lock, DIN 81301 B, right, triple latch	pc.	0,640
N-101232.4	S/S polished	Mortise PC lock, DIN 81301 B, left, triple latch	pc.	0,640

MORTISE PROFILE CYLINDER LOCKS 16 MM LATCH - MORTISE PC LOCKS FOR A60 DOORS

Mortise locks with 9 mm spindle hole, 55mm backset, distance 75 mm, face plate radius R=12,5 mm

- Mortise lock with 16 mm latch
- Available also with PC change lever
- Recommended door handles article N-1710, striking plates article N-2200 and escutcheons article N-1885
- 8 mm locknut in brass on request
- Faceplate in satin matt or polished on request




Art.code	Surface	Article description	Unit	Weight
N-100251	S/S brushed	Mortise PC lock, DIN 81301, Right, 16 mm latch for A 60 doors	pc.	0,650
N-100252	S/S brushed	Mortise PC lock, DIN 81301, Left, 16 mm latch for A 60 doors	pc.	0,650

MORTISE CATCH LOCKS 16 MM LATCH - MORTISE CATCH LOCKS FOR A60 DOORS

Mortise catch locks with 9 mm spindle hole, 55mm backset

- On request faceplate in matt or polished surface
- Recommended door handles article N-1710, striking plates article N-2200..F and escutcheons article N-183510...
- 8 mm locknut in brass on request




Art.code	Surface	Article description	Unit	Weight
N-100651	S/S brushed	Mortise catch lock, DIN 81301, Right, 16 mm latch for A 60 doors	pc.	0,570
N-100652	S/S brushed	Mortise catch lock, DIN 81301, Left, 16 mm latch for A 60 doors	pc.	0,570

MORTISE WEDGE LOCK - MORTISE WEDGE LOCK 65 MM BACKSET

For pressure tight doors

- For high pressure door closing mechanism as fire, clean room or sound protection doors
- Complete stainless steel material
- Recommended tubular handles see group series N-17...
- 8 mm handles with reduce bush 9/8 mm




Art.code	Surface	Article description	Unit	Weight
N-100531	S/S brushed	Mortise wedge lock, right, 65/92 mm	pc.	1,095
N-100532	S/S brushed	Mortise wedge lock, left, 65/92 mm	pc.	1,095
N-180200.9-92	S/S matt	Escutcheon plates 230 mm, PC hole, distance 92 mm	pc.	0,260
180200.9-92	Bmc	Escutcheon plates 230 mm, PC hole, distance 92 mm	pc.	0,260

MORTISE LOCKS LAVATORY VERSION - MORTISE LOCK LAVATORY FOR DOUBLE CABINS

Backset 55/9 mm

- Triple latch bolt
- Fullsize stainless steel
- Escutcheons see article group N-188711/12
- Striking plates see article group N-220031/32
- Door handles article group N-17...




Art.code	Surface	Article description	Unit	Weight
N-105731	S/S brushed	Mortise WC lock, for double cabins, right	pc.	0,960
N-105732	S/S brushed	Mortise WC lock, for double cabins, left	pc.	0,960

MORTISE CATCH LOCKS 12 MM LATCH - MORTISE CATCH LOCKS BACKSET 55 MM

Mortise catch locks with 9 mm spindle hole, 55mm backset

- On request faceplate in matt or polished surface
- Recommended door handles article N-1710, striking plates article N-2200..F and escutcheons article N-183510...
- 8 mm locknut in brass on request




Art.code	Surface	Article description	Unit	Weight
N-100631	S/S brushed	Mortise catch lock, right, solid latch	pc.	0,580
N-100632	S/S brushed	Mortise catch lock, left, solid latch	pc.	0,580
N-101631	S/S brushed	Mortise catch lock, right, triple latch	pc.	0,570
N-101632	S/S brushed	Mortise catch lock, left, triple latch	pc.	0,570
N-101631.4	S/S polished	Mortise catch lock, right, triple latch	pc.	0,570
N-101632.4	S/S polished	Mortise catch lock, left, triple latch	pc.	0,570

MORTISE DEAD LOCKS - MORTISE DEAD LOCKS BACKSET 55 MM

Mortise dead locks with 55mm backset

- On request faceplate in matt or polished surface




Art.code	Surface	Article description	Unit	Weight
N-105030	S/S brushed	Mortise dead lock, for right and left usage	pc.	0,520
N-105030.4	S/S polished	Mortise dead lock, for right and left usage	pc.	0,520

MORTISE LOCKS 65 MM BACKSET - MORTISE LOCKS 65 MM BACKSET, PROFILE CYLINDER HOLE

Mortise locks with 9 mm spindle hole, 65mm backset

- Mortise lock with 12 mm triple latch
- PC change lever
- Recommended door handles article N-17, striking plates article N-2200 and escutcheons article N-18
- 8 mm locknut on request
- Stronger spring for heavy handles as special version on request
- Faceplate in satin matt surface on request




Art.code	Surface	Article description	Unit	Weight
N-10123172	S/S brushed	Mortise PC lock, right, 65/9/72 mm, PC change lever	pc.	0,735
N-10123272	S/S brushed	Mortise PC lock, left, 65/9/72 mm, PC change lever	pc.	0,735
N-10123172.4	S/S polished	Mortise PC lock, right, 65/9/72 mm, PC change lever	pc.	0,735
N-10123272.4	S/S polished	Mortise PC lock, left, 65/9/72 mm, PC change lever	pc.	0,735

**MORTISE LOCKS 65 MM BACKSET - MORTISE LOCKS 65 MM BACKSET,
LAVATORY VERSION**

Mortise locks with 9 mm spindle hole, 65mm backset

- Recommended door handles article N-17, striking plates article N-2200 and escutcheons article N-1885
- 8 mm locknut on request
- Stronger spring for heavy handles as special version on request
- Faceplate in satin matt surface on request




Art.code	Surface	Article description	Unit	Weight
N-10173178	S/S brushed	Mortise WC lock, right, 65/9/78 mm, triple latch	pc.	0,760
N-10173278	S/S brushed	Mortise WC lock, left, 65/9/78 mm, triple latch	pc.	0,760
N-10173178.4	S/S polished	Mortise WC lock, right, 65/9/78 mm, triple latch	pc.	0,760
N-10173278.4	S/S polished	Mortise WC lock, left, 65/9/78 mm, triple latch	pc.	0,760

MORTISE LOCKS 65 MM BACKSET - MORTISE CATCH LOCKS BACKSET 65 MM TRIPLE LATCH


Mortise locks with 9 mm spindle hole, 65mm backset

- Recommended door handles article N-1710, striking plates article N-2200..F and escutcheons article N-184512...
- 8 mm locknut on request
- Stronger spring for heavy handles as special version on request
- Faceplate in satin matt surface on request



Art.code	Surface	Article description	Unit	Weight
N-10163172	S/S brushed	Mortise catch lock, right, backset 65/9 mm	pc.	0,620
N-10163272	S/S brushed	Mortise catch lock, left, backset 65/9 mm	pc.	0,620
N-10163172.4	S/S polished	Mortise catch lock, right, backset 65/9 mm	pc.	0,620
N-10163272.4	S/S polished	Mortise catch lock, left, backset 65/9 mm	pc.	0,620

MORTISE LOCKS 65 MM BACKSET - MORTISE DEAD LOCK BACKSET 65 MM




Art.code	Surface	Article description	Unit	Weight
N-10503072	S/S brushed	Mortise dead lock, Right/Left, backset 65/9 mm	pc.	0,550
N-10503072.4	S/S polished	Mortise dead lock, Right/Left, backset 65/9 mm	pc.	0,550

MORTISE LOCKS 80 MM BACKSET - MORTISE LOCKS 80 MM BACKSET

Triple latch 10 mm

- PC change lever
- Recommended door handles article N-17, striking plates article N-2200 and escutcheons article N-18
- 8 mm locknut on request
- Stronger spring for heavy handles as special version on request
- Faceplate in satin matt surface on request




Art.code	Surface	Article description	Unit	Weight
N-10128031	S/S brushed	Mortise PC lock, right, 80/9/72 mm	pc.	0,850
N-10128032	S/S brushed	Mortise PC lock, left, 80/9/72 mm	pc.	0,850
N-10128031.4	S/S polished	Mortise PC lock, right, 80/9/72 mm	pc.	0,850
N-10128032.4	S/S polished	Mortise PC lock, left, 80/9/72 mm	pc.	0,850

MORTISE LOCKS 80 MM BACKSET - MORTISE LOCKS 80 MM BACKSET

Solid latch 16 mm

- Recommended door handles article N-17, striking plates article N-2200 and escutcheons article N-18...
- Stronger spring for heavy handles as special version on request
- 8 mm locknut on request
- Faceplate in satin matt surface on request




Art.code	Surface	Article description	Unit	Weight
N-10028031	S/S brushed	Mortise PC lock, right, 80/972 mm, solid latch 16 mm	pc.	0,845
N-10028032	S/S brushed	Mortise PC lock, left, 80/972 mm, solid latch 16 mm	pc.	0,845
N-10028031.4	S/S polished	Mortise PC lock, right, 80/972 mm, solid latch 16 mm	pc.	0,845
N-10028032.4	S/S polished	Mortise PC lock, left, 80/972 mm, solid latch 16 mm	pc.	0,845

MORTISE LOCKS 80 MM BACKSET - MORTISE WC LOCKS 80 MM BACKSET

Triple latch 10 mm

- Recommended door handles article N-17, striking plates article N-2200 and escutcheons article N-18...
- Stronger spring for heavy handles as special version on request
- 8 mm locknut on request
- Faceplate in satin matt surface on request



Art.code	Surface	Article description	Unit	Weight
N-10178031	S/S brushed	Mortise WC lock, right, 80/9/78 mm	pc.	0,865
N-10178032	S/S brushed	Mortise WC lock, left, 80/9/78 mm	pc.	0,865
N-10178031.4	S/S polished	Mortise WC lock, right, 80/9/78 mm	pc.	0,865
N-10178032.4	S/S polished	Mortise WC lock, left, 80/9/78 mm	pc.	0,865

THREE POINT LOCK - THREE POINT LOCK STAINLESS STEEL

- Consisting of: 1 main lock (N-10ML01 or 02) and 2 additional catch locks (N-10AL01 or 02)
- Without flat connection bar
- Fullsize stainless steel material



Art.code	Surface	Article description	Unit	Weight
N-10TPL01	S/S brushed	Three point lock, 16 mm latch, right	pc.	2,000
N-10TPL02	S/S brushed	Three point lock, 16 mm latch, left	pc.	2,000

THREE POINT LOCK - THREE POINT LOCK STEEL AND ZINC PLATED

- Consisting of: 1 main lock (S-10ML01 or 02) and 2 additional catch locks (S-10AL01 or 02)
- Without flat connection bar
- Housings steel and zinc plated
- Faceplate stainless steel
- Latch and bar steel and nickel plated




Art.code	Surface	Article description	Unit	Weight
S-10TPL01	Steel zinc	Three point lock, 16 mm latch, right	pc.	2,100
S-10TPL02	Steel zinc	Three point lock, 16 mm latch, left	pc.	2,100

MORTISE CATCH LOCK - MORTISE CATCH LOCK DIN 81306


• On request faceplate and latch in polished

• Available with solid or triple latch bolt



Art.code	Surface	Article description	Unit	Weight
N-100331.0	S/S brushed	Mortise catch lock 150 mm, solid latch, right	pc.	0,430
N-100332.0	S/S brushed	Mortise catch lock 150 mm, solid latch, left	pc.	0,430
N-101331.0	S/S brushed	Mortise catch lock 150 mm, triple latch, right	pc.	0,430
N-101332.0	S/S brushed	Mortise catch lock 150 mm, triple latch, left	pc.	0,430


MORTISE DEAD LOCK - MORTISE DEAD LOCK DIN 81302 B



Art.code	Surface	Article description	Unit	Weight
N-100530.0	S/S brushed	Mortise dead lock DIN 81302 B	pc.	0,320
N-100530.4	S/S polished	Mortise dead lock DIN 81302 B	pc.	0,320

STRIKING PLATES DIN 81314 A - STRIKING PLATES FOR MORTISE LOCKS FOR DISTANCE 72-78 MM

Material: 1.4301




Art.code	Surface	Article description	Unit	Weight
N-220031.0	S/S brushed	Striking plate 25x1,5x180 mm, right, for mortise and rim locks	pc.	0,045
N-220032.0	S/S brushed	Striking plate 25x1,5x180 mm, right, for mortise and rim locks	pc.	0,045
N-220031.4	S/S polished	Striking plate 25x1,5x180 mm, right, for mortise and rim locks	pc.	0,045
N-220032.4	S/S polished	Striking plate 25x1,5x180 mm, left, for mortise and rim locks	pc.	0,045
N-220031.9	S/S matt	Striking plate 25x1,5x180 mm, left, for mortise and rim locks	pc.	0,045
N-220032.9	S/S matt	Striking plate 25x1,5x180 mm, left, for mortise and rim locks	pc.	0,045
N-220031F.0	S/S brushed	Striking plate 25x1,5x180 mm, right, for mortise catch locks	pc.	0,045
N-220032F.0	S/S brushed	Striking plate 25x1,5x180 mm, left, for mortise catch locks	pc.	0,045
N-220031F.4	S/S polished	Striking plate 25x1,5x180 mm, right, for mortise catch locks	pc.	0,045
N-220032F.4	S/S polished	Striking plate 25x1,5x180 mm, left, for mortise catch locks	pc.	0,045
N-220031F.9	S/S matt	Striking plate 25x1,5x180 mm, right, for mortise catch locks	pc.	0,045
N-220032F.9	S/S matt	Striking plate 25x1,5x180 mm, left, for mortise catch locks	pc.	0,045

STRIKING PLATES DIN 81314 A - STRIKING PLATE 250 MM FOR DOUBLE CABIN WC LOCKS

Material: 1.4301

• For double cabin WC lock N-1057...

• Escutcheons see article number N-1887...




Art.code	Surface	Article description	Unit	Weight
N-220041.0	S/S brushed	Striking plate 25x1,5x250 mm, right, for lock N-1057	pc.	0,065
N-220041.9	S/S matt	Striking plate 25x1,5x250 mm, right, for lock N-1057	pc.	0,065
N-220042.0	S/S brushed	Striking plate 25x1,5x250 mm, left, for lock N-1057	pc.	0,065
N-220042.9	S/S matt	Striking plate 25x1,5x250 mm, left, for lock N-1057	pc.	0,065

STRIKING PLATES DIN 81314 B - STRIKING PLATES FOR CATCH AND RIM LOCKS

Material: 1.4301

• For right and left usage

• Radius R10 or angular on request




Art.code	Surface	Article description	Unit	Weight
N-220330.0	S/S brushed	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,050
N-220330.4	S/S polished	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,050
N-220330.9	S/S matt	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,050

STRIKING PLATES DIN 81314 C - STRIKING PLATES FOR DEAD AND RIM LOCKS

Material: 1.4301

• For right and left usage

• Radius R10 or angular on request




Art.code	Surface	Article description	Unit	Weight
N-220430.0	S/S brushed	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,050
N-220430.4	S/S polished	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,050
N-220430.9	S/S matt	Striking plate for catch and rim locks, R=12,5 mm	pc.	0,050

RIM LOCKS DIN 81311 C STAINLESS STEEL - 1102 RIM LOCKS

Rim locks with 9 mm spindle hole, 55mm backset, distance 75 mm

- Available versions: Right or left / In- or outwards
- Recommended escutcheon: N-183519 and door handles N-171139
- Door directions please see also page 9




Art.code	Surface	Article description	Unit	Weight
N-110201	S/S matt	Rim lock, Ri/O, 55/9 mm, DIN 81311 C, PC hole	pc.	1,290
N-110202	S/S matt	Rim lock, Le/O, 55/9 mm, DIN 81311 C, PC hole	pc.	1,290
N-110203	S/S matt	Rim lock, Ri/In, 55/9 mm, DIN 81311 C, PC hole	pc.	1,290
N-110204	S/S matt	Rim lock, Le/In, 55/9 mm, DIN 81311 C, PC hole	pc.	1,290

RIM LOCKS DIN 81311 C STAINLESS STEEL - 1102 RIM LOCKS WITH PC CHANGE LEVER (KEY OPENING)

Rim locks with 9 mm spindle hole, 55mm backset, distance 75 mm

- Available versions: Right or left / In- or outwards
- Recommended escutcheon: N-183519 and door handles N-171139
- Door directions please see also page 9
- On request with fixing holes for outside escutcheon



N-110202-W

Art.code	Surface	Article description	Unit	Weight
N-110201-W	S/S matt	Rim lock with change system, Ri/O, 55/9 mm, DIN 81311 C, PC change lever	pc.	1,290
N-110202-W	S/S matt	Rim lock with change system, Le/O, 55/9 mm, DIN 81311 C, PC change lever	pc.	1,290
N-110203-W	S/S matt	Rim lock with change system, Ri/In, 55/9 mm, DIN 81311 C, PC change lever	pc.	1,290
N-110204-W	S/S matt	Rim lock with change system, Le/In, 55/9 mm, DIN 81311 C, PC change lever	pc.	1,290

RIM LOCKS DIN 81311 C STAINLESS STEEL - 1102 RIM LOCKS WITH ANTI PANIC FUNCTION


Anti panic rim locks with profile cylinder hole

- Available versions: Right or left / In- or outwards
- Door directions please see also page 9

- Recommended escutcheon article group 1835
- Handle please see N-171194



N-110242-AP




Art.code	Surface	Article description	Unit	Weight
N-110241-AP	S/S matt	Rim lock with anti panic function, Ri/O, 55/9 mm	pc.	1,320
N-110242-AP	S/S matt	Rim lock with anti panic function, Le/O, 55/9 mm	pc.	1,320
N-110243-AP	S/S matt	Rim lock with anti panic function, Ri/In, 55/9 mm	pc.	1,320
N-110244-AP	S/S matt	Rim lock with anti panic function, Le/In, 55/9 mm	pc.	1,320

RIM DEAD LOCKS STAINLESS STEEL - 1103 RIM DEAD LOCK

Dead bolt rim locks with profile cylinder hole

• Door directions please see also page 9



Art.code	Surface	Article description	Unit	Weight
N-110301	S/S matt	Rim dead lock, right, PC hole, backset 55 mm	pc.	1,200
N-110302	S/S matt	Rim dead lock, left, PC hole, backset 55 mm	pc.	1,200


RIM CATCH LOCKS STAINLESS STEEL - 1104 RIM CATCH LOCKS



N-110402

- Available versions: Right or left / In- or outwards
- Door directions please see also page 9

- Recommended escutcheon N-183513... und Drücker N-171139...




Art.code	Surface	Article description	Unit	Weight
N-110401	S/S matt	Rim catch lock, Ri/O, backset 55 mm	pc.	1,270
N-110402	S/S matt	Rim catch lock, Le/O, backset 55 mm	pc.	1,270
N-110403	S/S matt	Rim catch lock, Ri/In, backset 55 mm	pc.	1,270
N-110404	S/S matt	Rim catch lock, Le/In, backset 55 mm	pc.	1,270

RIM LOCKS DIN 81312 C, DOUBLE TURN STAINLESS STEEL - 1105 RIM LOCKS DOUBLE TURN

Rim locks with 70 mm backset and profile cylinder hole

- Door directions please see also page 9



N-110502


Art.code	Surface	Article description	Unit	Weight
N-110501	S/S matt	Rim lock DIN 81312 C, double turn, right, backset 70 mm	pc.	0,860
N-110502	S/S matt	Rim lock DIN 81312 C, double turn, left, backset 70 mm	pc.	0,860

RIM LOCKS DIN 81312 D, DOUBLE TURN STAINLESS STEEL - 1106 RIM LOCKS DOUBLE TURN

Rim locks with 70 mm backset and tumbler hole

• Door directions please see also page 9

• Delivered with 2 keys




Art.code	Surface	Article description	Unit	Weight
N-110601	S/S matt	Rim lock DIN 81312 D, double turn, right, backset 70 mm	pc.	1,050
N-110602	S/S matt	Rim lock DIN 81312 D, double turn, left, backset 70 mm	pc.	1,050

DOOR HANDLES FOR MORTISE LOCKS - STAINLESS STEEL HANDLES FOR MORTISE LOCKS

• Please indicate door thickness in the order

• Application: for door thickness 28-70 mm




Art.code	Surface	Article description	Unit	Weight
N-171099.0	S/S brushed	Door handles 115 mm, 9 mm spindle, for doors 28-50 mm	set	0,450
N-171099.4	S/S polished	Door handles 115 mm, 9 mm spindle, for doors 28-50 mm	set	0,450
N-171099.9	S/S matt	Door handles 115 mm, 9 mm spindle, for doors 28-50 mm	set	0,450
N-171096.0	S/S brushed	Door handles 115 mm, 9 mm spindle, for doors 48-70 mm	set	0,475
N-171096.4	S/S polished	Door handles 115 mm, 9 mm spindle, for doors 48-70 mm	set	0,475
N-171096.9	S/S matt	Door handles 115 mm, 9 mm spindle, for doors 48-70 mm	set	0,475

DOOR HANDLES FOR MORTISE LOCKS - TUBULAR U-HANDLE

For door thickness 28-71 mm

• Please indicate door thickness in the order
• Handles with 8 mm spindle on request

• Complete with rosettes, 9 mm spindle and fixing screws




Art.code	Surface	Article description	Unit	Weight
N-171509.0	S/S brushed	Tubular door handles U-Form, length 145 mm, door thickness 28-70 mm	set	0,360
N-171509.4	S/S polished	Tubular door handles U-Form, length 145 mm, door thickness 28-70 mm	set	0,360
N-171509.9	S/S matt	Tubular door handles U-Form, length 145 mm, door thickness 28-70 mm	set	0,360

DOOR HANDLES FOR MORTISE LOCKS - TUBULAR L-HANDLES

Door thickness 28-70 mm

- Please indicate door thickness in the order
- Handles with 8 mm spindle on request

- Complete with rosettes, 9 mm spindle and fixing screws




Art.code	Surface	Article description	Unit	Weight
N-171809.0	S/S brushed	Tubular door handles L-Form, length 140 mm, door thickness 28-70 mm	set	0,340
N-171809.4	S/S polished	Tubular door handles L-Form, length 140 mm, door thickness 28-70 mm	set	0,340
N-171809.9	S/S matt	Tubular door handles L-Form, length 140 mm, door thickness 28-70 mm	set	0,340

DOOR HANDLES FOR MORTISE LOCKS - TUBULAR HANDLES FOR N-1835...

Shaft 17 mm

- Please indicate door thickness in the order

- Tube diameter 17 mm




Art.code	Surface	Article description	Unit	Weight
N-171309.0	S/S brushed	Tubular door handles with 9 mm spindle, door thickness 28-70 mm	set	0,235
N-171309.4	S/S polished	Tubular door handles with 9 mm spindle, door thickness 28-70 mm	set	0,235
N-171309.9	S/S matt	Tubular door handles with 9 mm spindle, door thickness 28-70 mm	set	0,235

ROSETS PC - PROFILE CYLINDER ROSET SET ROUND

Rosettes for door thickness 28-70 mm

• Please indicate door thickness in the order

• Complete with fixing screw set




Art.code	Surface	Article description	Unit	Weight
N-180209.0	S/S brushed	PC escutcheons pair with invisible fixing holes	set	0,090
N-180209.4	S/S polished	PC escutcheons pair with invisible fixing holes	set	0,090
N-180209.9	S/S matt	PC escutcheons pair with invisible fixing holes	set	0,090

ESCUTCHEONS ROUND FOR LAVATORY VERSION - LAVATORY ESCUTCHEONS

Rosettes for door thickness 28-70 mm

• Please indicate door thickness in the order

• Complete with fixing screw set




Art.code	Surface	Article description	Unit	Weight
N-181500.0	S/S brushed	WC escutcheon pair in/outside, red/green sign and olive, spindle 7 mm	set	0,180
N-181500.4	S/S polished	WC escutcheon pair in/outside, red/green sign and olive, spindle 7 mm	set	0,180
N-181500.9	S/S matt	WC escutcheon pair in/outside, red/green sign and olive, spindle 7 mm	set	0,180
N-181600.0	S/S brushed	WC escutcheon pair in/outside, red/green sign and olive, spindle 8 mm	set	0,180
N-181600.4	S/S polished	WC escutcheon pair in/outside, red/green sign and olive, spindle 8 mm	set	0,180
N-181600.9	S/S matt	WC escutcheon pair in/outside, red/green sign and olive, spindle 8 mm	set	0,180

DOOR HANDLES FOR RIM LOCKS DIN 81317 E - HANDLES FOR RIM LOCKS 9 MM SPINDLE

• Please indicate door thickness on the order

• For rim locks: door thickness 12-73 mm




Art.code	Surface	Article description	Unit	Weight
N-171139.0	S/S brushed	Door handles DIN 81317 E, for rim locks, for doors 32-43 mm	set	0,500
N-171139.4	S/S polished	Door handles DIN 81317 E, for rim locks, for doors 32-43 mm	set	0,500
N-171139.9	S/S matt	Door handles DIN 81317 E, for rim locks, for doors 32-43 mm	set	0,500
N-171149.0	S/S brushed	Door handles DIN 81317 E, for rim locks, for doors 42-53 mm	set	0,510
N-171149.4	S/S polished	Door handles DIN 81317 E, for rim locks, for doors 42-53 mm	set	0,510
N-171149.9	S/S matt	Door handles DIN 81317 E, for rim locks, for doors 42-53 mm	set	0,510
N-171169.0	S/S brushed	Door handles DIN 81317 E, for rim locks, for doors 62-72 mm	set	0,540
N-171169.4	S/S polished	Door handles DIN 81317 E, for rim locks, for doors 62-72 mm	set	0,540
N-171169.9	S/S matt	Door handles DIN 81317 E, for rim locks, for doors 62-72 mm	set	0,540

DOOR HANDLE FOR ANTI PANIC LOCK - DOOR HANDLE FOR ANTI PANIC LOCK



• Please indicate door thickness on the order

• For rim locks: door thickness 12-73 mm




Art.code	Surface	Article description	Unit	Weight
N-171194.0-W	S/S brushed	Door handle for anti panic lock, 9 mm spindle	pc.	0,225
N-171194.4-W	S/S polished	Door handle for anti panic lock, 9 mm spindle	pc.	0,225
N-171194.9-W	S/S matt	Door handle for anti panic lock, 9 mm spindle	pc.	0,225

LONG ESCUTCHEONS 230 MM - ESCUTCHEONS RD 230 MM

• Distance 72 mm on request

• Profile cylinder version also available with stainless steel coverplate 12/17 mm or brass coverplate 17 mm




Art.code	Surface	Article description	Unit	Weight
N-180001.0	S/S brushed	Escutcheon 230 mm, WC outside with red-green sign	pc.	0,130
N-180001.4	S/S polished	Escutcheon 230 mm, WC outside with red-green sign	pc.	0,130
N-180001.9	S/S matt	Escutcheon 230 mm, WC outside with red-green sign	pc.	0,130
N-180002.0	S/S brushed	Escutcheon 230 mm, WC inside with olive	pc.	0,130
N-180002.4	S/S polished	Escutcheon 230 mm, WC inside with olive	pc.	0,130
N-180002.9	S/S matt	Escutcheon 230 mm, WC inside with olive	pc.	0,130
N-180101.0	S/S brushed	Escutcheon 230 mm, key hole	pc.	0,130
N-180101.4	S/S polished	Escutcheon 230 mm, key hole	pc.	0,130
N-180101.9	S/S matt	Escutcheon 230 mm, key hole	pc.	0,130
N-180200.0	S/S brushed	Escutcheon 230 mm, PC hole	pc.	0,130
N-180200.4	S/S polished	Escutcheon 230 mm, PC hole	pc.	0,130
N-180200.9	S/S matt	Escutcheon 230 mm, PC hole	pc.	0,130
N-180300.0	S/S brushed	Escutcheon 230 mm, blind	pc.	0,140
N-180300.4	S/S polished	Escutcheon 230 mm, blind	pc.	0,140
N-180300.9	S/S matt	Escutcheon 230 mm, blind	pc.	0,140
N-180202.0	S/S brushed	Escutcheon 230 mm, PC hole with S/S coverplate 12 mm	pc.	0,130
N-180202.4	S/S polished	Escutcheon 230 mm, PC hole with S/S coverplate 12 mm	pc.	0,130
N-180202.9	S/S matt	Escutcheon 230 mm, PC hole with S/S coverplate 12 mm	pc.	0,130

ESCUTCHEONS ANGULAR - ESCUTCHEONS 165X45 MM

Escutcheon plates 165x45 mm are delivered completely with PE rosette insert, screws and nuts


- Also available versions: key hole, lavatory set or blind
- Distances 72, 75 or lavatory version 78 mm
- Escutcheon plates also available as single plates with round or square hole
- complete with set screw M5x65 mm and nut



Art.code	Surface	Article description	Unit	Weight
N-183510.0	S/S brushed	Escutcheon pair 165x45 mm, blind	set	0,210
N-183510.4	S/S polished	Escutcheon pair 165x45 mm, blind	set	0,210
N-183510.9	S/S matt	Escutcheon pair 165x45 mm, blind	set	0,210
N-183511.0	S/S brushed	Escutcheon pair 165x45 mm, key hole, distance 75 mm	set	0,220
N-183511.4	S/S polished	Escutcheon pair 165x45 mm, key hole, distance 75 mm	set	0,220
N-183511.9	S/S matt	Escutcheon pair 165x45 mm, key hole, distance 75 mm	set	0,220
N-183512.0	S/S brushed	Escutcheon pair 165x45 mm, PC hole, distance 75 mm	set	0,200
N-183512.4	S/S polished	Escutcheon pair 165x45 mm, PC hole, distance 75 mm	set	0,200
N-183512.9	S/S matt	Escutcheon pair 165x45 mm, PC hole, distance 75 mm	set	0,200
N-184512.0	S/S brushed	Escutcheon pair 165x45 mm, PC hole, distance 72 mm	set	0,200
N-184512.4	S/S polished	Escutcheon pair 165x45 mm, PC hole, distance 72 mm	set	0,200
N-183512.9	S/S matt	Escutcheon pair 165x45 mm, PC hole, distance 72 mm	set	0,200
N-183513.0	S/S brushed	Escutcheon 165x45 mm, blind, round fixing holes, without screws	pc.	0,100
N-183513.4	S/S polished	Escutcheon 165x45 mm, blind, round fixing holes, without screws	pc.	0,100
N-183513.9	S/S matt	Escutcheon 165x45 mm, blind, round fixing holes, without screws	pc.	0,100
N-183517.0	S/S brushed	Escutcheon 165x45 mm, PC hole, round fixing holes, without screws	pc.	0,105
N-183517.4	S/S polished	Escutcheon plate 165x45 mm, PC hole, round fixing holes, without screws	pc.	0,105
N-183517.9	S/S matt	Escutcheon plate 165x45 mm, PC hole, round fixing holes, without screws	pc.	0,105

ESCUTCHEONS WITH COVERPLATE - ESCUTCHEONS 165X45 MM WITH COVERPLATE


- Cover and counterplate in stainless steel A2 material
- Coverplate on request separately complete with assembly screws = N-183599



Art.code	Surface	Article description	Unit	Weight
N-183518.0	S/S brushed	Escutcheon 165x45 mm, PC hole, S/S coverplate, 75 mm, angular fixing holes	pc.	0,150
N-183518.4	S/S polished	Escutcheon 165x45 mm, PC hole, S/S coverplate, 75 mm, angular fixing holes	pc.	0,150
N-183518.9	S/S matt	Escutcheon 165x45 mm, PC hole, S/S coverplate, 75 mm, angular fixing holes	pc.	0,150
N-183519.0	S/S brushed	Escutcheon 165x45 mm, PC hole, S/S coverplate, 75 mm, round fixing holes	pc.	0,150
N-183519.4	S/S polished	Escutcheon 165x45 mm, PC hole, S/S coverplate, 75 mm, round fixing holes	pc.	0,150
N-183519.9	S/S matt	Escutcheon 165x45 mm, PC hole, S/S coverplate, 75 mm, round fixing holes	pc.	0,150

ESCUTCHEONS FOR LAVATORY VERSION - ESCUTCHEONS 165X45 MM, LAVATORY VERSION


- Escutcheon plates also available single with round or square hole



Art.code	Surface	Article description	Unit	Weight
N-188511.0	S/S brushed	Escutcheon WC outside with red/green sign, 165x45 mm, 75 mm	pc.	0,110
N-188511.4	S/S polished	Escutcheon WC outside with red/green sign, 165x45 mm, 75 mm	pc.	0,110
N-188511.9	S/S matt	Escutcheon WC outside with red/green sign, 165x45 mm, 75 mm	pc.	0,110
N-188512.0	S/S brushed	Escutcheon WC inside with brass olive, 165x45 mm, 75 mm	pc.	0,210
N-188512.4	S/S polished	Escutcheon WC inside with brass olive, 165x45 mm, 75 mm	pc.	0,210
N-188512.9	S/S matt	Escutcheon WC inside with brass olive, 165x45 mm, 75 mm	pc.	0,210


ESCUTCHEONS FOR LAVATORY VERSION - ESCUTCHEONS WC FOR DOUBLE CABINS

- Spindle 7 mm
- Lock see article number N-22004...



Art.code	Surface	Article description	Unit	Weight
N-188711.0	S/S brushed	Escutcheon WC 240x45x6 mm for double cabins, WC side	pc.	0,210
N-188711.9	S/S matt	Escutcheon WC 240x45x6 mm for double cabins, WC side	pc.	0,210
N-188712.0	S/S brushed	Escutcheon WC 240x45x6 mm for double cabins, Cabin side	pc.	0,230
N-188712.9	S/S matt	Escutcheon WC 240x45x6 mm for double cabins, Cabin side	pc.	0,230

DOOR KNOB - DOOR KNOB 50 MM




Art.code	Surface	Article description	Unit	Weight
N-183540.0	S/S brushed	Knob Rd 50 mm, on fixing plate Rd 60x8 mm	pc.	0,230
N-183540.4	S/S polished	Knob Rd 50 mm, on fixing plate Rd 60x8 mm	pc.	0,230
N-183540.9	S/S matt	Knob Rd 50 mm, on fixing plate Rd 60x8 mm	pc.	0,230

ESCUTCHEONS WITH ROUND KNOB - ESCUTCHEONS WITH KNOB AND COVERPLATE



- With angular fixing holes, for outside doors
- on request distance 72 mm


- fixing screws to be ordered separately based on door thickness



Art.code	Surface	Article description	Unit	Weight
N-183535.0	S/S brushed	Escutcheon 165x45 mm with knob Rd 50 mm and coverplate 12 mm	pc.	0,180
N-183535.4	S/S polished	Escutcheon 165x45 mm with knob Rd 50 mm and coverplate 12 mm	pc.	0,180
N-183535.9	S/S matt	Escutcheon 165x45 mm with knob Rd 50 mm and coverplate 12 mm	pc.	0,180


ESCUTCHEONS WITH ROUND KNOB - ESCUTCHEONS WITH KNOB 50 MM

- With round fixing holes
- Distance 72 mm on request
- Fixing screws to be ordered separately based on door thickness
- Angular fixing holes on request




Art.code	Surface	Article description	Unit	Weight
N-183560.0	S/S brushed	Escutcheon 165x45 mm PC hole, 75 mm, with knob Rd 50 mm	pc.	0,170
N-183560.4	S/S polished	Escutcheon 165x45 mm PC hole, 75 mm, with knob Rd 50 mm	pc.	0,170
N-183560.9	S/S matt	Escutcheon 165x45 mm PC hole, 75 mm, with knob Rd 50 mm	pc.	0,170

ESCUTCHEONS ROUND WITH KEY HOLE - ESCUTCHEONS RD 51 MM



Art.code	Surface	Article description	Unit	Weight
N-190401.0	S/S brushed	Keyhole escutcheon Rd 51 mm, for wood screws	pc.	0,025
N-190401.4	S/S polished	Keyhole escutcheon Rd 51 mm, for wood screws	pc.	0,025
N-190401.9	S/S matt	Keyhole escutcheon Rd 51 mm, for wood screws	pc.	0,025
N-190402.0	S/S brushed	Keyhole escutcheon Rd 51 mm, with coverplate, for wood screws	pc.	0,031
N-190402.4	S/S polished	Keyhole escutcheon Rd 51 mm, with coverplate, for wood screws	pc.	0,031
N-190402.9	S/S matt	Keyhole escutcheon Rd 51 mm, with coverplate, for wood screws	pc.	0,031
N-190410.0	S/S brushed	Escutcheon pair, key hole, through bolt and nut M5x45 mm	set	0,055
N-190410.4	S/S polished	Escutcheon pair, key hole, through bolt and nut M5x45 mm	set	0,055
N-190410.9	S/S matt	Escutcheon pair, key hole, through bolt and nut M5x45 mm	set	0,055

ESCUTCHEONS ROUND WITH PROFILE CYLINDER HOLE - ESCUTCHEONS RD 51 MM




Art.code	Surface	Article description	Unit	Weight
N-190200.0	S/S brushed	PC hole escutcheon Rd 51 mm, for wood screws	pc.	0,025
N-190200.4	S/S polished	PC hole escutcheon Rd 51 mm, for wood screws	pc.	0,025
N-190200.9	S/S matt	PC hole escutcheon Rd 51 mm, for wood screws	pc.	0,025
N-190210.0	S/S brushed	PC hole escutcheon pair Rd 51 mm, DIN 81316 with through bolt and nut M5x45 mm	set	0,043
N-190210.4	S/S polished	PC hole escutcheon pair Rd 51 mm, DIN 81316 with through bolt and nut M5x45 mm	set	0,043
N-190210.9	S/S matt	PC hole escutcheon pair Rd 51 mm, DIN 81316 with through bolt and nut M5x45 mm	set	0,043
N-190600.0	S/S brushed	PC hole cover set (2 parts), invisible screw fixation	set	0,095
N-190600.4	S/S polished	PC hole cover set (2 parts), invisible screw fixation	set	0,095
N-190600.9	S/S matt	PC hole cover set (2 parts), invisible screw fixation	set	0,095

ESCUTCHEONS ROUND FOR LAVATORY VERSION - ESCUTCHEONS FOR LAVATORY VERSION RD 51 MM

Spindle 7 mm

• Please indicate door thickness in the order




Art.code	Surface	Article description	Unit	Weight
N-190001.0	S/S brushed	WC rosette with red green sign, outside, wood screws	pc.	0,035
N-190001.4	S/S polished	WC rosette with red green sign, outside, wood screws	pc.	0,035
N-190001.9	S/S matt	WC rosette with red green sign, outside, wood screws	pc.	0,035
N-190002.0	S/S brushed	WC rosette with olive, inside, wood screws	pc.	0,119
N-190002.4	S/S polished	WC rosette with olive, inside, wood screws	pc.	0,119
N-190002.9	S/S matt	WC rosette with olive, inside, wood screws	pc.	0,119
N-190011.0	S/S brushed	WC rosette with red green sign, outside, with through bolt and nut	pc.	0,031
N-190011.4	S/S polished	WC rosette with red green sign, outside, with through bolt and nut	pc.	0,031
N-190011.9	S/S matt	WC rosette with red green sign, outside, with through bolt and nut	pc.	0,031
N-190012.0	S/S brushed	WC rosette with olive, inside, with through bolt and nut	pc.	0,120
N-190012.4	S/S polished	WC rosette with olive, inside, with through bolt and nut	pc.	0,120
N-190012.9	S/S matt	WC rosette with olive, inside, with through bolt and nut	pc.	0,120

ESCUTCHEON HANDLE SETS - ESCUTCHEON HANDLE SETS STAINLESS STEEL

WC, BB, PC and Catch

- Please indicate door thickness in the order
- Distance 72 mm or others on request

- Polished surface also on request




Art.code	Surface	Article description	Unit	Weight
N-200069.0	S/S brushed	WC door handle set, tubular and escutcheon 230 mm round, 75/9 mm	set	0,630
N-200169.0	S/S brushed	BB door handle set, tubular and escutcheon 230 mm round, 75/9 mm	set	0,495
N-200269.0	S/S brushed	PC door handle set, tubular and escutcheon 230 mm round, 75/9 mm	set	0,495
N-200369.0	S/S brushed	Blind door handle set, tubular and escutcheon 230 mm round, spindle 9 mm	set	0,495

RECESSED FLAT HANDLE GRIP - RECESSED FLAT HANDLE GRIP WITH 9 MM SPINDLE HOLE

• With spindle 8 mm on request

• Please indicate door thickness in the order




Art.code	Surface	Article description	Unit	Weight
GM-0001.0	S/S brushed	Recessed handle set with 9 mm spindle hole, right	pc.	0,530
GM-0002.0	S/S brushed	Recessed handle set with 9 mm spindle hole, left	pc.	0,530

RECESSED FLAT HANDLE GRIP - RECESSED FLAT HANDLE GRIP WITH PC HOLE



- With spindle 8 mm on request
- Please indicate door thickness in the order


- Distance 72 mm on request



Art.code	Surface	Article description	Unit	Weight
GM-PZ01.0	S/S brushed	Recessed handle set with PC hole with 9 mm spindle hole, right	pc.	0,555
GM-PZ02.0	S/S brushed	Recessed handle set with PC hole with 9 mm spindle hole, left	pc.	0,555

RECESSED PULL RING HANDLE - RECESSED FLAT HANDLE GRIP 100X100 MM


- On request with adapter suitable for 9 mm nut



Art.code	Surface	Article description	Unit	Weight
N-313300.0	S/S brushed	Recessed flat handle 100x100 mm, with 8 mm spindle hole	pc.	0,280
N-313300.9	S/S matt	Recessed flat handle 100x100 mm, with 8 mm spindle hole	pc.	0,280

HANDLE ROSETTES - DRÜCKERROSETTEN RD 51 MM


- Rosettes with PE insert part
- Please indicate door thickness in the order



Art.code	Surface	Article description	Unit	Weight
N-190300.0	S/S brushed	Roset for countersunk screws with PE insert	pc.	0,074
N-190300.4	S/S polished	Roset for countersunk screws with PE insert	pc.	0,074
N-190300.9	S/S matt	Roset for countersunk screws with PE insert	pc.	0,074
N-190310.0	S/S brushed	Rosets with fixing screws M5x45 mm and PE insert	set	0,074
N-190310.4	S/S polished	Rosets with fixing screws M5x45 mm and PE insert	set	0,074
N-190310.9	S/S matt	Rosets with fixing screws M5x45 mm and PE insert	set	0,074

PROFILE CYLINDER COVERPLATE - COVERPLATE 12 MM STAINLESS STEEL


- Delivered with screws and nuts



Art.code	Surface	Article description	Unit	Weight
N-183599.0	S/S brushed	Coverplate 12 mm with fixing screws and nuts	pc.	0,045
N-183599.4	S/S polished	Coverplate 12 mm with fixing screws and nuts	pc.	0,045
N-183599.9	S/S matt	Coverplate 12 mm with fixing screws and nuts	pc.	0,045

PROFILE CYLINDER COVERPLATE - COVERPLATE 17 MM STAINLESS STEEL

- Delivered with screws and nuts



Art.code	Surface	Article description	Unit	Weight
N-183598.0	S/S brushed	Coverplate 17 mm with fixing screws and nuts	pc.	0,080
N-183598.4	S/S polished	Coverplate 17 mm with fixing screws and nuts	pc.	0,080
N-183598.9	S/S brushed	Coverplate 17 mm with fixing screws and nuts	pc.	0,080



ATTACHMENTS - SCREWS & NUTS

Stainless steel


Art.code	Surface	Article description	Unit	Weight
N-209045.0	S/S brushed	Through bolt and nut M5x45 mm	pc.	0,010
N-209045.4	S/S polished	Through bolt and nut M5x45 mm	pc.	0,010
N-209045.9	S/S matt	Through bolt and nut M5x45 mm	pc.	0,010
N-209070.0	S/S brushed	Through bolt and nut M5x65 mm	pc.	0,015
N-209070.4	S/S polished	Through bolt and nut M5x65 mm	pc.	0,015
N-209070.9	S/S matt	Through bolt and nut M5x65 mm	pc.	0,015
N-209999.0	S/S brushed	Pan head fixing nut for M5 through bolts	pc.	0,005
N-209999.4	S/S polished	Pan head fixing nut for M5 through bolts	pc.	0,005
N-209999.9	S/S matt	Pan head fixing nut for M5 through bolts	pc.	0,005




INFORMATION CENTRAL LOCKING SYSTEM - CENTRAL LOCKING SYSTEM



INFORMATION MASTER KEY SYSTEM - MASTER KEY SYSTEM




INFORMATION GENERAL MASTER KEY SYSTEM - GENERAL MASTER KEY SYSTEM



ELITE 1 - DOUBLE CYLINDER

- Reversible key, 6 pins
- 117.649 possibilities

- Delivered with 3 keys (brass nickle plated)




Art.code	Surface	Article description	Unit	Weight
21DC1-E-NI	Bmn	Double cylinder 31/31=62 mm	pc.	0,234
21DC2-E-NI	Bmn	Double cylinder 31/36=67 mm	pc.	0,250
21DC3-E-NI	Bmn	Double cylinder 31/41=72 mm	pc.	0,267
21DC4-E-NI	Bmn	Double cylinder 31/46=77 mm	pc.	0,282
21DC5-E-NI	Bmn	Double cylinder 31/51=82 mm	pc.	0,297
21DC6-E-NI	Bmn	Double cylinder 31/56=87 mm	pc.	0,314
21DC7-E-NI	Bmn	Double cylinder 31/61=92 mm	pc.	0,330
21DC8-E-NI	Bmn	Double cylinder 31/66=97 mm	pc.	0,346
21DC9-E-NI	Bmn	Double cylinder 31/71=102 mm	pc.	0,362
21DC10-E-NI	Bmn	Double cylinder 36/36=72 mm	pc.	0,267
21DC11-E-NI	Bmn	Double cylinder 36/41=77 mm	pc.	0,282
21DC12-E-NI	Bmn	Double cylinder 36/46=82 mm	pc.	0,296
21DC13-E-NI	Bmn	Double cylinder 36/51=87 mm	pc.	0,314
21DC14-E-NI	Bmn	Double cylinder 36/56=92 mm	pc.	0,330
21DC15-E-NI	Bmn	Double cylinder 36/61=97 mm	pc.	0,346
21DC16-E-NI	Bmn	Double cylinder 41/41=82 mm	pc.	0,296
21DC17-E-NI	Bmn	Double cylinder 41/46=87 mm	pc.	0,314
21DC18-E-NI	Bmn	Double cylinder 41/51=92 mm	pc.	0,330
21DC19-E-NI	Bmn	Double cylinder 41/56=97 mm	pc.	0,346
21DC20-E-NI	Bmn	Double cylinder 41/61=102 mm	pc.	0,360
21DC21-E-NI	Bmn	Double cylinder 46/46=92 mm	pc.	0,330
21DC22-E-NI	Bmn	Double cylinder 46/51=97 mm	pc.	0,346
21DC23-E-NI	Bmn	Double cylinder 46/56=102 mm	pc.	0,360
21DC24-E-NI	Bmn	Double cylinder 46/61=107 mm	pc.	0,368
21DC25-E-NI	Bmn	Double cylinder 51/51=102 mm	pc.	0,360
21DC26-E-NI	Bmn	Double cylinder 51/61=112 mm	pc.	0,384
21DC27-E-NI	Bmn	Double cylinder 56/56=112 mm	pc.	0,384

ELITE 1 - HALF CYLINDERS



Art.code	Surface	Article description	Unit	Weight
21HC1-E-NI	Bmn	Half cylinder 31/9=40 mm	pc.	0,168
21HC2-E-NI	Bmn	Half cylinder 36/9=45 mm	pc.	0,182
21HC3-E-NI	Bmn	Half cylinder 41/9=50 mm	pc.	0,196
21HC4-E-NI	Bmn	Half cylinder 46/9=55 mm	pc.	0,210
21HC5-E-NI	Bmn	Half cylinder 51/9=60 mm	pc.	0,222
21HC6-E-NI	Bmn	Half cylinder 56/9=65 mm	pc.	0,236
21HC7-E-NI	Bmn	Half cylinder 61/9=70 mm	pc.	0,246
21HC8-E-NI	Bmn	Half cylinder 66/9=75 mm	pc.	0,262
21HC9-E-NI	Bmn	Half cylinder 71/9=80 mm	pc.	0,276

ELITE 1 - KNOB CYLINDERS



Art.code	Surface	Article description	Unit	Weight
21KC1-E-NI	Bmn	Knob cylinder 31/31=62 mm	pc.	0,286
21KC2-E-NI	Bmn	Knob cylinder 31/36=67 mm	pc.	0,300
21KC3-E-NI	Bmn	Knob cylinder 31/41=72 mm	pc.	0,316
21KC4-E-NI	Bmn	Knob cylinder 31/46=77 mm	pc.	0,336
21KC5-E-NI	Bmn	Knob cylinder 31/51=82 mm	pc.	0,304
21KC6-E-NI	Bmn	Knob cylinder 36/31=67 mm	pc.	0,300
21KC7-E-NI	Bmn	Knob cylinder 36/36=72 mm	pc.	0,316
21KC8-E-NI	Bmn	Knob cylinder 36/41=77 mm	pc.	0,336
21KC9-E-NI	Bmn	Knob cylinder 36/46=82 mm	pc.	0,304
21KC10-E-NI	Bmn	Knob cylinder 36/51=87 mm	pc.	0,353
21KC11-E-NI	Bmn	Knob cylinder 41/31=72 mm	pc.	0,316
21KC12-E-NI	Bmn	Knob cylinder 41/36=77 mm	pc.	0,336
21KC13-E-NI	Bmn	Knob cylinder 41/41=82 mm	pc.	0,304
21KC14-E-NI	Bmn	Knob cylinder 41/46=87 mm	pc.	0,353
21KC15-E-NI	Bmn	Knob cylinder 41/51=92 mm	pc.	0,384
21KC16-E-NI	Bmn	Knob cylinder 46/31=77 mm	pc.	0,336
21KC17-E-NI	Bmn	Knob cylinder 46/36=82 mm	pc.	0,304
21KC18-E-NI	Bmn	Knob cylinder 46/41=87 mm	pc.	0,353
21KC19-E-NI	Bmn	Knob cylinder 46/46=92 mm	pc.	0,384
21KC20-E-NI	Bmn	Knob cylinder 46/51=97 mm	pc.	0,411

KEYS - ELITE 1

- Brass nickelplated


Art.code	Surface	Article description	Unit	Weight
21-E	Bmn	Single key	pc.	0,000
21-E-HS	Bmn	Master key	pc.	0,000
21-E-G	Bmn	Group master key	St.	0,000



1503 SNAPPER - SNAPPER 45X53 MM

Interior snapper for Ri / Le and drawer usage

- Material: Brass Ms 58
- For door thickness 15-30 mm
- Striking plates or angles to be ordered separately




Art.code	Surface	Article description	Unit	Weight
150370.4	Bp	Press knob snapper 45x53 mm for Ri/Le usage	pc.	0,165
150370.6	Bpc	Press knob snapper 45x53 mm for Ri/Le usage	pc.	0,165
150370.9	Bmc	Press knob snapper 45x53 mm for Ri/Le usage	pc.	0,165
228008.9	Bmc	Striking plate for snappers group 15	pc.	0,009
228110.9	Bmc	Striking plate angled for press knob snappers, 1 mm	pc.	0,005

1517 PRESS KNOB SNAPPER - PRESS KNOB SNAPPER 151770



- Door thickness 18-22 mm
- Recommended push knob article number 47.522 brass ... or N-47.522 ... stainless steel

- Recommended cover ring 47.534 ... brass or N-47.534 in stainless steel




Art.code	Surface	Article description	Unit	Weight
151770.0	Zinc	Press knob snapper, without roset and knob	pc.	0,092

1518 RIM FURNITURE LOCK - RIM FURNITURE LOCK 1518

Door thickness up to 19 mm


- Door thickness up to 19 mm
- With roset and 2 keys

- Key different



Art.code	Surface	Article description	Unit	Weight
151800.0	Steel zinc	Rim furniture lock with roset and 2 keys, right and left usage	pc.	0,080
151803.0	Steel zinc	Rim furniture lock with roset and 2 keys, drawer usage	pc.	0,080


1535 FURNITURE LOCK - FURNITURE LOCK 1535



Art.code	Surface	Article description	Unit	Weight
153500.0	Steel chromated	Furniture cam lock with 2 keys, 180° turning	pc.	0,048

PUSH KNOB AND RING FOR 151770 - PUSH KNOB AND COVER RING

- Floor door thickness 19 mm
- Other surfaces on request
- Recommended push knob snapper 151770




Art.code	Surface	Article description	Unit	Weight
47.522.4	Bp	Push knob Rd 22,8x18 mm	pc.	0,040
47.522.6	Bpc	Push knob Rd 22,8x18 mm	pc.	0,040
47.522.8	Bmn	Push knob Rd 22,8x18 mm	pc.	0,040
47.532.4	Bp	Push knob Rd 23x25 mm	pc.	0,040
47.532.6	Bpc	Push knob Rd 23x25 mm	pc.	0,040
47.532.8	Bmn	Push knob Rd 23x25 mm	pc.	0,040
N-47.522.0	S/S brushed	Push knob Rd 22,8x18 mm	pc.	0,040
N-47.522.4	S/S polished	Push knob Rd 22,8x18 mm	pc.	0,040
N-47.522.9	S/S matt	Push knob Rd 22,8x18 mm	pc.	0,040
47.533.4	Bp	Knob ring Rd 32x17 mm, with chamfer	pc.	0,020
47.533.6	Bpc	Knob ring Rd 32x17 mm, with chamfer	pc.	0,020
47.533.8	Bmn	Knob ring Rd 32x17 mm, with chamfer	pc.	0,020
47.534.4	Bp	Knob ring Rd 32x17 mm, without chamfer	pc.	0,018
47.534.6	Bpc	Knob ring Rd 32x17 mm, without chamfer	pc.	0,018
47.534.8	Bmn	Knob ring Rd 32x17 mm, without chamfer	pc.	0,018
N-47.534.0	S/S brushed	Knob ring Rd 32x17 mm	pc.	0,016
N-47.534.4	S/S polished	Knob ring Rd 32x17 mm	pc.	0,016
N-47.534.9	S/S matt	Knob ring Rd 32x17 mm	pc.	0,016

1184 RIM LOCK WITH TURN KNOB LOCKABLE - RIM LOCK WITH TURN KNOB LOCKABLE



- Material: Brass Ms 58
- Striking plates or angles to be ordered separately
- For door thickness 16-17 mm or 19-20 mm


- Backset 25 mm
- For 7 mm spindle
- For right, left and drawer usage



Art.code	Surface	Article description	Unit	Weight
118401.4	Bp	Cabinet rim lock with turn knob lockable, right	pc.	0,270
118401.6	Bpc	Cabinet rim lock with turn knob lockable, right	pc.	0,270
118401.9	Bmc	Cabinet rim lock with turn knob lockable, right	pc.	0,270
118402.4	Bp	Cabinet rim lock with turn knob lockable, left	pc.	0,270
118402.6	Bpc	Cabinet rim lock with turn knob lockable, left	pc.	0,270
118402.9	Bmc	Cabinet rim lock with turn knob lockable, left	pc.	0,270
118403.4	Bp	Cabinet rim lock with turn knob lockable, drawer version	pc.	0,270
118403.6	Bpc	Cabinet rim lock with turn knob lockable, drawer version	pc.	0,270
118403.9	Bmc	Cabinet rim lock with turn knob lockable, drawer version	pc.	0,270
228008.9	Bmc	Striking plate for Push rim locks group 15	pc.	0,009
228110.9	Bmc	Striking plate angled for Push rim locks, 1 mm	pc.	0,005

1185 RIM LOCK WITH TURN KNOB - RIM LOCK WITH TURN KNOB

- Material: Brass Ms 58
- Striking plates or angles to be ordered separately
- For door thickness 16-17 mm
- Backset 25 mm
- For 7 mm spindle




Art.code	Surface	Article description	Unit	Weight
118500.4	Bp	Cabinet rim lock with turn knob right/left usage	pc.	0,270
118500.6	Bpc	Cabinet rim lock with turn knob right/left usage	pc.	0,270
118500.9	Bmc	Cabinet rim lock with turn knob right/left usage	pc.	0,270
228008.9	Bmc	Striking plate for Push rim locks group 15	pc.	0,009
228110.9	Bmc	Striking plate angled for Push rim locks, 1 mm	pc.	0,005

1305 DOUBLE DEAD RIM LOCK - DOUBLE DEAD RIM LOCK

with round cylinder 22 mm

- Material: Brass Ms 58
- Other surfaces on request
- For right/left usage
- Round cylinder with 2 keys and roset




Art.code	Surface	Article description	Unit	Weight
130560.6	Bpc	Double dead rim lock, backset 30 mm, right or left usage	pc.	0,260
130570.6	Bpc	Double dead rim lock, backset 25 mm, right or left usage	pc.	0,240
130580.6	Bpc	Double dead rim lock, backset 20 mm, right or left usage	pc.	0,230

1515 PRESS KNOB SNAPPER - SNAPPER 1515

Interior snapper for Ri / Le and drawer usage

- Material: Brass Ms 58
- Striking plates or angles to be ordered separately
- For door thickness 14-22 mm
- Frontplate 50x20 mm




Art.code	Surface	Article description	Unit	Weight
151570.4	Bp	Press knob snapper for doors 14-22 mm	pc.	0,090
151570.6	Bpc	Press knob snapper for doors 14-22 mm	pc.	0,090
151570.9	Bmc	Press knob snapper for doors 14-22 mm	pc.	0,090
151571.4	Bp	Striking plate for press knob snapper No. 151570	pc.	0,007
151571.6	Bpc	Striking plate for press knob snapper No. 151570	pc.	0,007
151571.9	Bmc	Striking plate for press knob snapper No. 151570	pc.	0,007
228110.9	Bmc	Striking plate angled for press knob snapper, 1 mm	pc.	0,005

FINGER SNAPPER - SNAPPER 5160

Made of brass profile material


- Material: Brass Ms 58



Art.code	Surface	Article description	Unit	Weight
516000.1	Brp	Finger snapper with counter plate	pc.	0,030
516000.3	Brpc	Finger snapper with counter plate	pc.	0,030

GRIP SNAPPER - GRIP SNAPPER 1520

- Material: Brass Ms 58 or with grip and knob in stainless steel
- For right/left or drawer usage
- For door thickness 14-22 mm
- On request further door thicknesses available
- Please order striking angles separately




Art.code	Surface	Article description	Unit	Weight
152000.9	Bmc	Snapper with grip, Right/Left and drawer usage	pc.	0,180
228110.9	Bmc	Striking plate angled for press knob snapper, 1 mm	pc.	0,005
N-152000.0	S/S brushed	Snapper with grip, Right/Left and drawer usage	pc.	0,180
N-152000.9	S/S matt	Snapper with grip, Right/Left and drawer usage	pc.	0,180

GRIP SNAPPER LOCKABLE - GRIP SNAPPER 1523

Lockable with padlock 5 mm

- Material: Brass Ms 58 or with grip and knob in stainless steel
- For right/left or drawer usage
- For door thickness 14-22 mm
- On request further door thicknesses available
- Please order striking angles separately




Art.code	Surface	Article description	Unit	Weight
N-152300.0	S/S brushed	Snapper with grip lockable	pc.	0,180
152300.9	Bmc	Snapper with grip lockable with padlock	pc.	0,180
228110.9	Bmc	Striking plate angled for press knob snapper, 1 mm	pc.	0,005

GRIP SNAPPER WITH 1503 - GRIP SNAPPER 1529

Grip and knob stainless steel


- Material: Brass Ms 58 or with grip and knob in stainless steel
- For right/left usage
- For door thickness 14-22 mm
- On request further door thicknesses available
- Please order striking angles separately



Art.code	Surface	Article description	Unit	Weight
N-152900.0	S/S brushed	Snapper 1503 with grip for right/left usage	pc.	0,180
N-152900.9	S/S matt	Snapper 1503 with grip for right/left usage	pc.	0,180
228110.9	Bmc	Striking plate angled for press knob snapper, 1 mm	pc.	0,005

CABINET LOCK FLAT WITH GRIP - CABINET LOCK 1525/26

- Material: Face plate in Al anodized / Lock parts in stainless steel
- For standard door thickness 15-20 mm
- For door cutout 94x46 mm




Art.code	Surface	Article description	Unit	Weight
152500.0	S/S matt	Flush snapper 104x54 mm	pc.	0,355
152600.0	S/S matt	Flush snapper 104x54 mm, lockable	pc.	0,390
229000.0	Al anodized	Striking box small 35x20 mm, for 1525 and 1526	pc.	0,012
229100.0	Al anodized	Striking box big 35x30 mm, for 1525 and 1526	pc.	0,014

CABINET LOCK WITH FLAT GRIP LOCKABLE - CABINET LOCK 1527 FOR PAD-LOCKS



- Material: Face plate in Al anodized / Lock parts in stainless steel
- For standard door thickness 15-20 mm
- Lockable with 9 mm padlock




Art.code	Surface	Article description	Unit	Weight
152700.0	S/S matt	Flush snapper with splitted knob, lockable	pc.	0,415
229000.0	Al anodized	Striking box small 35x20 mm, for 1525 and 1526	pc.	0,012
229100.0	Al anodized	Striking box big 35x30 mm, for 1525 and 1526	pc.	0,014

GRIP SNAPPER INVISIBLE 1500 - GRIP SNAPPER 1500


Aluminium with PE nose

- Material: Aluminium anodized
- For right/left or drawer usage
- striking plate to be ordered separately



Art.code	Surface	Article description	Unit	Weight
150000.0	Alu	Press knob furniture snapper for invisible assembly	pc.	0,075

- Please order all striking plates separately
- Door thickness 15-30 mm




Art.code	Surface	Article description	Unit	Weight
151161.4	Bp	Push rim lock 55x78 mm, key hole, Right	pc.	0,290
151161.6	Bpc	Push rim lock 55x78 mm, key hole, Right	pc.	0,290
151161.9	Bmc	Push rim lock 55x78 mm, key hole, Right	pc.	0,290
151162.4	Bp	Push rim lock 55x78 mm, key hole, Left	pc.	0,290
151162.6	Bpc	Push rim lock 55x78 mm, key hole, Left	pc.	0,290
151162.9	Bmc	Push rim lock 55x78 mm, key hole, Left	pc.	0,290
151163.4	Bp	Push rim lock 55x78 mm, key hole, drawer usage	pc.	0,290
151163.6	Bpc	Push rim lock 55x78 mm, key hole, drawer usage	pc.	0,290
151163.9	Bmc	Push rim lock 55x78 mm, key hole, drawer usage	pc.	0,290
228110.4	Bp	Striking plate angled for push rim locks, 1 mm	pc.	0,005
228110.6	Bpc	Striking plate angled for push rim locks, 1 mm	pc.	0,005
228110.9	Bmc	Striking plate angled for push rim locks, 1 mm	pc.	0,005

**CABINET RIM LOCK 1512 WITH PROFILE CYLINDER - CABINET RIM LOCK
55X78 MM**

Interior locks for Ri / Le and drawer usage


- Material: Brass Ms 58
- With round profile cylinder key alike or master key system
- Please order all striking plates separately
- Door thickness 15-30 mm



Art.code	Surface	Article description	Unit	Weight
151261.4	Bp	Push rim lock 55x78 mm, with brass PC, Right	pc.	0,340
151261.6	Bpc	Push rim lock 55x78 mm, with brass PC, Right	pc.	0,340
151261.9	Bmc	Push rim lock 55x78 mm, with brass PC, Right	pc.	0,340
151262.4	Bp	Push rim lock 55x78 mm, with brass PC, Left	pc.	0,340
151262.6	Bpc	Push rim lock 55x78 mm, with brass PC, Left	pc.	0,340
151262.9	Bmc	Push rim lock 55x78 mm, with brass PC, Left	pc.	0,340
151263.4	Bp	Push rim lock 55x78 mm, with brass PC, drawer usage	pc.	0,340
151263.6	Bpc	Push rim lock 55x78 mm, with brass PC, drawer usage	pc.	0,340
151263.9	Bmc	Push rim lock 55x78 mm, with brass PC, drawer usage	pc.	0,340
228110.4	Bp	Striking plate angled for push rim locks, 1 mm	pc.	0,005
228110.6	Bpc	Striking plate angled for push rim locks, 1 mm	pc.	0,005
228110.9	Bmc	Striking plate angled for push rim locks, 1 mm	pc.	0,005

PIN BOLTS BRASS - PIN BOLTS DIN 81411


• Material: Brass Ms 58



Art.code	Surface	Article description	Unit	Weight
242103.4	Bp	Pin bolt 10 mm, 100x45 mm, DIN 81411	pc.	0,230
242103.6	Bpc	Pin bolt 10 mm, 100x45 mm, DIN 81411	pc.	0,230
242103.9	Bmc	Pin bolt 10 mm, 100x45 mm, DIN 81411	pc.	0,230
242104.4	Bp	Pin bolt 8 mm, 75x34 mm, DIN 81411	pc.	0,120
242104.6	Bpc	Pin bolt 8 mm, 75x34 mm, DIN 81411	pc.	0,120
242104.9	Bmc	Pin bolt 8 mm, 75x34 mm, DIN 81411	pc.	0,120
242105.4	Bp	Pin bolt 8 mm, 50x34 mm, DIN 81411	pc.	0,075
242105.6	Bpc	Pin bolt 8 mm, 50x34 mm, DIN 81411	pc.	0,075
242105.9	Bmc	Pin bolt 8 mm, 50x34 mm, DIN 81411	pc.	0,075
242106.4	Bp	Pin bolt 6 mm, 50x28 mm, DIN 81411	pc.	0,050
242106.6	Bpc	Pin bolt 6 mm, 50x28 mm, DIN 81411	pc.	0,050
242106.9	Bmc	Pin bolt 6 mm, 50x28 mm, DIN 81411	pc.	0,050
242111.4	Bp	Striking bush for pin bolt 10 mm	pc.	0,010
242111.6	Bpc	Striking bush for pin bolt 10 mm	pc.	0,010
242111.9	Bmc	Striking bush for pin bolt 10 mm	pc.	0,010
242114.4	Bp	Striking bush for pin bolt 8 mm	pc.	0,016
242114.6	Bpc	Striking bush for pin bolt 8 mm	pc.	0,016
242114.9	Bmc	Striking bush for pin bolt 8 mm	pc.	0,016
242116.4	Bp	Striking bush for pin bolt 6 mm	pc.	0,010
242116.6	Bpc	Striking bush for pin bolt 6 mm	pc.	0,010
242116.9	Bmc	Striking bush for pin bolt 6 mm	pc.	0,010

BOLTS - BOLTS CRANKED SIMILAR TO DIN 81412 C


• Material: Brass Ms 58



Art.code	Surface	Article description	Unit	Weight
243102.4	Bp	Cabinet bolt cranked 80 mm DIN 81412 Form C	pc.	0,050
243102.6	Bpc	Cabinet bolt cranked 80 mm DIN 81412 Form C	pc.	0,050
243102.9	Bmc	Cabinet bolt cranked 80 mm DIN 81412 Form C	pc.	0,050
243103.4	Bp	Cabinet bolt cranked 60 mm DIN 81412 Form C	pc.	0,045
243103.6	Bpc	Cabinet bolt cranked 60 mm DIN 81412 Form C	pc.	0,045
243103.9	Bmc	Cabinet bolt cranked 60 mm DIN 81412 Form C	pc.	0,045
243104.4	Bp	Cabinet bolt cranked 50 mm DIN 81412 Form C	pc.	0,040
243104.6	Bpc	Cabinet bolt cranked 50 mm DIN 81412 Form C	pc.	0,040
243104.9	Bmc	Cabinet bolt cranked 50 mm DIN 81412 Form C	pc.	0,040
243010.4	Bp	Striking loop for cabinet bolt DIN 81412 Form B	pc.	0,006
243010.6	Bpc	Striking loop for cabinet bolt DIN 81412 Form B	pc.	0,006
243010.9	Bmc	Striking loop for cabinet bolt DIN 81412 Form B	pc.	0,006
243020.4	Bp	Striking plate for cabinet bolt DIN 81412 Form D	pc.	0,006
243020.6	Bpc	Striking plate for cabinet bolt DIN 81412 Form D	pc.	0,006
243020.9	Bmc	Striking plate for cabinet bolt DIN 81412 Form D	pc.	0,006

BOLTS - FLAT BOLTS STRAIGHT SIMILAR TO DIN 81412 A


• Material: Brass Ms 58



Art.code	Surface	Article description	Unit	Weight
243002.4	Bp	Flat bolt 80 mm DIN 81412 Form A	pc.	0,054
243002.6	Bpc	Flat bolt 80 mm DIN 81412 Form A	pc.	0,054
243002.9	Bmc	Flat bolt 80 mm DIN 81412 Form A	pc.	0,054
243003.4	Bp	Flat bolt 60 mm DIN 81412 Form A	pc.	0,045
243003.6	Bpc	Flat bolt 60 mm DIN 81412 Form A	pc.	0,045
243003.9	Bmc	Flat bolt 60 mm DIN 81412 Form A	pc.	0,045
243004.4	Bp	Flat bolt 50 mm DIN 81412 Form A	pc.	0,040
243004.6	Bpc	Flat bolt 50 mm DIN 81412 Form A	pc.	0,040
243004.9	Bmc	Flat bolt 50 mm DIN 81412 Form A	pc.	0,040
243010.4	Bp	Striking loop for cabinet bolt DIN 81412 Form B	pc.	0,006
243010.6	Bpc	Striking loop for cabinet bolt DIN 81412 Form B	pc.	0,006
243010.9	Bmc	Striking loop for cabinet bolt DIN 81412 Form B	pc.	0,006
243020.4	Bp	Striking plate for cabinet bolt DIN 81412 Form D	pc.	0,006
243020.6	Bpc	Striking plate for cabinet bolt DIN 81412 Form D	pc.	0,006
243020.9	Bmc	Striking plate for cabinet bolt DIN 81412 Form D	pc.	0,006

BOLTS - PIN BOLTS HEAVY VERSION

- Material: Brass Ms 63 or steel and zinc plated
- Loop eye to be ordered separately
- Striking plate for pin bolt on request



Art.code	Surface	Article description	Unit	Weight
242001.0	Stz	Pin bolt 90x70 mm, 16 mm bolt, without loop eye	pc.	0,535
242001.4	Bp	Pin bolt 90x70 mm, 16 mm bolt, without loop eye	pc.	0,550
242001.6	Bpc	Pin bolt 90x70 mm, 16 mm bolt, without loop eye	pc.	0,550
242002.0	Stz	Pin bolt 60x50 mm, 10 mm bolt, without loop eye	pc.	0,150
242002.4	Bp	Pin bolt 60x50 mm, 10 mm bolt, without loop eye	pc.	0,150
242002.6	Bpc	Pin bolt 60x50 mm, 10 mm bolt, without loop eye	pc.	0,150
242002.9	Bmc	Pin bolt 60x50 mm, 10 mm bolt, without loop eye	pc.	0,150
242051.0	Stz	Loop eye for pin bolt 90x70 mm, for 16 mm bolt	pc.	0,030
242051.4	Bp	Loop eye for pin bolt 90x70 mm, for 16 mm bolt	pc.	0,045
242051.6	Bpc	Loop eye for pin bolt 90x70 mm, for 16 mm bolt	pc.	0,045
242052.0	Stz	Loop eye for pin bolt 60x50 mm, for 10 mm bolt	pc.	0,010
242052.4	Bp	Loop eye for pin bolt 60x50 mm, for 10 mm bolt	pc.	0,018
242052.6	Bpc	Loop eye for pin bolt 60x50 mm, for 10 mm bolt	pc.	0,018
242052.9	Bmc	Loop eye for pin bolt 60x50 mm, for 10 mm bolt	pc.	0,018

DOOR STOPPERS DIN 81409 A - DOOR STOPPERS 40 MM WITH SPRING CLIP


- Material: Ms 63 oder Edelstahl
- ohne Gummianschlagpuffer, Art.-Nr.: 253302
- Komplett mit Federklemme



Art.code	Surface	Article description	Unit	Weight
253301.4	Bp	Spring-type door holder 40 mm	pc.	0,100
253301.6	Bpc	Spring-type door holder 40 mm	pc.	0,100
253301.9	Bmc	Spring-type door holder 40 mm	pc.	0,100
253199.4	Bp	Single spring clip for door holder group 2531, 2532 and 2533	pc.	0,025
253199.6	Bpc	Single spring clip for door holder group 2531, 2532 and 2533	pc.	0,025
253199.9	Bmc	Single spring clip for door holder group 2531, 2532 and 2533	pc.	0,025
N-253301.4	S/S polished	Spring-type door holder 40 mm	pc.	0,120
N-253301.9	S/S matt	Spring-type door holder 40 mm	pc.	0,120

DOOR STOPPERS DIN 81409 B - DOOR STOPPERS 70 MM WITH SPRING CLIP

- Material: Ms 63 oder Edelstahl
- Ebenfalls lieferbar mit 2-Loch Befestigung, Art.-Nr. 253201
- Komplett mit Federklemme




Art.code	Surface	Article description	Unit	Weight
253101.4	Bp	Spring-type door holder heavy, 70 mm	pc.	0,160
253101.6	Bpc	Spring-type door holder heavy, 70 mm	pc.	0,160
253101.9	Bmc	Spring-type door holder heavy, 70 mm	pc.	0,160
253199.4	Bp	Single spring clip for door holder group 2531, 2532 and 2533	pc.	0,025
253199.6	Bpc	Single spring clip for door holder group 2531, 2532 and 2533	pc.	0,025
253199.9	Bmc	Single spring clip for door holder group 2531, 2532 and 2533	pc.	0,025
N-253101.4	S/S polished	Spring-type door holder heavy, 70 mm	pc.	0,185
N-253101.9	S/S matt	Spring-type door holder heavy, 70 mm	pc.	0,185

FURNITURE DOOR STOPPER - FURNITURE DOOR STOPPER WITH PE BUFFER



• Material: Ms 63 oder Edelstahl


• Komplett mit Gegenplatte



Art.code	Surface	Article description	Unit	Weight
253600.4	Bp	Furniture door stopper with PE buffer and counterplate	pc.	0,050
253600.6	Bpc	Furniture door stopper with PE buffer and counterplate	pc.	0,050
253600.9	Bmc	Furniture door stopper with PE buffer and counterplate	pc.	0,050


SPRING CLIPS 45/70 MM - SPRING CLIPS 45/70 MM BRASS

• Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
253001.4	Bp	Spring clip with counter part 70 mm	pc.	0,285
253001.6	Bpc	Spring clip with counter part 70 mm	pc.	0,285
253001.9	Bmc	Spring clip with counter part 70 mm	pc.	0,285
253002.4	Bp	Spring clip with counter part 40 mm	pc.	0,245
253002.6	Bpc	Spring clip with counter part 40 mm	pc.	0,245
253002.9	Bmc	Spring clip with counter part 40 mm	pc.	0,245

DOOR STOPPERS SMALL - DOOR STOPPERS 38 MM SMALL VERSION




Art.code	Surface	Article description	Unit	Weight
251300.4	Bp	Door stopper small 38 mm with catch plate	pc.	0,100
251300.6	Bpc	Door stopper small 38 mm with catch plate	pc.	0,100
251300.9	Bmc	Door stopper small 38 mm with catch plate	pc.	0,100

DOOR STOPPER HEAVY VERSION - DOOR STOPPER HEAVY VERSION

• Material: Brass Ms 63

• Complete with counter plate





Art.code	Surface	Article description	Unit	Weight
251001.1	Brp	Door stopper heavy version 90 mm, with counterplate	pc.	1,015
251001.4	Bp	Door stopper heavy version 90 mm, with counterplate	pc.	1,015
251001.6	Bpc	Door stopper heavy version 90 mm, with counterplate	pc.	1,015
251001.9	Bmc	Door stopper heavy version 90 mm, with counterplate	pc.	1,015

DOOR STOPPERS 80 MM - DOOR STOPPERS 80 MM

• Material: Brass Ms 63


• Complete with counter plate



Art.code	Surface	Article description	Unit	Weight
251101.4	Bp	Door stopper L=80 D=56 mm with counter plate	pc.	0,380
251101.6	Bpc	Door stopper L=80 D=56 mm with counter plate	pc.	0,380
251101.9	Bmc	Door stopper L=80 D=56 mm with counter plate	pc.	0,380
251280.0	S/S	Distance disk for door stoppers Rd 60x6 mm	pc.	0,130
251290.4	Bp	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,080
251290.6	Bpc	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,080
251290.9	Bmc	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,080

DOOR STOPPERS 60 MM DIN 81406 A - DOOR STOPPERS 60 MM

- Available in Material brass Ms 63 or stainless steel
- Counter plate available in all surfaces as single part
- Complete with counter plate




Art.code	Surface	Article description	Unit	Weight
251201.4	Bp	Door stopper DIN 81406 A, 60 mm with catch plate	pc.	0,400
251201.6	Bpc	Door stopper DIN 81406 A, 60 mm with catch plate	pc.	0,400
251201.9	Bmc	Door stopper DIN 81406 A, 60 mm with catch plate	pc.	0,400
251280.0	S/S	Distance disk for door stoppers Rd 60x6 mm	pc.	0,130
251290.4	Bp	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
251290.6	Bpc	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
251290.9	Bmc	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
N-251201.0	S/S brushed	Door stopper DIN 81406 A, 60 mm with catch plate	pc.	0,350
N-251201.4	S/S polished	Door stopper DIN 81406 A, 60 mm with catch plate	pc.	0,350
N-251201.9	S/S matt	Door stopper DIN 81406 A, 60 mm with catch plate	pc.	0,350
N-251290.0	S/S brushed	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
N-251290.4	S/S polished	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
N-251290.9	S/S matt	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040

DOOR STOPPERS 90 MM DIN 81406 A - DOOR STOPPERS 90 MM

• Available in Material brass Ms 63 or stainless steel

• Counter plate available in all surfaces as single part




Art.code	Surface	Article description	Unit	Weight
251501.4	Bp	Door stopper DIN 81406 A, 90 mm with catch plate	pc.	0,500
251501.6	Bpc	Door stopper DIN 81406 A, 90 mm with catch plate	pc.	0,500
251501.9	Bmc	Door stopper DIN 81406 A, 90 mm with catch plate	pc.	0,500
251280.0	S/S	Distance disk for door stoppers Rd 60x6 mm	pc.	0,130
251290.4	Bp	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
251290.6	Bpc	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
251290.9	Bmc	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
N-251501.0	S/S brushed	Door stopper DIN 81406 A, 90 mm with catch plate	pc.	0,440
N-251501.4	S/S polished	Door stopper DIN 81406 A, 90 mm with catch plate	pc.	0,440
N-251501.9	S/S matt	Door stopper DIN 81406 A, 90 mm with catch plate	pc.	0,440
N-251290.0	S/S brushed	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
N-251290.4	S/S polished	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040
N-251290.9	S/S matt	Single counter plate for door stopper series 2511, 2512 and 2515	pc.	0,040

DOOR STOPPERS 85 MM - DOOR STOPPERS 85 MM

Stainless steel


- Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-251600.0	S/S brushed	Door stopper 85 mm with catch plate	pc.	0,075

DOOR STOPPERS 60 MM - DOOR STOPPERS 60 MM BRASS

- Material: Brass Ms 63
- Complete with counter plate




Art.code	Surface	Article description	Unit	Weight
251401.4	Bp	Door stopper 60 mm with buffer plate	pc.	0,230
251401.6	Bpc	Door stopper 60 mm with buffer plate	pc.	0,230
251401.9	Bmc	Door stopper 60 mm with buffer plate	pc.	0,230
251280.0	S/S	Distance disk for door stoppers Rd 60x6 mm	pc.	0,130

DOOR STOPPERS 90 MM - DOOR STOPPERS 90 MM BRASS



• Material: Brass Ms 63

• Complete with counter plate




Art.code	Surface	Article description	Unit	Weight
252001.4	Bp	Door stopper 90 mm with buffer plate	pc.	0,265
252001.6	Bpc	Door stopper 90 mm with buffer plate	pc.	0,265
252001.9	Bmc	Door stopper 90 mm with buffer plate	pc.	0,265
251280.0	S/S	Distance disk for door stoppers Rd 60x6 mm	pc.	0,130

MAGNETIC DOOR STOPPER - MAGNETIC DOOR STOPPER TURNABLE 90°



• Material: Brass Ms 63

• Pull force 3,8 kg




Art.code	Surface	Article description	Unit	Weight
251601.4	Bp	Door stopper magnetic turnable 90° with buffer plate	pc.	0,230
251601.6	Bpc	Door stopper magnetic turnable 90° with buffer plate	pc.	0,230

MAGNETIC DOOR STOPPERS 10° TURNABLE - MAGNETIC DOOR STOPPER 34 MM

Pull force 3,8 kg

• Material: Brass Ms 63

• Pull force 3,8 kg




Art.code	Surface	Article description	Unit	Weight
251701.4	Bp	Door stopper magnetic turnable 10° short version with buffer plate	pc.	0,200
251701.6	Bpc	Door stopper magnetic turnable 10° short version with buffer plate	pc.	0,200

MAGNETIC DOOR STOPPERS 10° TURNABLE - MAGNETIC DOOR STOPPER 73MM

Pull force 3,8 kg

• Material: Brass Ms 63

• Pull force 3,8 kg




Art.code	Surface	Article description	Unit	Weight
251801.4	Bp	Door stopper magnetic turnable 10° long version with buffer plate	pc.	0,240
251801.6	Bpc	Door stopper magnetic turnable 10° long version with buffer plate	pc.	0,240

MAGNETIC SNAPPER - MAGNETIC PE SNAPPER

Pull force 4-5 kg


- Pull force 4-5 kg



Art.code	Surface	Article description	Unit	Weight
251901.0	PE	Magnetic snapper 4-5 kg with counterplate	pc.	0,022

DOOR CLOSER EN 1154 A - DOOR CLOSER NR. 9006


- For in/outside doors with max. width of 1250 mm
- Closing speed progressively adjustable
- Approved to EN 1154 A
- Assembly without fixing plate
- For right or left doors



Art.code	Surface	Article description	Unit	Weight
OTS-9006.0	RAL 9006 silver	Door closing set with scissor rods, for door width up to 1250 mm	pc.	2,300

BALL CATCHERS - BALL CATCHERS 2540


- Also available nickel plated



Art.code	Surface	Article description	Unit	Weight
254002.1	Brass	Ball catch 60x10 mm	pc.	0,027
254003.1	Brass	Ball catch 50x9 mm	pc.	0,020
254004.1	Brass	Ball catch 44x8 mm	pc.	0,016

ARTICULATED HOOKS - ARTICULATED HOOKS WITH EYELET, HEAVY VERSION

- Material: Brass Ms 63
- Complete set with eyelet
- Available surfaces: Bp, Bpc and Bmc
- Intermediate lengths on request




Art.code	Surface	Article description	Unit	Weight
255112.4	Bp	Articulated hook 500 mm, heavy version	pc.	0,610
255111.4	Bp	Articulated hook 450 mm, heavy version	pc.	0,550
255110.4	Bp	Articulated hook 400 mm, heavy version	pc.	0,470
255109.4	Bp	Articulated hook 350 mm, heavy version	pc.	0,440
255108.4	Bp	Articulated hook 300 mm, heavy version	pc.	0,400
255100.4	Bp	Articulated hook 250 mm, heavy version	pc.	0,365
255101.4	Bp	Articulated hook 200 mm, heavy version	pc.	0,300
255102.4	Bp	Articulated hook 175 mm, heavy version	pc.	0,210
255103.4	Bp	Articulated hook 150 mm, heavy version	pc.	0,180
255104.4	Bp	Articulated hook 125 mm, heavy version	pc.	0,160
255105.4	Bp	Articulated hook 100 mm, heavy version	pc.	0,140
255106.4	Bp	Articulated hook 75 mm, heavy version	pc.	0,120
255350.4	Bp	Counter eyelet plate for door hook serie No. 2553 up to 200 mm, casted	pc.	0,020

ARTICULATED HOOKS STAINLESS STEEL A4 - ARTICULATED HOOKS WITH EYELET, HEAVY VERSION

- Material: Stainless steel A4
- Complete set with eyelet

- Satin matt surface on request




Art.code	Surface	Article description	Unit	Weight
N-255108.4	S/S polished	Articulated hook 300 mm, heavy version	pc.	0,260
N-255100.4	S/S polished	Articulated hook 250 mm, heavy version	pc.	0,230
N-255101.4	S/S polished	Articulated hook 200 mm, heavy version	pc.	0,220
N-255103.4	S/S polished	Articulated hook 150 mm, heavy version	pc.	0,160
N-255105.4	S/S polished	Articulated hook 100 mm, heavy version	pc.	0,130
N-255106.4	S/S polished	Articulated hook 75 mm, heavy version	pc.	0,120

DOOR HOOKS - DOOR HOOK WITH EYELET, MEDIUM VERSION

- Material: Brass Ms 63
- Available surfaces: Bp, Bpc and Bmc


- Complete with eyelet



Art.code	Surface	Article description	Unit	Weight
255303.4	Bp	Door hook 150 mm, medium version	pc.	0,130
255304.4	Bp	Door hook 125 mm, medium version	pc.	0,130
255305.4	Bp	Door hook 100 mm, medium version	pc.	0,100
255306.4	Bp	Door hook 75 mm, medium version	pc.	0,100
255307.4	Bp	Door hook 50 mm, medium version	pc.	0,070
255350.4	Bp	Counter eyelet plate for door hook serie No. 2553 up to 200 mm, casted	pc.	0,020

DOOR HOOKS - DOOR HOOK WITH EYELET, LIGHT VERSION


- Material: Brass Ms 63
- Complete with eyelet
- Available surfaces: Bp, Bpc and Bmc



Art.code	Surface	Article description	Unit	Weight
255501.4	Bp	Door hook 200 mm, light version	pc.	0,200
255502.4	Bp	Door hook 175 mm, light version	pc.	0,135
255503.4	Bp	Door hook 150 mm, light version	pc.	0,120
255504.4	Bp	Door hook 125 mm, light version	pc.	0,115
255505.4	Bp	Door hook 100 mm, light version	pc.	0,100
255506.4	Bp	Door hook 75 mm, light version	pc.	0,080
255550.4	Bp	Counter plate for door hook serie No. 2555 up to 200 mm stamped version	pc.	0,020

DOOR HOOKS - CABIN HOOKS

- Material: Brass Ms 63
- Available surfaces: Brass roll polished or nickle plated




Art.code	Surface	Article description	Unit	Weight
255601.1	Brp	Cabin hook 10 inch with counter plate	pc.	0,375
255602.1	Brp	Cabin hook 8 inch with counter plate	pc.	0,225
255603.1	Brp	Cabin hook 6 inch with counter plate	pc.	0,130
255604.1	Brp	Cabin hook 5 inch with counter plate	pc.	0,110
255605.1	Brp	Cabin hook 4 inch with counter plate	pc.	0,050
255606.1	Brp	Cabin hook 3,5 inch with counter plate	pc.	0,040
255607.1	Brp	Cabin hook 3 inch with counter plate	pc.	0,040
255608.1	Brp	Cabin hook 2,5 inch with counter plate	pc.	0,030
255609.1	Brp	Cabin hook 2 inch with counter plate	pc.	0,030
255696.1	Brp	Counter plate 40x45 mm for cabin hooks 10 inch and 12 inch	pc.	0,080
255697.1	Brp	Counter plate 40x45 mm for cabin hooks 8 inch	pc.	0,050
255698.1	Brp	Counter plate 32x32 mm for cabin hooks 6 inch	pc.	0,050
255699.1	Brp	Counter plate 22x22 mm for cabin hooks 2-5 inch	pc.	0,020

AJAR HOOKS - AJAR HOOK DIN 81319



• Material: Brass Ms 63


• Surfaces brass polished or polished chrome length 50 mm on request



Art.code	Surface	Article description	Unit	Weight
250000.9	Bmc	Ajar hook similar to DIN 81319, 75 mm for mortise locks	pc.	0,150
250001.4	Bp	Ajar hook DIN 81319, 160 mm	pc.	0,190
250001.6	Bpc	Ajar hook DIN 81319, 160 mm	pc.	0,190
250001.9	Bmc	Ajar hook DIN 81319, 160 mm	pc.	0,190
250021.4	Bp	Spring clip for ajar hook DIN 81319 no. 250001	pc.	0,030
250021.6	Bpc	Spring clip for ajar hook DIN 81319 no. 250001	pc.	0,030
250021.9	Bmc	Spring clip for ajar hook DIN 81319 no. 250001	pc.	0,030

TURNBUCKLES - TURNBUCKLES BRASS


• Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
561000.4	Bp	Turnbuckles on base plate	pc.	0,035
561000.6	Bpc	Turnbuckles on base plate	pc.	0,035
561000.9	Bmc	Turnbuckles on base plate	pc.	0,035

TURNBUCKLES - TURNBUCKLES WITH DISTANCE TUBE


• Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
561010.4	Bp	Turnbuckles on base plate, H=10 mm	pc.	0,040
561010.6	Bpc	Turnbuckles on base plate, H=10 mm	pc.	0,040
561010.9	Bmc	Turnbuckles on base plate, H=10 mm	pc.	0,040
561015.4	Bp	Turnbuckles on base plate, H=15 mm	pc.	0,045
561015.6	Bpc	Turnbuckles on base plate, H=15 mm	pc.	0,045
561015.9	Bmc	Turnbuckles on base plate, H=15 mm	pc.	0,045
561020.4	Bp	Turnbuckles on base plate, H=20 mm	pc.	0,050
561020.6	Bpc	Turnbuckles on base plate, H=20 mm	pc.	0,050
561020.9	Bmc	Turnbuckles on base plate, H=20 mm	pc.	0,050
561025.4	Bp	Turnbuckles on base plate, H=25 mm	pc.	0,055
561025.6	Bpc	Turnbuckles on base plate, H=25 mm	pc.	0,055
561025.9	Bmc	Turnbuckles on base plate, H=25 mm	pc.	0,055
561030.4	Bp	Turnbuckles on base plate, H=30 mm	pc.	0,060
561030.6	Bpc	Turnbuckles on base plate, H=30 mm	pc.	0,060
561030.9	Bmc	Turnbuckles on base plate, H=30 mm	pc.	0,060

TURNBUCKLES - COUNTERPLATE FOR TURNBUCKLES STAMPED

• Material: Brass Ms 58




Art.code	Surface	Article description	Unit	Weight
565500.4	Bp	Counter plate for turnbuckles Group 56 stamped, 60x16x3 mm	pc.	0,010
565500.6	Bpc	Counter plate for turnbuckles Group 56 stamped, 60x16x3 mm	pc.	0,010
565500.9	Bmc	Counter plate for turnbuckles Group 56 stamped, 60x16x3 mm	pc.	0,010

TURNBUCKLES - COUNTERPLATE FOR TURNBUCKLES CASTED

• Material: Brass Ms 58


• With round edges



Art.code	Surface	Article description	Unit	Weight
565600.1	Brp	Counter plate for turnbuckles Group 56 forged	pc.	0,017
565600.3	Brpc	Counter plate for turnbuckles Group 56 forged	pc.	0,017
565600.4	Bp	Counter plate for turnbuckles Group 56 forged	pc.	0,017
565600.6	Bpc	Counter plate for turnbuckles Group 56 forged	pc.	0,017
565600.9	Bmc	Counter plate for turnbuckles Group 56 forged	pc.	0,017

HATCH FASTENERS - HATCH FASTENER 3232-3234


- Material: Brass Ms 58



Art.code	Surface	Article description	Unit	Weight
323200.4	Bp	Hatch fastener 350 mm	pc.	0,230
323200.5	Bpn	Hatch fastener 350 mm	pc.	0,230
323200.6	Bpc	Hatch fastener 350 mm	pc.	0,230
323200.8	Bmn	Hatch fastener 350 mm	pc.	0,230
323200.9	Bmc	Hatch fastener 350 mm	pc.	0,230
323300.4	Bp	Hatch fastener 410 mm	pc.	0,470
323300.5	Bpn	Hatch fastener 410 mm	pc.	0,470
323300.6	Bpc	Hatch fastener 410 mm	pc.	0,470
323300.8	Bmn	Hatch fastener 410 mm	pc.	0,470
323300.9	Bmc	Hatch fastener 410 mm	pc.	0,470

WINDOW FASTENERS - WINDOW FASTENER CURVED VERSION

- Material: Brass Ms 63




Art.code	Surface	Article description	Unit	Weight
320100.4	Bp	Window and hatch fastener set, curved	pc.	0,580
320100.6	Bpc	Window and hatch fastener set, curved	pc.	0,580
320100.9	Bmc	Window and hatch fastener set, curved	pc.	0,580

WINDOW FASTENERS - WINDOW FASTENER STRAIGHT VERSION WITH COUNTER PLATE



- **Material:** Brass Ms 58

- Complete with counter plate




Art.code	Surface	Article description	Unit	Weight
325000.1	Brp	Window and hatch fastener set with counter plate	pc.	0,180
325000.3	Brpc	Window and hatch fastener set with counter plate	pc.	0,180
325000.4	Bp	Window and hatch fastener set with counter plate	pc.	0,180
325000.6	Bpc	Window and hatch fastener set with counter plate	pc.	0,180
325000.9	Bmc	Window and hatch fastener set with counter plate	pc.	0,180

WINDOW FASTENERS - LIGHT SHADE HOLDER DIN 81643 FORM C WITH CHAIN

Ground plate founded

• Material: Brass Ms 63


• Further lengths on request



Art.code	Surface	Article description	Unit	Weight
332000.4	Bp	Light shade holder DIN 81643, Form C with chain, L=200 mm	pc.	0,100
332000.6	Bpc	Light shade holder DIN 81643, Form C with chain, L=200 mm	pc.	0,100
332000.9	Bmc	Light shade holder DIN 81643, Form C with chain, L=200 mm	pc.	0,100

WINDOW FASTENERS - LIGHT SHADE HOLDER 60 MM

- Material: Brass




Art.code	Surface	Article description	Unit	Weight
334060.4	Bp	Light shade holder 60 mm	pc.	0,050
334060.6	Bpc	Light shade holder 60 mm	pc.	0,050
334060.9	Bmc	Light shade holder 60 mm	pc.	0,050

WINDOW FASTENERS - LIGHT SHADE HOLDER WITH S HOOKS

Ground plate stamped

• Material: Brass Ms 63

• Further chain lengths made on request




Art.code	Surface	Article description	Unit	Weight
332200.4	Bp	Light shade holder with two heavy S hooks, with chain, L=200 mm	pc.	0,070
332200.6	Bpc	Light shade holder with two heavy S hooks, with chain, L=200 mm	pc.	0,070
332200.9	Bmc	Light shade holder with two heavy S hooks, with chain, L=200 mm	pc.	0,070

CABINET SHEAR - CABINET SHEAR 160 MM



• Material: Brass Ms 58

• Complete with fixing screw




Art.code	Surface	Article description	Unit	Weight
520160.4	Bp	Cabinet shear, channel 160 mm	pc.	0,140
520160.6	Bpc	Cabinet shear, channel 160 mm	pc.	0,140
520160.9	Bmc	Cabinet shear, channel 160 mm	pc.	0,140

CABINET SHEAR - CABINET SHEAR CURVED 110 MM



• Material: Brass Ms 58


• Workable length from fixing pin to slit end 110 mm



Art.code	Surface	Article description	Unit	Weight
520110.4	Bp	Cabinet shear curved 110 mm	pc.	0,030
520110.6	Bpc	Cabinet shear curved 110 mm	pc.	0,030
520110.9	Bmc	Cabinet shear curved 110 mm	pc.	0,030

CABINET SHEAR - CABINET SHEAR 165 MM STAINLESS STEEL


- Material: Stainless steel A2
- Complete with fixing screw



Art.code	Surface	Article description	Unit	Weight
N-520165.0	S/S brushed	Cabinet shear, channel 165 mm without snap-in function	pc.	0,160
N-520165R.0	S/S brushed	Cabinet shear, channel 165 mm with snap-in function	pc.	0,160

CABINET SHEAR - CABINET SHEAR 150-300 MM

- Material: Steel and nickel plated
- For right/left assembly




Art.code	Surface	Article description	Unit	Weight
520150.0	St Ni	Cabinet shear, 150 mm total length, right or left assembly	pc.	0,030
520200.0	St Ni	Cabinet shear, 200 mm total length, right or left assembly	pc.	0,040
520250.0	St Ni	Cabinet shear, 250 mm total length, right or left assembly	pc.	0,050
520300.0	St Ni	Cabinet shear, 300 mm total length, right or left assembly	pc.	0,060

DOOR STAY STAINLESS STEEL - DOOR STAY 12.2065



- Material: S/S A2
- Completely assembled
- 245 mm and 300 mm are the slit lengths




Art.code	Surface	Article description	Unit	Weight
12.2065.0	S/S brushed	Door stay 245 mm with snap-in for in- and outward doors	pc.	0,450
12.2070.0	S/S brushed	Door stay 300 mm with snap-in for in- and outward doors	pc.	0,495

DECK HARDWARE INSIDE - CHAIR FASTENER SET

Please indicate the total length

- Material: Brass Ms 58




Art.code	Surface	Article description	Unit	Weight
414610.1	Brp	Chair fastener set	pc.	0,470
414610.3	Brpc	Chair fastener set	pc.	0,470
414610.9	Bmc	Chair fastener set	pc.	0,470
414620.1	Brp	Chair fastener set with spring, 7 chain links	pc.	0,590
414620.3	Brpc	Chair fastener set with spring, 7 chain links	pc.	0,590
414620.9	Bmc	Chair fastener set with spring, 7 chain links	pc.	0,590
414635.1	Brp	Chair fastener set with chain and spring, 10 chain links	pc.	0,590
414635.3	Brpc	Chair fastener set with chain and spring, 10 chain links	pc.	0,590
414635.9	Bmc	Chair fastener set with chain and spring, 10 chain links	pc.	0,590

FLUSH PULL GRIPS BRASS - FLUSH PULL GRIPS TYPE 1

- Material: Brass Ms 63




Abb. 410035



Art.code	Surface	Article description	Unit	Weight
410035.4	Bp	Flush pull grip 55x40 mm	pc.	0,055
410035.6	Bpc	Flush pull grip 55x40 mm	pc.	0,055
410035.9	Bmc	Flush pull grip 55x40 mm	pc.	0,055
410040.4	Bp	Flush pull grip 60x45 mm	pc.	0,070
410040.6	Bpc	Flush pull grip 60x45 mm	pc.	0,070
410040.9	Bmc	Flush pull grip 60x45 mm	pc.	0,070
410050.4	Bp	Flush pull grip 70x50 mm	pc.	0,090
410050.6	Bpc	Flush pull grip 70x50 mm	pc.	0,090
410050.9	Bmc	Flush pull grip 70x50 mm	pc.	0,090

FLUSH PULL GRIPS STAINLESS STEEL - FLUSH PULL GRIPS A4 TYPE 2


- Material: Stainless steel A4



Art.code	Surface	Article description	Unit	Weight
N-410045.4	S/S polished	Flush pull grip 63x44 mm	pc.	0,090
N-410045.9	S/S matt	Flush pull grip 63x44 mm	pc.	0,090

FLUSH PULL GRIPS STAINLESS STEEL - FLUSH PULL GRIPS A4 TYPE 3

- Material: Stainless steel A4




Art.code	Surface	Article description	Unit	Weight
N-410020.4	S/S polished	Flush pull grip 85x50 mm	pc.	0,080
N-410020.9	S/S matt	Flush pull grip 85x50 mm	pc.	0,080

FLUSH PULL GRIPS STAINLESS STEEL - FLUSH PULL GRIPS A4 TYPE 4



- Material: Stainless steel A4




Art.code	Surface	Article description	Unit	Weight
N-410075.4	S/S polished	Flush pull grip 75x56 mm	pc.	0,130
N-410075.9	S/S matt	Flush pull grip 75x56 mm	pc.	0,130

DECK HARDWARE INSIDE - CORD SPOOLER



- Material: Brass Ms 63

- Available in nickel surface




Art.code	Surface	Article description	Unit	Weight
434130.1	Brp	Cord spooler L=130 mm	pc.	0,051
434110.1	Brp	Cord spooler L=110 mm	pc.	0,043
434100.1	Brp	Cord spooler L=100 mm	pc.	0,040
434090.1	Brp	Cord spooler L=90 mm	pc.	0,038
434080.1	Brp	Cord spooler L=80 mm	pc.	0,036
434075.1	Brp	Cord spooler L=75 mm	pc.	0,017
434060.1	Brp	Cord spooler L=60 mm	pc.	0,011
434050.1	Brp	Cord spooler L=50 mm	pc.	0,010
434040.1	Brp	Cord spooler L=40 mm	pc.	0,010

DECK HARDWARE INSIDE - STRAP CLAMP

• Material: Brass Ms 63

• Available in nickle surface




Art.code	Surface	Article description	Unit	Weight
435045.1	Brp	Strap clamp 45 mm	pc.	0,023
435040.1	Brp	Strap clamp 40 mm	pc.	0,020
435035.1	Brp	Strap clamp 35 mm	pc.	0,018
435030.1	Brp	Strap clamp 30 mm	pc.	0,016
435025.1	Brp	Strap clamp 25 mm	pc.	0,014
435020.1	Brp	Strap clamp 20 mm	pc.	0,012
435010.1	Brp	Strap clamp 10 mm	pc.	0,004

DECK HARDWARE INSIDE - SHACKLES DIN 82101, FORM A

• Material: Brass Ms 63

• Further sizes on demand




Art.code	Surface	Article description	Unit	Weight
460110.1	Brp	Shackle DIN 82101, Form A, bolt M 10	pc.	0,095
460112.1	Brp	Shackle DIN 82101, Form A, bolt M 12	pc.	0,170
460116.1	Brp	Shackle DIN 82101, Form A, bolt M 16	pc.	0,365
460120.1	Brp	Shackle DIN 82101, Form A, bolt M 20	pc.	0,725

DECK HARDWARE INSIDE - SHACKLE BOLT



- Material: Brass Ms 63




Art.code	Surface	Article description	Unit	Weight
SO-001.1	Brp	Shackle bolt, 130x62x17 mm	pc.	0,490
SO-002.1	Brp	Shackle bolt, 142x70x20 mm	pc.	0,670

DECK HARDWARE INSIDE - SHIP BELLS



- Material: Brass Ms 63


- Further sizes on demand



Art.code	Surface	Article description	Unit	Weight
420120.4	Bp	Ship bell 120 mm	pc.	1,000
420170.4	Bp	Ship bell 170 mm	pc.	2,410
420200.4	Bp	Ship bell 200 mm	pc.	4,050
421080.4	Bp	Ship bell bracket overhang 80 mm	pc.	0,140
421120.4	Bp	Ship bell bracket overhang 120 mm	pc.	0,300
421170.4	Bp	Ship bell bracket overhang 170 mm	pc.	0,600

INTERIOR HARDWARE - WINDOW GRIP BRASS 5101


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
510120.4	Bp	Window grip 120 mm	pc.	0,060
510120.6	Bpc	Window grip 120 mm	pc.	0,060
510120.9	Bmc	Window grip 120 mm	pc.	0,060
510140.4	Bp	Window grip 140 mm	pc.	0,090
510140.6	Bpc	Window grip 140 mm	pc.	0,090
510140.9	Bmc	Window grip 140 mm	pc.	0,090

INTERIOR HARDWARE - WINDOW RING GRIP BRASS 3106

- Material: Brass Ms 63
- On request in Bp, Bpc or Bmc surface




Art.code	Surface	Article description	Unit	Weight
310600.1	Brp	Window grip 30 mm	pc.	0,025
310600.2	Brpn	Window grip 30 mm	pc.	0,025

INTERIOR HARDWARE - HAND GRIP BRASS 5111



- Material: Brass Ms 63




Art.code	Surface	Article description	Unit	Weight
511120.4	Bp	Hand Grip 120 mm, with oval fixing plate	pc.	0,090
511120.6	Bpc	Hand Grip 120 mm, with oval fixing plate	pc.	0,090
511120.9	Bmc	Hand Grip 120 mm, with oval fixing plate	pc.	0,090

INTERIOR HARDWARE - HAND GRIP BRASS 5121




- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
512110.4	Bp	Hand Grip 110 mm, D=13 mm with extra long fixing plate	pc.	0,075
512110.6	Bpc	Hand Grip 110 mm, D=13 mm with extra long fixing plate	pc.	0,075
512110.9	Bmc	Hand Grip 110 mm, D=13 mm with extra long fixing plate	pc.	0,075
512140.4	Bp	Hand Grip 140 mm, D=18 mm with extra long fixing plate	pc.	0,160
512140.6	Bpc	Hand Grip 140 mm, D=18 mm with extra long fixing plate	pc.	0,160
512140.9	Bmc	Hand Grip 140 mm, D=18 mm with extra long fixing plate	pc.	0,160

INTERIOR HARDWARE - GRIP BRASS 5171


- Material: Available in brass or stainless steel material



Art.code	Surface	Article description	Unit	Weight
517106.4	Bp	Bow grip 106 mm	pc.	0,085
517106.6	Bpc	Bow grip 106 mm	pc.	0,085
517106.9	Bmc	Bow grip 106 mm	pc.	0,085
N-517106.0	S/S brushed	Bow grip 106 mm	pc.	0,085
N-517106.4	S/S polished	Bow grip 106 mm	pc.	0,085
N-517106.9	S/S matt	Bow grip 106 mm	pc.	0,085

INTERIOR HARDWARE - CUPBOARD GRIP BRASS 5175

- Material: Brass Ms 63
- Further door thicknesses on request
- For horizontal or vertical assembly




Art.code	Surface	Article description	Unit	Weight
517500.4	Bp	Cupboard grip 93 mm, for door thickness 15-20 mm	pc.	0,110
517500.6	Bpc	Cupboard grip 93 mm, for door thickness 15-20 mm	pc.	0,110
517500.9	Bmc	Cupboard grip 93 mm, for door thickness 15-20 mm	pc.	0,110

INTERIOR HARDWARE - CUPBOARD GRIP 85X32 MM



• Material: Brass Ms 63

• With tumbler key hole on request (Art.-No.: 513010)




Art.code	Surface	Article description	Unit	Weight
513020.4	Bp	Cupboard grip 85x32 mm	pc.	0,060
513020.6	Bpc	Cupboard grip 85x32 mm	pc.	0,060
513020.9	Bmc	Cupboard grip 85x32 mm	pc.	0,060

INTERIOR HARDWARE - SHELL GRIP 80 MM



• Material: Brass




Art.code	Surface	Article description	Unit	Weight
514080.4	Bp	Shell grip 80 mm	pc.	0,030
514080.6	Bpc	Shell grip 80 mm	pc.	0,030
514080.9	Bmc	Shell grip 80 mm	pc.	0,030

INTERIOR HARDWARE - PULL KNOB 34 MM

• Material: Brass

• Rd 34 mm, hight 53 mm with M6x16 mm metric thread




Art.code	Surface	Article description	Unit	Weight
515034.0	Bp	Pull knob round 34 mm	pc.	0,030
515034.5	Bpn	Pull knob round 34 mm	pc.	0,030
515034.6	Bpc	Pull knob round 34 mm	pc.	0,030
515034.9	Bmc	Pull knob round 34 mm	pc.	0,030

DIN 444 BRASS - EYE BOLTS DIN 444 BRASS

Eye bolts DIN 444 standard, metric thread,
BM = Thread length according to DIN standard,
LBM = Thread until bolt head

- Material: Brass Ms 63
- Other sizes and dimensions on request
- Max. length 400 mm
- Max. size M 30
- BM = A1... / LBM = A2...




Art.code	Surface	Article description	Unit	Weight
A1-06040	Brp	Eye bolt DIN 444 BM 6x40 mm	pc.	0,012
A1-06050	Brp	Eye bolt DIN 444 BM 6x50 mm	pc.	0,012
A1-08060	Brp	Eye bolt DIN 444 BM 8x60 mm	pc.	0,033
A1-08070	Brp	Eye bolt DIN 444 BM 8x70 mm	pc.	0,037
A1-08080	Brp	Eye bolt DIN 444 BM 8x80 mm	pc.	0,041
A1-08090	Brp	Eye bolt DIN 444 BM 8x90 mm	pc.	0,043
A1-08100	Brp	Eye bolt DIN 444 BM 8x100 mm	pc.	0,052
A1-10060	Brp	Eye bolt DIN 444 BM 10x60 mm	pc.	0,048
A1-10070	Brp	Eye bolt DIN 444 BM 10x70 mm	pc.	0,056
A1-10080	Brp	Eye bolt DIN 444 BM 10x80 mm	pc.	0,063
A1-10100	Brp	Eye bolt DIN 444 BM 10x100 mm	pc.	0,076
A1-10120	Brp	Eye bolt DIN 444 BM 10x120 mm	pc.	0,090
A1-12060	Brp	Eye bolt DIN 444 BM 12x60 mm	pc.	0,075
A1-12080	Brp	Eye bolt DIN 444 BM 12x80 mm	pc.	0,095
A1-12090	Brp	Eye bolt DIN 444 BM 12x90 mm	pc.	0,100
A1-12100	Brp	Eye bolt DIN 444 BM 12x100 mm	pc.	0,110
A1-12110	Brp	Eye bolt DIN 444 BM 12x110 mm	pc.	0,140
A1-12120	Brp	Eye bolt DIN 444 BM 12x120 mm	pc.	0,145
A1-16070	Brp	Eye bolt DIN 444 BM 16x70 mm	pc.	0,155
A1-16080	Brp	Eye bolt DIN 444 BM 16x80 mm	pc.	0,175
A1-16100	Brp	Eye bolt DIN 444 BM 16x100 mm	pc.	0,210
A1-16110	Brp	Eye bolt DIN 444 BM 16x110 mm	pc.	0,230
A1-16120	Brp	Eye bolt DIN 444 BM 16x120 mm	pc.	0,240
A1-16130	Brp	Eye bolt DIN 444 BM 16x130 mm	pc.	0,260
A1-16140	Brp	Eye bolt DIN 444 BM 16x140 mm	pc.	0,280
A1-16160	Brp	Eye bolt DIN 444 BM 16x160 mm	pc.	0,300
A1-20110	Brp	Eye bolt DIN 444 BM 20x110 mm	pc.	0,380
A1-20120	Brp	Eye bolt DIN 444 BM 20x120 mm	pc.	0,410
A1-20130	Brp	Eye bolt DIN 444 BM 20x130 mm	pc.	0,430
A1-20140	Brp	Eye bolt DIN 444 BM 20x140 mm	pc.	0,440
A1-20150	Brp	Eye bolt DIN 444 BM 20x150 mm	pc.	0,485
A1-20160	Brp	Eye bolt DIN 444 BM 20x160 mm	pc.	0,510
A1-20180	Brp	Eye bolt DIN 444 BM 20x180 mm	pc.	0,560
A1-20200	Brp	Eye bolt DIN 444 BM 20x200 mm	pc.	0,590
A1-22140	Brp	Eye bolt DIN 444 BM 22x140 mm	pc.	0,570
A1-22160	Brp	Eye bolt DIN 444 BM 22x160 mm	pc.	0,590
A1-24130	Brp	Eye bolt DIN 444 BM 24x130 mm	pc.	0,580

DIN 444 STAINLESS STEEL - EYE BOLTS DIN 444 STAINLESS STEEL

Eye bolts DIN 444 standard, metric thread
 BM = Thread length according to DIN standard
 LBM = Thread until bolt head

• Material: Stainless steel A4

• Other sizes and dimensions on request




Art.code	Surface	Article description	Unit	Weight
N-A1-10060	S/S raw	Eye bolt DIN 444 BM 10x60 mm	pc.	0,045
N-A1-10100	S/S raw	Eye bolt DIN 444 BM 10x100 mm	pc.	0,070
N-A2-12080	S/S raw	Eye bolt DIN 444 LBM 12x80 mm	pc.	0,085
N-A1-12100	S/S raw	Eye bolt DIN 444 BM 12x100 mm	pc.	0,100
N-A1-16070	S/S raw	Eye bolt DIN 444 BM 16x70 mm	pc.	0,140
N-A1-16100	S/S raw	Eye bolt DIN 444 BM 16x100 mm	pc.	0,190
N-A1-16110	S/S raw	Eye bolt DIN 444 BM 16x110 mm	pc.	0,200
N-A2-16110	S/S raw	Eye bolt DIN 444 LBM 16x110 mm	pc.	0,190
N-A1-16150	S/S raw	Eye bolt DIN 444 BM 16x150 mm	pc.	0,265
N-A1-16160	S/S raw	Eye bolt DIN 444 BM 16x160 mm	pc.	0,275
N-A1-20130	S/S raw	Eye bolt DIN 444 BM 20x130 mm	pc.	0,400
N-A2-20130	S/S raw	Eye bolt DIN 444 LBM 20x130 mm	pc.	0,390

DIN 80704 BRASS - LIFTING NUTS DIN 80704 BRASS

• Material: Brass Ms 63

Abb. KO-112.1




Art.code	Surface	Article description	Unit	Weight
KO-106.1	Brp	Lifting nut DIN 80704, M 6	pc.	0,032
KO-108.1	Brp	Lifting nut DIN 80704, M 8	pc.	0,062
KO-110.1	Brp	Lifting nut DIN 80704, M 10	pc.	0,056
KO-112.1	Brp	Lifting nut DIN 80704, M 12	pc.	0,125
KO-114.1	Brp	Lifting nut DIN 80704, M 14	pc.	0,115
KO-116.1	Brp	Lifting nut DIN 80704, M 16	pc.	0,245
KO-118.1	Brp	Lifting nut DIN 80704, M 18	pc.	0,210
KO-120.1	Brp	Lifting nut DIN 80704, M 20	pc.	0,290
KO-122.1	Brp	Lifting nut DIN 80704, M 22	pc.	0,280
KO-124.1	Brp	Lifting nut DIN 80704, M 24	pc.	0,490

DIN 80704 STAINLESS STEEL - LIFTING NUTS DIN 80704 STAINLESS STEEL

• Material: Stainless steel A4

Abb. KO-112.1




Art.code	Surface	Article description	Unit	Weight
N-KO-108.0	S/S raw	Lifting nut DIN 80704, M 8	pc.	0,055
N-KO-110.0	S/S raw	Lifting nut DIN 80704, M 10	pc.	0,050
N-KO-112.0	S/S raw	Lifting nut DIN 80704, M 12	pc.	0,110
N-KO-116.0	S/S raw	Lifting nut DIN 80704, M 16	pc.	0,185
N-KO-120.0	S/S raw	Lifting nut DIN 80704, M 20	pc.	0,245
N-KO-124.0	S/S raw	Lifting nut DIN 80704, M 24	pc.	0,395

DIN 582 BRASS - RING NUTS DIN 582 BRASS



• Size M6, M8 and M10 on request - Minimum order quantity for these sizes 100 pcs, per item


• Further sizes on request



Art.code	Surface	Article description	Unit	Weight
R2-M12.1	Brp	Ring nut DIN 582, M 12	pc.	0,135
R2-M16.1	Brp	Ring nut DIN 582, M 16	pc.	0,210
R2-M20.1	Brp	Ring nut DIN 582, M 20	pc.	0,400
R2-M12.3	Brpc	Ring nut DIN 582, M 12	pc.	0,135
R2-M16.3	Brpc	Ring nut DIN 582, M 16	pc.	0,210
R2-M20.3	Brpc	Ring nut DIN 582, M 20	pc.	0,400

DIN 83407 FORM A WITH LIFTING NUT - LIFTING NUT SET DIN 83407 A

- Material: Eye bolt and lifting nut in brass, counter plates in steel, bolt stainless steel, copper splints
- Other dimensions on demand




Art.code	Surface	Article description	Unit	Weight
KOV-12080	Brp	Lifting nut set DIN 83407, M 12, Form A, 12x80 mm	set	0,310
KOV-16070	Brp	Lifting nut set DIN 83407, M 16, Form A, 16x70 mm	set	0,600
KOV-16110	Brp	Lifting nut set DIN 83407, M 16, Form A, 16x110 mm	set	0,660
KOV-20130	Brp	Lifting nut set DIN 83407, M 20, Form A, 20x130 mm	set	0,700
N-KOV-12080	S/S raw	Lifting nut set DIN 83407, M 12, Form A, 12x80 mm	set	0,210
N-KOV-16070	S/S raw	Lifting nut set DIN 83407, M 16, Form A, 16x70 mm	set	0,330
N-KOV-16110	S/S raw	Lifting nut set DIN 83407, M 16, Form A, 16x110 mm	set	0,590
N-KOV-20130	S/S raw	Lifting nut set DIN 83407, M 20, Form A, 20x130 mm	set	0,610

HATCH AND WINDOW FASTENER SET - HATCH AND WINDOW FASTENER SET



• Material: Brass Ms 58

• Also in nickel or chrome surface on request




Art.code	Surface	Article description	Unit	Weight
310105.1	Brp	Hatch and window fastener set, M8	pc.	0,055
310106.1	Brp	Hatch and window fastener set, M10	pc.	0,060
310107.1	Brp	Hatch and window fastener set, M12	pc.	0,130

DIN 83407 FORM B WITH WING NUT - WING NUT SET DIN 83407 B



• Material: Eye bolt and wing nut in brass, counter plates in steel, bolt stainless steel, copper splints


• Other dimensions on demand



Art.code	Surface	Article description	Unit	Weight
KNV-12080	Brp	Wing nut set DIN 83407, M 12, Form B, 12x80 mm	set	0,290
KNV-16070	Brp	Wing nut set DIN 83407, M 16, Form B, 16x70 mm	set	0,450
KNV-16110	Brp	Wing nut set DIN 83407, M 16, Form B, 16x110 mm	set	0,700
KNV-20130	Brp	Wing nut set DIN 83407, M 20, Form B, 20x130 mm	set	1,360
N-KNV-16070	S/S raw	Wing nut set DIN 83407, M 16, Form B, 16x70 mm	set	0,410
N-KNV-16110	S/S raw	Wing nut set DIN 83407, M 16, Form B, 16x110 mm	set	0,650
N-KNV-20130	S/S raw	Wing nut set DIN 83407, M 20, Form B, 20x130 mm	set	0,970

DIN 83407 PRESS FORKS FORM C - PRESS FORKS DIN 83407 FORM C


- Material: Steel EN 10025



Art.code	Surface	Article description	Unit	Weight
DGL-M12.0	St	Press fork lengthwise forking, M 12, Form C, 70x40x10 mm	pc.	0,190
DGL-M16.0	St	Press fork lengthwise forking, M 16, Form C, 85x50x12 mm	pc.	0,340
DGL-M20.0	St	Press fork lengthwise forking, M 20, Form C, 110x60x15 mm	pc.	0,670

DIN 83407 PRESS FORKS FORM D - PRESS FORKS DIN 83407 FORM D

- Material: Steel EN 10025




Art.code	Surface	Article description	Unit	Weight
DGQ-M12.0	St	Press fork crosswise forking, M 12, Form D, 70x40x10 mm	pc.	0,180
DGQ-M16.0	St	Press fork crosswise forking, M 16, Form D, 85x50x12 mm	pc.	0,340
DGQ-M20.0	St	Press fork crosswise forking, M 20, Form D, 110x60x15 mm	pc.	0,670

DIN 315 BRASS - WING NUTS DIN 315 BRASS



- Material: Brass Ms 63
- Also available nickel or chrome plated
- Further sizes on request

Abb. F1-M10.1




Art.code	Surface	Article description	Unit	Weight
F1-M04.1	Brp	Wing nut DIN 315, M 4	pc.	0,005
F1-M05.1	Brp	Wing nut DIN 315, M 5	pc.	0,005
F1-M06.1	Brp	Wing nut DIN 315, M 6	pc.	0,008
F1-M08.1	Brp	Wing nut DIN 315, M 8	pc.	0,015
F1-M10.1	Brp	Wing nut DIN 315, M 10	pc.	0,030
F1-M12.1	Brp	Wing nut DIN 315, M 12	pc.	0,065
F1-M16.1	Brp	Wing nut DIN 315, M 16	pc.	0,070
F1-M20.1	Brp	Wing nut DIN 315, M 20	pc.	0,170
F1-M22.1	Brp	Wing nut DIN 315, M 22	pc.	0,210

DIN 80701 BRASS - BUTTERFLY NUTS DIN 80701 BRASS



- Material: Brass Ms 63
- Further sizes on request

Abb. KN-216.1




Art.code	Surface	Article description	Unit	Weight
KN-216.1	Brp	Butterfly nut DIN 80701, M 16	pc.	0,280
KN-220.1	Brp	Butterfly nut DIN 80701, M 20	pc.	0,590
KN-224.1	Brp	Butterfly nut DIN 80701, M 24	pc.	1,000

DIN 80701 BRASS - BUTTERFLY NUTS SHORT VERSION BRASS

• Material: Brass Ms 63

• Further sizes on request




Art.code	Surface	Article description	Unit	Weight
KN-108.1	Brp	Butterfly nut, M 8	pc.	0,115
KN-110.1	Brp	Butterfly nut, M 10	pc.	0,125
KN-112.1	Brp	Butterfly nut, M 12	pc.	0,170
KN-116.1	Brp	Butterfly nut, M 16	pc.	0,230
KN-120.1	Brp	Butterfly nut, M 20	pc.	0,290
KN-122.1	Brp	Butterfly nut, M 22	pc.	0,440
KN-124.1	Brp	Butterfly nut, M 24	pc.	0,400

DIN 80701 BRASS - BUTTERFLY NUTS ONE-SIDED

• Material: Brass Ms 63


• Further sizes on request



Art.code	Surface	Article description	Unit	Weight
KN-612.1	Brp	Butterfly nut, M 12	pc.	0,150
KN-616.1	Brp	Butterfly nut, M 16	pc.	0,215
KN-620.1	Brp	Butterfly nut, M 20	pc.	0,285

DIN 80701 STAINLESS STEEL - BUTTERFLY NUTS DIN 80701 STAINLESS STEEL


- Material: Stainless steel A4



Art.code	Surface	Article description	Unit	Weight
N-KN-216.0	S/S raw	Butterfly nut DIN 80701, M 16	pc.	0,255
N-KN-220.0	S/S raw	Butterfly nut DIN 80701, M 20	pc.	0,540
N-KN-224.0	S/S raw	Butterfly nut DIN 80701, M 24	pc.	0,995

DIN 80701 STAINLESS STEEL - BUTTERFLY NUTS SHORT VERSION A4

- Material: Stainless steel A4




Art.code	Surface	Article description	Unit	Weight
N-KN-108.0	S/S raw	Butterfly nut, M 8, short version, A4	pc.	0,115
N-KN-110.0	S/S raw	Butterfly nut, M 10, short version, A4	pc.	0,110
N-KN-112.0	S/S raw	Butterfly nut, M 12, short version, A4	pc.	0,170
N-KN-116.0	S/S raw	Butterfly nut, M 16, short version, A4	pc.	0,230
N-KN-120.0	S/S raw	Butterfly nut, M 20, short version, A4	pc.	0,265
N-KN-122.0	S/S raw	Butterfly nut, M 22, short version, A4	pc.	0,270
N-KN-124.0	S/S raw	Butterfly nut, M 24, short version, A4	pc.	0,420

HINGES DIN 81401 A - HINGES BRASS DIN 81401 A

• Material: Brass Ms 58

• Available surfaces: Bp, Bpc and Bmc




Art.code	Surface	Article description	Unit	Weight
230011.4	Bp	Door hinge 120x96 mm, right	pc.	0,390
230012.4	Bp	Door hinge 120x96 mm, left	pc.	0,390
230021.4	Bp	Door hinge 110x96 mm, right	pc.	0,340
230022.4	Bp	Door hinge 110x96 mm, left	pc.	0,340
230031.4	Bp	Door hinge 110x86 mm, right	pc.	0,290
230032.4	Bp	Door hinge 110x86 mm, left	pc.	0,290
230041.4	Bp	Door hinge 100x86 mm, right	pc.	0,250
230042.4	Bp	Door hinge 100x86 mm, left	pc.	0,250
230051.4	Bp	Door hinge 90x63 mm, right	pc.	0,160
230052.4	Bp	Door hinge 90x63 mm, left	pc.	0,160

HINGES BRASS - HINGES DIN 81402 E

Fixed pin


- Material: Brass Ms 58
- Available surfaces: Bp, Bpc and Bmc
- With fixed or loose pin



Art.code	Surface	Article description	Unit	Weight
231400.4	Bp	Door hinge 80x80x3 mm, fixed pin	pc.	0,150
231405.4	Bp	Door hinge 80x60x3 mm, fixed pin	pc.	0,130
231410.4	Bp	Door hinge 70x60x2,5 mm, fixed pin	pc.	0,100
231420.4	Bp	Door hinge 60x50x2,2 mm, fixed pin	pc.	0,110
231430.4	Bp	Door hinge 60x40x1,5 mm, fixed pin	pc.	0,034
231450.4	Bp	Door hinge 50x40x1,5 mm, fixed pin	pc.	0,030
231470.4	Bp	Door hinge 40x30x1,5 mm, fixed pin	pc.	0,020
231500.4	Bp	Door hinge 80x80x3 mm, loose pin	pc.	0,150
231505.4	Bp	Door hinge 80x60x3 mm, loose pin	pc.	0,130
231510.4	Bp	Door hinge 70x60x2,5 mm, loose pin	pc.	0,100
231520.4	Bp	Door hinge 60x50x2,2 mm, loose pin	pc.	0,110
231530.4	Bp	Door hinge 60x40x1,5 mm, loose pin	pc.	0,034
231550.4	Bp	Door hinge 50x40x1,5 mm, loose pin	pc.	0,030
231570.4	Bp	Door hinge 40x30x1,5 mm, loose pin	pc.	0,020

HINGES DIN 81402 A - HINGES DIN 81402 A

- Material: Stainless steel or brass material




Art.code	Surface	Article description	Unit	Weight
230061.4	Bp	Door hinge 70x50x3 mm, right, similar to DIN 81402 A	pc.	0,115
230061.6	Bpc	Door hinge 70x50x3 mm, right, similar to DIN 81402 A	pc.	0,115
230061.9	Bmc	Door hinge 70x50x3 mm, right, similar to DIN 81402 A	pc.	0,115
230062.4	Bp	Door hinge 70x50x3 mm, left, similar to DIN 81402 A	pc.	0,115
230062.6	Bpc	Door hinge 70x50x3 mm, left, similar to DIN 81402 A	pc.	0,115
230062.9	Bmc	Door hinge 70x50x3 mm, left, similar to DIN 81402 A	pc.	0,115
N-230061.0	S/S	Door hinge 70x50x3 mm, right, similar to DIN 81402 A	pc.	0,115
N-230062.0	S/S	Door hinge 70x50x3 mm, left, similar to DIN 81402 A	pc.	0,115

HINGES DIN 81401 B - HINGES BRASS DIN 81401 B


• Material: Brass Ms 58

• Available surfaces: Bp, Bpc and Bmc




Art.code	Surface	Article description	Unit	Weight
232210.4	Bp	Door hinge DIN 81401 B, 120x96x4 mm, fixed pin	pc.	0,430
232230.4	Bp	Door hinge DIN 81401 B, 110x86x3,5 mm, fixed pin	pc.	0,320
232240.4	Bp	Door hinge DIN 81401 B, 100x86x3,5 mm, fixed pin	pc.	0,320
232250.4	Bp	Door hinge DIN 81401 B, 90x63x3 mm, fixed pin	pc.	0,160
232310.4	Bp	Door hinge DIN 81401 B, 120x96x4 mm, loose pin	pc.	0,430
232330.4	Bp	Door hinge DIN 81401 B, 110x86x3,5 mm, loose pin	pc.	0,320
232340.4	Bp	Door hinge DIN 81401 B, 100x86x3,5 mm, loose pin	pc.	0,320
232350.4	Bp	Door hinge DIN 81401 B, 90x63x3 mm, loose pin	pc.	0,160

HINGES REVERSABLE - HINGES REVERSABLE




Art.code	Surface	Article description	Unit	Weight
238080.4	Bp	Door hinge 80x80x3 mm reversible, for right or left usage	pc.	0,160
238080.6	Bpc	Door hinge 80x80x3 mm reversible, for right or left usage	pc.	0,160
238080.9	Bmc	Door hinge 80x80x3 mm reversible, for right or left usage	pc.	0,160
238060.4	Bp	Door hinge 80x60x3 mm reversible, for right or left usage	pc.	0,130
238060.6	Bpc	Door hinge 80x60x3 mm reversible, for right or left usage	pc.	0,130
238060.9	Bmc	Door hinge 80x60x3 mm reversible, for right or left usage	pc.	0,130



PIANO HINGES - PIANO HINGES BRASS


- Material: Brass Ms 58
- Many different surfaces available: Polished, brushed, lacquered, nickle and chrome plated
- With Radius at the ends on request
- Also stainless steel A4 or A2 on request



Art.code	Surface	Article description	Unit	Weight
STS1430-1.4	Bp lacquered	Piano hinge 28x1x1430 mm, with fix brass pin	pc.	0,410
STS1430-1.5	Bpn	Piano hinge 28x1x1430 mm, with fix brass pin	pc.	0,410
STS1430-1.6	Bpc	Piano hinge 28x1x1430 mm, with fix brass pin	pc.	0,410
STS1400-1.4	Bp lacquered	Piano hinge 32x1x1400 mm, with fix brass pin	pc.	0,455
STS1400-1.5	Bpn	Piano hinge 32x1x1400 mm, with fix brass pin	pc.	0,455
STS1400-1.6	Bpc	Piano hinge 32x1x1400 mm, with fix brass pin	pc.	0,455

HINGES NO. 377 - HINGES STAINLESS STEEL NR. 377


- Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-230100-R.0	S/S brushed	Door hinge 98x85x2,5 mm, Right	pc.	0,165
N-230100-L.0	S/S brushed	Door hinge 98x85x2,5 mm, Left	pc.	0,165

HINGES 2017/2027 - HINGES STAINLESS STEEL NR. 2017/2027


• Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-232017.0	S/S brushed	Door hinge 90x65x3 mm, Right	pc.	0,140
N-232027.0	S/S brushed	Door hinge 90x65x3 mm, Left	pc.	0,140
N-232018.0	S/S brushed	Door hinge 100x86x3 mm, Right	pc.	0,290
N-232028.0	S/S brushed	Door hinge 100x86x3 mm, Left	pc.	0,290

HINGES 2001/2002 - HINGES STAINLESS STEEL NR. 2001/2002


• Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-232001.0	S/S brushed	Door hinge 123x84x3 mm, Right	pc.	0,200
N-232002.0	S/S brushed	Door hinge 123x84x3 mm, Left	pc.	0,200

HINGES NR. 138 - HINGES STAINLESS STEEL NR. 138


• Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-230190-R.0	S/S brushed	Door hinge 100x86x3 mm, right, holes 8x6 mm, for screws 5x25 mm	pc.	0,280
N-230190-L.0	S/S brushed	Door hinge 100x86x3 mm, left, holes 8x6 mm, for screws 5x25 mm	pc.	0,280
N-230841-R.0	S/S brushed	Door hinge 120x86x3 mm, right, holes 8x6 mm, for screws 5x25 mm	pc.	0,355
N-230841-L.0	S/S brushed	Door hinge 120x86x3 mm, left, holes 8x6 mm, for screws 5x25 mm	pc.	0,355

HINGES NR. 139 - HINGES STAINLESS STEEL NR. 139

• Material: Stainless steel A2




Art.code	Surface	Article description	Unit	Weight
N-230191-R.0	S/S brushed	Door hinge 80x82x2,5 mm, right, holes 6x6 mm, for screws 4,5x25 mm	pc.	0,170
N-230191-L.0	S/S brushed	Door hinge 80x82x2,5 mm, left, holes 6x6 mm, for screws 4,5x25 mm	pc.	0,170
N-230192-R.0	S/S brushed	Door hinge 90x65x2,5 mm, right, holes 6x6 mm, for screws 4,5x25 mm	pc.	0,160
N-230192-L.0	S/S brushed	Door hinge 90x65x2,5 mm, left, holes 6x6 mm, for screws 4,5x25 mm	pc.	0,160
N-230193-R.0	S/S brushed	Door hinge 100x82x2,5 mm, right, holes 6x6 mm, for screws 4,5x25 mm	pc.	0,215
N-230193-L.0	S/S brushed	Door hinge 100x82x2,5 mm, left, holes 6x6 mm, for screws 4,5x25 mm	pc.	0,215

HINGES NR. 110 - HINGES STAINLESS STEEL NR. 110



- Material: Stainless steel A2




Art.code	Surface	Article description	Unit	Weight
N-230067.0	S/S brushed	Door hinge 30x30x0,9 mm, holes 4x3,5 mm, for screws 2,5x12 mm	pc.	0,009
N-230068.0	S/S brushed	Door hinge 40x40x1 mm, holes 4x4 mm, for screws 3x16 mm	pc.	0,015
N-230069.0	S/S brushed	Door hinge 50x50x1 mm, holes 6x4 mm, for screws 3x16 mm	pc.	0,030
N-230070.0	S/S brushed	Door hinge 60x60x1 mm, holes 6x4,5 mm, for screws 4x20 mm	pc.	0,050
N-230071.0	S/S brushed	Door hinge 70x70x1,2 mm, holes 6x5 mm, for screws 4x20 mm	pc.	0,060
N-230072.0	S/S brushed	Door hinge 80x80x1,2 mm, holes 6x5 mm, for screws 4x20 mm	pc.	0,070
N-230073.0	S/S brushed	Door hinge 90x90x1,2 mm, holes 6x5,5 mm, for screws 4x20 mm	pc.	0,100
N-230074.0	S/S brushed	Door hinge 100x100x1,5 mm, holes 6x5,5 mm, for screws 4,5x25 mm	pc.	0,145

HINGES NR. 120 - HINGES STAINLESS STEEL NR. 120



- Material: Stainless steel A2


- Polished surface on request



Art.code	Surface	Article description	Unit	Weight
N-230116-R.0	S/S brushed	Door hinge 60x40x1,5 mm, right holes 6x4,5 mm, for screws 4x20 mm	pc.	0,095
N-230116-L.0	S/S brushed	Door hinge 60x40x1,5 mm, left holes 6x4,5 mm, for screws 4x20 mm	pc.	0,095
N-230117-R.0	S/S brushed	Door hinge 70x50x2 mm, right holes 6x4,5 mm, for screws 4x20 mm	pc.	0,100
N-230117-L.0	S/S brushed	Door hinge 70x50x2 mm, left holes 6x4,5 mm, for screws 4x20 mm	pc.	0,100

HINGES NR. 172 - HINGES STAINLESS STEEL NR. 172


- Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-230080.0	S/S brushed	Door hinge 50x30x1,2 mm, 6x4,5 mm, for screws 3x16 mm	pc.	0,019
N-230081.0	S/S brushed	Door hinge 50x40x1,2 mm, 6x4,5 mm, for screws 3,5x20 mm	pc.	0,024
N-230082.0	S/S brushed	Door hinge 50x50x1,2 mm, 6x4,5 mm, for screws 3,5x20 mm	pc.	0,030
N-230083.0	S/S brushed	Door hinge 60x45x1,5 mm, 6x4,5 mm, for screws 3,5x20 mm	pc.	0,039
N-230084.0	S/S brushed	Door hinge 60x45x2 mm, 6x4,5 mm, for screws 3,5x20 mm	pc.	0,057

HINGES NR. 193 - HINGES STAINLESS STEEL NR. 193


- Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-230312.0	S/S	Door hinge 40x70x2 mm, for screws 4x20 mm	pc.	0,050

HINGES NR. 188 - HINGES STAINLESS STEEL NR. 188


- Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-230837.0	S/S	Door hinge 40x106x2 mm, for screws 4x20 mm	pc.	0,070

HINGES NR. 116 - HINGES STAINLESS STEEL NR. 116


- Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-230095.0	S/S	Door hinge 32x80x1,5 mm, for screws 3,5x20 mm	pc.	0,035

HINGES NR. 134 - HINGES STAINLESS STEEL NR. 134


- Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-230052.0	S/S	Door hinge 89x63x2,5 mm	pc.	0,160
N-230054.0	S/S	Door hinge 101x89x2,5 mm	pc.	0,230
N-230056.0	S/S	Door hinge 101x101x2,5 mm	pc.	0,230

HINGES NR. 146 - HINGES STAINLESS STEEL NR. 146


- Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-230090.0	S/S	Door hinge 50x40x1,8 mm, for screws 3,5x20 mm	pc.	0,030
N-230091.0	S/S	Door hinge 60x50x2 mm, for screws 4x20 mm	pc.	0,050
N-230092.0	S/S	Door hinge 80x70x2,2 mm, for screws 5x25 mm	pc.	0,110
N-230093.0	S/S	Door hinge 100x80x3 mm, for screws 5x25 mm	pc.	0,220
N-230094.0	S/S	Door hinge 120x80x3 mm, for screws 5x25 mm	pc.	0,270

HASPS STAMPED - HASPS LOCKABLE STAMPED


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
570200.4	Bp	Hasp hinge stamped for padlocks with eye plate 150x45 mm	pc.	0,265
570200.6	Bpc	Hasp hinge stamped for padlocks with eye plate 150x45 mm	pc.	0,265
570200.9	Bmc	Hasp hinge stamped for padlocks with eye plate 150x45 mm	pc.	0,265

HASPS CASTED - HASPS LOCKABLE CASTED


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
572100.4	Bp	Hasp hinge for padlocks with eye plate L=100 mm	pc.	0,120
572100.6	Bpc	Hasp hinge for padlocks with eye plate L=100 mm	pc.	0,120
572100.9	Bmc	Hasp hinge for padlocks with eye plate L=100 mm	pc.	0,120
572125.4	Bp	Hasp hinge for padlocks with eye plate L=125 mm	pc.	0,140
572125.6	Bpc	Hasp hinge for padlocks with eye plate L=125 mm	pc.	0,140
572125.9	Bmc	Hasp hinge for padlocks with eye plate L=125 mm	pc.	0,140

HASPS CASTED - HASPS LOCKABLE LIGHT VERSION

- Material: Brass Ms 63




Art.code	Surface	Article description	Unit	Weight
577000.1	Brp	Hasp with straight fixing plate 85x26 mm	pc.	0,090
577000.3	Brpc	Hasp with straight fixing plate 85x26 mm	pc.	0,090
577000.4	Bp	Hasp with straight fixing plate 85x26 mm	pc.	0,090
577000.6	Bpc	Hasp with straight fixing plate 85x26 mm	pc.	0,090
577000.9	Bmc	Hasp with straight fixing plate 85x26 mm	pc.	0,090
577100.1	Brp	Hasp with inside angle plate 85x26 mm	pc.	0,115
577100.3	Brpc	Hasp with inside angle plate 85x26 mm	pc.	0,115
577100.4	Bp	Hasp with inside angle plate 85x26 mm	pc.	0,115
577100.6	Bpc	Hasp with inside angle plate 85x26 mm	pc.	0,115
577100.9	Bmc	Hasp with inside angle plate 85x26 mm	pc.	0,115
577200.1	Brp	Hasp with outside angle plate 85x26 mm	pc.	0,130
577200.3	Brpc	Hasp with outside angle plate 85x26 mm	pc.	0,130
577200.4	Bp	Hasp with outside angle plate 85x26 mm	pc.	0,130
577200.6	Bpc	Hasp with outside angle plate 85x26 mm	pc.	0,130
577200.9	Bmc	Hasp with outside angle plate 85x26 mm	pc.	0,130

HASPS CASTED - HASPS NOT LOCKABLE LIGHT VERSION

- Material: Brass Ms 63



Abb. 576000




Art.code	Surface	Article description	Unit	Weight
576000.1	Brp	Hasp with straight fixing plate 60x26 mm	pc.	0,070
576000.3	Brpc	Hasp with straight fixing plate 60x26 mm	pc.	0,070
576000.4	Bp	Hasp with straight fixing plate 60x26 mm	pc.	0,070
576000.6	Bpc	Hasp with straight fixing plate 60x26 mm	pc.	0,070
576000.9	Bmc	Hasp with straight fixing plate 60x26 mm	pc.	0,070

HASPS WITH RING GRIP CASTED VERSION - HASPS NOT LOCKABLE

- Material: Brass Ms 63

- Available as well with straight fixing plate




Art.code	Surface	Article description	Unit	Weight
574100.1	Brp	Hasp with ring grip	pc.	0,205
574100.3	Brpc	Hasp with ring grip	pc.	0,205
574100.4	Bp	Hasp with ring grip	pc.	0,205
574100.6	Bpc	Hasp with ring grip	pc.	0,205
574100.9	Bmc	Hasp with ring grip	pc.	0,205

WARDROBE FASTENER - WARDROBE FASTENER LOCKABLE

• Material: Brass Ms 63


• Also available in other surfaces



Art.code	Surface	Article description	Unit	Weight
550110.9	Bmc	Wardrobe locker set 45 mm, right	pc.	0,090
550120.9	Bmc	Wardrobe locker set 45 mm, left	pc.	0,090

VENTILATING VALVES ANGULAR - VENTILATING VALVES 2703


- Material: Brass Ms 58



Art.code	Surface	Article description	Unit	Grp
270300.4	Bp	Ventilating valve 36x12 mm, without counter slide, Air admission 109 cm 3	pc.	0,580
270300.6	Bpc	Ventilating valve 36x12 mm, without counter slide, Air admission 109 cm 3	pc.	0,580
270300.9	Bmc	Ventilating valve 36x12 mm, without counter slide, Air admission 109 cm 3	pc.	0,580

VENTILATING VALVES ANGULAR - VENTILATING VALVE COUNTERPLATE 2753


- Material: Brass Ms 58



Art.code	Surface	Article description	Unit	Weight
275300.4	Bp	Counter plate for ventilating valve Nr. 270300, 360x120 mm	pc.	0,530
275300.6	Bpc	Counter plate for ventilating valve Nr. 270300, 360x120 mm	pc.	0,530
275300.9	Bmc	Counter plate for ventilating valve Nr. 270300, 360x120 mm	pc.	0,530

VENTILATING VALVES ROUND - ROUND VALVES 2721-2725


- Material: Brass Ms 58
- Other surfaces: Chrome plated or satin matt chrome
- Also available with assembled knob inside



Art.code	Surface	Article description	Unit	Weight
272102.4	Bp	Ventilating valve round with knob outside, diameter 200 mm	pc.	0,460
272202.4	Bp	Ventilating valve round with knob outside, diameter 175 mm	pc.	0,375
272302.4	Bp	Ventilating valve round with knob outside, diameter 150 mm	pc.	0,300
272402.4	Bp	Ventilating valve round with knob outside, diameter 125 mm	pc.	0,370
272502.4	Bp	Ventilating valve round with knob outside, diameter 100 mm	pc.	0,160

VENTILATING VALVES ROUND - VENTILATING COUNTER PLATES 2771-2775

- Material: Brass Ms 58
- Other surfaces: Chrome plated or satin matt chrome




Art.code	Surface	Article description	Unit	Weight
277100.4	Bp	Counter plate for ventilating valve, diameter 200 mm	pc.	0,285
277200.4	Bp	Counter plate for ventilating valve, diameter 175 mm	pc.	0,230
277300.4	Bp	Counter plate for ventilating valve, diameter 150 mm	pc.	0,175
277400.4	Bp	Counter plate for ventilating valve, diameter 125 mm	pc.	0,140
277500.4	Bp	Counter plate for ventilating valve, diameter 100 mm	pc.	0,090

VENTILATING GRILLS - VENTILATING GRILL ANGULAR

Stainless steel A2


- Material: Stainless steel A2



Art.code	Surface	Article description	Unit	Weight
N-275100.9	S/S matt	Ventilating grill 370x200x1,25 mm (14 outcuts)	pc.	0,580
N-275200.9	S/S matt	Ventilating grill 370x155x1,25 mm (10 outcuts)	pc.	0,560
N-275300.9	S/S matt	Ventilating grill 360x120x1,25 mm (10 outcuts)	pc.	0,470
N-275400.9	S/S matt	Ventilating grill 360x112x1,25 mm (8 outcuts)	pc.	0,460
N-275500.9	S/S matt	Ventilating grill 360x90x1,25 mm (6 outcuts)	pc.	0,380
N-275600.9	S/S matt	Ventilating grill 336x90x1,25 mm (6 outcuts)	pc.	0,300
N-275700.9	S/S matt	Ventilating grill 180x90x1,25 mm (3 outcuts)	pc.	0,180

VENTILATING VALVES ROUND - ROUND VALVES STAINLESS STEEL

- Material: Stainless steel A2, Satin matt surface on request




Art.code	Surface	Article description	Unit	Weight
N-272302.4	S/S polished	Ventilating valve round 150 mm, with knob	pc.	0,170
N-272402.4	S/S polished	Ventilating valve round 125 mm, with knob	pc.	0,150
N-272502.4	S/S polished	Ventilating valve round 100 mm, with knob	pc.	0,130

VENTILATING VALVES ROUND - VENTILATING PLATE RD STAINLESS STEEL

with insect grid


- Material: Stainless steel A2, Satin matt surface on request



Art.code	Surface	Article description	Unit	Weight
N-277300.4	S/S polished	Ventilating plate Rd 150 mm with insect grid	pc.	0,090
N-277400.4	S/S polished	Ventilating plate Rd 125 mm with insect grid	pc.	0,080
N-277500.4	S/S polished	Ventilating plate Rd 100 mm with insect grid	pc.	0,070

HAT AND COAT HOOKS - HAT AND COAT HOOKS 2 ARMS


• Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
590000.4	Bp	Hat and coat hook, two arms	pc.	0,160
590000.6	Bpc	Hat and coat hook, two arms	pc.	0,160
590000.9	Bmc	Hat and coat hook, two arms	pc.	0,160

HAT AND COAT HOOKS - HAT AND COAT HOOKS 1 ARM


• Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
590100.4	Bp	Hat and coat hook, one arm	pc.	0,150
590100.6	Bpc	Hat and coat hook, one arm	pc.	0,150
590100.9	Bmc	Hat and coat hook, one arm	pc.	0,150

HAT AND COAT HOOKS - HAT AND COAT HOOKS DIN 81407 A


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
590200.4	Bp	Hat and coat hook, heavy version, DIN 81407 A	pc.	0,170
590200.6	Bpc	Hat and coat hook, heavy version, DIN 81407 A	pc.	0,170
590200.9	Bmc	Hat and coat hook, heavy version, DIN 81407 A	pc.	0,170

HAT AND COAT HOOKS - HAT AND COAT HOOK 5908


- Material: Aluminium anodized or brass Ms 63



Art.code	Surface	Article description	Unit	Weight
590800.0	Alu	Hat and coat hook	pc.	0,024
590800.4	Bp	Hat and coat hook	pc.	0,245
590800.6	Bpc	Hat and coat hook	pc.	0,245
590800.9	Bmc	Hat and coat hook	pc.	0,245

HAT AND COAT HOOKS - HAT AND COAT HOOK NR. 2121


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
H-2121.4	Bp	Hat and coat hook small, Nr. 2121	pc.	0,080
H-2121.6	Bpc	Hat and coat hook small, Nr. 2121	pc.	0,080
H-2121.9	Bmc	Hat and coat hook small, Nr. 2121	pc.	0,080

COAT HOOK TWIN - COAT HOOK TWIN 30 MM


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
590300.4	Bp	Coat hook 30 mm twin	pc.	0,060
590300.6	Bpc	Coat hook 30 mm twin	pc.	0,060
590300.9	Bmc	Coat hook 30 mm twin	pc.	0,060

CEILING TURN HOOK - CEILING TURN HOOK TURNABLE


• Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
593000.1	Brp	Ceiling hook turnable	pc.	0,080
593000.2	Brpn	Ceiling hook turnable	pc.	0,080

CUP HOOKS BRASS - CUP HOOKS DIN 81408


• Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
591025.4	Bp	Cup hook 25 mm, DIN 81408 with steel galvanized screw	pc.	0,020
591025.6	Bpc	Cup hook 25 mm, DIN 81408 with steel galvanized screw	pc.	0,020
591025.9	Bmc	Cup hook 25 mm, DIN 81408 with steel galvanized screw	pc.	0,020

CUP HOOKS BRASS - CEILING HOOKS


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
592000.4	Bp	Ceiling hook 30 mm	pc.	0,040
592000.6	Bpc	Ceiling hook 30 mm	pc.	0,040
592000.9	Bmc	Ceiling hook 30 mm	pc.	0,040

TOWELL HOOKS - TOWELL HOOKS 40 MM


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
H-7563.1	Bp	Towel twin hook No. 756/40 mm	pc.	0,024
H-7563.3	Bpc	Towel twin hook No. 756/40 mm	pc.	0,024
H-7545.1	Bp	Towel hook single No. 754/40 mm	pc.	0,015
H-7545.3	Bpc	Towel hook single No. 754/40 mm	pc.	0,015

TOWEL HOOKS - COAT HOOK 40 MM


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
H-6121.1	Brp	Coat hook twin, 40 mm	pc.	0,025
H-6121.3	Brpc	Coat hook twin, 40 mm	pc.	0,025

TOWEL HOOKS - COAT HOOK NR. 6111


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
H-6111.1	Brp	Coat hook Nr. 6111, single	pc.	0,020
H-6111.3	Brpc	Coat hook Nr. 6111, single	pc.	0,020

TOWELL HOOKS - DIN 81407 F


- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
594000.4	Bp	Towell hook DIN 81407 F, Nr. 310	pc.	0,020
594000.6	Bpc	Towell hook DIN 81407 F, Nr. 310	pc.	0,020
594000.9	Bmc	Towell hook DIN 81407 F, Nr. 310	pc.	0,020

WINE GLASS HOLDER STAINLESS STEEL - WINE GLASS HOLDER 0,8 MM

- Material: Stainless steel A2
- Material thickness 0,8 mm




Art.code	Surface	Article description	Unit	Weight
537075.0	S/S raw	Wine glass holder 0,8 mm	pc.	0,030

RAILING HOLDERS BRASS - HANDRAIL MIDDLE HOLDER

- Material: Brass Ms 63



Abb. 580300




Art.code	Surface	Article description	Unit	Weight
580300.4	Bp	Handrail middle part 43 mm, Nr. 412	pc.	0,260
580300.6	Bpc	Handrail middle part 43 mm, Nr. 412	pc.	0,260
580300.9	Bmc	Handrail middle part 43 mm, Nr. 412	pc.	0,260

RAILING HOLDERS BRASS - HANDRAIL END PARTS

- Material: Brass Ms 63



Abb. 580200




Art.code	Surface	Article description	Unit	Weight
580200.4	Bp	Handrail end part 42 mm, Nr. 413	pc.	0,260
580200.6	Bpc	Handrail end part 42 mm, Nr. 413	pc.	0,260
580200.9	Bmc	Handrail end part 42 mm, Nr. 413	pc.	0,260

RAILING HOLDERS BRASS - HANDRAIL BRACKETS

With oval or straight supporting plate

- Material: Brass Ms 63



Art.code	Surface	Article description	Unit	Weight
580100.4	Bp	Handrail bracket L=65 mm for tube 42 mm	pc.	0,350
580100.6	Bpc	Handrail bracket L=65 mm for tube 42 mm	pc.	0,350
580100.9	Bmc	Handrail bracket L=65 mm for tube 42 mm	pc.	0,350
580110.4	Bp	Handrail bracket L=65 mm, straight support	pc.	0,330
580110.6	Bpc	Handrail bracket L=65 mm, straight support	pc.	0,330
580110.9	Bmc	Handrail bracket L=65 mm, straight support	pc.	0,330

BOARD HOLDER CASTED OR STAMPED - BOARD HOLDER

• Material: Brass Ms 63

• Further sizes on request




532010.9




532108.9




532110.9




532108



532010




532110



532112

Art.code	Surface	Article description	Unit	Weight
532108.4	Bp	Board holder 25 mm length for 8 mm wood thickness, stamped	pc.	0,013
532108.6	Bpc	Board holder 25 mm length for 8 mm wood thickness, stamped	pc.	0,013
532108.9	Bmc	Board holder 25 mm length for 8 mm wood thickness, stamped	pc.	0,013
532010.4	Bp	Board holder 35 mm length for 10 mm wood thickness, casted	pc.	0,025
532010.6	Bpc	Board holder 35 mm length for 10 mm wood thickness, casted	pc.	0,025
532010.9	Bmc	Board holder 35 mm length for 10 mm wood thickness, casted	pc.	0,025
532112.4	Bp	Board holder 35 mm length for 12 mm wood thickness, casted	pc.	0,025
532112.6	Bpc	Board holder 35 mm length for 12 mm wood thickness, casted	pc.	0,025
532112.9	Bmc	Board holder 35 mm length for 12 mm wood thickness, casted	pc.	0,025
532116.4	Bp	Board holder 45 mm length for 16 mm wood thickness, casted	pc.	0,025
532116.6	Bpc	Board holder 45 mm length for 16 mm wood thickness, casted	pc.	0,025
532116.9	Bmc	Board holder 45 mm length for 16 mm wood thickness, casted	pc.	0,025


ASHTRAY FOR WALL MOUNTING - ASHTRAY FOR WALLMOUNTING ALUMINIUM ANODIZED



Art.code	Surface	Article description	Unit	Weight
600150.0	Al anodized	Ashtray for wall mounting 95x72 mm	set	0,325

HINGE DIN 83105 FORM C - HINGE DIN 83105 FORM C WITH LONG HOLE


- Also single parts available



Art.code	Surface	Article description	Unit	Weight
2383105-C	Steel	Hinges for heavy hinged ship doors, DIN 83105 C with long hole	set	1,540

HINGE DIN 83105 FORM D - HINGE DIN 83105 FORM D WITH ROUND HOLE



- Also single parts available



Art.code	Surface	Article description	Unit	Weight
2383105-D	Steel	Hinges for heavy hinged ship doors, DIN 83105 D with round hole	set	1,540

DOG ASSEMBLY SET - DOG ASSEMBLY SET

- Stainless steel A2 material




Art.code	Surface	Article description	Unit	Weight
DT-AL6107.0	S/S raw	Door dog set for door thickness 55-60 mm	set	1,155

DOG ASSEMBLY DIN 83104 FORM A STEEL - DIN 83104 FORM A, STEEL



- Steel grips red zinc primed
- Yellow zinc plated surface on request
- Spare or single parts available in chapter attachments




Art.code	Surface	Article description	Unit	Weight
240006	St 37-2	Door dogs steel, DIN 83104, A 60, without limit stopper	set	1,900
240002	St 37-2	Door dogs steel, DIN 83104, A 60, with limit stopper Rd 12x50 mm	set	1,900
240016	St 37-2	Door dogs steel, DIN 83104, A 73, without limit stopper	set	2,000
240012	St 37-2	Door dogs steel, DIN 83104, A 73, with limit stopper Rd 12x50 mm	set	2,000
240026	St 37-2	Door dogs steel, DIN 83104, A 93, without limit stopper	set	2,260
240022	St 37-2	Door dogs steel, DIN 83104, A 93, with limit stopper Rd 12x50 mm	set	2,260
240036	St 37-2	Door dogs steel, A 80, without limit stopper	set	2,120

DOG ASSEMBLY DIN 83104 FORM B - DIN 83104 FORM B, STEEL



- Steel grip red zinc primed
- Other lengths in steel or stainless steel on request
- Spare or single parts available in chapter attachments




Art.code	Surface	Article description	Unit	Weight
240312	St 37-2	Door dogs steel, DIN 83104, B 73, with limit stopper Rd 12x50 mm	set	1,600
240316	St 37-2	Door dogs steel, DIN 83104, B 73, without limit stopper	set	1,600
240322	St 37-2	Door dogs steel, DIN 83104, B 93, with limit stopper Rd 12x50 mm	set	1,810
240326	St 37-2	Door dogs steel, DIN 83104, B 93, without limit stopper	set	1,810
240413	S/S raw	Door dogs stainless steel, DIN 83104, B 73, without limit stopper	set	1,260
240413.4	S/S pol	Door dogs stainless steel, DIN 83104, B 73, without limit stopper	set	1,260

DOG ASSEMBLY DIN 83104 FORM C - DIN 83104 FORM C, STEEL

The steel spindle hole part and handle are red zinc primary coated

- Steel grip red zinc primed
- Stainless steel and other lengths on request
- Spare or single parts available under chapter attachments




Art.code	Surface	Article description	Unit	Weight
240512	St 37-2	Door dogs steel, DIN 83104, C 73, with limit stopper Rd 12x50 mm	set	1,105
240516	St 37-2	Door dogs steel, DIN 83104, C 73, without limit stopper	set	1,100

DOG ASSEMBLY DIN 83104 FORM A, STAINLESS STEEL - DIN 83104 FORM A, STAINLESS STEEL



- All stainless steel dog fasteners available in surfaces raw or polished
- With aluminium or stainless steel tube A4
- A73 door dogs available in A4 material
- Spare or single parts available under attachments



Art.code	Surface	Article description	Unit	Weight
240213	S/S raw	Door dogs stainless steel, DIN 83104, A 73, without limit stopper	set	1,540
240213.4	S/S pol	Door dogs stainless steel, DIN 83104, A 73, without limit stopper	set	1,540
240211	S/S raw	Door dogs stainless steel, DIN 83104, A 73, with limit stopper Rd 12x50 mm	set	1,540
240211.4	S/S pol	Door dogs stainless steel, DIN 83104, A 73, with limit stopper Rd 12x50 mm	set	1,540
240220	S/S raw	Door dogs, DIN 83104, A 73, with stainless steel A4 tube and PE bushes, without limit stopper	set	1,540
240220.4	S/S pol	Door dogs, DIN 83104, A 73, with stainless steel A4 tube and PE bushes, without limit stopper	set	1,540
240222	S/S raw	Door dogs A4, DIN 83104, A 73, with steel tube and brass bushes, without limit stopper	set	1,540
240222.4	S/S pol	Door dogs A4, DIN 83104, A 73, with steel tube and brass bushes, without limit stopper	set	1,540
240226	S/S raw	Door dogs A4, DIN 83104, A 73, with stainless steel A4 tube and PE bushes, without limit stopper	set	1,540
240226.4	S/S pol	Door dogs A4, DIN 83104, A 73, with stainless steel A4 tube and PE bushes, without limit stopper	set	1,540

SPARE PART LIST STEEL - DIN 83104 STEEL SPARE PARTS

Art.code	Surface	Article description	Unit	Weight
240091.1	St 37-2	Door handle part A 60	pc.	0,760
240092.1	St 37-2	Door handle part A 73	pc.	0,890
240093.1	St 37-2	Door handle part A 93	pc.	1,020
240090.1	St 37-2	Door handle spindle hole part	pc.	0,560
249986	St 35 BK	Steel tube A 60, with loose brass bushes	pc.	0,380
249987	St 35 BK	Steel tube A 73, with loose brass bushes	pc.	0,410
249989	St 35 BK	Steel tube A 93, with loose brass bushes	pc.	0,620
249700	St 37-2	Steel washer zinc plated DIN 2093 A, 31,5x16,3x1,75 mm	pc.	0,010
249600	St 37-2	Steel safety nut M 16, DIN 985	pc.	0,020
249804	S/S	Grease nipple M 10 stainless steel	pc.	0,020
249802	Brass	Loose brass bush	pc.	0,045
240381	St 37-2	Steel axis Form B 73 with spindle head	pc.	0,470
240382	St 37-2	Steel axis Form B 93 with spindle head	pc.	0,570
240581	St 37-2	Steel axis Form C 73 with half round head	pc.	0,470
240582	St 37-2	Steel axis Form C 93 with half round head	pc.	0,570
249500	St 37-2	Limit stopper 12x50 mm	pc.	0,040
249500.0	S/S	Limit stopper 12x50 mm	pc.	0,040

SPARE PART LIST STAINLESS STEEL - DIN 83104 STAINLESS STEEL SPARE PARTS

Art.code	Surface	Article description	Unit	Weight
245092.0	S/S raw	Door handle part A 73, A2	pc.	0,970
245092.4	S/S pol	Door handle part A 73, A2	pc.	0,970
245090.0	S/S raw	Door square hole part A2	pc.	0,540
245090.4	S/S pol	Door square hole part A2	pc.	0,540
249973	Alu	Aluminium tube A 73, with assembled PE-bushes	pc.	0,210
249974	Alu	Aluminium tube A 93, with assembled PE-bushes	pc.	0,260
249800	S/S	Stainless steel washer A4, DIN 125	pc.	0,010
249600.0	S/S	Stainless steel safety nut M 16, DIN 985	pc.	0,020
249804	S/S	Grease nipple M 10 stainless steel	pc.	0,020
249803	PE	Loose PE bush 45x16 mm	pc.	0,030
245381	S/S	Stainless steel axis Form B 73 with square head	pc.	0,470
245382	S/S	Stainless steel axis Form B 93 with square head	pc.	0,570
N-249973	S/S	Stainless steel tube A 73, with loose PE bushes	pc.	0,450
N-249980	S/S	Stainless steel tube A 80, with loose PE bushes	pc.	0,500

DELIVERYTERMS & CONDITIONS

Terms of sales, delivery and payment of S&B Beschläge GmbH

1. General terms

For all merchandise sale are valid only our terms of sales, delivery and payment except in case of written and agreed deviations to this. Incontry terms and conditions of the buyer are excluded also if we haven't contradicted explicit to it.

2. Offers

Offer are always reserved to alteration. All measurements in our catalogue and brochures are not binding. We reserve the right of model tolerances due to technical or production reasons. An order is accepted only if the seller confirmed in written form or goods are delivered. All contracts arranged from the sellers representatives and additional agreements need a written confirmation to be effective.

3. Terms of delivery

Deliveries are executed ex works at buyer's own risk excluding packaging. Delivery dates are not binding except they are confirmed explicit from us in written form. In this case of default of delivery at sellers fault a suitable extended delivery time need to be agreed with a minimum of three weeks. If this period has expired unsuccessfully it's the buyer's right to withdraw from the contract in written form.

In case of force majeure, production interruptions or difficulties in sourcing raw material the seller has the right to withdraw from the contract. Partial deliveries are admissible. In case of delivery refusal of acceptance we refer to the §373 german HGB.

4. Terms of dispatch

The dispatch is carried out ex stock Illingheimer Str. 10 or suppliers destination on the buyers risk. Packaging is charged to manufacturing costs. Wooden boxes and recycable packaging will be credited at 2/3 of the invoiced price.

Organization and selection of forwarding agents and means of transport is executed by the seller as far as nothing incontry is agreed with the buyer. The transport risk turn to the buyers site if the consignment is handed over to the forwarding agent.

Transport damages and other risks during transportation are only insured on customer request. The dispatch is executed according to the AdSp (Terms of german transport organization) to the buyers indicated address. The buyer is obliged to check the incoming goods according to the §§ 377 and 378 HGB within the time stipulated.

5. Terms of payment

The terms of payment are if nothing incontry is agreed: Within 8 days from invoice date or with 2% discount after 30 days net. If the due payment date is exceeded it's the sellers right to charge an interest rate of 5% above the actual base interest rate of the european central bank.

If the buyers credit rating becomes doubtful it's the sellers right to demand immediate payment of the whole debited charged amount.

6. Warranty

The buyer is obliged to check incoming goods according to point 4). Any defects or faults need to be indicated to the seller immediately in written form. Hidden defects and faults immediate after discovery. If the seller doesn't get this indication from the buyer within the due period further claims are excluded. The warranty period is one year based on the invoice date.

In case of any claims it's the sellers right to rework or replace the products up to two times based on agreed leadtimes with the buyer. After an unsuccessful second rework or replace the buyer could withdraw from the contract.

A recourse to the supply chain is only possible if the claim existed already at the day of delivery. All further claims e.g. consequential damages or compensation charges are excluded.

7. Reservation of ownership

The seller remains ownership to the goods until complete payment receipt of the contract and has the right to take it back at any time and is to be considered as a withdrawal of the whole contract. Seizure and other interferences of third parties need to be indicated to the seller immediately in written form.

If the products are mixed up with products not belonging to the seller the finished product becomes ownership to the seller site in relation to the selling product value.

8.Venue

Place of fulfillment for deliveries and dues is our registered office Illingheimer Str. 10, 59846 Sundern, Germany.

9.Final regulation

All agreements beside these terms or any changes of contracts need to be valid the written form. If one of these clauses is invalid or partially invalid it has no influence on the effectiveness of all other conditions.

For deliveries and contracts with foreign countries we refer to the agreement of the United nations for the regulation of international contracts of sale.

10.Validation

The terms and conditions of S&B Beschläge GmbH are valid from 21st October 2002.

Numerics

1101 Rim locks	46
1102 Rim locks	45, 88
1102 Rim locks with anti panic function	90
1102 Rim locks with PC change lever (key opening)	89
1103 Rim dead lock	91
1104 Rim catch locks	92
1105 Rim locks double turn	93
1106 Rim locks double turn	94
1140-1142 rim locks with flange	47
1144 rim dead locks with flange	48
1145 rim dead locks with flange	48
1184 Rim lock with turn knob lockable - Rim lock with turn knob lockable	122
1185 Rim lock with turn knob - Rim lock with turn knob	123
1305 Double dead rim lock - Double dead rim lock	123
1503 Snapper - Snapper 45x53 mm	119
1515 Press knob snapper - Snapper 1515	124
1517 Press knob snapper - Press knob Snapper 151770	120
1518 Rim furniture lock - Rim furniture lock 1518	120
1535 Furniture lock - Furniture lock 1535	121

A

Ajar hook DIN 81319	148
Ajar hooks - Ajar hook DIN 81319	148
Articulated hooks - Articulated hooks with eyelet, heavy version	145
Articulated hooks stainless steel A4 - Articulated hooks with eyelet, heavy version	146
Articulated hooks with eyelet, heavy version ...	145 t/m 146
Ashtray for wall mounting - Ashtray for wallmounting aluminium anodized	213
Ashtray for wallmounting aluminium anodized	213
Attachments - Screws & Nuts	64, 114

B

Ball catchers - Ball catchers 2540	145
Ball catchers 2540	145
Board holder	212
Board holder casted or stamped - Board holder	212
Bolts	

- Bolts cranked similar to DIN 81412 C	132
- Flat bolts straight similar to DIN 81412 A	133
- Pin bolts heavy version	134
Bolts cranked similar to DIN 81412 C	132
Brass & stainless steel	8
Butterfly nuts DIN 80701 brass	178
Butterfly nuts DIN 80701 Stainless steel	180
Butterfly nuts one-sided	179
Butterfly nuts short version A4	180
Butterfly nuts short version brass	179
C	
Cabin hooks	147
Cabinet lock 1525/26	127
Cabinet lock 1527 for padlocks	128
Cabinet lock flat with grip - Cabinet lock 1525/26	127
Cabinet lock with flat grip lockable - Cabinet lock 1527 for padlocks	128
Cabinet rim lock 1511 with key hole - Cabinet rim lock 55x78 mm	129
Cabinet rim lock 1512 with profile cylinder - Cabinet rim lock 55x78 mm	130
Cabinet rim lock 55x78 mm	129 t/m 130
Cabinet shear - Cabinet shear 150-300 mm	157
- Cabinet shear 160 mm	156
- Cabinet shear 165 mm stainless steel	157
- Cabinet shear curved 110 mm	156
Cabinet shear 150-300 mm	157
Cabinet shear 160 mm	156
Cabinet shear 165 mm stainless steel	157
Cabinet shear curved 110 mm	156
Ceiling hooks	207
Ceiling turn hook - Ceiling turn hook turnable	206
Ceiling turn hook turnable	206
Central locking system	115
Certificate - DIN EN ISO 9001	
2015 7	
Chair fastener set	159
Coat hook 40 mm	208
Coat hook Nr. 6111	208
Coat hook twin - Coat hook twin 30 mm	205
Coat hook twin 30 mm	205
Cord spooler	162
Counterplate for turnbuckles casted	150
Counterplate for turnbuckles stamped	149
Coverplate 12 mm stainless steel	114
Coverplate 17 mm height brass	63

Coverplate 17 mm stainless steel	114
Cup hooks brass - Ceiling hooks	207
- Cup hooks DIN 81408	206
Cup hooks DIN 81408	206
Cupboard grip 85x32 mm	168
Cupboard grip brass 5175	167

D

Deck hardware inside - Chair fastener set	159
- Cord spooler	162
- Shackle bolt	164
- Shackles DIN 82101, Form A	163
- Ship bells	164
- Strap clamp	163
Deliveryterms & Conditions	223
- Deliveryterms & Conditions	223
DIN 315 brass - Wing nuts DIN 315 brass	178
DIN 444 brass - Eye bolts DIN 444 brass	171
DIN 444 stainless steel - Eye bolts DIN 444 stainless steel	172
DIN 582 brass - Ring nuts DIN 582 brass	174
DIN 80701 brass - Butterfly nuts DIN 80701 brass	178
- Butterfly nuts one-sided	179
- Butterfly nuts short version brass	179
DIN 80701 Stainless steel - Butterfly nuts DIN 80701 Stainless steel	180
- Butterfly nuts short version A4	180
DIN 80704 brass - Lifting nuts DIN 80704 brass	173
DIN 80704 Stainless steel - Lifting nuts DIN 80704 Stainless steel	173
DIN 81407 F	209
DIN 83104 Form A, Stainless steel	220
DIN 83104 Form A, steel	218
DIN 83104 Form B, steel	218
DIN 83104 Form C, Steel	219
DIN 83104 stainless steel spare parts	221
DIN 83104 steel spare parts	221
DIN 83407 Form A with lifting nut - Lifting nut set DIN 83407 A	175
DIN 83407 Form B with wing nut - Wing nut set DIN 83407 B	176
DIN 83407 Press forks Form C - Press forks DIN 83407 Form C	177
DIN 83407 Press forks Form D - Press forks DIN 83407 Form D	177
DIN EN ISO 9001 - 2015	7
Dog assembly DIN 83104 Form A steel - DIN 83104 Form A, steel	218

Dog assembly DIN 83104 Form A, Stainless steel		Door stoppers 60 mm brass	141	Escutcheons for lavatory version	
- DIN 83104 Form A, Stainless steel	220	Door stoppers 60 mm DIN 81406 A		- Escutcheons 165x45 mm, lavatory version	104
Dog assembly DIN 83104 Form B		- Door stoppers 60 mm	139	- Escutcheons WC for double cabins	105
- DIN 83104 Form B, steel	218	Door stoppers 70 mm with spring clip	135	Escutcheons for lavatory version Rd 51 mm	109
Dog assembly DIN 83104 Form C		Door stoppers 80 mm	138	Escutcheons for profile cylinder holes	
- DIN 83104 Form C, Steel	219	- Door stoppers 80 mm	138	- Escutcheons with profile cylinder holes 66x33 mm	63
Dog assembly set	217	Door stoppers 85 mm	141	Escutcheons long 230 mm	
- Dog assembly set	217	- Door stoppers 85 mm	141	- Escutcheons 230 mm	58
Door closer EN 1154 A		Door stoppers 90 mm	140	- Escutcheons 230 mm with coverplate	59
- Door closer Nr. 9006	144	- Door stoppers 90 mm brass	142	Escutcheons Rd 230 mm	101
Door closer Nr. 9006	144	Door stoppers 90 mm brass	142	Escutcheons Rd 51 mm	60, 108
Door directions	10	Door stoppers 90 mm DIN 81406 A		- Escutcheons for lavatory Rd 51 mm	61
- Door directions	10	- Door stoppers 90 mm	140	Escutcheons round for lavatory version	
Door handle for anti panic lock	100	Door stoppers DIN 81409 A		- Escutcheons for lavatory version Rd 51 mm	109
- Door handle for anti panic lock	100	- Door stoppers 40 mm with spring clip	135	- Lavatory escutcheons	98
Door handle sets for Series 104..		Door stoppers DIN 81409 B		Escutcheons round with key hole	
- Handle set for 1040, WC	28	- Door stoppers 70 mm with spring clip	135	- Escutcheons Rd 51 mm	60, 108
- Handle set for 1041, BB	29	Door stoppers small		Escutcheons round with profile cylinder hole	
- Handle set for 1042, PC	30	- Door stoppers 38 mm small version	137	- Escutcheons Rd 51 mm	60, 108
- Handle set for 1043, Catch	31	Double cylinder	116	Escutcheons WC for double cabins	105
Door handle sets for Series 106..		Double dead rim lock	123	Escutcheons with coverplate	
- Handle set for 1060, WC	18	Drückerrosetten Rd 51 mm	113	- Escutcheons 165x45 mm with coverplate	103
- Handle set for 1061, BB	19			Escutcheons with key hole with coverplate 66x33 mm	62
- Handle set for 1063, Catch lock	20			Escutcheons with knob	
- Handle set for 1064/65, PC	21			- Escutcheon with knob and PC hole	56
- Knob / Knob set for series 106	22			- Escutcheon with knob, PC hole and coverplate	57
Door handles for mortise locks				Escutcheons with knob 50 mm	107
- Handles 110 mm	52			Escutcheons with knob and coverplate	106
- Handles for door thickness 28-70 mm	52			Escutcheons with profile cylinder holes 66x33 mm	63
- Stainless steel handles for mortise locks	95			Escutcheons with round knob	
- Tubular handles for N-1835...	96			- Escutcheons with knob 50 mm	107
- Tubular L-Handles	96			- Escutcheons with knob and coverplate	106
- Tubular U-Handle	95			Eye bolts DIN 444 brass	171
Door handles for rim locks				Eye bolts DIN 444 stainless steel	172
- Handles 110 mm	53				
- Handles for door thickness 28-70 mm	53				
Door handles for rim locks DIN 81317 E					
- Handles for rim locks 9 mm spindle	99				
Door hook with eyelet, light version	147				
Door hook with eyelet, medium version	146				
Door hooks					
- Cabin hooks	147				
- Door hook with eyelet, light version	147				
- Door hook with eyelet, medium version	146				
Door knob					
- Door knob 50 mm	105				
- Door knob Round 45 mm	57				
Door knob 50 mm	105				
Door knob Round 45 mm	57				
Door stay 12.2065	158				
Door stay Stainless steel					
- Door stay 12.2065	158				
Door stopper heavy version	137				
- Door stopper heavy version	137				
Door stoppers 38 mm small version	137				
Door stoppers 40 mm with spring clip	135				
Door stoppers 60 mm	139				
- Door stoppers 60 mm brass	141				

E

Elite 1	117
- Double cylinder	116
- Half cylinders	116
- Knob cylinders	117
Escutcheon handle sets	
- Escutcheon handle sets stainless steel	110
Escutcheon handle sets stainless steel	110
Escutcheon with knob and PC hole	56
Escutcheon with knob, PC hole and coverplate	57
Escutcheons 165x45 mm	102
- Escutcheons 165x45 mm - Blind, key hole, profile cylinder hole	54
Escutcheons 165x45 mm - Blind, key hole, profile cylinder hole	54
Escutcheons 165x45 mm lavatory version	55
Escutcheons 165x45 mm with coverplate	103
Escutcheons 165x45 mm, lavatory version	104
Escutcheons 230 mm	58
Escutcheons 230 mm with coverplate	59
Escutcheons 66x33 mm	62
Escutcheons angular	
- Escutcheons 165x45 mm	102
Escutcheons for keyholes	
- Escutcheons 66x33 mm	62
Escutcheons for keyholes with coverplate	
- Escutcheons with key hole with coverplate 66x33 mm	62
Escutcheons for lavatory	
- Escutcheons 165x45 mm lavatory version	55
Escutcheons for lavatory Rd 51 mm	61

F

Faceplate description	
- Faceplates	9
Faceplates	9
Finger snapper	
- Snapper 5160	124
Flat bolts straight similar to DIN 81412 A	133
Flush pull grips A4 Type 2	161
Flush pull grips A4 Type 3	161
Flush pull grips A4 Type 4	162
Flush pull grips brass	
- Flush pull grips type 1	160
Flush pull grips stainless steel	
- Flush pull grips A4 Type 2	161
- Flush pull grips A4 Type 3	161
- Flush pull grips A4 Type 4	162
Flush pull grips type 1	160

Furniture door stopper	
- Furniture door stopper with PE buffer	136
Furniture door stopper with PE buffer	136
Furniture lock 1535	121

G

General Master Key System	115
Grip brass 5171	167
Grip snapper	
- Grip snapper 1520	125
Grip snapper 1500	128
Grip snapper 1520	125
Grip snapper 1523	125
Grip snapper 1529	126
Grip snapper invisible 1500	
- Grip snapper 1500	128
Grip snapper lockable	
- Grip snapper 1523	125
Grip snapper with 1503	
- Grip snapper 1529	126

H

Half cylinders	116
Hand grip brass 5111	166
Hand grip brass 5121	166
Handle rosettes	
- Drückerrosetten Rd 51 mm	113
- Handle rosettes Rd 51 mm	61
Handle rosettes Rd 51 mm	61
Handle set for 1040, WC	28
Handle set for 1041, BB	29
Handle set for 1042, PC	30
Handle set for 1043, Catch	31
Handle set for 1060, WC	18
Handle set for 1061, BB	19
Handle set for 1063, Catch lock	20
Handle set for 1064/65, PC	21
Handles 110 mm	52 t/m 53
Handles for door thickness 28-70 mm	52 t/m 53
Handles for rim locks 9 mm spindle	99
Handrail brackets	211
Handrail end parts	210
Handrail middle holder	210
Hasps casted	
- Hasps lockable casted	194
- Hasps lockable light version	195
- Hasps not lockable light version	196
Hasps lockable casted	194
Hasps lockable light version	195
Hasps lockable stamped	194
Hasps not lockable	196

Hasps not lockable light version	196
Hasps stamped	
- Hasps lockable stamped	194
Hasps with ring grip casted version	
- Hasps not lockable	196
Hat and coat hook 5908	204
Hat and coat hook Nr. 2121	205
Hat and coat hooks	
- Hat and coat hook 5908	204
- Hat and coat hook Nr. 2121	205
- Hat and coat hooks 1 arm	203
- Hat and coat hooks 2 arms	203
- Hat and coat hooks DIN 81407 A	204
Hat and coat hooks 1 arm	203
Hat and coat hooks 2 arms	203
Hat and coat hooks DIN 81407 A	204
Hatch and window fastener set	176
- Hatch and window fastener set	176
Hatch fastener 3232-3234	151
Hatch fasteners	
- Hatch fastener 3232-3234	151
Hinge DIN 83105 Form C	
- Hinge DIN 83105 Form C with long hole	215
Hinge DIN 83105 Form C with long hole	215
Hinge DIN 83105 Form D	
- Hinge DIN 83105 Form D with round hole	215
Hinge DIN 83105 Form D with round hole	215
Hinges 2001/2002	
- Hinges stainless steel Nr. 2001/2002	188
Hinges 2017/2027	
- Hinges stainless steel Nr. 2017/2027	188
Hinges brass	
- Hinges DIN 81402 E	182
Hinges brass DIN 81401 A	181
Hinges brass DIN 81401 B	184
Hinges DIN 81401 A	
- Hinges brass DIN 81401 A	181
Hinges DIN 81401 B	
- Hinges brass DIN 81401 B	184
Hinges DIN 81402 A	183
- Hinges DIN 81402 A	183
Hinges DIN 81402 E	182
Hinges No. 377	
- Hinges stainless steel Nr. 377	187
Hinges Nr. 110	
- Hinges stainless steel Nr. 110	190
Hinges Nr. 116	
- Hinges stainless steel Nr. 116	192
Hinges Nr. 120	
- Hinges stainless steel Nr. 120	190
Hinges Nr. 134	
- Hinges stainless steel Nr. 134	193
Hinges Nr. 138	
- Hinges stainless steel Nr. 138	189
Hinges Nr. 139	

- Hinges stainless steel Nr. 139	189
Hinges Nr. 146	
- Hinges stainless steel Nr. 146	193
Hinges Nr. 172	
- Hinges stainless steel Nr. 172	191
Hinges Nr. 188	
- Hinges stainless steel Nr. 188	192
Hinges Nr. 193	
- Hinges stainless steel Nr. 193	191
Hinges Reversible	185
- Hinges Reversible	185
Hinges stainless steel Nr. 110	190
Hinges stainless steel Nr. 116	192
Hinges stainless steel Nr. 120	190
Hinges stainless steel Nr. 134	193
Hinges stainless steel Nr. 138	189
Hinges stainless steel Nr. 139	189
Hinges stainless steel Nr. 146	193
Hinges stainless steel Nr. 172	191
Hinges stainless steel Nr. 188	192
Hinges stainless steel Nr. 193	191
Hinges stainless steel Nr. 2001/2002	188
Hinges stainless steel Nr. 2017/2027	188
Hinges stainless steel Nr. 377	187

I

Information central locking system	
- Central locking system	115
Information general master key system	
- General Master Key System	115
Information master key system	
- Master Key System	115
Interior hardware	
- Cupboard grip 85x32 mm	168
- Cupboard grip brass 5175	167
- Grip brass 5171	167
- Hand grip brass 5111	166
- Hand grip brass 5121	166
- Pull knob 34 mm	169
- Shell grip 80 mm	168
- Window grip brass 5101	165
- Window ring grip brass 3106	165

K

Keys	
- Elite 1	117
Knob / Knob set for series 106	22
Knob cylinders	117

L

Lavatory escutcheons	98
Lifting nut set DIN 83407 A	175
Lifting nuts DIN 80704 brass	173
Lifting nuts DIN 80704 Stainless steel	173

Light shade holder 60 mm	154
Light shade holder DIN 81643 Form C with chain ...	153
Light shade holder with S hooks	155
Lock description	11
- Lock description	11
Long escutcheons 230 mm	
- Escutcheons Rd 230 mm	101

M

Magnetic door stopper	
- Magnetic door stopper turnable 90°	142
Magnetic door stopper 34 mm	143
Magnetic door stopper 73mm	143
Magnetic door stopper turnable 90°	142
Magnetic door stoppers 10° turnable	
- Magnetic door stopper 34 mm	143
- Magnetic door stopper 73mm	143
Magnetic PE snapper	144
Magnetic snapper	
- Magnetic PE snapper	144
Master Key System	115
Mortise catch lock	
- Mortise catch lock DIN 81306	84
Mortise catch lock 55 mm backset	37
Mortise catch lock DIN 81306	84
Mortise catch lock, Serie 1043	27
Mortise catch lock, Serie 1063	15
Mortise catch locks	
- Mortise catch lock 55 mm backset	37
- Mortise catch locks with 9 mm spindle hole	36
Mortise catch locks 12 mm latch	
- Mortise catch locks backset 55 mm	72
Mortise catch locks 16 mm latch	
- Mortise catch locks for A60 doors	68
Mortise catch locks backset 55 mm	72
Mortise catch locks backset 65 mm triple latch	76
Mortise catch locks for A60 doors	68
Mortise catch locks with 9 mm spindle hole	36
Mortise catchlock	
- Mortise catch lock, Serie 1043	27
- Mortise catch lock, Serie 1063	15
Mortise dead lock	
- Mortise dead lock DIN 81302 B	84
Mortise dead lock backset 65 mm	77
Mortise dead lock DIN 81302 B	38, 84
Mortise dead locks	
- Mortise dead lock DIN 81302 B	38
- Mortise dead locks backset 55 mm	73
Mortise dead locks backset 55 mm	73
Mortise door catch	
- Mortise door catch 115x25 mm	43
- Mortise door catch brass 117x25 mm	42
- Sliding door lock escutcheon plate set	44
Mortise door catch 115x25 mm	43

Mortise door catch brass 117x25 mm	42
Mortise lock BB	
- Mortise lock BB, Serie 1041	25
- Mortise lock BB, Serie 1061	14
Mortise lock BB, Serie 1041	25
Mortise lock BB, Serie 1061	14
Mortise lock DIN 81303, lavatory	70
Mortise lock lavatory for double cabins	71
Mortise lock PC	
- Mortise lock PC, Serie 1042	26
- Mortise PC lock, Serie 1064	16
- Mortise PC/Knob lock, Serie 1065	17
Mortise lock PC, Serie 1042	26
Mortise lock WC	
- Mortise lock WC, Serie 1040	24
- Mortise lock WC, Serie 1060	13
Mortise lock WC, Serie 1040	24
Mortise lock WC, Serie 1060	13
Mortise locks 65 mm backset	
- Mortise catch locks backset 65 mm triple latch ..	76
- Mortise dead lock backset 65 mm	77
- Mortise locks 65 mm backset, lavatory version ..	75
- Mortise locks 65 mm backset, profile cylinder hole	74
- Mortise locks backset 65 mm solid latch 16 mm	78
Mortise locks 65 mm backset, lavatory version	75
Mortise locks 65 mm backset, profile cylinder hole ...	74
Mortise locks 80 mm backset	79 t/m 80
- Mortise locks 80 mm backset	79 t/m 80
- Mortise WC locks 80 mm backset	81
Mortise locks backset 65 mm solid latch 16 mm	78
Mortise locks DIN 81301	66
Mortise locks DIN 81301 A	65
Mortise locks DIN 81301 key hole	
- Solid or triple latch	33
Mortise locks DIN 81301 profile cylinder hole	
- Mortise locks DIN 81301	66
- Solid or triple latch	34
Mortise locks DIN 81301 tumbler key	
- Mortise locks DIN 81301 A	65
Mortise locks DIN 81303 lavatory version	
- Solid or triple latch	35
Mortise locks lavatory version	
- Mortise lock DIN 81303, lavatory	70
- Mortise lock lavatory for double cabins	71
Mortise PC lock, Serie 1064	16
Mortise PC locks for A60 doors	67
Mortise PC/Knob lock, Serie 1065	17
Mortise profile cylinder locks 16 mm latch	
- Mortise PC locks for A60 doors	67
Mortise WC locks 80 mm backset	81
Mortise wedge lock	
- Mortise wedge lock 65 mm backset	69
Mortise wedge lock 65 mm backset	69

P

Piano hinges	
- Piano hinges brass	186
Piano hinges brass	186
Pin bolts brass	
- Pin bolts DIN 81411	131
Pin bolts DIN 81411	131
Pin bolts heavy version	134
Press forks DIN 83407 Form C	177
Press forks DIN 83407 Form D	177
Press knob Snapper 151770	120
Profile cylinder coverplate	
- Coverplate 12 mm stainless steel	114
- Coverplate 17 mm stainless steel	114
Profile cylinder coverplates	
- Coverplate 17 mm height brass	63
Profile cylinder roset set round	97
Pull knob 34 mm	169
Push button sliding door lock	41
Push knob and cover ring	121
Push knob and ring for 151770	
- Push knob and cover ring	121

R

Railing holders brass	
- Handrail brackets	211
- Handrail end parts	210
- Handrail middle holder	210
Recessed flat handle grip	
- Recessed flat handle grip with 9 mm spindle hole ..	111
- Recessed flat handle grip with PC hole	112
Recessed flat handle grip 100x100 mm	113
Recessed flat handle grip with 9 mm spindle hole ..	111
Recessed flat handle grip with PC hole	112
Recessed pull ring handle	
- Recessed flat handle grip 100x100 mm	113
Rim catch locks Stainless steel	
- 1104 Rim catch locks	92
Rim dead locks DIN 81308 A key hole	
- 1144 rim dead locks with flange	48
Rim dead locks DIN 81308 B profile cylinder hole ..	
- 1145 rim dead locks with flange	48
Rim dead locks Stainless steel	
- 1103 Rim dead lock	91
Rim furniture lock 1518	120
Rim lock with turn knob	123
Rim lock with turn knob lockable	122
Rim locks DIN 81311 C key hole	
- 1101 Rim locks	46
Rim locks DIN 81311 C profile cylinder hole	
- 1102 Rim locks	45
Rim locks DIN 81311 C Stainless steel	
- 1102 Rim locks	88

- 1102 Rim locks with anti panic function	90
- 1102 Rim locks with PC change lever (key opening)	89
Rim locks DIN 81312 C, double turn stainless steel	
- 1105 Rim locks double turn	93
Rim locks DIN 81312 D, double turn stainless steel	
- 1106 Rim locks double turn	94
Rim locks with flange	
- 1140-1142 rim locks with flange	47
Ring nuts DIN 582 brass	174
Rosets PC	
- Profile cylinder roset set round	97
Round valves 2721-2725	199
Round valves stainless steel	201

S

Screws & Nuts	64, 114
Shackle bolt	164
Shackles DIN 82101, Form A	163
Shell grip 80 mm	168
Ship bells	164
Sliding door lock escutcheon plate set	44
Sliding door mortise locks distance 75 mm	40
Sliding door mortise locks distance 90 mm	39
Sliding door mortise locks profile cylinder hole	
- Push button sliding door lock	41
- Sliding door mortise locks distance 75 mm	40
- Sliding door mortise locks distance 90 mm	39
Snapper 1515	124
Snapper 45x53 mm	119
Snapper 5160	124
Solid or triple latch	33 t/m 35
Spare part list stainless steel	
- DIN 83104 stainless steel spare parts	221
Spare part list steel	
- DIN 83104 steel spare parts	221
Spring clips 45/70 mm	
- Spring clips 45/70 mm brass	136
Spring clips 45/70 mm brass	136
Stainless steel handles for mortise locks	95
Strap clamp	163
Striking box brass	
- Striking box for dead and rim locks	51
Striking box for dead and rim locks	51
Striking plate 165x20x1,5 mm	32
Striking plate 250 mm for double cabin WC locks	86
Striking plate 95x40x1,5 mm	23
Striking plates DIN 81314 A	
- Striking plate 250 mm for double cabin WC locks ..	86
- Striking plates for mortise and rim locks	49
- Striking plates for Mortise locks for distance 72-78	
mm	85

Striking plates DIN 81314 B	
- Striking plates for catch and rim locks	50, 87
Striking plates DIN 81314 C	
- Striking plates for dead and rim locks	50, 87
Striking plates for catch and rim locks	50, 87
Striking plates for dead and rim locks	50, 87
Striking plates for mortise and rim locks	49
Striking plates for Mortise locks for distance 72-78 mm	
85	
Striking plates for series 104..	
- Striking plate 165x20x1,5 mm	32
Striking plates for series 106..	
- Striking plate 95x40x1,5 mm	23
Surface Treatments	
- Brass & stainless steel	8

T

Three point lock	
- Three point lock stainless steel	82
- Three point lock steel and zinc plated	83
Three point lock stainless steel	82
Three point lock steel and zinc plated	83
Towell hooks	
- Coat hook 40 mm	208
- Coat hook Nr. 6111	208
- DIN 81407 F	209
- Towell hooks 40 mm	207
Towell hooks 40 mm	207
Tubular handles for N-1835... ..	96
Tubular L-Handles	96
Tubular U-Handle	95
Turnbuckles	
- Counterplate for turnbuckles casted	150
- Counterplate for turnbuckles stamped	149
- Turnbuckles brass	148
- Turnbuckles with distance tube	149
Turnbuckles brass	148
Turnbuckles with distance tube	149

V

Ventilating counter plates 2771-2775	199
Ventilating grill angular	201
Ventilating grills	
- Ventilating grill angular	201
Ventilating plate Rd stainless steel	202
Ventilating valve counterplate 2753	198
Ventilating valves 2703	198
Ventilating valves angular	
- Ventilating valve counterplate 2753	198
- Ventilating valves 2703	198
Ventilating valves round	
- Round valves 2721-2725	199
- Round valves stainless steel	201
- Ventilating counter plates 2771-2775	199
- Ventilating plate Rd stainless steel	202

W

Wardrobe fastener	
- Wardrobe fastener lockable	197
Wardrobe fastener lockable	197
Window fastener curved version	151
Window fastener straight version with counter plate	
152	
Window fasteners	
- Light shade holder 60 mm	154
- Light shade holder DIN 81643 Form C with chain ...	153
- Light shade holder with S hooks	155
- Window fastener curved version	151
- Window fastener straight version with counter plate	
.....	152
Window grip brass 5101	165
Window ring grip brass 3106	165
Wine glass holder 0,8 mm	209
Wine glass holder stainless steel	
- Wine glass holder 0,8 mm	209
Wing nut set DIN 83407 B	176
Wing nuts DIN 315 brass	178

Art. no.	Price
100031.4	35
100031.6	35
100031.9	35
100032.4	35
100032.6	35
100032.9	35
100131.4	33
100131.6	33
100131.9	33
100132.4	33
100132.6	33
100132.9	33
100231.4	34
100231.6	34
100231.9	34
100232.4	34
100232.6	34
100232.9	34
100331.4	37
100331.6	37
100331.9	37
100332.4	37
100332.6	37
100332.9	37
100530.4	38
100530.6	38
100530.9	38
100631.4	36
100631.6	36
100631.9	36
100632.4	36
100632.6	36
100632.9	36
100930.4	39
100930.6	39
100930.9	39
101031.4	35
101031.6	35
101031.9	35
101032.4	35
101032.6	35
101032.9	35
101131.4	33
101131.6	33
101131.9	33
101132.4	33

Art. no.	Price
101132.6	33
101132.9	33
101231.4	34
101231.6	34
101231.9	34
101232.4	34
101232.6	34
101232.9	34
101331.4	37
101331.6	37
101331.9	37
101332.4	37
101332.6	37
101332.9	37
101631.4	36
101631.6	36
101631.9	36
101632.4	36
101632.6	36
101632.9	36
103000.4	42
103000.6	42
103000.9	42
103300.4	42
103300.6	42
103300.9	42
104031.4	24
104031.6	24
104031.9	24
104032.4	24
104032.6	24
104032.9	24
104131.4	25
104131.6	25
104131.9	25
104132.4	25
104132.6	25
104132.9	25
104231.4	26
104231.6	26
104231.9	26
104232.4	26
104232.6	26
104232.9	26
104331.4	27
104331.6	27

Art. no.	Price
104331.9	27
104332.4	27
104332.6	27
104332.9	27
104500.4	41
104500.6	41
104500.9	41
105630.4	40
105630.6	40
105630.9	40
106011.4	13
106011.6	13
106011.9	13
106012.4	13
106012.6	13
106012.9	13
106111.4	14
106111.6	14
106111.9	14
106112.4	14
106112.6	14
106112.9	14
106311.4	15
106311.6	15
106311.9	15
106312.4	15
106312.6	15
106312.9	15
106411.4	16
106411.6	16
106411.9	16
106412.4	16
106412.6	16
106412.9	16
106511.4	17
106511.6	17
106511.9	17
106512.4	17
106512.6	17
106512.9	17
110101.4	46
110101.6	46
110101.9	46
110102.4	46
110102.6	46
110102.9	46

PRICELIST

Art. no.	Price
110201.4	45
110201.6	45
110201.9	45
110202.4	45
110202.6	45
110202.9	45
114001.4	47
114001.6	47
114001.9	47
114002.4	47
114002.6	47
114002.9	47
114101.4	47
114101.6	47
114101.9	47
114102.4	47
114102.6	47
114102.9	47
114201.4	47
114201.6	47
114201.9	47
114202.4	47
114202.6	47
114202.9	47
114401.4	48
114401.6	48
114401.9	48
114402.4	48
114402.6	48
114402.9	48
114501.4	48
114501.6	48
114501.9	48
114502.4	48
114502.6	48
114502.9	48
118401.4	122
118401.6	122
118401.9	122
118402.4	122
118402.6	122
118402.9	122
118403.4	122
118403.6	122
118403.9	122
118500.4	123

Art. no.	Price
118500.6	123
118500.9	123
12.2065.0	158
12.2070.0	158
130560.6	123
130570.6	123
130580.6	123
150000.0	128
150370.4	119
150370.6	119
150370.9	119
151161.4	129
151161.6	129
151161.9	129
151162.4	129
151162.6	129
151162.9	129
151163.4	129
151163.6	129
151163.9	129
151261.4	130
151261.6	130
151261.9	130
151262.4	130
151262.6	130
151262.9	130
151263.4	130
151263.6	130
151263.9	130
151570.4	124
151570.6	124
151570.9	124
151571.4	124
151571.6	124
151571.9	124
151770.0	120
151800.0	120
151803.0	120
152000.9	125
152300.9	125
152500.0	127
152600.0	127
152700.0	128
153500.0	121
171009.4	52
171009.6	52

Art. no.	Price
171009.9	52
171096.4	52
171096.6	52
171096.9	52
171139.4	53
171139.6	53
171139.9	53
171169.4	53
171169.6	53
171169.9	53
172008.4	52
172008.6	52
172008.9	52
172009.4	52
172009.6	52
172009.9	52
172139.4	53
172139.6	53
172139.9	53
180001.4	58
180001.6	58
180001.9	58
180002.4	58
180002.6	58
180002.9	58
180101.4	58
180101.6	58
180101.9	58
180200.4	58
180200.6	58
180200.9	58
180200.9-92	69
180202.4	59
180202.6	59
180202.9	59
180300.4	58
180300.6	58
180300.9	58
183010.4	54
183010.6	54
183010.9	54
183011.4	54
183011.6	54
183011.9	54
183012.4	54
183012.6	54

Art. no.	Price
183012.9	54
183512.9	54
183519.4	54
183519.6	54
183519.9	54
183532.4	56
183532.6	56
183532.9	56
183535.4	57
183535.6	57
183535.9	57
183536.4	57
183536.6	57
183536.9	57
183540.4	57
183540.6	57
183540.9	57
183598.4	63
183598.6	63
183598.9	63
188011.4	55
188011.6	55
188011.9	55
188012.4	55
188012.6	55
188012.9	55
190001.4	61
190001.6	61
190001.9	61
190002.4	61
190002.6	61
190002.9	61
190011.4	61
190011.6	61
190011.9	61
190012.4	61
190012.6	61
190012.9	61
190200.4	60
190200.6	60
190200.9	60
190210.4	60
190210.6	60
190210.9	60
190300.4	61
190300.6	61

Art. no.	Price
190300.9	61
190310.4	61
190310.6	61
190310.9	61
190401.4	60
190401.6	60
190401.9	60
190402.4	60
190402.6	60
190402.9	60
190410.4	60
190410.6	60
190410.9	60
192401.4	63
192401.6	63
192401.9	63
192501.4	62
192501.6	62
192501.9	62
192502.4	62
192502.6	62
192502.9	62
200969.4	39
200969.6	39
200969.9	39
207067.4	18
207067.6	18
207067.9	18
207167.4	19
207167.6	19
207167.9	19
207367.4	20
207367.6	20
207367.9	20
207467.4	21
207467.6	21
207467.9	21
207567.4	22
207567.6	22
207567.9	22
208068.4	28
208068.6	28
208068.9	28
208168.4	29
208168.6	29
208168.9	29

Art. no.	Price
208268.4	30
208268.6	30
208268.9	30
208368.4	31
208368.6	31
208368.9	31
209945.4	64
209945.6	64
209945.9	64
209966.4	64
209966.6	64
209966.9	64
209975.4	64
209975.6	64
209975.9	64
210012.1	46,47,48
210012.4	46,47,48
210012.6	46,47,48
210012.9	46,47,48
210013.1	33
210013.4	33
210013.6	33
210013.9	33
21DC10-E-NI	116
21DC11-E-NI	116
21DC12-E-NI	116
21DC13-E-NI	116
21DC14-E-NI	116
21DC15-E-NI	116
21DC16-E-NI	116
21DC17-E-NI	116
21DC18-E-NI	116
21DC19-E-NI	116
21DC1-E-NI	116
21DC20-E-NI	116
21DC21-E-NI	116
21DC22-E-NI	116
21DC23-E-NI	116
21DC24-E-NI	116
21DC25-E-NI	116
21DC26-E-NI	116
21DC27-E-NI	116
21DC3-E-NI	116
21DC4-E-NI	116
21DC5-E-NI	116

PRICELIST

Art. no.	Price	Art. no.	Price	Art. no.	Price
21DC6-E-NI	116	220032F.6	49	228110.6	129..... 130
21DC7-E-NI	116	220032F.9	49	228110.9	119,122,123,124,125
21DC8-E-NI	116	220330.4	50	229000.0	127,128
21DC9-E-NI	116	220330.6	50	229100.0	127,128
21-E	117	220330.9	50	230011.4	181
21-E-G	117	220430.4	50	230012.4	181
21-E-HS	117	220430.6	50	230021.4	181
21HC1-E-NI	116	220430.9	50	230022.4	181
21HC2-E-NI	116	220830.4	39	230031.4	181
21HC3-E-NI	116	220830.6	39	230032.4	181
21HC4-E-NI	116	220830.9	39	230041.4	181
21HC5-E-NI	116	222400.4	51	230042.4	181
21HC6-E-NI	116	222400.6	51	230051.4	181
21HC7-E-NI	116	222400.9	51	230052.4	181
21HC8-E-NI	116	224031.4	32	230061.4	183
21HC9-E-NI	116	224031.6	32	230061.6	183
21KC10-E-NI	117	224031.9	32	230061.9	183
21KC11-E-NI	117	224032.4	32	230062.4	183
21KC12-E-NI	117	224032.6	32	230062.6	183
21KC13-E-NI	117	224032.9	32	230062.9	183
21KC14-E-NI	117	224331.4	32	231400.4	182
21KC15-E-NI	117	224331.6	32	231405.4	182
21KC16-E-NI	117	224331.9	32	231410.4	182
21KC17-E-NI	117	224332.4	32	231420.4	182
21KC18-E-NI	117	224332.6	32	231430.4	182
21KC19-E-NI	117	224332.9	32	231450.4	182
21KC1-E-NI	117	225603.4	40	231470.4	182
21KC20-E-NI	117	225603.6	40	231500.4	182
21KC2-E-NI	117	225603.9	40	231505.4	182
21KC3-E-NI	117	225610.4	44	231510.4	182
21KC4-E-NI	117	225610.6	44	231520.4	182
21KC5-E-NI	117	225610.9	44	231530.4	182
21KC6-E-NI	117	226101.4	23	231550.4	182
21KC7-E-NI	117	226101.6	23	231570.4	182
21KC8-E-NI	117	226101.9	23	232210.4	184
21KC9-E-NI	117	226102.4	23	232230.4	184
220031.4	49	226102.6	23	232240.4	184
220031.6	49	226102.9	23	232250.4	184
220031.9	49	226301.4	23	232310.4	184
220031F.4	49	226301.6	23	232330.4	184
220031F.6	49	226301.9	23	232340.4	184
220031F.9	49	226302.4	23	232350.4	184
220032.4	49	226302.6	23	238060.4	185
220032.6	49	226302.9	23	238060.6	185
220032.9	49	228008.9	119,122,123	238060.9	185
220032F.4	49	228110.4	129,130	238080.4	185

Art. no.	Price
238080.6	185
238080.9	185
2383105-C	215
2383105-D	215
240002	218
240006	218
240012	218
240016	218
240022	218
240026	218
240036	218
240090.1	221
240091.1	221
240092.1	221
240093.1	221
240211	220
240211.4	220
240213	220
240213.4	220
240220	220
240220.4	220
240222	220
240222.4	220
240226	220
240226.4	220
240312	218
240316	218
240322	218
240326	218
240381	221
240382	221
240413	218
240413.4	218
240512	219
240516	219
240581	221
240582	221
242001.0	134
242001.4	134
242001.6	134
242002.0	134
242002.4	134
242002.6	134
242002.9	134
242051.0	134
242051.4	134

Art. no.	Price
242051.6	134
242052.0	134
242052.4	134
242052.6	134
242052.9	134
242103.4	131
242103.6	131
242103.9	131
242104.4	131
242104.6	131
242104.9	131
242105.4	131
242105.6	131
242105.9	131
242106.4	131
242106.6	131
242106.9	131
242111.4	131
242111.6	131
242111.9	131
242114.4	131
242114.6	131
242114.9	131
242116.4	131
242116.6	131
242116.9	131
243002.4	133
243002.6	133
243002.9	133
243003.4	133
243003.6	133
243003.9	133
243004.4	133
243004.6	133
243004.9	133
243010.4	132,133
243010.6	132,133
243010.9	132,133
243020.4	132,133
243020.6	132,133
243020.9	132,133
243102.4	132
243102.6	132
243102.9	132
243103.4	132
243103.6	132

Art. no.	Price
243103.9	132
243104.4	132
243104.6	132
243104.9	132
245090.0	221
245090.4	221
245092.0	221
245092.4	221
245381	221
245382	221
249500	221
249500.0	221
249600	221
249600.0	221
249700	221
249800	221
249802	221
249803	221
249804	221
249973	221
249974	221
249986	221
249987	221
249989	221
250000.9	148
250001.4	148
250001.6	148
250001.9	148
250021.4	148
250021.6	148
250021.9	148
251001.1	137
251001.4	137
251001.6	137
251001.9	137
251101.4	138
251101.6	138
251101.9	138
251201.4	139
251201.6	139
251201.9	139
251280.0	138,139,140,141,142
251290.4	138,139,140
251290.6	138,139,140
251290.9	138,139,140
251300.4	137

PRICELIST

Art. no.	Price
251300.6	137
251300.9	137
251401.4	141
251401.6	141
251401.9	141
251501.4	140
251501.6	140
251501.9	140
251601.4	142
251601.6	142
251701.4	143
251701.6	143
251801.4	143
251801.6	143
251901.0	144
252001.4	142
252001.6	142
252001.9	142
253001.4	136
253001.6	136
253001.9	136
253002.4	136
253002.6	136
253002.9	136
253101.4	135
253101.6	135
253101.9	135
253199.4	135
253199.6	135
253199.9	135
253301.4	135
253301.6	135
253301.9	135
253600.4	136
253600.6	136
253600.9	136
254002.1	145
254003.1	145
254004.1	145
255100.4	145
255101.4	145
255102.4	145
255103.4	145
255104.4	145
255105.4	145
255106.4	145

Art. no.	Price
255108.4	145
255109.4	145
255110.4	145
255111.4	145
255112.4	145
255303.4	146
255304.4	146
255305.4	146
255306.4	146
255307.4	146
255350.4	145,146
255501.4	147
255502.4	147
255503.4	147
255504.4	147
255505.4	147
255506.4	147
255550.4	147
255601.1	147
255602.1	147
255603.1	147
255604.1	147
255605.1	147
255606.1	147
255607.1	147
255608.1	147
255609.1	147
255696.1	147
255697.1	147
255698.1	147
255699.1	147
270300.4	198
270300.6	198
270300.9	198
272102.4	199
272202.4	199
272302.4	199
272402.4	199
272502.4	199
275300.4	198
275300.6	198
275300.9	198
277100.4	199
277200.4	199
277300.4	199
277400.4	199

Art. no.	Price
277500.4	199
310105.1	176
310106.1	176
310107.1	176
310600.1	165
310600.2	165
320100.4	151
320100.6	151
320100.9	151
323200.4	151
323200.5	151
323200.6	151
323200.8	151
323200.9	151
323300.4	151
323300.5	151
323300.6	151
323300.8	151
323300.9	151
325000.1	152
325000.3	152
325000.4	152
325000.6	152
325000.9	152
332000.4	153
332000.6	153
332000.9	153
332200.4	155
332200.6	155
332200.9	155
334060.4	154
334060.6	154
334060.9	154
410035.4	160
410035.6	160
410035.9	160
410040.4	160
410040.6	160
410040.9	160
410050.4	160
410050.6	160
410050.9	160
414610.1	159
414610.3	159
414610.9	159
414620.1	159

Art. no.	Price
414620.3	159
414620.9	159
414635.1	159
414635.3	159
414635.9	159
420120.4	164
420170.4	164
420200.4	164
421080.4	164
421120.4	164
421170.4	164
434040.1	162
434050.1	162
434060.1	162
434075.1	162
434080.1	162
434090.1	162
434100.1	162
434110.1	162
434130.1	162
435010.1	163
435020.1	163
435025.1	163
435030.1	163
435035.1	163
435040.1	163
435045.1	163
460110.1	163
460112.1	163
460116.1	163
460120.1	163
47.522.4	121
47.522.6	121
47.522.8	121
47.532.4	121
47.532.6	121
47.532.8	121
47.533.4	121
47.533.6	121
47.533.8	121
47.534.4	121
47.534.6	121
47.534.8	121
510120.4	165
510120.6	165
510120.9	165

Art. no.	Price
510140.4	165
510140.6	165
510140.9	165
511120.4	166
511120.6	166
511120.9	166
512110.4	166
512110.6	166
512110.9	166
512140.4	166
512140.6	166
512140.9	166
513020.4	168
513020.6	168
513020.9	168
514080.4	168
514080.6	168
514080.9	168
515034.0	169
515034.5	169
515034.6	169
515034.9	169
516000.1	124
516000.3	124
517106.4	167
517106.6	167
517106.9	167
517500.4	167
517500.6	167
517500.9	167
520110.4	156
520110.6	156
520110.9	156
520150.0	157
520160.4	156
520160.6	156
520160.9	156
520200.0	157
520250.0	157
520300.0	157
532010.4	212
532010.6	212
532010.9	212
532108.4	212
532108.6	212
532108.9	212

Art. no.	Price
532112.4	212
532112.6	212
532112.9	212
532116.4	212
532116.6	212
532116.9	212
537075.0	209
550110.9	197
550120.9	197
561000.4	148
561000.6	148
561000.9	148
561010.4	149
561010.6	149
561010.9	149
561015.4	149
561015.6	149
561015.9	149
561020.4	149
561020.6	149
561020.9	149
561025.4	149
561025.6	149
561025.9	149
561030.4	149
561030.6	149
561030.9	149
565500.4	149
565500.6	149
565500.9	149
565600.1	150
565600.3	150
565600.4	150
565600.6	150
565600.9	150
570200.4	194
570200.6	194
570200.9	194
572100.4	194
572100.6	194
572100.9	194
572125.4	194
572125.6	194
572125.9	194
574100.1	196
574100.3	196

PRICELIST

Art. no.	Price
574100.4	196
574100.6	196
574100.9	196
576000.1	196
576000.3	196
576000.4	196
576000.6	196
576000.9	196
577000.1	195
577000.3	195
577000.4	195
577000.6	195
577000.9	195
577100.1	195
577100.3	195
577100.4	195
577100.6	195
577100.9	195
577200.1	195
577200.3	195
577200.4	195
577200.6	195
577200.9	195
580100.4	211
580100.6	211
580100.9	211
580110.4	211
580110.6	211
580110.9	211
580200.4	210
580200.6	210
580200.9	210
580300.4	210
580300.6	210
580300.9	210
590000.4	203
590000.6	203
590000.9	203
590100.4	203
590100.6	203
590100.9	203
590200.4	204
590200.6	204
590200.9	204
590300.4	205
590300.6	205

Art. no.	Price
590300.9	205
590800.0	204
590800.4	204
590800.6	204
590800.9	204
591025.4	206
591025.6	206
591025.9	206
592000.4	207
592000.6	207
592000.9	207
593000.1	206
593000.2	206
594000.4	209
594000.6	209
594000.9	209
600150.0	213
A1-06040	171
A1-06050	171
A1-08060	171
A1-08070	171
A1-08080	171
A1-08090	171
A1-08100	171
A1-10060	171
A1-10070	171
A1-10080	171
A1-10100	171
A1-10120	171
A1-12060	171
A1-12080	171
A1-12090	171
A1-12100	171
A1-12110	171
A1-12120	171
A1-16070	171
A1-16080	171
A1-16100	171
A1-16110	171
A1-16120	171
A1-16130	171
A1-16140	171
A1-16160	171
A1-20110	171
A1-20120	171
A1-20130	171
A1-20140	171

Art. no.	Price
A1-20150	171
A1-20160	171
A1-20180	171
A1-20200	171
A1-22140	171
A1-22160	171
A1-24130	171
Bm	8
Bmc	8
Bmn	8
Bp	8
Bpc	8
Bpn	8
Brp	8
Brpc	8
Brpn	8
DGL-M12.0	177
DGL-M16.0	177
DGL-M20.0	177
DGQ-M12.0	177
DGQ-M16.0	177
DGQ-M20.0	177
DT-AL6107.0	217
F1-M04.1	178
F1-M05.1	178
F1-M06.1	178
F1-M08.1	178
F1-M10.1	178
F1-M12.1	178
F1-M16.1	178
F1-M20.1	178
F1-M22.1	178
GM-0001.0	111
GM-0002.0	111
GM-PZ01.0	112
GM-PZ02.0	112
H-2121.4	205
H-2121.6	205
H-2121.9	205
H-6111.1	208
H-6111.3	208
H-6121.1	208
H-6121.3	208
H-7545.1	207
H-7545.3	207
H-7563.1	207
H-7563.3	207
KN-108.1	179

Art. no.	Price
KN-110.1	179
KN-112.1	179
KN-116.1	179
KN-120.1	179
KN-122.1	179
KN-124.1	179
KN-216.1	178
KN-220.1	178
KN-224.1	178
KN-612.1	179
KN-616.1	179
KN-620.1	179
KNV-12080	176
KNV-16070	176
KNV-16110	176
KNV-20130	176
KO-106.1	173
KO-108.1	173
KO-110.1	173
KO-112.1	173
KO-114.1	173
KO-116.1	173
KO-118.1	173
KO-120.1	173
KO-122.1	173
KO-124.1	173
KOV-12080	175
KOV-16070	175
KOV-16110	175
KOV-20130	175
N-100131	65
N-100132	65
N-100231	66
N-100231.4	66
N-10023172	78
N-10023172.4	78
N-100232	66
N-100232.4	66
N-10023272	78
N-10023272.4	78
N-100251	67
N-100252	67
N-10028031	80
N-10028031.4	80
N-10028032	80
N-10028032.4	80
N-100331.0	84

Art. no.	Price
N-100332.0	84
N-100530.0	84
N-100530.4	84
N-100531	69
N-100532	69
N-100631	72
N-100632	72
N-100651	68
N-100652	68
N-100731	70
N-100732	70
N-101131	65
N-101132	65
N-101231	66
N-101231.4	66
N-10123172	74
N-10123172.4	74
N-101232	66
N-101232.4	66
N-10123272	74
N-10123272.4	74
N-10128031	79
N-10128031.4	79
N-10128032	79
N-10128032.4	79
N-101331.0	84
N-101332.0	84
N-101631	72
N-101631.4	72
N-10163172	76
N-10163172.4	76
N-101632	72
N-101632.4	72
N-10163272	76
N-10163272.4	76
N-101731	70
N-101731.4	70
N-10173178	75
N-10173178.4	75
N-101732	70
N-101732.4	70
N-10173278	75
N-10173278.4	75
N-10178031	81
N-10178031.4	81
N-10178032	81

Art. no.	Price
N-10178032.4	81
N-103000.0	43
N-103300.0	43
N-105030	73
N-105030.4	73
N-10503072	77
N-10503072.4	77
N-105731	71
N-105732	71
N-10TPL01	82
N-10TPL02	82
N-110201	88
N-110201-W	89
N-110202	88
N-110202-W	89
N-110203	88
N-110203-W	89
N-110204	88
N-110204-W	89
N-110241-AP	90
N-110242-AP	90
N-110243-AP	90
N-110244-AP	90
N-110301	91
N-110302	91
N-110401	92
N-110402	92
N-110403	92
N-110404	92
N-110501	93
N-110502	93
N-110601	94
N-110602	94
N-152000.0	125
N-152000.9	125
N-152300.0	125
N-152900.0	126
N-152900.9	126
N-171096.0	95
N-171096.4	95
N-171096.9	95
N-171099.0	95
N-171099.4	95
N-171099.9	95
N-171139.0	99
N-171139.4	99

PRICELIST

Art. no.	Price
N-171139.9	99
N-171149.0	99
N-171149.4	99
N-171149.9	99
N-171169.0	99
N-171169.4	99
N-171169.9	99
N-171194.0-W	100
N-171194.4-W	100
N-171194.9-W	100
N-171309.0	96
N-171309.4	96
N-171309.9	96
N-171509.0	95
N-171509.4	95
N-171509.9	95
N-171809.0	96
N-171809.4	96
N-171809.9	96
N-180001.0	101
N-180001.4	101
N-180001.9	101
N-180002.0	101
N-180002.4	101
N-180002.9	101
N-180101.0	101
N-180101.4	101
N-180101.9	101
N-180200.0	101
N-180200.4	101
N-180200.9	101
N-180200.9-92	69
N-180202.0	101
N-180202.4	101
N-180202.9	101
N-180209.0	97
N-180209.4	97
N-180209.9	97
N-180300.0	101
N-180300.4	101
N-180300.9	101
N-181500.0	98
N-181500.4	98
N-181500.9	98
N-181600.0	98
N-181600.4	98

Art. no.	Price
N-181600.9	98
N-183510.0	102
N-183510.4	102
N-183510.9	102
N-183511.0	102
N-183511.4	102
N-183511.9	102
N-183512.0	102
N-183512.4	102
N-183512.9	102
N-183513.0	102
N-183513.4	102
N-183513.9	102
N-183517.0	102
N-183517.4	102
N-183517.9	102
N-183518.0	103
N-183518.4	103
N-183518.9	103
N-183519.0	103
N-183519.4	103
N-183519.9	103
N-183535.0	106
N-183535.4	106
N-183535.9	106
N-183540.0	105
N-183540.4	105
N-183540.9	105
N-183560.0	107
N-183560.4	107
N-183560.9	107
N-183598.0	114
N-183598.4	114
N-183598.9	114
N-183599.0	114
N-183599.4	114
N-183599.9	114
N-184512.0	102
N-184512.4	102
N-188511.0	104
N-188511.4	104
N-188511.9	104
N-188512.0	104
N-188512.4	104
N-188512.9	104
N-188711.0	105

Art. no.	Price
N-188711.9	105
N-188712.0	105
N-188712.9	105
N-190001.0	109
N-190001.4	109
N-190001.9	109
N-190002.0	109
N-190002.4	109
N-190002.9	109
N-190011.0	109
N-190011.4	109
N-190011.9	109
N-190012.0	109
N-190012.4	109
N-190012.9	109
N-190200.0	108
N-190200.4	108
N-190200.9	108
N-190210.0	108
N-190210.4	108
N-190210.9	108
N-190300.0	113
N-190300.4	113
N-190300.9	113
N-190310.0	113
N-190310.4	113
N-190310.9	113
N-190401.0	108
N-190401.4	108
N-190401.9	108
N-190402.0	108
N-190402.4	108
N-190402.9	108
N-190410.0	108
N-190410.4	108
N-190410.9	108
N-190600.0	108
N-190600.4	108
N-190600.9	108
N-200069.0	110
N-200169.0	110
N-200269.0	110
N-200369.0	110
N-209045.0	114
N-209045.4	114
N-209045.9	114

Art. no.	Price
N-209070.0	114
N-209070.4	114
N-209070.9	114
N-209999.0	114
N-209999.4	114
N-209999.9	114
N-220031.0	85
N-220031.4	85
N-220031.9	85
N-220031F.0	85
N-220031F.4	85
N-220031F.9	85
N-220032.0	85
N-220032.4	85
N-220032.9	85
N-220032F.0	85
N-220032F.4	85
N-220032F.9	85
N-220041.0	86
N-220041.9	86
N-220042.0	86
N-220042.9	86
N-220330.0	87
N-220330.4	87
N-220330.9	87
N-220430.0	87
N-220430.4	87
N-220430.9	87
N-230052.0	193
N-230054.0	193
N-230056.0	193
N-230061.0	183
N-230062.0	183
N-230067.0	190
N-230068.0	190
N-230069.0	190
N-230070.0	190
N-230071.0	190
N-230072.0	190
N-230073.0	190
N-230074.0	190
N-230080.0	191
N-230081.0	191
N-230082.0	191
N-230083.0	191
N-230084.0	191

Art. no.	Price
N-230090.0	193
N-230091.0	193
N-230092.0	193
N-230093.0	193
N-230094.0	193
N-230095.0	192
N-230100-L.0	187
N-230100-R.0	187
N-230116-L.0	190
N-230116-R.0	190
N-230117-L.0	190
N-230117-R.0	190
N-230190-L.0	189
N-230190-R.0	189
N-230191-L.0	189
N-230191-R.0	189
N-230192-L.0	189
N-230192-R.0	189
N-230193-L.0	189
N-230193-R.0	189
N-230312.0	191
N-230837.0	192
N-230841-L.0	189
N-230841-R.0	189
N-232001.0	188
N-232002.0	188
N-232017.0	188
N-232018.0	188
N-232027.0	188
N-232028.0	188
N-249973	221
N-249980	221
N-251201.0	139
N-251201.4	139
N-251201.9	139
N-251290.0	139,140
N-251290.4	139,140
N-251290.9	139,140
N-251501.0	140
N-251501.4	140
N-251501.9	140
N-251600.0	141
N-253101.4	135
N-253101.9	135
N-253301.4	135
N-253301.9	135

Art. no.	Price
N-255100.4	146
N-255101.4	146
N-255103.4	146
N-255105.4	146
N-255106.4	146
N-255108.4	146
N-272302.4	201
N-272402.4	201
N-272502.4	201
N-275100.9	201
N-275200.9	201
N-275300.9	201
N-275400.9	201
N-275500.9	201
N-275600.9	201
N-275700.9	201
N-277300.4	202
N-277400.4	202
N-277500.4	202
N-313300.0	113
N-313300.9	113
N-410020.4	161
N-410020.9	161
N-410045.4	161
N-410045.9	161
N-410075.4	162
N-410075.9	162
N-47.522.0	121
N-47.522.4	121
N-47.522.9	121
N-47.534.0	121
N-47.534.4	121
N-47.534.9	121
N-517106.0	167
N-517106.4	167
N-517106.9	167
N-520165.0	157
N-520165R.0	157
N-A1-10060	172
N-A1-10100	172
N-A1-12100	172
N-A1-16070	172
N-A1-16100	172
N-A1-16110	172
N-A1-16150	172
N-A1-16160	172

PRICELIST

Art. no.	Price
N-A1-20130	172
N-A2-12080	172
N-A2-16110	172
N-A2-20130	172
N-KN-108.0	180
N-KN-110.0	180
N-KN-112.0	180
N-KN-116.0	180
N-KN-120.0	180
N-KN-122.0	180
N-KN-124.0	180
N-KN-216.0	180
N-KN-220.0	180
N-KN-224.0	180
N-KNV-16070	176
N-KNV-16110	176
N-KNV-20130	176
N-KO-108.0	173
N-KO-110.0	173
N-KO-112.0	173
N-KO-116.0	173
N-KO-120.0	173
N-KO-124.0	173
N-KOV-12080	175
N-KOV-16070	175
N-KOV-16110	175
N-KOV-20130	175
OTS-9006.0	144
R2-M12.1	174
R2-M12.3	174
R2-M16.1	174
R2-M16.3	174
R2-M20.1	174
R2-M20.3	174
S/S brushed	8
S/S matt	8
S/S polished	8
S/S raw	8
S-10TPL01	83
S-10TPL02	83
SO-001.1	164
SO-002.1	164
STS1400-1.4	186
STS1400-1.5	186
STS1400-1.6	186
STS1430-1.4	186
STS1430-1.5	186

Art. no.	Price
STS1430-1.6	186

Art. no.	Price
----------	-------

[illegible]



S & B Beschläge GmbH
Quality ship locks and hardware solutions



CONTACT DETAILS

ILLINGHEIMER STR. 10
D-59846 SUNDERN
PHONE: +49 23 93 22 00-0
FAX: +49 23 93 10 74
WWW.SUB-BESCHLAEGE.DE
INFO@SUB-BESCHLAEGE.DE