



FALL PROTECTION EQUIPMENT

FALDSIKRINGS UDSTYR





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

INDEX

- SAFETY HARNESS - SH-01
- SAFETY HARNESS - SH-02
- SAFETY HARNESS - SH-32 PRO
- SAFETY HARNESS - SH-52 PRO
- SAFETY HARNESS - SH-70 P
- SAFETY HARNESS - SH-71 PE
- ENERGY ABSORBER W/ LANYARD - EA-100
- ENERGY ABSORBER W/ LANYARD - EA-102
- ENERGY ABSORBER W/ LANYARD - EA-101
- ENERGY ABSORBER W/ LANYARD - EA-101-2
- WORK POSITIONING BELT - WPB-10
- WORK POSITIONING BELT - WPB-31
- SAFETY LANYARD - SL-121
- FALL ARRESTER ON A RIGID ANCHORAGE LINE - FA-BLOCK
- FALL ARRESTER ON A FLEXIBLE ANCHORAGE LINE - FA-040 + FA-200
- FALL ARRESTER ON A FLEXIBLE ANCHORAGE LINE - FA-012 + FA-100
- FALL ARRESTER ON A FLEXIBLE ANCHORAGE LINE - FA-SAFETYLINE
- FALL ARRESTER RETRACABLE TYPE - FA-RWR
- FALL ARRESTER RETRACABLE TYPE - FA-WR
- FALL ARRESTER RETRACABLE TYPE - FA-SCR
- FALL ARRESTER RETRACABLE TYPE - FA-RBM
- FALL ARRESTER RETRACABLE TYPE - FA-RRL
- SAFETY TRIPOD - ST-9
- SAFETY TRIPOD - ST-11
- RESCUE DEVICE - RD-502
- RESCUE DEVICE - RD-SLING
- RESCUE DEVICE - RD-503
- WEBBING SLING
- TRAUMA STRAP

INDHOLDSFORTEGNELSE

- FALDSIKRINGS SELE - SH-01
- FALDSIKRINGS SELE - SH-02
- FALDSIKRINGS SELE - SH-32 PRO
- FALDSIKRINGS SELE - SH-52 PRO
- FALDSIKRINGS SELE - SH-70 P
- FALDSIKRINGS SELE - SH-71 PE
- FALDSIKRINGSSTROP M. DÆMPER - EA-100
- FALDSIKRINGSSTROP M. DÆMPER - EA-102
- FALDSIKRINGSSTROP M. DÆMPER - EA-101
- FALDSIKRINGSSTROP M. DÆMPER - EA-101-2
- SIKKERHEDSBÆLTE - WPB-10
- SIKKERHEDSBÆLTE - WPB-31
- SIKKERHEDSLINE - SL-121
- FALDSIKRINGSANORDNING PÅ EN STIV FORANKRINGS LINE - FA-BLOCK
- FALDSIKRINGSANORDNING PÅ EN FLEKSIBEL FORANKRINGS LINE - FA-040 + FA-200
- FALDSIKRINGSANORDNING PÅ EN FLEKSIBEL FORANKRINGS LINE - FA-012 + FA-100
- FALDSIKRINGSANORDNING PÅ EN FLEKSIBEL FORANKRINGS LINE - FA-SAFETYLINE
- FALDBLOK TILBAGETRÆKS MODEL - FA-RWR
- FALDBLOK TILBAGETRÆKS MODEL - FA-WR
- FALDBLOK TILBAGETRÆKS MODEL - FA-SCR
- FALDBLOK TILBAGETRÆKS MODEL - FA-RBM
- FALDBLOK TILBAGETRÆKS MODEL - FA-RRL
- SIKKERHEDS TREBEN - ST-9
- SIKKERHEDS TREBEN - ST-11
- REDNINGSUDSTYR - RD-502
- REDNINGSUDSTYR - RD-SLING
- REDNINGSUDSTYR - RD-503
- LØFTEBÅND
- TRAUMA STROP




SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

SAFETY HARNESS

Measurements:

FALDSIKRINGS SELER

Mål:



Model: SH-01

- EN 361

Art. No.	Size	Dimensions - cm				Weight g
		A	B	C	H	
10 01 0001	M - XL	60 – 120	-	45 – 70	55 – 75	650
10 01 0002	XXL	75 – 150	-	60 – 85	65 – 85	660



Model: SH-02

- EN 361 & 358

Art. No.	Size	Dimensions - cm				Weight g
		A	B	C	H	
10 01 0003	M - XL	60 – 120	90 – 115	45 – 70	55 – 75	1080
10 01 0004	XXL	75 – 150	100 – 135	60 – 85	65 – 85	1180

Model: SH-32 Pro

- EN 361

Art. No.	Size	Dimensions - cm				Weight g
		A	B	C	H	
10 01 0005	M - XL	-	-	-	-	1315
10 01 0006	XXL	-	-	-	-	1365





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
 FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

Model: SH-52 Pro

- EN 361 & 358

Art. No.	Size	Dimensions - cm				Weight g
		A	B	C	H	
10 01 0007	M - XL	-	-	-	-	1650
10 01 0008	XXL	-	-	-	-	1750



Model: SH-70 P

- EN 361, 358 & 813

Art. No.	Size	Dimensions - cm				Weight g
		A	B	C	H	
10 01 0009	M - XL	-	-	-	-	1660
10 01 0010	XXL	-	-	-	-	1760



Model: SH-71 PE

- EN 361, 358 & 813

Art. No.	Size	Dimensions - cm				Weight g
		A	B	C	H	
10 01 0011	M - XL	-	-	-	-	1315
10 01 0012	XXL	-	-	-	-	1365



SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
 FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

ENERGY ABSORBERS w/LANYARD

FALDSIKRINGSSTROPPER m/DÆMPER

Model: EA-100

- EN 355 & 354



AZ 002



AZ 023



BW 200 (Energy Absorber) & LB 100 (Lanyard)

CE

Art. No.	Hooks	Lanyard Material	Max Length – incl. snap hooks	Rope Ø
10 02 0001	2 x AZ 002	Polyamide	2 m	12 mm
10 02 0002	AZ 002 + AZ 023	Polyamide	2 m	12 mm

Other lengths available on request!

Andre længder muligt på forespørgelse!

Model: EA-102


- EN 355 & 354



AZ 002



AZ 023



BW 200 (Energy Absorber) & LB 102 (Lanyard)

CE

Art. No.	Hooks	Lanyard Material	Max Length – incl. snap hooks	Rope Ø
10 02 0003	2 AZ 023 + AZ 002	Polyamide	2 x 2 m	10,5 mm

Other lengths available on request!

Andre længder muligt på forespørgelse!



SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
 FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

Model: EA-101

- EN 355 & 354



AZ 011



AZ 002



AZ 023



BW 200 (energy absorber) & LE 101 (elastic safety lanyard)

CE

Art. No.	Hooks	Lanyard Material	Max Length – incl. snap hooks
10 02 0004	AZ 011 + AZ 002	Polyamide	2 m
10 02 0005	AZ 011 + AZ 023	Polyamide	2 m

Other lengths available on request!

Andre længder muligt på forespørgelse!

Model: EA-101-2

- EN 355 & 354



CE

Fully assembled model seen above

Art. No.	Hooks	Lanyard Material	Max Length – incl. snap hooks
10 02 0006	AZ 011 + 2 AZ 023	Polyamide	2 x 2 m

Other lengths available on request!

Andre længder muligt på forespørgelse!



SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

WORK POSITIONING BELTS

SIKKERHEDSBÆLTER

Model: WPB-10

- EN 358

Art. No.	Size	*Dimensions – cm				Weight g
		A	B	C	H	
10 03 0001	M – XL	-	90 – 115	-	-	460
10 03 0002	XXL	-	100 - 135	-	-	480

* See measurement chart under safety harness!

* Se måleskemaet under faldsikringsseler



Model: WPB-31

- EN 358
- Fireman belt / Brandmandsbælte

Art. No.	Size	*Dimensions – cm				Weight g
		A	B	C	H	
10 03 0003	M – XL	-	90 – 115	-	-	900
10 03 0004	XXL	-	100 - 135	-	-	1000

* See measurement chart under safety harness!

* Se måleskemaet under faldsikringsseler!





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
 FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

SAFETY LANYARDS

SIKKERHEDSLINER

Model: SL-121


- EN 354 & 358



AZ 002



AZ 003



LB 121 (lanyard)

Art. No.	Hooks	Material	Length - m	Rope dia. - mm
10 04 0001	AZ 002 + AZ 003	Polyamide	1,5	12

Other lengths available on request!

Andre længder muligt på forespørgelse!





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

FALL ARRESTERS

On a rigid anchorage line

Model: FA-BLOCK

- EN 353-1



Fully assembled
pictured above ↑

(With out the pictured snap hooks)



7x19 wire w. Thimble (Ø 8mm)



AC 350



AC 920



Wire Rope Clip



Turnbuckle



D-Shackle

Art. No.	Model	Size	Length	Material
xx xx xxxx	*6x19 w. Thimble	Ø 8mm	1m	Stainless
10 05 0002	AC 350	-	-	Stainless
10 05 0003	AC 920	-	-	Galvanized / Rubber
08 02 0006	Wire Rope Clip	8mm	-	Stainless
08 08 0004	Turnbuckle	10mm	190 - 270 mm	Stainless
08 04 0004	D-Shackle	8mm	-	Stainless

* Other lengths available on request!

* Available in as Galvanized on request!

* Andre længder muligt på forespørgelse!

* Tilgængelig som Galvaniseret på forespørgsel!



SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

FALL ARRESTERS

On a flexible anchorage line


Model: FA-040 + FA-200

- EN 353-2

Art. No.	Model	Length – m
10 06 0001	FA-040	-
10 06 0002	FA-200	10
10 06 0003	FA-200	20
10 06 0004	FA-200	30
10 06 0005	FA-200	40
10 06 0006	FA-200	50

Other lengths available on request!

Andre længder muligt på forespørgelse!



FA-200

Ø 12mm Kernmantle Polyamide Rope



FA-040

Stainless Steel Rope Grab


Model: FA-012 + FA-100

- EN 353-2

Art. No.	Model	Length – m
10 06 0007	FA-012	-
10 06 0008	FA-100	10
10 06 0009	FA-100	20
10 06 0010	FA-100	30
10 06 0011	FA-100	40
10 06 0012	FA-100	50

Other lengths available on request!

Andre længder muligt på forespørgelse!



FA-100

Ø 14mm Kernmantle Polyamide Rope



FA-012

Galvanized Steel Rope Grab

Grab

Model: FA-SAFETYLINE


- EN 353-2

Art. No.	Length – m	Rope Ø mm
10 06 0013	10	12
10 06 0014	20	12
10 06 0015	30	12

Other lengths available on request!

Andre længder muligt på forespørgelse!

AZ 002 Snap Hook: Galvanized
Energy Absorber: Polyamide
Kernmantle Rope: Polyamide
Rope Grab: Stainless Steel





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

FALL ARRESTERS

Retractable types

Model: FA-RWR

- EN 360
- Rolex Webbing

Art. No.	Max Working Length – mm	Max Weight of User - kg	Weight g
10 07 0001	2260	140 kg	1180

Rolex webbing retractor, with 45mm wide Polyamide webbing.

Rolex webbing tilbagetrækker, med 45mm bredt Polyamide webbing.



AZ 022
Optional



AZ 022s
Optional



Model: FA-WR

- EN 360

Art. No.	Max Working Length – m	Weight kg
10 07 0002	6	1,70

Double swivel system with fall indicator, a 17mm wide Polyester-Kevlar webbing and a plastic casing!

Dobbelt svirvel system med fald indikator, et 17mm bredt Polyester-Kevlar webbing og et plastik hus!





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

Model: FA-SCR

- EN 360

Art. No.	Cable Length - m	Weight - kg
10 07 0003	6	5,3
10 07 0004	10	5,5
10 07 0005	12	6,2
10 07 0006	15	6,5

**Steel cable retractor, with metal casing, galvanized steel cable
Ø 4mm and an AZ 002ASI snap hook with fall indicator!**

**Stål kabel tilbagetrækker, med metal hus, galvaniseret stål kabel
Ø 4mm og en AZ 002ASI krog med fald indikator!**



Model: FA-RBM

- EN 360

Art. No.	Wire Length m	Locking Conditions	Static Strength kN	Breaking Force kN	Max weight of User - kg	Weight kg
10 07 0007	6	+50°C, -30°C & wet	12	< 6	140	4,1
10 07 0008	10	+50°C, -30°C & wet	12	< 6	140	4,3
10 07 0009	12	+50°C, -30°C & wet	12	< 6	140	4,9
10 07 0010	15	+50°C, -30°C & wet	12	< 6	140	5,1

**Retractable fall arrester, that has a build-in brake
with an energy dissipating mechanism in a plastic housing!**

**Tilbagetræks faldstop, som har en indbygget bremse
med en energiabsorberende mekanisme i et plastik hus!**





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

Model: FA-RRL

- EN 360 & 1496 Class B

Art. No.	Max Cable Length - m	Max Working Load – kg	Weight Approx. kg
10 07 0011	25	100	15

Retractable fall arrester with a rescue lifting device, galvanized steel cable, swivel hook with a fall indicator and aluminum housing!

Tilbagetræks faldstop med et rednings løfteanordning, et galvaniseret stål kabel, en svivel krog med fald indikator og aluminiums hus!





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
 FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

SAFETY TRIPODS

SIKKERHEDS TREBEN


Model: ST-9

- EN 795 Class B
- Aluminum alloy / Legeret aluminium

Art. No.	Type	WLL - kg	Breaking Force - kN	Weight - kg
10 08 0001	Webbing	500	22	14,30
10 08 0002	Chain	500	22	17,30

NB! Winch not included!

NB! Spil ikke inkluderet!




Model: ST-11

- EN 795 Class B
- Aluminum alloy / Legeret aluminium
- 3 steps for better installation / 3 trin for bedre installation

Art. No.	Type	WLL - kg	Weight - kg
10 08 0003	Webbing	1000	43
10 08 0004	Chain	1000	43

NB! Winch not included!

NB! Spil ikke inkluderet!





SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR


RESCUE DEVICES

REDNINGSUDSTYR

Model: RD-502

- EN 1496 Class B
- Automatic brake / Automatisk bremse
- Galvanized cable – Ø 6,3mm / Galvaniseret kabel – Ø 6,3mm

Art. No.	Cable Length - m	WLL - kg	Breaking Force - kg	Weight – kg
10 09 0001	20	140	1800	13
10 09 0002	25	140	1800	14



Model: RD-Sling

- En 354 & 358

Art. No.	Type
10 09 0003	With out snap hooks
10 09 0004	with snap hooks AZ 011



SAFETY HARNESS - ENERGY ABSORBER - WORK POSITIONING BELT - FIREMAN BELT - FALL ARRESTERS - TRIPOD - RESCUE DEVICES
FALDSIKRINGSSELE - FALDSIKRINGSSTROPPER - SIKKERHEDSBÆLTER - BRANDMANDSBÆLTE - FALDBLOKKE - TREBEN - REDNINGSUDSTYR

Model: RD-503

- EN 1496 Class B
- Automatic brake / Automatisk bremse
- Galvanized cable – Ø 6,3mm / Galvaniseret kabel – Ø 6,3mm

Art. No.	Cable Length m	WLL kg	Breaking Force kN	Weight kg
10 09 0005	25	200	1800	22,5
10 09 0006	35	200	1800	24
10 09 0007	45	200	1800	25,5
10 09 0008	50	200	1800	26,2



Model: Webbing Sling

- EN 354 & 795

Art. No.	EWL
10 11 0000	60 cm
10 11 0001	120 cm

Model: Trauma Strap

Art. No.	Working Length
10 12 0001	105 cm

