

# NOS



A GRENE WIS COMPANY

Fiber ropes & accessories  
Tovværk & tilbehør





## Index

### Mooring & Towing

Nordic with Dyneema® .....	5.4
Nordic Plus with Dyneema® .....	5.5
Nordic X-tra .....	5.6
Nordic X-tra Plus .....	5.7
Nordic Oceanfloat 24 .....	5.8
Nordic Oceanmix .....	5.9
Nordic Oceanmix - Tails/Sab.....	5.9

### Mooring

Nordic Ocean 8 .....	5.10
Nordic Gold 8 .....	5.11
Nordic Winch Master .....	5.12
Nordic Ajax .....	5.13
Nordic Ajax - Float .....	5.14

### Towing

Nordic Tow Master .....	5.15
Nordic Softlink .....	5.16

### General fiber ropes & equipment

Nordic Ocean 3 .....	5.17
Crossbraided nylon .....	5.18
Natural fiber ropes - Manila EN698 .....	5.19
Seizing twine .....	5.19
Electric heat cutter .....	5.20
Marline spikes for wire .....	5.20
Stainless steel marline spikes for fiber rope .....	5.20
Nordic Chafe guard .....	5.21
Cargo net - rope .....	5.22
Cargo net - webbing .....	5.22
Pilot ladders .....	5.23
Embarkation ladders .....	5.23
Nordic Hardlink - Mooring link .....	5.23
Marker buoy's .....	5.24
Fenders HD .....	5.25

## Indhold

### Fortøjning & Bugsering

Nordic med Dyneema® .....	5.4
Nordic Plus med Dyneema® .....	5.5
Nordic X-tra .....	5.6
Nordic X-tra Plus .....	5.7
Nordic Oceanfloat 24 .....	5.8
Nordic Oceanmix .....	5.9
Nordic Oceanmix - Tails/Sab.....	5.9

### Fortøjning

Nordic Ocean 8 .....	5.10
Nordic Gold 8 .....	5.11
Nordic Winch Master .....	5.12
Nordic Ajax .....	5.13
Nordic Ajax - Float .....	5.14

### Bugsering

Nordic Tow Master .....	5.15
Nordic Softlink with Dyneema® .....	5.16

### Generelt fibertove og udstyr

Nordic Ocean 3 .....	5.17
Krydsflettet Nylon .....	5.18
Natur Tov - Manila EN698 .....	5.19
Tacklegarn .....	5.19
El-kniv .....	5.20
Merlespiger til stålvirer .....	5.20
Rustfri stål merlespiger til tovværk .....	5.20
Nordic Tovværks Beskyttelse .....	5.21
Løftenet - Tov .....	5.22
Løftenet - Bånd .....	5.22
Lodslejdere .....	5.23
Evakueringsslejdere .....	5.23
Nordic Hardlink - Fortøjnings sjækel .....	5.23
Markeringsbøjer .....	5.24
Fender HD .....	5.25












**Nordic Ajax - Float**

- 6-strand wire lay, solid round construction (Core Polypropylene)
- Produced to the same principles as traditional Atlas-type winch ropes
- Spliced strength - 10% (according to DIN EN ISO 2307)
- Application: mooring
- Floats in water (s.g. 0.99)
- Elongation approx. 21% (new & dry rope)

**Nordic Ajax - Float**

- 6-slætet fortøjningsreb (100% polyamid)
- Brudstyrke - 10% (ifølge DIN EN ISO 2307)
- Anvendelse: fortøjning
- Meget god UV-modstandsstyrke
- Vægtfylde 0.99 (flyder)
- Brudforlængelse ca. 21%



Art. No.	Dia. mm	Kg/100mtr	MBL ton	Art. No.	Dia. mm	Kg/100mtr	MBL ton
05 38 0003	48	133	47	05 38 0007	64	237	76
05 38 0004	52	156	50	05 38 0008	68	268	88
05 38 0005	56	181	62	05 38 0009	72	300	101
05 38 0006	60	208	67	05 38 0010	78	370	109

Standard length: 110/220 mtr. / Standard længde: 110/220 mtr.

**Nordic Tow Master**

- Multi-braided 7x12 construction, applying 100% high tenacity Polyester multifilament fibers
- Strong overbraided protective Polyester jacket for ultimate form stability and abrasion resistance
- Application: main tow line or towing stretcher
- Colour: blue & white, on availability
- Melting point 265°C
- Non-floating (s.g. 1.36)
- Excellent UV resistance
- Excellent abrasion resistance
- Elongation approx. 7,5% at 50% of MBL
- Spliced strength - 10% (according to DIN EN ISO 2307)

**Nordic Tow Master**

- Multiflettet 7x12 konstruktion, fremstillet af 100 % kvalitets polyester multifilament fiber
- Stærk overflettedt beskyttelsescover af polyester for ultimativ formstabilitet og slidstyrke
- Anvendelse: slæbetov eller "towing stretcher"
- Farve: blå og hvid, efter tilgængelighed
- Smeltepunkt 265°C.
- Vægtfylde 1.36 (ikke-flydende)
- Fremragende UV modstand
- Brudforlængelse ca. 7,5% at 50% of MBL
- Brudstyrke - 10% (ifølge DIN EN ISO 2307)

Art. No.	Dia. mm	Kg/100mtr	MBL ton
05 32 0001	56	239	103
05 32 0002	60	275	124
05 32 0003	64	315	139
05 32 0004	68	352	153
05 32 0005	72	395	170
05 32 0006	76	441	204
05 32 0007	80	489	210
05 32 0008	84	548	231
05 32 0009	88	590	251

Other lengths and diameter on request / Andre længder og diameter på forespørgsel











## NOS A/S have our own RIGGING WORKSHOP

We have our own rigging workshop enabling us to custom make products within fiber ropes and wire ropes.

We are very focused on the customer being satisfied with the products from us. Occasionally it can be that the customers wants more specific products, than what can be delivered, as a standard solution, that is why we can adapt the products to fit our customers specific assignments.

We do i.e. hand slicing of steel wire ropes, combination ropes, Dyneema® and fiber ropes. We can also do custom assignments within slings, casting of all types and sizes of sockets.

Of course we also do standard production If that is what you need.



## NOS A/S har eget RIGGERVÆRKSTED

Vi har vores eget riggerværksted, hvor vi kan udføre kundespecifikke opgaver inden for tovværk og wirer.

Vi går meget op i at kunderne altid skal være tilfredse med de produkter de køber hos os. Så sommetider kan det være, at produkterne skal være mere specifikke, end de standardløsninger der kan leveres. Derfor har vi mulighed for at tilpasse produkterne således, at de passer til kundens specifikke opgave.

Vi laver for eksempel håndsplejsning af stålpirer, Taifuner, Dyneema® og andre tovværkstyper. Vi kan også udføre kundespecifikke opgaver indenfor wirestropper, istøbning af alle typer og størrelser wiresko.

Vi udfører selvfølgelig også standard produktion hvis man ønsker dette.

