



**ANZA**

**PAINTING TOOLS FOR  
INDUSTRIAL & COATINGS  
APPLICATION**

## BRUSHES



Art.no.	Width mm	Qty/pack	Bar code
<b>ANZA XT2 RADIATOR BRUSH</b>			
X2T radiator brushes are the part of the paint brush range that is specially developed for <b>high viscosity and high build</b> coatings, and passive fire protection products. They are also the best choice for <b>low viscosity primers, topcoats and antifouling</b> . Thicker ferrule, gives great spreading rate and capacity. Unique HiCap filaments in polyester blend provides an even coverage and smooth surface. No fiber loss. Tested and recommended by Jotun for <i>Jotamastic Smart Pack HB, Barrier Smart Pack and Hardtop One</i> .			
100518	25	10	7311490054163
100500	35	10	7311490042832
100501	50	10	7311490042849
100502	70	10	7311490042856



<b>ANZA XT2 ANGLED BRUSH</b>			
X2T radiator brushes are the part of the paint brush range that is specially developed for <b>high viscosity and high build</b> coatings, and passive fire protection products. They are also the best choice for low viscosity primers, topcoats and antifouling. Thicker ferrule, gives great spreading rate and capacity. Unique HiCap filaments in polyester blend provides an even coverage and smooth surface. No fiber loss. Tested and recommended by Jotun for <i>Jotamastic Smart Pack HB, Barrier Smart Pack and Hardtop One</i> .			
100515	50	10	7311490042986
100516	70	10	7311490042993



<b>ANZA X2 FLAT BRUSH</b>			
X2 flat brushes are the part of the paint brush range developed for all protective and maritime coatings. Well suited in both low and high viscosity and the unique Hicap blend provides smooth finish with very good coverage. No fiber loss. Tested and recommended by Jotun for <i>Jotamastic Smart Pack HB, Barrier Smart Pack and Hardtop One</i> .			
100517	15	200	7311490054156
100503	25	10	7311490042863
100504	35	10	7311490042870
100505	50	10	7311490042887
100506	70	10	7311490042894
100507	100	10	7311490042900



<b>ANZA X2 RADIATOR BRUSH</b>			
X2 radiator brushes are the part of the paint brush range with bendable ferrule. Suited for all coatings but especially good for low viscosity coatings. Unique HiCap filaments in polyester blend provides an even coverage and smooth surface. For smaller jobs. No fiber loss. Tested and recommended by Jotun for <i>Barrier Smart Pack and Hardtop One</i> .			
100508	25	10	7311490042917
100509	35	10	7311490042924
100510	50	10	7311490042931
100511	70	10	7311490042948



<b>ANZA X2 ROUND BRUSH</b>			
X2 round brushes are the part of the brush range especially suited for painting of profiles and stripe coating. Unique HiCap filaments in polyester blend together with the round shape, provides especially good coverage on edges and good finish. No fiber loss. Tested and recommended by Jotun for <i>Jotamastic Smart Pack HB, Barrier Smart Pack and Hardtop One</i> .			
100512	30	10	7311490042955
100513	40	10	7311490042962
100514	50	10	7311490042979



<b>ANZA X2 ROUND BRUSH ANGLED</b>			
High capacity and fine finish. Secures even coverage. Very good spreading rate. Well suited for all maritime and industrial primers, coatings and fire protection. Recommended tool for stripe coating.			
100519	35	10	7311490054170
100520	45	10	7311490054187



## ROLLERS



## FRAMES



Art.no.	Width mm	Qty/pack	Bar code
<b>ANZA X2 ROUND BRUSH ANGLED REFILL</b>			
Refill for X2 Round angled. Recommended tool for stripe coating.			
100521	35	20	7311490054194
100522	45	20	7311490054200

Art.no.	Size	Width cm	Qty/pack	Bar code
<b>ANZA X6 PA NOLOSS</b>				
X6 PA NoLoss is a polyamide roller range for high viscosity and high build coatings and passive fire protection products. Pile height 13 mm. Specially processed in finish line for high pick-up and release capacity, and high spreading rate. Provides an even coverage without holidays and no fiber loss. Tested and recommended by Jotun for <i>Jotamastic Smart Pack HB</i> .				
400501	Mini	10	5	7311490043037
400505	Mini	15	5	7311490043075
400503	Maxi	18	5	7311490043051
400508	Maxi	25	5	7311490046373

Art.no.	Size	Width cm	Qty/pack	Bar code
<b>ANZA X3 SUPERIOR HIGHCAP FELT</b>				
X3 Superior HiCap Felt is a polyester roller range for low viscosity primers, topcoats and antifouling. Pile height 7 mm. Specially processed in finish line for high pick-up and release capacity, and high spreading rate. Provides a smooth surface with even coverage without holidays and no fiber loss. Tested and recommended by Jotun for <i>Barrier Smart Pack and Hardtop One</i> .				
400500	Mini	10	5	7311490043020
400504	Mini	15	5	7311490043068
400506	Midi	10	5	7311490043242
400502	Maxi	18	5	7311490043044
400507	Maxi	25	5	7311490046366

Art.no.	Size	Width cm	Qty/pack	Bar code
<b>ANZA X6 PA NOLOSS 41,5 CM MAXI STICK</b>				
For floor and large surfaces. High capacity and spreading rate. Secures fine finish and even coverage. No fibre loss.				
400509			1	7311490054217

Art.no.	Size	Width cm	Qty/pack	Bar code
<b>ANZA ROLLER HANDLE 41,5 CM</b>				
Handle for 41,5 cm roller.				
1095050			10	7311490041620

Art.no.	Size	Width cm	Qty/pack	Bar code
<b>ANZA MINI FRAME</b>				
Steel wire with plastic handle compatible with taper-fit and click-lock extension poles. For all mini and midi rollers.				
600500	Short	10	5	7311490043006
600502	Medium	10	5	7311490043266

Art.no.	Size	Width cm	Qty/pack	Bar code
<b>ANZA MAXI FRAME</b>				
Steel wire with plastic handle compatible with taper-fit and click-lock extension poles. For maxi rollers.				
600501		18	5	7311490043013
600503		25	5	7311490046359

[www.anzacoatings.com](http://www.anzacoatings.com)

ORKLA HOUSE CARE AB  
P.O. BOX 133  
S-564 23 BANKERYD  
PHONE: +46 36-37 63 00  
MAIL: INFO@ORKLA.SE  
WEB: WWW.ANZACOATINGS.COM

