DANLUBE A/S

"Så ved du det holder"

Tune Parkvej 5 4030 Tune Tel.: +45 70 25 12 80 info@danlube.dk www.danlube.dk

vactac infusion adhesives

Winning technology for vacuum infused composites.



vactac infusion adhesives



The ultimate adhesive system for positioning, reinforcement, and securing materials used in vacuum infused composites.



The system is suitable for positioning materials, such as reinforcement fabrics, foams, balsa, peel plies and release films - even in the largest vacuum infused composite structures.



Eliminate aerosol spray cans, and with them, airborne adhesive contamination, health risks and wasteful can disposal.

VAC-TAC® Spray Adhesive

VAC-TAC® hotmelt spray adhesives have been specially formulated for use with vacuum infused composites, to position and secure reinforcement materials during lay-up. They are applied to one surface only using our VAC-TAC® spray tools, where, for up to 5 minutes, they provide an instant, very high 'grab' adhesive surface. Once attached, the reinforcement materials can still be easily repositioned if required - only once they have been firmly pushed together is the final adhesive bond made.

An additional benefit when using VAC-TAC® adhesives is that there is no waste. Any unused adhesive left in the tool at the end of the job simply re-melts when the tool is next switched on and can continue to be used in the normal way.

Unlike VOC (volatile organic compound) spray adhesives, VAC-TAC® has an indefinite shelf life and does not require any special packaging, transportation, or storage. VAC-TAC® also does not have any of the health and contamination problems normally associated with airborne particles from these other adhesives. Our unique VAC-TAC® adhesives are solvent- and water-free.

- » Higher Instant Tack
- » No Waste
- » No Shelf-life
- » No Storage Problems
- » Lower Costs
- » Solvent Free
- » Better For The Operator
- » No Waste Can Disposal Problems
- » Better For The Environment

Adhesive reload TEC 6300





VAC-TAC 100	Off White, near invisible Up to 5 minutes open time Very aggressive tack
VAC-TAC 200	Amber Up to 5 minutes open time Higher output than VAC-TAC 100 Very aggressive tack.







TEC 6300 VAC-TAC

Unique Spray System

500 watt, 43mm (1¾") glue gun that can spray hotmelt adhesives.

Pneumatically-assisted for easy all day use.

Requires compressed air.

Glue size: 43mm (1¾") glue cartridges

Melt rate: 4.2 kilos (10lbs)/hour



TEC 7300 VAC-TAC

Speedloader, Spray System

1000 watt, 43mm (1¾") glue gun that can spray hotmelt adhesives. Includes a cartridge magazine to reduce reloading time. Pneumatically-assisted for easy all day use.

Requires compressed air.

Glue size: 43mm (13/4") glue cartridges Melt rate: 5.25 kilos (11lbs)/hour

VAC-TAC® Toolbox Kits

Kits can be specified with either TEC 6300 or TEC 7300 VAC-TAC® spray tools and comes complete with heavy-duty mobile toolbox, integral gun stand, and 6m (20ft) extension lead.

- » Portable
- » Robust
- » Additional storage for adhesive and spares
- » Safely contains complete system

Integral gun stand



TEC 6300 VAC-TAC KIT TEC 7300 VAC-TAC KIT

Handy compartments



Spray applicator kit Spray applicator kit



DANLUBE A/S • Tune Parkvej 5 • 4030 Tune • Tel.: +45 70 25 12 80 • info@danlube.dk • www.danlube.dk

TEC 805-12 & 12mm (1/2") Adhesive



12mm Glue gun

Versatile, Ergonomic

250 watt 12mm (1/2"), 30W (250W) glue gun with full-hand trigger for easy use. Illuminated on-off switch.

Glue size: 12mm (1/2") glue sticks Melt rate: 1.8 kilos (4 lb)/hour

TEC 805-12

Industrially rated 12mm tool

Tecbond 342

Fast setting for bonding vacuum feed pipes and breathers, speeding the lay-up process.

TECBOND 342-12-300

Fast setting, instant grab adhesive

Extension Lead 12m (40ft)



12m (40ft) optional extension for TEC 6300 & TEC 7300 spray tools. Electro-pneumatic cordset allows operators greater reach & flexibility when working on larger composite applications - please contact Sales for available plug options.

ADD040-12M

12m (40ft) Extension lead

Other Accessories

Suitable compressors, filter regulators, optional gun stands and all spare parts are available if required - please contact Sales.



C E ROHS BRITISH AMERIYES



Europe's leading shaped hot melt adhesive specialist, offering the largest range of high quality, performance adhesives and hand-held glue applicators.

Over forty years experience has placed us in a unique position to offer industry specialist knowledge on all aspects of commercial gluing operations using thermoplastic adhesives.

Advanced technology at our modern UK production facility enables us to maintain the high level of quality which has become the hallmark of our products. A continuous programme of research and development ensures that we continue to meet the ever changing needs of industry. which includes the VAC-TAC® system.



To reduce our impact on the environment our adhesives are often formulated using raw materials that have been harvested from sustainable managed forests.

Our packaging is recyclable and where possible made from recycled materials.

Power Adhesives Limited

1 Lords Way, Basildon, Essex, SS13 1TN ENGLAND

Tel: +44 (0)1268 885800 Fax: +44 (0)1268 885810 sales@poweradhesives.com www.poweradhesives.com

12 months warranty on all equipment











