

## STANDARD SPIDERS

Up to size 55

## HIGHTEMP SPIDERS

## NBL SPIDERS



### 92° SHORE A SPIDER STANDARD 92° SHORE A

- White
- Normal drives
- Continuous temperatur -40°C to +90°C



### 92° SHORE A SPIDER HIGHTEMP 92° SHORE A

- Yellow
- Normal drives
- Increased durability
- Continuous temperatur -50°C to +120°C



### ZAHNKRANZ NBL 92° SHORE A SPIDER NBL 92° SHORE A

- Gelb Yellow
- Mess- und Regelsysteme  
Measure and control systems
- Dauertemperatur -40°C bis +90°C  
Continuous temperatur -40°C to +90°C



### 95/98° SHORE A SPIDER STANDARD 95/98° SHORE A

- Red
- Normal drives with high performance
- Continuous temperatur -30°C to +90°C



### 95/98° SHORE A SPIDER HIGHTEMP 95/98° SHORE A

- Light red
- Normal drives with high performance
- Continuous temperatur -50°C to +120°C



### 95/98° SHORE A SPIDER NBL 95/98° SHORE A

- Red
- Positioning and main spindle drives
- Continuous temperatur -30°C to +90°C



### 64° SHORE D SPIDER STANDARD 64° SHORE D

- Dark green
- High performance with small torsional angle
- Continuous temperatur -20°C to +110°C



### 64° SHORE D SPIDER HIGHTEMP 64° SHORE D

- Light green
- High performance with small torsional angle
- Continuous temperatur -50°C to +120°C



### 64° SHORE D SPIDER NBL 64° SHORE D

- Light green
- High performance with small torsional angle
- Continuous temperatur -20°C to +110°C

**TECHNOFLEX**  
POWER TO PERFORM

