

OUTERCORE



**VINDUESFALS MED UNIKKE VÆRDIER
GODKENDT TIL DGNB OG SVANEMÆRKET BYGGERI**

***WINDOW FRAME WITH UNIQUE VALUES
APPROVED FOR DGNB AND DANISH SWAN LABELLED CONSTRUCTION***

DERFOR SKAL DU VÆLGE OUTERCORE

- Der er intet linjetab. (0,0002)
- Enkel montage og kan monteres af alle.
- Byggeriet kan lukkes med det samme.
- Individuelle løsnings muligheder.
- Brugt i DGNB og Svanemærkede byggerier.
- Damp tæt konstruktion.
- Bundløsning der kan bære gulvkonstruktionen.
- DWG & RVT, samt alt i teknisk dokumentation.

OUTERCORE GØR DET MULIGT

Produktet er godkendt og monteret i byggerier med krav om Svanemærkning og DGNB certificering. Outercore har i udviklingsfasen fokuseret på at fremstille et produkt som materiale, miljø, og energimæssigt lever op til fremtidens krav. Det vil blandt andet sige at Outercore ikke indeholder Ftalater.


WHY YOU SHOULD CHOOSE OUTERCORE

- *There is no loss at line level. (0.0002)*
- *Simple installation and can be assembled by all.*
- *The building can be closed immediately.*
- *Options for individual solutions*
- *Used in DGNB and Danish Swan labelled buildings.*
- *Vapour-tight construction.*
- *Base solution that can bear floor assembly.*
- *DWG & RVT and all technical documentation.*

OUTERCORE MAKES IT POSSIBLE


The product is approved and installed in buildings with requirements for Danish Swan labelling and DGNB certification. During the development phase, Outercore has focused on producing a product which lives up to future requirements in terms of materials, the environment and energy. One feature is that Outercore does not contain phthalates.

Levering
på mål eller til
egen afkortning
Delivery to measure
or for cutting to
length



SPECIFIKATIONER (99)5.17 SPECIFICATIONS

- | | |
|---|---|
| 1. Facadeparti / vindue | 1. <i>Façade section / window</i> |
| 2. Tildannet mursten | 2. <i>Shaped bricks</i> |
| 3. Sålbenk | 3. <i>Window sills</i> |
| 4. 108 mm mursten | 4. <i>108 mm bricks</i> |
| 5. Opklodsning af facadeparti | 5. <i>Bricklaying of façade section</i> |
| 6. Lufttæt fuge | 6. <i>Air-tight seam</i> |
| 7. Gulv iht. projekt | 7. <i>Floor as in project</i> |
| 8. Udstøbt beton | 8. <i>Concrete casting</i> |
| 9. 100/125/150 mm Bagmur (iht. ingeniør projekt / statik)
- Beton / Letbeton
- Porebeton blokke
- Leca blokke / Multiblokke | 9. <i>100/125/150 mm Rear wall (according to engineer project / static)
- Concrete / Masonry mortar
- Aerated concrete blocks
- Leca blocks / Multi blocks</i> |
| 10. Elastisk fuge | 10. <i>Elastic beading</i> |
| 11. Outercore basisprofil | 11. <i>Outercore base profile</i> |
| 12. Outercore skråstiver | 12. <i>Outercore braces</i> |
| 13. *Outercore skrue antal iht. anvisning fra Outercore | 13. <i>*Outercore screw number as in specifications from Outercore</i> |



SPECIFIKATIONER (99)5.16 SPECIFICATIONS

- | | |
|---|---|
| 1. Isolering | 1. <i>Insulation</i> |
| 2. 108 mm mursten | 2. <i>108 mm bricks</i> |
| 3. TB-rende | 3. <i>TB gutter</i> |
| 4. Tegloverligger | 4. <i>Ceramic lintel</i> |
| 5. Vindue (Type iht. projekt) | 5. <i>Window (Type as in project)</i> |
| 6. 180 mm Bagmur
- Beton / Letbeton
- Porebeton blokke
- Leca blokke / Multiblokke | 6. <i>180 mm Rear wall
- Concrete / Masonry mortar
- Aerated concrete blocks
- Leca blocks / Multi blocks</i> |
| 7. Elastisk fuge | 7. <i>Elastic beading</i> |
| 8. *Outercore skrue antal iht. anvisning fra Outercore | 8. <i>*Outercore screw number as in specifications from Outercore</i> |
| 9. Stor spartelprofil | 9. <i>Large filler profile</i> |
| 10. Underlag for tilsætning | 10. <i>Underlay for other surfaces</i> |
| 11. Evt. isolering | 11. <i>Insulation if appropriate</i> |
| 12. 10 mm fibergips | 12. <i>10 mm fibre plaster</i> |
| 13. Outercore basisprofil | 13. <i>Outercore base profile</i> |
| 13. *Outercore skrue | 13. <i>*Outercore screw</i> |
| 13. Lufttæt fuge | 13. <i>Air-tight seam</i> |



STANDARD OUTERCORE LØSNING STANDARD OUTERCORE SOLUTION

- | | |
|-----------------|---------------------------|
| • 4 Planker | • <i>4 planks</i> |
| • 4 Hjørner | • <i>4 corners</i> |
| • Skruesæt | • <i>Set of screws</i> |
| • Montagebeslag | • <i>Mounting bracket</i> |
| • Skråstiver | • <i>Braces</i> |

OUTERCORE GØR DET MULIGT

Vi laver byggevareløsninger fordi vi ved vi kan lave bedre, smartere og mere fremtidssikrede byggevarer, der vil ændre måden at bygge på.

Ved at være innovativ og kreativ, tænke i nye materialer og anvende princippet om at bringe kreativ viden ind i håndværket. Samtidig sætter vi kundens behov i første række ved at tænke og udvikle i samarbejde med kunden.

OUTERCORE MAKES IT POSSIBLE

We produce construction products solutions because we know we can make better, smarter and more future-proof construction products that will change the way we build.

Being innovative and creative, thinking in terms of new materials and applying the principle of bringing creative expertise into craftsmanship, while at the same time putting the needs of the customer first by thinking and developing in collaboration with the customer.