

European Rental Range

The Power of One™



Our energy working for you.™

The Power of One™ has two dimensions. First, it means a single manufacturer of power generation products. And second, it means a single source for a complete set of required services. These two dimensions combine to provide a single source for complete power solutions.

Pre-Integrated Systems

- **Components**
 - Diesel engines
 - Alternators
 - Integrated controls
 - Air handling
 - Filtration systems
 - Fuel systems
 - Turbochargers
- **Systems**
 - System design and application engineering
 - Product customization

Solutions/Services

- **Solutions**
 - Parallelling systems
 - Remote monitoring and control
 - Fully integrated solutions
- **After-sale services**
 - Single point of contact
 - Training
 - 24/7 service
 - Global parts
 - Distribution network
 - Warranty



Our Rental generator sets are designed to increase profitability for the operator by improving uptime with more built-in features as standard, easy maintenance, flexible transportation options and greater reliability.

Product Range

Model Name	PRP ¹ 50 Hz		PRP ¹ 60 Hz		ESP ² 50 Hz		ESP ² 60 Hz		COP ³ 50 Hz		COP ³ 60 Hz		Engine Model	Emissions EU Stage	Standard Alternator	dB(A) @7m 75% load PRP ¹ 50 Hz	L x W x H ⁴ (m)	Dry Weight (kgs)	Autonomy @ 75% load PRP (hours)
	kVA	kW	kVA	kW	kVA	kW	kVA	kW	kVA	kW	kVA	kW							
C20 D5R	20	16	-	-	22	17	-	-	-	-	-	-	V2403-M-E3BG	SIIIA	PI144D1	66	1.7 x 0.78 x 1.25	838	32
C40 D5R	40	32	-	-	44	35	-	-	-	-	-	-	4BTAA3.3 G11	SIIIA	UC224C	62	2.5 x 1.1 x 1.8	1634	24
C60 D5R	60	48	-	-	63	50	-	-	-	-	-	-	4BTAA3.3 G11	SIIIA	UC224E	62	2.5 x 1.1 x 1.8	1692	18
C100 D2R	100	80	110	88	110	88	125	100	-	-	-	-	QSB5 G5	SIIIA	UC274C	66	2.9 x 1.1 x 1.9	2034	13
C150 D2R	150	120	165	132	165	132	188	150	-	-	-	-	QSB7 G5	SIIIA	UC274F	67	3.9 x 1.1 x 2.2	2922	29
C200 D2R	200	160	220	176	220	176	250	200	-	-	-	-	QSB7 G5	SIIIA	UC274H	67	3.9 x 1.1 x 2.2	3018	24
C250 D2R	250	200	275	220	275	220	313	250	-	-	-	-	QSL9 G3	SIIIA	UC274K	69	4.4 x 1.4 x 2.5	4369	23
C300 D2R	300	240	330	264	330	264	375	300	-	-	-	-	QSL9 G7	SIIIA	HC4D	69	4.4 x 1.4 x 2.5	4666	20
C1000 D2R	1000	800	1160	928	1100	880	1250	1000	755	604	887	710	KTA38 G14	U/R	HCI634K	78	6.1 x 2.4 x 2.6	15800	6
C1250 D2R	1258	1006	1400	1120	1400	1120	1588	1270	1005	804	1120	896	KTA50 G3	U/R	P7B	83	6.1 x 2.4 x 2.6	16879	5

¹ Prime Power

² Emergency Standby Power

³ Base load (continuous) power

⁴ Length x Width x Height in metres

Product Options

	C20 D5R	C40 D5R	C60 D5R	C100 D2R	C150 D2R	C200 D2R	C250 D2R	C300 D2R	C1000 D2R	C1250 D2R
EU Stage IIIa Emissions	●	●	●	●	●	●	●	●	U/R	U/R
PowerCommand 1.1	●	●	●	●	-	-	-	-	-	-
PowerCommand 1.2	-	-	-	-	-	●	●	-	-	-
PowerCommand 3.3	-	-	-	-	●	●	●	●	●	●
Paralleling capability	-	-	-	-	●	●	●	●	●	●
Masterless load demand	-	-	-	-	○	○	○	○	●	●
DeepSea 7310	○	○	○	○	-	-	-	-	-	-
ComAp MRS 16	○	○	○	○	-	-	-	-	-	-
Dual Speed 50/60 Hz	-	-	-	-	●	●	●	●	●	●
Heavy-duty fuel filters	●	●	●	●	●	●	●	●	●	●
Heavy-duty air filters	●	●	●	●	●	●	●	●	●	●
Crankcase ventilation system	●	●	●	●	●	●	●	●	●	●
Battery isolator switch	●	●	●	●	●	●	●	●	●	●
Optima AGM battery	●	●	●	●	●	●	●	●	●	●
Long autonomy fuel tank	-	-	-	○	○	○	○	○	-	-
Fork lift pockets	●	●	●	●	●	●	●	●	●	●
Drag bar	●	●	●	●	●	●	●	●	●	●
Single point lift	●	●	●	●	-	-	-	-	-	-
Custom canopy color	●	●	●	●	●	●	●	●	●	●
1 Year unlimited hours warranty	●	●	●	●	●	●	●	●	●	●
3 Years 3,000 hours warranty	○	○	○	○	○	○	○	○	-	-
Bund sensor	○	○	○	○	○	○	○	○	-	-
Battery charger	○	○	○	○	○	○	○	○	○	○
Coolant heater	○	○	○	○	○	○	○	○	○	○
Spark arrestor	○	○	○	○	●	●	-	-	-	-
Chalwyn valve	-	-	-	○	-	-	-	-	-	-
Racor fuel/water separator	○	○	○	○	○	○	○	○	-	-
Bund pump	○	○	○	○	○	○	○	○	-	-
EDF Utilities pack	○	○	○	○	○	○	○	○	-	-
PMG/EBS Alternator	○	○	○	○	○	○	○	○	●	●

● Standard Equipment

○ Optional Equipment

- Not Available at this time

Socket Options

	Option 1	Option 2	Option 3
C20 D5R	1 x 32A 3ph, 3 x 16A 1ph	-	-
C40 D5R	1 x 32A 3ph, 2 x 16A 1ph	-	-
C60 D5R	1 x 63A 3ph, 2 x 16A 1ph	-	-
C100 D2R	1 x 32A 3ph, 1 x 32A 1ph, 1 x 16A 1ph	1 x 63A 3ph, 1 x 32A 3ph, 3 x 16A 1ph	-
C150 D2R	1 x 125A 3ph, 1 x 63A 3ph, 1 x 16A 1ph	2 x 63A 3ph, 1 x 16A 1ph	2 x 32A 3ph, 1 x 16A 1ph
C200 D2R	1 x 125A 3ph, 1 x 63A 3ph, 1 x 16A 1ph	2 x 63A 3ph, 1 x 16A 1ph	2 x 32A 3ph, 1 x 16A 1ph
C250 D2R	1 x 125A 3ph, 1 x 63A 3ph, 1 x 16A 1ph	2 x 63A 3ph, 1 x 16A 1ph	2 x 32A 3ph, 1 x 16A 1ph
C300 D2R	1 x 125A 3ph, 1 x 63A 3ph, 1 x 16A 1ph	2 x 63A 3ph, 1 x 16A 1ph	2 x 32A 3ph, 1 x 16A 1ph

Note - C1000 D2R and C1250 D2R are not available with sockets.

One Seamless European Rental Range

- Robust build quality and easy serviceability
- Heavy-duty air and fuel filters
- Long autonomy fuel tanks
- Low noise
- Multiple control options available
- Transport-optimized dimensions
- Single point lift up to 100 kVA
- Internal 3-Way fuel valve with quick-release fuel couplings
- Dual frequency 100 kVA+
- 110% Spillage containment
- Up to 50°C ambient temperature capability
- Maintenance-free Optima AGM battery
- 1 Year unlimited hours or 3 years 3,000 hours warranties available



Powercommand®



Deepsea 7310



ComAp MRS 16



C20 D5R



C40 D5R



C60 D5R



C100 D2R



C150 D2R



C200 D2R



C250 D2R



C300 D2R

Aftermarket and Service

Cummins assumes complete accountability throughout the generator set life cycle, from design and manufacturing to installation and comprehensive aftermarket services. This gives you peace of mind knowing you will need only one point of contact for your entire fleet of Cummins Rental generator sets.

- A face-to-face relationship wherever our products are operating
- Six UK service branches and full European service network
- Fast access to reliable service, engineering expertise and parts support
- Best-in-class global distribution
- Knowledgeable power systems specialists around the world



C1000 D2R




C1250 D2R



Cummins Rental Power

- Seamless range of Rental products for your fleet.
- Rental industry standard options.
- Easy-to-operate interface to maximize flexibility and minimize setup.

Cummins Power Generation has the solution wherever, and however you need it.



Global Company, Local Support

- 44,000 employees in 190 countries
- 6,500 sales & service locations
- 88 manufacturing facilities
- 20 parts distribution centers
- 19 technical centers
- 600 distributors



Asia Pacific
10 Toh Guan Road #07-01
Singapore 608838
Phone 65 6417 2388
Fax 65 6417 2399

Brazil
Rua Jati, 310, Cumbica
Guarulhos, SP 07180-900
Brazil
Phone 55 11 2186 4195
Fax 55 11 2186 4729

China
No. 2 Rongchang East Street
Beijing Economic and Technological
Development Area
Beijing 100176
P.R. China
Phone 86 10 5902 3000
Fax 86 10 5902 3199

Europe, Middle East, Africa
Manston Park, Columbus Ave.
Manston, Ramsgate
Kent CT12 5BF
United Kingdom
Phone 44 1843 255000
Fax 44 1843 255 902

India
Tower A, 6th Floor
Survey No. 21, Balewadi
Pune – 411 045
Maharashtra
India
Phone 91 20 67067000
Fax 91 20 67067011/16

Latin America
3350 Southwest 148th Ave.
Suite 205
Miramar, FL 33027
USA
Phone 954 431 5511
Fax 954 433 5797

Mexico
Eje 122 No. 200 Zona Industrial
San Luis Potosí, S.L.P. 78395
Mexico
Phone 52 444 870 6700
Fax 52 444 824 0082

North America
1400 73rd Ave. NE
Minneapolis, MN 55432
USA
Phone 763 574 5000
USA Toll-free 1 877 769 7669
Fax 763 574 5298



©2015 Cummins Power Generation Inc.
All rights reserved. Cummins Power
Generation and Cummins are registered
trademarks of Cummins Inc.
PowerCommand® is a registered
trademark of Cummins Power
Generation. The Power of One™
is a trademark of Cummins Power
Generation. F-1335 (02/15)