

STAINLESS STEEL SPECIAL GRADES SPECIALIST

STOCK PROGRAM

A stylized globe with a textured, metallic surface is shown in the lower half of the image. It is surrounded by numerous bright orange, glowing lines that swirl and orbit around it, creating a sense of dynamic movement and global connectivity. The background is a dark, geometric pattern of triangles.

**SVERDRUP
STEEL**

YOUR MATERIAL SOLUTION PROVIDER

Sverdrup Steel AS is a leading materials solution provider for stainless steels special grades. We keep extensive inventories and we serve all continents from our stock locations in Europe and Asia. At Sverdrup Steel you will find high competence and attractive service.

Stock locations

Norway
Germany
Sweden
UK
Korea

Coil service centre locations

Germany
Sweden
Korea

OUR SERVICES

Round bar cut to length
Round bar boring
Coil cut to length
Waterjet cutting
Laser cutting
Plasma cutting

Centrifugal castings
Forgings
H.I.P
Press brake
Beveling

Running custom stock and product program

Inhouse expertise consulting on various material related topics, the most suitable grade, tailoring specifications, welding procedures, production methods and more.



SVERDRUP
STEEL

PLATES STOCK

EN 14482 SS LD24 UNS S32001	EN 14162 LDX 2101® UNS S 32101	EN 14362 EDX 2304® UNS S 32304	EN 14462 SAF 2205 UNS S 31803 UNS S32205	EN 14410 SAF 2507 UNS S 32750
1,5	1	1,5	0,5 35	0,5 40
2	1,5	2	1 40	1 50
2,5	2	3	1,5 45	1,5 60
3	3	4	2 50	2
4	4	5	3 60	3
5	5	6	4 80	4
6	6	8	5	5
8	8	10	6	6
10	10	12	8	8
12	12	15	10	10
15	15	20	12	12
20	20	25	15	15
25	25	30	16	16
30	30	35	20	20
	40	40	22	25
	50	50	25	30
	60		30	35
mm	mm	mm	mm	mm

Our standard stock formats are: 2000x1000mm, 1500x3000mm, 1500x6000mm, 2000x4000mm, 2000x6000mm.

Please visit www.sverdrupsteel.com for additional information about standards, tolerances and properties.

NORSOK

1.4362 MDS D35 | 1.4462 MDS D45

1.4410 MDS D55 | 1.4547 MDS R15

Titanium Gr.2 MDS T01

EN 14547 254 SMO UNS S 31254

0,5 20
0,6 22
0,7 24
0,8 25
1 26
1,5 28
2 30
3 32
4 35
5 36
6 40
8 50
10 60
12
15
16
18

mm

EN 14539 904 L UNS N08904

0,5
1
1,5
2
3
4
5
6
8
10
12
15
20
25
30
40
50

mm

EN 14562 ALLOY 31 UNS N08031

2
3
4
5
6
8
10
12
15
20
25
30
40

mm

TITANIUM GR.2

3
4
5
6
8
10
12
15
20
25
30

mm

COIL STOCK

NORSOK

1.4362 MDS D35

1.4462 MDS D45

1.4410 MDS D55

1.4547 MDS R15

EN 14482 / SS LD24 UNS S32001

1500

3

4

5

6

mm

EN 14162 / LDX 2101® UNS S 32101

1500

2000

1

3

1,5

4

2

5

3

6

4

5

6

mm

EN 14362 / EDX 2304® UNS S 32304

1500

2000

3

3

4

4

5

5

6

6

mm

EN 14462 / SAF 2205 UNS S 31803 / UNS S32205

1300

1500

2000

0,4

0,8

3

0,5

1

4

0,6

1,5

5

0,7

2

6

3

4

5

6

mm

EN 14410 / SAF 2507 UNS S 32750

1300

1500

2000

0,5

0,6

3

0,7

4

0,8

5

1

6

1,5

3

4

5

6

mm

EN 14547 / 254 SMO UNS S 31254

1300

1500

2000

0,5

1,5

3

0,6

2

4

0,7

3

5

0,8

4

6

1

5

6

mm

Please visit www.sverdrupsteel.com for additional information about standards, tolerances and properties.

PIPES STOCK

1.4547 / 254 SMO / UNS S 31254

EN 1.4539 / 904 L UNS N08904

1005	1500	2000
0,6	1	3
	1,5	4
1300	2	5
0,5	3	6
0,7	4	
	5	
	6	

mm

DIMENSIONS	SCH	KG/M
21,3 x 2,77 mm	1/2" sch 40s	1,30
26,7 x 2,87 mm	3/4" sch 40s	1,70
33,4 x 2,77 mm	1" sch 10s	2,10
33,4 x 3,38 mm	1" sch 40s	2,50
42,2 x 2,77 mm	1 1/4" sch 10s	2,70
48,3 x 2,77 mm	1 1/2" sch 10s	3,20
48,3 x 3,68 mm	1 1/2" sch 40s	4,10
60,3 x 2,77 mm	2" sch 10s	4,00
60,3 x 3,91 mm	2" sch 40s	5,50
73 x 3,05 mm	2 1/2" sch 10s	5,30
88,9 x 3,05 mm	3" sch 10s	6,50
88,9 x 5,49 mm	3" sch 40s	11,30
114,3 x 3,05 mm	4" sch 10s	8,40
114,3 x 6,02 mm	4" sch 40s	16,10
168,3 x 3,40 mm	6" sch 10s	13,80
168,3 x 7,11 mm	6" sch 40s	28,30
219,1 x 3,76 mm	8" sch 10s	20,00
273 x 4,19 mm	10" sch 10s	27,80
323,8 x 4,57 mm	12" sch 10s	36,00
355,6 x 6,35 mm	14" sch 20	69,20

Please visit www.sverdrupsteel.com for additional information about standards, tolerances and properties.

BAR STOCK

EN 1.4418 / SI65M

10,00	35,00	51,20	71,40	90,00	117,00	165,00	306,00
12,00	40,00	60,00	75,00	91,40	122,00	173,00	335,00
16,00	41,00	61,20	76,40	100,00	127,00	206,00	360,00
20,00	45,00	65,00	80,00	102,00	132,00	226,00	410,00
25,00	46,00	66,20	81,40	107,00	143,00	256,00	
30,00	50,00	70,00	86,40	112,00	152,00	286,00	Ø/mm

EN 1.4462 / SAF2205 / S31803 / S32205 / NORSOK MDS D47

6,00	25,00	70,00	120,00	170,00	225,00	300,00	365,00
8,00	30,00	80,00	125,00	180,00	230,00	310,00	380,00
10,00	35,00	85,00	130,00	185,00	250,00	320,00	410,00
12,00	40,00	90,00	140,00	190,00	265,00	330,00	
16,00	50,00	100,00	150,00	200,00	275,00	350,00	
20,00	60,00	110,00	160,00	220,00	280,00	355,00	Ø/mm

EN 1.4410 / SAF2507 / S32750 / NORSOK MDS D57

16,00	45,00	91,00	150,00	250,00	406,40	
20,00	50,00	110,00	160,00	280,00		
25,00	60,00	120,00	170,00	300,00		
30,00	70,00	125,00	180,00	330,00		
35,00	80,00	130,00	200,00	350,00		
40,00	90,00	140,00	225,00	380,00		Ø/mm

EN 14501 / S32760 / NORSOK MDS D57

12,70	44,50	90,00	160,00	230,00	380,00
15,87	50,80	101,60	170,00	254,00	406,40
19,05	60,00	120,00	180,00	280,00	
25,40	70,00	130,00	203,30	304,80	
31,75	76,20	140,00	210,00	330,00	
38,10	80,00	152,00	220,00	355,60	Ø/mm

EN 14547 / 254SMO / S31254 / NORSOK MDS R17

12,00	40,00	80,00	140,00	220,00	350,00
16,00	50,00	90,00	150,00	230,00	380,00
20,00	60,00	100,00	160,00	250,00	400,00
25,00	65,00	110,00	170,00	280,00	
30,00	70,00	120,00	180,00	300,00	
35,00	75,00	130,00	200,00	325,00	Ø/mm

EN 14542 / 17-4 PH / COND. 1150

25,40	91,00	203,20	
31,75	101,00	216,00	
38,10	120,65	228,60	
50,80	127,00	254,00	
65,50	152,00	304,80	
76,20	177,80	355,60	Ø/mm

BAR STOCK

ALLOY 625 / N06625

12,70	45,00	76,20	113,00	165,00	300,00
17,00	52,00	81,00	120,00	177,80	
20,00	57,00	87,00	128,00	203,20	
25,40	61,00	91,00	135,00	230,00	
32,00	66,00	102,00	142,00	254,00	
38,10	71,00	107,00	152,00	280,00	Ø/mm

ALLOY 718 / N07718

25,40	63,50	165,00	
31,75	76,20	177,80	
38,10	90,00	203,20	
41,20	101,60	230,00	
45,00	127,00	254,00	
50,80	152,00	304,80	Ø/mm

ALLOY 925

92,00	
180,00	
202,00	
222,00	
290,00	Ø/mm

TITANIUM GR.2 / NORSOK MDS T01

10,00	32,00	65,00	120,00	190,00	300,00
12,00	35,00	70,00	130,00	200,00	
16,00	40,00	80,00	140,00	220,00	
20,00	45,00	90,00	150,00	230,00	
25,00	50,00	100,00	165,00	250,00	
30,00	60,00	110,00	180,00	280,00	Ø/mm

TITANIUM GR.5

8,00	35,00	76,20	140,00
10,00	40,00	80,00	150,00
12,00	50,00	90,00	180,00
16,00	60,00	100,00	200,00
20,00	63,50	120,00	225,00
25,00	70,00	130,00	255,00

Ø/mm

NITRONIC[®] 50 / XM19 / S20910

25,40	140,00
38,10	160,00
50,80	
76,20	
90,00	
101,60	

Ø/mm

NITRONIC[®] 60 / ALLOY 218 / S21800

59,00
76,20
101,60
140,00

Ø/mm

Nitronic is a trademark owned by AK steel corporation

Please visit www.sverdrupsteel.com for additional information about standards, tolerances and properties.

316L STOCK

NORSOK

316L 1.4404 MDS S01

316L 1.4404 MDS S15

316L - BAR

3	22	105	200
4	25	110	220
5	30	115	225
6	38	120	230
8	40	125	250
10	45	130	280
12	50	140	300
13	55	150	325
14	60	160	350
16	70	165	400
18	75	170	
19	80	180	
20	90	190	

Ø/mm

316L - HOLLOW SECTIONS

20x20x1,5	60x60x4
20x20x2	60x60x5
25x25x2	80x80x3
30x30x2	80x80x4
30x30x3	80x80x5
40x40x2	80x80x6
40x40x3	100x100x4
40x40x4	100x100x5
50x50x2	100x100x6
50x50x3	120x120x6
50x50x4	150x150x6
50x50x5	
60x60x3	

mm

316L - ANGLE BAR

20x20x3,0	30x30x3,0	50x50x5,0	70x70x7,0	90x90x9,0
25x25x3,0	40x40x4,0	60x60x6,0	80x80x8,0	100x100x10

mm

316L - PLATES

0,5	0,8	1,25	2	3	5	8	12	16	25	40
0,7	1,0	1,5	2,5	4	6	10	15	20	30	50

mm

Our standard stock formats are: 1000x2000mm, 1250x2500, 1500x3000mm, 2000x6000mm.

Please visit www.sverdrupsteel.com for additional information about standards, tolerances and properties.

LEAN DUPLEX STOCK

NORSOK

UNS S32304 MDS YD36

UNS S32304 MDS YD37

UNS S32304 - HOLLOW SECTIONS

50x50x4,0
60x60x5,0
80x80x5,0
100x100x6,0
120x120x6,0
150x150x6,0
150x100x6,0
200x200x8,0
250x250x8,0

mm

UNS S32304 - ANGLE BAR

40x40x4,0
50x50x5,0
60x60x6,0
80x80x8,0
100x100x10,0

mm

ALUMINIUM STOCK

6082 T6 - BAR

10	30	80	130	190	280	360
12	40	90	150	200	300	380
16	50	100	160	220	305	400
20	60	110	170	230	330	410
25	70	120	180	250	350	

Ø/mm

BAR STOCK - LOW ALLOY

AISI 4145 - BAR

1"	2,5	5,0	7,5	9,5	12,25	16,0
1,25	3,0	5,5	8,0	10,0	13,0	17,0
1,5	3,5	6,0	8,5	11,0	14,0	18,0
2,0	4,0	7,0	9,0	11,5	15,0	20,0

Ø/"

AISI 4145 - BORED BAR

5x1	5x2,5	7x2	7x4	8x3	8,5x5,5	12,25x8
5x1,5	5x3	7x2,25	7,5x3	8x3,25	9,5x3	14x3
5x1,75	6x3,5	7x3	7,5x3,25	8x4	10x3	390x250MM
5x2	7x1,5	7x3,25	7,5x3,5	8,5x3	10x4	16x3
5x2,25	7x1,75	7x3,5	8x2,25	8,5x3,5	12,25x3	20x12

Ø/"

AISI 4140 - BAR

1	2,5	4	7	9,5	14	20
1,5	3	5	8	10	16	
2	3,5	6	8,5	12,25	18	

Ø/"

AISI 4140 - BORED BAR

5x2,25	7x2,25	7x4	8x3	8,5x5,5	12,25x3
5x3	7x3	8x2,25	8,5x3,5	10x3	

Ø/"

We can deliver any OD or ID needed.

Please visit www.sverdrupsteel.com for additional information about standards, tolerances and properties.

AISI 4130 - BAR

3,0	180MM	14	
4,0	8,0	16	
130MM	8,5	20	
6,0	10		
165MM	12		Ø/”

AISI 4130 - BORED BAR

130MMx2,25	8x2,25	
130MMx3	8x3	
180MMx2,25	10x3	
180MMx2,13/16”	12x3	
		Ø/”

AISI 420 - BAR

2	6	9	
3	7	10	
4	8	12	
5	8,5		Ø/”

AISI 420 - BORED BAR

6x3	7x4	8,5x5,5	
6x4	8x3	10x3	
6,25x3,5	8x4	10x150MM	
6,5x2,5	8x5,75		
7x3	8,5x4		Ø/”

SUPER 13 95K - BAR

3	6	8,5	
4	7		
5	8		Ø/”

AISI 4330 - BAR

63	220	305	
95,25	254	320	
110	180	356	
5,5”	8”	406,5	
152	285		Ø/mm

SUPER 13 110K - BAR

3	6	8,5	
4	7	9	
5	8	10	Ø/”



YOUR MATERIAL SOLUTION PROVIDER

sverdrupsteel.com