



FIXING SOLUTIONS

STORE-LEVEL COMMUNICATIONPosterLine and Accessories34-35DecoLine Suspension Tubes36DecoLine Suspension Tubes Accessories37Ceiling Fixtures38-41Gondola solutions42

Deep Freeze Rail Solutions 43

Inconspicuous, but extremely effective: Fixing systems from METO play a major role in helping you to achieve an efficient and clearly laid-out design for your sales floor. No ceiling is too high, no freezer too wide. This programme integrates seamlessly into your shop fit-out and opens up virtually boundless individual design scope for sales floors. Each component is simple to fit and ensures that the labeling and pricing modules remain firmly in place. The simple design of our systems does not interfere with the visibility or accessibility of goods displayed: Your products always take centre stage!

POSTERLINE AND ACCESSORIES



PosterLine

Application: Light profile for attachment to walls or suspension from the ceiling for the display of price or information posters in formats ranging from DIN A5 portrait to DIN A1 landscape. Extruded polystyrene profile in standard colour grey RAL 7035 (customised colours on request) for the simple and professional display of posters, packed in a polythene bag with cardboard edge-protectors, including fitting instructions.


Art. no.	Description	Length	Unit quantity	colour
9008028	PosterLine DIN A5	2 m	2	Light grey
9004475	PosterLine DIN A4	2 m	2	Light grey
9408824**	Side piece DIN A3/A2	1 m	1	Light grey
9406732**	Side piece DIN A3/A2	2 m	1	Light grey
9408823*	Centre piece DIN A2/A1	1 m	1	Light grey
9406726*	Centre piece DIN A2/A1	2 m	1	Light grey

^{*} Product on request, minimum order quantity 750 m

Example I: For poster formats DIN A3 portrait / DIN A2 landscape, two DIN A3 portrait / DIN A2 landscape side pieces are required; these are connected to one another.

Example II: For poster formats DIN A2 portrait / DIN A1 landscape, two DIN A3 portrait / DIN A2 landscape side pieces and one DIN A2 centre piece are required; these are connected to one another.

Material: Polystyrene (PS), suitable for indoor use only Colour: Light grey RAL 7035 (other colours on request)



A = PosterLine DIN A5 portrait / DIN A4 landscape

B = PosterLine DIN A4 portrait / DIN A3 landscape

C = Side piece DIN A3 portrait / DIN A2 landscape

D = Centre piece DIN A2 portrait / DIN A1 landscape

Please note: Default colour is light grey (other colours on request)



PosterLine wall-mounting accessories

Application: For the attachment of PosterLine DIN A4 and DIN A5 to the wall. System consists of: 20 wall-mounting adaptors, 20 wall plugs, 6 x 60 mm.

Art. no.: 9004344

Material: PC + GF (wall-mounting adaptors) **Unit quantity: 1**





^{**} Product on request, minimum order quantity 1,500 m

POSTERLINE AND ACCESSORIES



Frame holder

Application: For attaching frames above or below the PosterLine profile and to freezer rails (see p. 43).

Art. no.: 8310610

Size: 25 x 25 x 22 mm Material: Polycarbonate Colour: Transparent **Unit quantity: 20**





Special offer clip

Application: Clip for fixing posters and product group signs above or below the PosterLine profile and to freezer rails (see p. 43).

■ Art. no.: 9003805

Material: Polycarbonate Colour: Transparent **Unit quantity: 25**





Position rail

Application: Perforated plastic profile. Can be used in combination with suspension rails, suspension tubes and PosterLine. For exact positioning of poster mounts, price displays, frames etc. above the goods.

■ Art. no.: 9113995

Material: PVC Colour: Transparent Length: 200 cm **Unit quantity: 5**






Position rail

Application: Perforated plastic profile. Can be used in combination with suspension rails, suspension tubes and PosterLine. For exact positioning of poster mounts, price displays, frames etc. above the goods.

Art. no.: 9113995

Material: PVC Colour: Transparent Length: 200 cm **Unit quantity: 5**



DECOLINE SUSPENSION TUBES



DecoLine suspension tubes: light, sturdy and usable anywhere - your ideal fixing solution

Suspension tubes from METO deliver what they promise.

They offer the ideal foundation for the effective sales promotion labeling of merchandise in your store. There is also an extensive range of accessories available for practically all multifunctional fixture system requirements.

Your benefits

- Your price signage and special offer information can be placed right with the merchandise.
- Suspension tubes are simple to install since the accessories can be easily inserted.
- Thanks to the use of sturdy lightweight materials, even larger constructions can be created without difficulty.
- In combination with the extensive range of accessories, these suspension tubes allow you to make your design concepts reality.
- A wide range of colours is available to create an elegant look in your store.



Suspension tubes

Application: Light, sturdy aluminium suspension profiles with two grey end caps for suspending price displays, frames etc. Can be used in combination with PVC position rails and hooks for suspension rails.

Art. no.	Colour	
9114263	silver, anodised	
9114264	white RAL 9016	
9124124	red RAL 3000	



Material: Aluminium Length: 200 cm **Unit quantity: 1**



DECOLINE SUSPENSION TUBES ACCESSORIES



Suspension hooks for suspension tubes

Application: Plastic hooks to be inserted into the aluminium profiles. For hanging aluminium profiles; can be slid along the profile.

Art. no.: 9114266

Material: Polycarbonate Colour: Transparent Length: 20 mm **Unit quantity: 25**





Eco connector for suspension tubes

Application: Plastic connector to be inserted into the aluminium profiles. Allows the connection of two aluminium profiles. Plug-in connection, no screws required. Not visible from the outside.

Art. no.: 9178369

Material: PA and GF Colour: Grey RAL 7005 Length: 160 mm **Unit quantity: 10**






Position rail and hooks for suspension rail/tubes and PosterLine

■ Art. no.: 9113995 (position rail)

(Detailed product information see p. 35)







Ceiling clips for grid ceilings

Application: Ceiling clip for easy installation and deinstallation with standard grid ceilings (Odenwald ceilings). Can be released by simply pressing the sides. The clip tightens automatically when weight is applied.

Art. no.: 9217859

Format: 26 x 27.7 mm Material: PA6 GF15 Colour: White RAL 9010 **Unit quantity: 100**



12 kg


Ceiling magnets

Application: For attachment to metal surfaces. With a fixed closed eyelet.

Art. no.	Load-bearing capacity	Unit quantity
8311121	6 kg	20
8311122	12 kg	10

Material: PVC

Colour: White (housing)





C-hooks

Application: Universal connectors for the connection of two elements.

Art. no.	Unit quantity
8350286	20
8311102	250

Length: 40 mm Material: Stainless steel Colour: Silver






Hooks for tubes

Application: For attachment to tubes with a diameter of no more than 35 mm.

■ Art. no.: 8311103

Material: Stainless steel Colour: Silver **Unit quantity: 250**








Self-adhesive hooks

Application: For attachment to flat surfaces. Self-adhesive fixing device with a rotating eyelet.

■ Art. no.: 8311130

Material: PVC Colour: White **Unit quantity: 100**





Chain

Application: Chain for suspending rails, posters, price displays, frames, etc. from the ceiling. Supplied on a roll.

Art. no.	Description	Load-bearing capacity	Length
8311125	Deco chain V12	6 kg (V12)	25 m
8311126	Knot chain K10	30 kg (V10)	30 m











Steel cable

Application: Fixing device for hanging from the ceiling. Supplied on a roll. Cable for suspending rails, poster covers, price displays, frames, etc. To be used in combination with clamps for steel cable. For heavy-duty use (0.93 kN minimum breaking load).

Art. no.: 9180758

Length: 100 m

Thickness: 1 mm Material: Galvanised steel Colour: Silver **Unit quantity: 1**



Clamps for steel cable

Application: For securing steel cables (pliers required). To be used in combination with steel cable.

Art. no.	for steel cable
9138714	8 mm thick

Length: 5 mm Material: Lead Colour: Silver **Unit quantity: 100**



Steel cable for QuickFix professional suspension system


Application: Suitable 1.2 mm-thick steel cable in three lengths with fixed hook on one end. For fast and professional mounting of your suspension system.

Art. no.	Length steel cable
9210479	120 cm

Material: Galvanised steel **Unit quantity: 50**







Suspension rods

Application: For suspending rails, posters, price displays, frames, etc. - in fixed lengths.

Art. no.	Description
8350333	100 cm
8350332	70 cm
8350331	50 cm
8350330	30 cm
8350329	15 cm

* Product on request, minimum order quantity 50 units

Thickness: 2 mm

Material: Nickel-plated steel, rustproof

Colour: Silver Unit quantity: 100



QuickFix professional suspension system

Application: Adaptor clamp for steel cables to facilitate the quick and easy installation of suspension tubes and PosterLine. In order to install suspension rails, the extra suspension fitting (9113997) is also required (see p. 41). Continuously adjustable for accurate alignment. Including metal plate insert for static loads of up to 10 kg. System consists of: Adaptor clamp with metric ISO thread (M3) and metal plate.

Art. no.	Unit quantity
9210476	50

Material: Nickel-plate, metal plate: Galvanised steel






Extra suspension fitting for suspension rail

Application: Extra suspension fitting for long rail constructions. Only for suspension rail. Can also be used in combination with QuickFix (see p. 57). Note that eye bolt must be removed prior to QuickFix insertion.

Art. no.: 9113997

Material: Aluminium Colour: Silver, anodised Unit quantity: 10







GONDOLA SOLUTIONS



Fixture solution for gondola ends, single-arm


Application: Fixing solution for price and product information on the shelf columns on gondola ends. System consists of: Suspension tube, corner connector with a metal core, positioning rail, two top-sign adaptors, end cap, pre-mounted clamping collars for insertion (via shelf inserts – see below) in the shelf pillar. Plug-in system, no screws etc. required.

■ Art. no.: 9200154* Gondola end solution 75 x 60 cm (vertical x horizontal)

* Product on request, minimum order quantity 5 units with mark-up for small quantities

Material: Aluminium, silver anodised, polyamide, polycarbonate Colour: Silver, grey RAL 7005

Unit quantity: 1





Shelf inserts for gondola end solutions

Application: Accessory for attaching the gondola end solution to the shelf columns. For insertion into the the shelf columns. The top square pin is inserted into the prefitted clamping collars on the suspension tube. Different inserts may be required for different shelf manufacturers.

Art. no.	Shelf type
9203534	Tego 60 x 30

Material: Galvanised steel

Unit quantity: 5, Product on request, minimum order quantity 10 units



DEEP FREEZE RAIL SOLUTIONS



Triangular freezer rail

Application: Accessories for freezer displays, including two end caps. For holding displays (frames etc.) and shelf edge profiles (two-sided on two levels) showing standard and special prices for freezers. For use in combination with the freezer base (9010420).

Art. no.	Length
9100854	124 cm
8310663	248 cm

Material: Aluminium, powder-coated Colour: White

Unit quantity: 1





Freezer base for triangular freezer rail

Application: Injection-moulded part with adhesive pad and screws for attachment and connection of the triangular freezer rail.

■ Art. no.: 9010420

Material: PA Colour: White **Unit quantity: 3**





Connector for triangular freezer rail

Application: For connecting two triangular freezer rail.

Art. no.: 8310662

Material: Aluminium, powder-coated Colour: White **Unit quantity: 1**





Special offer clip

Application: Clip for fixing special offer posters and product group signs above the triangular freezer rails.

■ Art. no.: 9003805

Material: Polycarbonate Colour: Transparent **Unit quantity: 25**





Frame holder

Application: Accessories for freezer labeling to fix frames above the triangular freezer rails.

■ Art. no.: 8310610

Size: 25 x 25 x 22 mm

Material: Polycarbonate, transparent

Unit quantity: 20



