



*Evident quality.*

utz **RAKO**

- 46 *The all rounder in Euro dimensions*
- 47 *Euro base size  
Side and handle variations*
- 48 *Base variations*
- 50 *RAKO 200 x 150 mm  
RAKO 300 x 200 mm*
- 51 *RAKO 400 x 300 mm*
- 54 *RAKO 400 x 400 mm*
- 56 *RAKO 600 x 400 mm*
- 60 *RAKO 800 x 600 mm*
- 63 *RAKO 800 x 600 mm  
welded to pallet*
- 64 *Lids / covers*
- 67 *RAKO with lid  
Cases*
- 69 *Accessories*
- 70 *Removable boxes*
- 72 *Foam inserts and dividers*
- 73 *Compartment trays*
- 74 *Marking*
- 76 *Special RAKO*

# The all-rounder in Euro dimensions

## *Versatile and flexible*

Every basic RAKO container enables a large number of variations by combining various sides, bases and handles.

When selecting the perfect container, you can choose between perforated and slotted sides, a grid or ribbed base depending on its purpose and load capacity, insert a perforated base or an enclosed double bass and decide on a profile grip, a handle slot or a shell handle.

These versatile selection options in combination with the container's high load capacity are what make the RAKO an extremely adjustable universal container




## RAKO and Euro Pallets

RAKO containers can be stacked onto pallets for storage or transport. This is why the base size of the containers must be aligned to the base size of the pallets.

Standard base sizes of the RAKO containers are therefore deducted by repeatedly dividing the base sizes of a pallet:

800 x 600 mm  
600 x 400 mm  
600 x 200 mm  
400 x 400 mm  
400 x 300 mm  
300 x 200 mm  
200 x 150 mm

Container heights:  
from 65 to 545 mm




## Side variations

- 1 solid
- 2 perforated
- 3 slotted
- 4 custom made

## Handle variations

- 5 profile handle
- 6 handle slot
- 7 shell handle



# Non reinforced RAKO bases



*SGL base grated*

*SGL base slotted*

*SGL base solid*

*Grated base*


*Slotted base*

*Solid base  
with water drain holes*

*Solid base*

| Remark                                                                                                                                                                                                               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>bonded stacking<br/>For example, a 600 x 400 mm container can be stacked onto two 400 x 300 mm RAKO containers</p> <p>available as grid base, slotted base and closed floor with or without water drain holes</p> |
| <p>air circulation possible<br/>liquids can drain off (contents remain dry)</p>                                                                                                                                      |
| <p>boreholes in the base<br/>liquids can drain off<br/>positive fire-protection evaluation</p>                                                                                                                       |

*Solid base*





Enclosed double base


Ribbed base

Narrow ribbed base

Base with segmented ribbing

| Remark                                                                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                 |
| internal ribbing between internal and external base plate                                                                       |
|                                                                                                                                 |
| medium ribbing                                                                                                                  |
|                                                                                                                                 |
| strong ribbing                                                                                                                  |
|                                                                                                                                 |
| strong ribbing<br>bonded stacking<br>for example, a 600 x 400 mm container can be stacked onto two 400 x 300 mm RAKO containers |

Enclosed double base



## 200 x 150 mm



Standard colour  
light grey

Height:

**117 mm**

Internal dimensions base:  
162 x 112 x 114 mm  
Stacking height: 103 mm  
Usable internal height  
in stack: 97 mm  
Volume: 2 litres  
Weight: 0.2 kg

| Order no. | Sidewalls |            |         | Base  |         |              |        |          |                 | Handles        |              |              |
|-----------|-----------|------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|
|           | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 3-237-0   | •         |            |         | •     |         |              |        |          |                 | •              |              |              |
| 3-217Z-0  | •         |            |         | •     |         |              |        |          |                 | •              |              |              |
| 3-206Z-0  | •         |            |         | •     |         |              |        |          |                 | •              |              |              |
| 3-210-0   | •         |            |         | •     |         |              |        |          |                 | •              |              |              |
| 3-310-0   | •         |            |         | •     |         |              |        |          |                 |                |              | 2            |

## 300 x 200 mm



Standard colour  
light grey

Height:

**65 mm**

Internal dimensions base:  
258 x 158 x 63 mm  
Stacking height: 51 mm  
Usable internal height  
in stack: 49 mm  
Volume: 3 litres  
Weight: 0.2 kg

Standard colour  
light grey  
dark blue



Height:

**117 mm**

Internal dimensions base:  
258 x 158 x 114 mm  
Stacking height: 103 mm  
Usable internal height  
in stack: 97 mm  
Volume: 5 litres  
Weight: 0.3 kg

Height:

**220 mm**

Internal dimensions base:  
260 x 160 x 217 mm  
Stacking height: 206 mm  
Usable internal height  
in stack: 203 mm  
Volume: 9 litres  
Weight: 0.7 kg

Standard colour  
light grey

Sidewalls



slotted



perforated

Handles



profile



shell



slot

Stock items, for all other items please request the minimum order quantities.

## 400 x 300 mm



**Standard colour**  
 light grey

Height:

**65 mm**

**Internal dimensions base:**  
 358 x 258 x 62 mm  
**Stacking height:** 51 mm  
**Usable internal height**  
 in stack: 48 mm  
**Volume:** 6 litres  
**Weight:** 0.5 kg



**Standard colours**  
 light grey  
 translucent  
 scarlet  
 dark blue  
 yellow

Height:

**117 mm**

**Internal dimensions base:**  
 358 x 258 x 114 mm  
**Stacking height:** 103 mm  
**Usable internal height**  
 in stack: 97 mm  
**Volume:** 10 litres  
**Weight:** 0.8 kg

*Containers with reinforced base*

**Internal dim. base:**  
 358 x 258 x 100 mm  
**Usable internal height**  
 in stack: 86 mm  
**Weight:** 0.9 kg



**Standard colour**  
 light grey

Height:

**145 mm**


**Internal dimensions base:**  
 364 x 264 x 130 mm  
**Stacking height:** 133 mm  
**Usable internal height**  
 in stack: 118 mm  
**Volume:** 12 litres  
**Weight:** 0.9 kg

**Internal dim. base:**  
 357 x 257 x 142 mm  
**Usable intern. height**  
 in stack: 130 mm  
**Volume:** 13 litres

| Order no.   | Sidewalls |                |         | Base  |         |              |        |          |                 | Handles        |              |              |
|-------------|-----------|----------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|
|             | solid     | perforated     | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 3-211Z-0    | •         |                |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-203Z-0    | •         |                |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-203Z-72   | •         |                |         |       |         | •            |        |          |                 |                | 2            |              |
| 3-203Z-72-V | •         |                |         |       |         |              |        |          | •               |                | 2            |              |
| 3-4313N-0   | •         |                |         |       |         |              |        | •        |                 |                | 2            |              |
| 3-4313N-1   |           | • <sup>1</sup> |         |       |         |              |        | •        |                 |                | 2            |              |
| 3-4313N-29  |           | •              |         |       |         |              |        | •        |                 |                | 2            |              |
| 3-4313N-53  | •         |                |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-4313N-194 |           | • <sup>1</sup> |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-4313N-129 |           | •              |         | •     |         |              |        |          |                 |                | 2            |              |

<sup>1</sup> long sides


### Bases




solid




slotted




grated



SGL base



ribbed



enclosed double base

Stock items, for all other items please request the minimum order quantities.

## 400 x 300 mm



### Standard colours

|  |            |
|--|------------|
|  | light grey |
|  | dark blue  |



### Standard colours

|  |             |
|--|-------------|
|  | light grey  |
|  | translucent |
|  | scarlet     |
|  | dark blue   |
|  | yellow      |

Height:

**170 mm**

**Internal dimensions base:**

358 x 258 x 165 mm

**Stacking height:** 154 mm

**Usable internal height**

in stack: 151 mm

**Volume:** 15 litres

**Weight:** 0.9 kg

*Containers with reinforced base*

**Internal dim. base:**

358 x 258 x 151 mm

**Usable intern. height**

in stack: 137 mm

**Weight:** 1.1 kg

Height:

**220 mm**

**Internal dim. base:**

358 x 258 x 217 mm

**Stacking height:**

206 mm

**Usable intern. height**

in stack: 203 mm

**Volume:** 20 litres

**Weight:** 1.2 kg

*Containers with reinforced base*

**Internal dim. base:**

358 x 258 x 203 mm

**Usable intern. height**

in stack: 189 mm

**Weight:** 1.3 kg

| Order no.   | Sidewalls |            |         | Base           |         |              |        |          |                 | Handles        |              |              |
|-------------|-----------|------------|---------|----------------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|
|             | solid     | perforated | slotted | solid          | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 3-207Z-0    | •         |            |         | •              |         |              |        |          |                 |                | 2            |              |
| 3-307Z-0    | •         |            |         | •              |         |              |        |          |                 |                |              | 2            |
| 3-207Z-72   | •         |            |         |                |         | •            |        |          |                 |                | 2            |              |
| 3-207Z-72-V | •         |            |         |                |         |              |        | •        |                 |                | 2            |              |
| 3-307Z-72   | •         |            |         |                |         | •            |        |          |                 |                |              | 2            |
| 3-307Z-72-V | •         |            |         |                |         |              |        | •        |                 |                |              | 2            |
| 3-204Z-0    | •         |            |         | •              |         |              |        |          |                 |                | 2            |              |
| 3-304Z-0    | •         |            |         | •              |         |              |        |          |                 |                |              | 2            |
| 3-204Z-1    |           | •          |         | •              |         |              |        |          |                 |                | 2            |              |
| 3-304Z-1    |           | •          |         | •              |         |              |        |          |                 |                |              | 2            |
| 3-204Z-2    |           |            | •       | •              |         |              |        |          |                 |                | 2            |              |
| 3-304Z-2    |           |            | •       | •              |         |              |        |          |                 |                |              | 2            |
| 3-204Z-3    |           |            | •       |                | •       |              |        |          |                 |                | 2            |              |
| 3-304Z-3    |           |            | •       |                | •       |              |        |          |                 |                |              | 2            |
| 3-204Z-4    | •         |            |         |                | •       |              |        |          |                 |                | 2            |              |
| 3-304Z-4    | •         |            |         |                | •       |              |        |          |                 |                |              | 2            |
| 3-204Z-5    |           | •          |         |                | •       |              |        |          |                 |                | 2            |              |
| 3-304Z-5    |           | •          |         |                | •       |              |        |          |                 |                |              | 2            |
| 3-204Z-204  | •         |            |         | • <sup>1</sup> |         |              |        |          |                 |                | 2            |              |
| 3-204Z-72   | •         |            |         |                |         | •            |        |          |                 |                | 2            |              |
| 3-204Z-72-V | •         |            |         |                |         |              |        | •        |                 |                | 2            |              |
| 3-304Z-72   | •         |            |         |                |         | •            |        |          |                 |                |              | 2            |
| 3-304Z-72-V | •         |            |         |                |         |              |        | •        |                 |                |              | 2            |

<sup>1</sup> 4 water drainage holes

### Sidewalls



slotted



perforated

### Handles



profile




shell



slot

Stock items, for all other items please request the minimum order quantities.

# 400 x 300 mm



Standard colour  
light grey



Standard colour  
light grey

Height:  
**270 mm**

Internal dim. base:  
358 x 258 x 268 mm  
Stacking height:  
258 mm  
Usable intern. height  
in stack: 255 mm  
Volume: 24 litres  
Weight: 1.3 kg

Height:  
**323 mm**


Internal dim. base:  
358 x 258 x 320 mm  
Stacking height:  
309 mm  
Usable intern. height  
in stack: 306 mm  
Volume: 30 litres  
Weight: 1.5 kg

Containers with  
reinforced base

Internal dim. base:  
358 x 258 x 306 mm  
Usable intern. height  
in stack: 292 mm  
Weight: 1.6 kg

| Order no.   | Sidewalls |            |         | Base  |         |              |        |          |                 |  | Handles        |              |              |
|-------------|-----------|------------|---------|-------|---------|--------------|--------|----------|-----------------|--|----------------|--------------|--------------|
|             | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double |  | profile handle | shell handle | handle slots |
| 3-212Z-0    | •         |            |         | •     |         |              |        |          |                 |  | 2              |              |              |
| 3-312Z-0    | •         |            |         | •     |         |              |        |          |                 |  |                | 2            |              |
| 3-212Z-1    |           | •          |         | •     |         |              |        |          |                 |  | 2              |              |              |
| 3-312Z-1    |           | •          |         | •     |         |              |        |          |                 |  |                | 2            |              |
| 3-212Z-2    |           |            | •       | •     |         |              |        |          |                 |  | 2              |              |              |
| 3-312Z-2    |           |            | •       | •     |         |              |        |          |                 |  |                | 2            |              |
| 3-212Z-3    |           |            | •       |       | •       |              |        |          |                 |  | 2              |              |              |
| 3-312Z-3    |           |            | •       |       | •       |              |        |          |                 |  |                | 2            |              |
| 3-212Z-4    | •         |            |         |       | •       |              |        |          |                 |  | 2              |              |              |
| 3-312Z-4    | •         |            |         |       | •       |              |        |          |                 |  |                | 2            |              |
| 3-212Z-5    |           | •          |         |       | •       |              |        |          |                 |  | 2              |              |              |
| 3-312Z-5    |           | •          |         |       | •       |              |        |          |                 |  |                | 2            |              |
| 3-205Z-0    | •         |            |         | •     |         |              |        |          |                 |  | 2              |              |              |
| 3-305Z-0    | •         |            |         | •     |         |              |        |          |                 |  |                | 2            |              |
| 3-205Z-1    |           | •          |         | •     |         |              |        |          |                 |  | 2              |              |              |
| 3-305Z-1    |           | •          |         | •     |         |              |        |          |                 |  |                | 2            |              |
| 3-205Z-2    |           |            | •       | •     |         |              |        |          |                 |  | 2              |              |              |
| 3-305Z-2    |           |            | •       | •     |         |              |        |          |                 |  |                | 2            |              |
| 3-205Z-3    |           |            | •       |       | •       |              |        |          |                 |  | 2              |              |              |
| 3-305Z-3    |           |            | •       |       | •       |              |        |          |                 |  |                | 2            |              |
| 3-205Z-4    | •         |            |         |       | •       |              |        |          |                 |  | 2              |              |              |
| 3-305Z-4    | •         |            |         |       | •       |              |        |          |                 |  |                | 2            |              |
| 3-205Z-5    |           | •          |         |       | •       |              |        |          |                 |  | 2              |              |              |
| 3-305Z-5    |           | •          |         |       | •       |              |        |          |                 |  |                | 2            |              |
| 3-205Z-72   | •         |            |         |       |         | •            |        |          |                 |  | 2              |              |              |
| 3-205Z-72-V | •         |            |         |       |         |              |        |          | •               |  | 2              |              |              |
| 3-305Z-72   | •         |            |         |       |         | •            |        |          |                 |  |                | 2            |              |
| 3-305Z-72-V | •         |            |         |       |         |              |        |          | •               |  |                | 2            |              |


## Bases




solid




slotted




grated



SGL base



ribbed



enclosed  
double base

Stock items, for all other items please  
request the minimum order quantities.

## 400 x 400 mm



Height:

**70 mm**

Internal dimensions base:

370 x 370 x 52 mm

Stacking height: 56 mm

Usable internal height

in stack: 37 mm

Volume: 7 litres

Weight: 1.2 kg

Height:

**120 mm**

Internal dimensions base:

370 x 370 x 102 mm

Stacking height: 106 mm

Usable internal height

in stack: 87 mm

Volume: 15 litres

Weight: 1.3 kg

Height:

**220 mm**

Internal dimensions base:

370 x 370 x 202 mm

Stacking height: 206 mm

Usable internal height

in stack: 187 mm

Volume: 28 litres

Weight: 1.8 kg

Height:

**270 mm**

Internal dimensions base:

370 x 370 x 258 mm

Stacking height: 243 mm

Usable internal height

in stack: 262 mm

Volume: 35 litres

Weight: 1.7 kg

Height:

**220 mm**

Internal dimensions base:

558 x 158 x 217 mm

Stacking height: 206 mm

Usable internal height

in stack: 203 mm

Volume: 19 litres

Weight: 1.4 kg

| Order no.  | Sidewalls |            |         | Base  |         |                |        |          |                 | Handles        |              |              |
|------------|-----------|------------|---------|-------|---------|----------------|--------|----------|-----------------|----------------|--------------|--------------|
|            | solid     | perforated | slotted | solid | slotted | with ribbing   | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 38-1927-0  | •         |            |         |       |         | • <sup>1</sup> |        |          |                 | •              |              |              |
| 38-1928-0  | •         |            |         |       |         | • <sup>1</sup> |        |          |                 | •              |              |              |
| 38-1932-0  | •         |            |         |       |         | • <sup>1</sup> |        |          |                 | •              |              |              |
| 38-1934-1  | •         |            |         |       |         | •              |        |          |                 |                |              | 2            |
| 38-1934-10 | •         |            |         | •     |         |                |        |          |                 |                |              | 4            |
| 38-1934-5  |           | •          |         |       |         |                | •      |          |                 |                |              | 2            |
| 101-6222-1 | •         |            |         | •     |         |                |        |          |                 | •              |              |              |

<sup>1</sup> narrow ribbed

### Sidewalls



slotted



perforated

### Handles



profile



shell



slot

Stock items, for all other items please request the minimum order quantities.

## 600 x 400 mm



Standard colour  
light grey

Height:

**75 mm**

Internal dimensions base:

552 x 352 x 71 mm

Stacking height: 65 mm

Usable internal height

in stack: 61 mm

Volume: 14 litres

Weight: 1.2 kg

Containers with  
reinforced base

External dimensions:

600 x 400 x 79 mm

Internal dimensions base:

552 x 352 x 65 mm

Usable internal height

in stack: 51 mm

Weight: 1.3 kg



Height:

**78 mm**

Internal dim. base:

565 x 365 x 63 mm

Stacking height: 66 mm

Usable internal height

in stack: 51 mm

Volume: 12 litres

Weight: 1.2 kg



Standard colours  
light grey  
scarlet  
dark blue

Height:

**117 mm**

Internal dim. base:

558 x 358 x 114 mm

Stacking height:

103 mm

Usable internal height

in stack: 97 mm

Volume: 20 litres

Weight: 1.3 kg

Containers with  
reinforced base

Internal dim. base:

558 x 358 x 100 mm

Usable intern. height


in stack: 86 mm

Weight: 1.4 kg

| Order no.   | Sidewalls |            |         | Base  |         |              |        |          |                 | Handles        |              |              |
|-------------|-----------|------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|
|             | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 3-227-0     | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-227-72    | •         |            |         |       |         | •            |        |          |                 |                | 2            |              |
| 3-227-72-V  | •         |            |         |       |         |              |        | •        |                 |                | 2            |              |
| 3-6406-0    | •         |            |         |       |         |              |        | •        |                 |                | 2            |              |
| 3-6406-1    |           | •1         |         |       |         |              |        | •        |                 |                | 2            |              |
| 3-6406-45   | •         |            |         |       | •       |              |        | •        |                 |                | 2            |              |
| 3-200Z-0    | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-200Z-1    |           | •1         |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-200Z-2    |           |            | •1      | •     |         |              |        |          |                 |                | 2            |              |
| 3-200Z-3    |           |            | •1      |       | •       |              |        |          |                 |                | 2            |              |
| 3-200Z-4    | •         |            |         |       | •       |              |        |          |                 |                | 2            |              |
| 3-200Z-5    |           | •1         |         |       | •       |              |        |          |                 |                | 2            |              |
| 3-200Z-72   | •         |            |         |       |         | •            |        |          |                 |                | 2            |              |
| 3-200Z-72-V | •         |            |         |       |         |              |        | •        |                 |                | 2            |              |
| 3-200Z-91   |           |            | •1      |       | •       |              |        |          |                 |                | 2            |              |
| 3-200Z-91-V |           |            | •1      |       |         |              |        | •        |                 |                | 2            |              |

<sup>1</sup> long sides


### Bases




solid




slotted




grated



SGL base



ribbed



enclosed  
double base

Stock items, for all other items please  
request the minimum order quantities.

## 600 x 400 mm



Standard colour  
light grey

Height:

**145 mm**

Internal dim. base:  
564 x 364 x 130 mm  
Stacking height: 133 mm  
Usable internal height  
in stack: 117 mm  
Volume: 26 litres  
Weight: 1.8 kg

External dimensions:  
600 x 400 x 147 mm  
Internal dimensions base:  
557 x 357 x 143 mm  
Usable internal height  
in stack: 130 mm  
Volume: 28 litres  
Weight: 1.7 kg

Containers with  
reinforced base

External dimensions:  
600 x 400 x 148 mm  
Internal dim. base:  
564 x 364 x 130 mm  
Usable internal height  
in stack: 115 mm  
Volume: 26 litres  
Weight: 1.9 kg



Standard colours 3-208Z-0  
light grey  
dark blue

Standard colour 3-308Z-32  
light grey

Height:

**170 mm**

Internal dim. base:  
558 x 358 x 165 mm  
Stacking height:  
154 mm  
Usable intern. height  
in stack: 149 mm  
Volume: 30 litres  
Weight: 1.5 kg

Containers with  
reinforced base

Internal dim. base:  
558 x 358 x 151 mm  
Usable intern. height  
in stack: 137 mm  
Weight: 1.8 kg

| Order no.    | Sidewalls |                |         | Base  |         |                |        |                |                 | Handles        |              |              |
|--------------|-----------|----------------|---------|-------|---------|----------------|--------|----------------|-----------------|----------------|--------------|--------------|
|              | solid     | perforated     | slotted | solid | slotted | with ribbing   | grated | SGL base       | enclosed double | profile handle | shell handle | handle slots |
| 3-6413N-0    | •         |                |         |       |         |                |        | •              |                 |                | 2            |              |
| 3-6413-1     |           | • <sup>1</sup> |         |       |         |                |        | •              |                 |                | 2            |              |
| 3-6413-31    |           |                | •       |       |         |                |        | • <sup>2</sup> |                 |                | 2            |              |
| 3-6413-20    | •         |                |         |       |         |                |        | •              |                 |                |              | 2            |
| 3-6413N-186  | •         |                |         | •     |         |                |        |                |                 |                | 2            |              |
| 3-6413-9     | •         |                |         |       |         | • <sup>3</sup> |        |                |                 |                | 2            |              |
| 3-6413-4     | •         |                |         |       |         | • <sup>4</sup> |        |                |                 |                | 2            |              |
| 3-6413N-72   | •         |                |         |       |         | •              |        |                |                 |                | 2            |              |
| 3-6413N-72-V | •         |                |         |       |         |                |        | •              |                 |                | 2            |              |
| 3-208Z-0     | •         |                |         | •     |         |                |        |                |                 |                | 2            |              |
| 3-308Z-0     | •         |                |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-208Z-1     |           | •              |         | •     |         |                |        |                |                 |                | 2            |              |
| 3-308Z-1     |           | •              |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-208Z-2     |           |                | •       | •     |         |                |        |                |                 |                | 2            |              |
| 3-308Z-2     |           |                | •       | •     |         |                |        |                |                 |                |              | 2            |
| 3-208Z-3     |           |                | •       | •     |         |                |        |                |                 |                | 2            |              |
| 3-308Z-3     |           |                | •       | •     |         |                |        |                |                 |                |              | 2            |
| 3-208Z-4     | •         |                |         | •     |         |                |        |                |                 |                | 2            |              |
| 3-308Z-4     | •         |                |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-208Z-5     |           | •              |         | •     |         |                |        |                |                 |                | 2            |              |
| 3-308Z-5     |           | •              |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-208Z-32    |           |                | •       |       |         |                | •      |                |                 |                | 2            |              |
| 3-308Z-32    |           |                | •       |       |         |                | •      |                |                 |                |              | 2            |
| 3-208Z-72    | •         |                |         |       |         | •              |        |                |                 |                | 2            |              |
| 3-208Z-72-V  | •         |                |         |       |         |                |        | •              |                 |                | 2            |              |
| 3-308Z-72    | •         |                |         |       |         | •              |        |                |                 |                |              | 2            |
| 3-308Z-72-V  | •         |                |         |       |         |                |        | •              |                 |                |              | 2            |

<sup>1</sup> long sides

<sup>2</sup> grated

<sup>3</sup> narrow ribbed

<sup>4</sup> segmented

Sidewalls



slotted



perforated

Handles



profile



shell



slot

Stock items, for all other items please  
request the minimum order quantities.

## 600 x 400 mm



### Standard colours 3-201Z-0

|  |             |
|--|-------------|
|  | light grey  |
|  | translucent |
|  | scarlet     |
|  | dark blue   |
|  | yellow      |

### Standard colour 3-301Z-0

|  |            |
|--|------------|
|  | light grey |
|--|------------|

Height:

**220 mm**

Internal dim.:

558 x 358 x 217 mm

Stacking height:

206 mm

Usable intern. height

in stack: 201 mm

Volume: 40 litres

Weight: 2.1 kg

Containers with  
reinforced base

Internal dim. base:

558 x 358 x 203 mm

Usable intern. height

in stack: 189 mm

Weight: 2.4 kg

Height:

**278 mm**

Internal dim. base:

561 x 361 x 262 mm

Stacking height:

266 mm

Usable intern. height

in stack: 250 mm

Volume: 53 litres

Weight: 2.7 kg

Internal dim. base:

556 x 356 x 276 mm

Usable intern. height

in stack: 262 mm

Volume: 56 litres

Weight: 2.7 kg

Containers with  
reinforced base

External dimensions:

600 x 400 x 281 mm

Internal dim. base:


561 x 361 x 262 mm

Usable intern. height

in stack: 269 mm

Weight: 2.9 kg


### Bases




solid




slotted




grated



SGL base



ribbed



enclosed  
double base

| Order no.    | Sidewalls      |            |         | Base  |         |                |        |                |                 | Handles        |              |              |
|--------------|----------------|------------|---------|-------|---------|----------------|--------|----------------|-----------------|----------------|--------------|--------------|
|              | solid          | perforated | slotted | solid | slotted | with ribbing   | grated | SGL base       | enclosed double | profile handle | shell handle | handle slots |
| 3-201Z-0     | •              |            |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-301Z-0     | •              |            |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-201Z-1     |                | •          |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-201Z-2     |                | •          |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-301Z-2     |                |            | •       | •     |         |                |        |                |                 |                |              | 2            |
| 3-201Z-3     |                |            | •       |       | •       |                |        |                |                 |                |              | 2            |
| 3-301Z-3     |                |            | •       |       | •       |                |        |                |                 |                |              | 2            |
| 3-201Z-4     | •              |            |         |       | •       |                |        |                |                 |                |              | 2            |
| 3-301Z-4     | •              |            |         |       | •       |                |        |                |                 |                |              | 2            |
| 3-201Z-5     |                | •          |         |       | •       |                |        |                |                 |                |              | 2            |
| 3-301Z-5     |                | •          |         |       | •       |                |        |                |                 |                |              | 2            |
| 3-201Z-32    |                |            | •       |       |         |                | •      |                |                 |                |              | 2            |
| 3-301Z-32    |                |            | •       |       |         |                | •      |                |                 |                |              | 2            |
| 3-201Z-141   | • <sup>1</sup> |            |         | •     |         |                |        |                |                 |                |              | 1            |
| 3-301Z-203   | •              |            |         |       |         |                |        | • <sup>2</sup> |                 |                |              | 2            |
| 3-101Z-0     | •              |            |         | •     |         |                |        |                |                 |                |              | 4            |
| 3-201Z-72    | •              |            |         |       |         | •              |        |                |                 |                |              | 2            |
| 3-301Z-72    | •              |            |         |       |         | •              |        |                |                 |                |              | 2            |
| 3-201Z-72-V  | •              |            |         |       |         |                |        |                | •               |                |              | 2            |
| 3-301Z-72-V  | •              |            |         |       |         |                |        |                | •               |                |              | 2            |
| 3-201Z-177   | • <sup>1</sup> |            |         |       |         | •              |        |                |                 |                |              | 1            |
| 3-6426N-0    | •              |            |         |       |         |                |        | •              |                 |                |              | 2            |
| 3-6426N-20   | •              |            |         |       |         |                |        | •              |                 |                |              | 2            |
| 3-6426-29    |                | •          |         |       |         |                |        | •              |                 |                |              | 2            |
| 3-6426-21    |                | •          |         |       |         |                |        | •              |                 |                |              | 2            |
| 3-6426-30    |                |            | •       |       |         |                |        | •              |                 |                |              | 2            |
| 3-6426-22    |                |            | •       |       |         |                |        | •              |                 |                |              | 2            |
| 3-6426-38    |                |            | •       |       |         |                |        | • <sup>3</sup> |                 |                |              | 4            |
| 3-6426N-1    | •              |            |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-6426N-24   | •              |            |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-6426-41    |                | •          |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-6426-25    |                | •          |         | •     |         |                |        |                |                 |                |              | 2            |
| 3-6426-34    |                |            | •       | •     |         |                |        |                |                 |                |              | 2            |
| 3-6426-27    |                |            | •       | •     |         |                |        |                |                 |                |              | 2            |
| 3-6426-9     | •              |            |         |       |         | • <sup>4</sup> |        |                |                 |                |              | 2            |
| 3-6426-4     | •              |            |         |       |         | • <sup>5</sup> |        |                |                 |                |              | 2            |
| 3-6426N-72   | •              |            |         |       |         | •              |        |                |                 |                |              | 2            |
| 3-6426N-72-V | •              |            |         |       |         |                |        |                | •               |                |              | 2            |

<sup>1</sup> 1 small side with access aperture

<sup>2</sup> 4 water drain holes

<sup>3</sup> grated

<sup>4</sup> narrow ribbed

<sup>5</sup> segmented

Stock items, for all other items please  
request the minimum order quantities.

## 600 x 400 mm



### Standard colours 3-202Z-0

-  light grey
-  scarlet
-  dark blue

### Standard colour 3-302Z-0 and 3-302U-32

-  light grey

Height:

**325 mm**

Internal dim. base:  
558 x 358 x 320 mm

Stacking height:  
309 mm

Usable intern. height  
in stack: 304 mm

Volume: 60 litres

Weight: 2.7 kg

Containers with  
reinforced base

Internal dim. base:

558 x 358 x 305 mm

Usable intern. height  
in stack: 289 mm

Weight: 2.9 kg



### Standard colour

-  light grey

### Sidewalls



slotted



perforated

### Handles



profile



shell



slot

| Order no.   | Sidewalls |            |         | Base  |         |              |        |          |                 | Handles        |              |              |
|-------------|-----------|------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|
|             | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 3-202Z-0    | ●         |            |         | ●     |         |              |        |          |                 |                | 2            |              |
| 3-302Z-0    | ●         |            |         | ●     |         |              |        |          |                 |                |              | 2            |
| 3-202Z-1    |           | ●          |         | ●     |         |              |        |          |                 |                | 2            |              |
| 3-302Z-1    |           | ●          |         | ●     |         |              |        |          |                 |                |              | 2            |
| 3-202Z-2    |           |            | ●       | ●     |         |              |        |          |                 |                | 2            |              |
| 3-302Z-2    |           |            | ●       | ●     |         |              |        |          |                 |                |              | 2            |
| 3-202Z-3    |           |            |         |       | ●       |              |        |          |                 |                | 2            |              |
| 3-302Z-3    |           |            | ●       |       | ●       |              |        |          |                 |                |              | 2            |
| 3-202Z-4    | ●         |            |         |       | ●       |              |        |          |                 |                | 2            |              |
| 3-302Z-4    | ●         |            |         |       | ●       |              |        |          |                 |                |              | 2            |
| 3-202Z-5    |           | ●          |         |       | ●       |              |        |          |                 |                | 2            |              |
| 3-302Z-5    |           | ●          |         |       | ●       |              |        |          |                 |                |              | 2            |
| 3-202Z-32   |           |            | ●       |       |         |              | ●      |          |                 |                | 2            |              |
| 3-302Z-32   |           |            | ●       |       |         |              | ●      |          |                 |                |              | 2            |
| 3-102Z-0    | ●         |            |         | ●     |         |              |        |          |                 |                |              | 4            |
|             |           |            |         |       |         |              |        |          |                 |                |              |              |
| 3-202Z-72   | ●         |            |         |       |         | ●            |        |          |                 |                | 2            |              |
| 3-202Z-72-V | ●         |            |         |       |         |              |        | ●        |                 |                | 2            |              |
| 3-302Z-72   | ●         |            |         |       |         | ●            |        |          |                 |                |              | 2            |
| 3-302Z-72-V | ●         |            |         |       |         |              |        | ●        |                 |                |              | 2            |
|             |           |            |         |       |         |              |        |          |                 |                |              |              |
|             |           |            |         |       |         |              |        |          |                 |                |              |              |
| 3-6439-13   | ●         |            |         | ●     |         |              |        | ●        |                 |                |              | 4            |
| 3-6439-20   | ●         |            |         | ●     |         |              |        | ●        |                 |                |              | 2            |
| 3-6439-14   |           | ●          |         |       | ●       |              |        | ●        |                 |                |              | 4            |
| 3-6439-15   |           |            | ●       |       | ●       |              |        | ●        |                 |                |              | 2            |
| 3-6439-38   |           |            | ●       |       |         |              |        | ●1       |                 |                |              | 4            |

<sup>1</sup> grated

Stock items, for all other items please request the minimum order quantities.

## 600 x 400 mm



Standard colour 3-209Z-0

light grey

Standard colours 3-309Z-0

light grey


dark blue



Standard colour

light grey


### Bases




solid




slotted




grated



SGL base



ribbed



enclosed double base

Height:

**425 mm**

Internal dim. Z base:

558 x 358 x 422 mm

Internal dim. N base:

558 x 358 x 411 mm

Stacking height: 412 mm

Usable internal height

in stack: 409 mm

Volume: 90 litres

Weight: 3.5 kg

Containers with reinforced base

Internal dim. base:

558 x 358 x 408 mm

Usable intern. height

in stack: 395 mm

Weight: 4.1 kg

Height:

**544 mm**

Internal dim. base:

561 x 361 x 528 mm

Stacking height: 532 mm

Usable internal height

in stack: 516 mm

Volume: 100 litres

Weight: 5.0 kg

| Order no.   | Sidewalls |            |         | Base  |         |              |        |                |                 | Handles        |              |              |
|-------------|-----------|------------|---------|-------|---------|--------------|--------|----------------|-----------------|----------------|--------------|--------------|
|             | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base       | enclosed double | profile handle | shell handle | handle slots |
| 3-209Z-0    | •         |            |         | •     |         |              |        |                |                 |                | 2            |              |
| 3-309Z-0    | •         |            |         | •     |         |              |        |                |                 |                | 4            |              |
| 3-109Z-0    | •         |            |         | •     |         |              |        |                |                 |                | 2            |              |
| 3-309N-32   |           |            | •       |       |         |              | •      |                |                 |                |              | 4            |
| 3-209Z-72   | •         |            |         |       |         | •            |        |                |                 |                | 2            |              |
| 3-209Z-72-V | •         |            |         |       |         |              |        | •              |                 |                | 2            |              |
| 3-309Z-72   | •         |            |         |       |         | •            |        |                |                 |                |              | 4            |
| 3-309Z-72-V | •         |            |         |       |         |              |        | •              |                 |                |              | 4            |
| 3-6453-13   | •         |            |         | •     |         |              |        | •              |                 |                |              | 4            |
| 3-6453-38   |           |            | •       |       |         |              |        | • <sup>1</sup> |                 |                |              | 4            |
| 3-6453-15   |           |            | •       |       | •       |              |        | •              |                 |                |              | 4            |
| 3-6453-36   |           | •          |         |       | •       |              |        | •              |                 |                |              | 4            |

<sup>1</sup> grated

Stock items, for all other items please request the minimum order quantities.

## 800 x 600 mm



Standard colour  
light grey

Height:

**117 mm**

**Internal dimensions base:**  
748 x 548 x 113 mm  
**Stacking height:** 103 mm  
**Usable internal height**  
in stack: 96 mm  
**Volume:** 45 litres  
**Weight:** 3.0 kg

Containers with  
reinforced base

**Internal dimensions base:**  
750 x 550 x 99 mm  
**Usable internal height**  
in stack: 85 mm  
**Weight:** 3.3 kg

Height:

**220 mm**

**Internal dimensions base:**  
748 x 548 x 216 mm  
**Stacking height:** 206 mm  
**Usable internal height**  
in stack: 202 mm  
**Volume:** 90 litres  
**Weight:** 4.2 kg

Containers with  
reinforced base

**Internal dim. base:**  
749 x 549 x 202 mm  
**Usable internal height**  
in stack: 188 mm  
**Weight:** 4.4 kg

| Order no.   | Sidewalls |            |         | Base  |         |              |        |          |                 | Handles        |              |              |
|-------------|-----------|------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|
|             | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 3-222U-0    | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-222U-72   | •         |            |         |       |         | •            |        |          |                 |                | 2            |              |
| 3-222U-72-V | •         |            |         |       |         |              |        | •        |                 |                | 2            |              |
| 3-221Z-0    | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-321Z-0    | •         |            |         | •     |         |              |        |          |                 |                |              | 2            |
| 3-221Z-72   | •         |            |         |       |         | •            |        |          |                 |                | 2            |              |
| 3-321Z-72   | •         |            |         |       |         | •            |        |          |                 |                |              | 2            |
| 3-221Z-72-V | •         |            |         |       |         |              |        |          | •               |                | 2            |              |
| 3-321Z-72-V | •         |            |         |       |         |              |        |          | •               |                |              | 2            |

### Sidewalls



slotted



perforated

### Handles



profile



shell



slot

Stock items, for all other items please  
request the minimum order quantities.

## 800 x 600 mm



Height:

**300 mm**

Internal dim. base:

748 x 548 x 297 mm

Stacking height: 284 mm

Usable internal height

in stack: 281 mm

Volume: 122 litres

Weight: 5.3 kg

Containers with  
reinforced base

Internal dim. base:

750 x 550 x 287 mm

Usable internal height

in stack: 285 mm

Weight: 5.5 kg



Height:

**325 mm**

Internal dim. base:

748 x 548 x 319 mm

Stacking height: 309 mm

Usable internal height

in stack: 303 mm

Volume: 134 litres

Weight: 5.4 kg

Containers with  
reinforced base

Internal dim. base:

750 x 550 x 305 mm

Usable intern. height


in stack: 289 mm

Weight: 5.9 kg

Standard colour

light grey


### Bases




solid




slotted




grated



SGL base



ribbed



enclosed  
double base


| Order no.   | Sidewalls |            |         | Base  |         |              |        |          |                 |                | Handles      |              |  |
|-------------|-----------|------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|--|
|             | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |  |
| 3-224U-0    | •         |            |         | •     |         |              |        |          |                 |                |              | 2            |  |
| 3-324U-0    | •         |            |         | •     |         |              |        |          |                 |                |              | 2            |  |
| 3-224U-1    |           | •          |         | •     |         |              |        |          |                 |                |              | 2            |  |
| 3-324U-1    |           | •          |         | •     |         |              |        |          |                 |                |              | 2            |  |
| 3-224U-72   | •         |            |         |       |         | •            |        |          |                 |                |              | 2            |  |
| 3-324U-72   | •         |            |         |       |         | •            |        |          |                 |                |              | 2            |  |
| 3-224U-72-V | •         |            |         |       |         |              |        |          | •               |                |              | 2            |  |
| 3-324U-72-V | •         |            |         |       |         |              |        |          | •               |                |              | 2            |  |
| 3-220Z-0    | •         |            |         | •     |         |              |        |          |                 |                |              | 2            |  |
| 3-320Z-0    | •         |            |         | •     |         |              |        |          |                 |                |              | 2            |  |
| 3-220Z-72   | •         |            |         |       |         | •            |        |          |                 |                |              | 2            |  |
| 3-320Z-72   | •         |            |         |       |         | •            |        |          |                 |                |              | 2            |  |
| 3-220Z-72-V | •         |            |         |       |         |              |        |          | •               |                |              | 2            |  |
| 3-320Z-72-V | •         |            |         |       |         |              |        |          | •               |                |              | 2            |  |

Stock items, for all other items please  
request the minimum order quantities.

## 800 x 600 mm



Standard colour  
light grey



Height:

**425 mm**

Internal dimensions base:

748 x 548 x 422 mm

Stacking height: 412 mm

Usable internal height

in stack: 409 mm

Volume: 175 litres

Weight: 6.7 kg

Containers with  
reinforced base

Internal dim. base:

748 x 548 x 408 mm

Usable internal height

in stack: 395 mm

Weight: 7.1 kg

Height:

**425 mm**

Internal dimensions base:

748 x 548 x 422 mm

Stacking height: 412 mm

Usable internal height

in stack: 409 mm

Volume: 175 litres

Weight: 6.7 kg

Containers with  
reinforced base

Internal dim. base:

748 x 548 x 408 mm

Usable internal height


in stack: 395 mm

Weight: 6.9 kg

| Order no.    | Sidewalls      |            |         | Base  |         |              |        |          |                 | Handles        |              |              |
|--------------|----------------|------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|
|              | solid          | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 3-219U-0     | •              |            |         | •     |         |              |        |          |                 |                | 2            |              |
| 3-319U-0     | •              |            |         | •     |         |              |        |          |                 |                |              | 2            |
| 3-219U-72    | •              |            |         |       |         | •            |        |          |                 |                | 2            |              |
| 3-319U-72    | •              |            |         |       |         | •            |        |          |                 |                |              | 2            |
| 3-219U-72-V  | •              |            |         |       |         |              |        |          | •               |                | 2            |              |
| 3-319U-72-V  | •              |            |         |       |         |              |        |          | •               |                |              | 2            |
| 3-319U-136   | • <sup>1</sup> |            |         | •     |         |              |        |          |                 |                |              | 2            |
| 3-319U-167   | • <sup>1</sup> |            |         |       |         | •            |        |          |                 |                |              | 2            |
| 3-319U-167-V | • <sup>1</sup> |            |         |       |         |              |        |          | •               |                |              | 2            |

<sup>1</sup> 1 small side with access aperture


### Bases




solid




slotted




grated



SGL base



ribbed



enclosed  
double base

### Sidewalls



slotted



perforated



profile



shell



slot

### Handles

Stock items, for all other items please  
request the minimum order quantities.

## 800 x 600 mm



Height:  
**267 mm**

Internal dimensions base:  
748 x 548 x 99 mm  
Volume: 45 litres  
Weight: 9.1 kg



Height:  
**370 mm**

Internal dimensions base:  
748 x 548 x 202 mm  
Volume: 90 litres  
Weight: 10.3 kg



Height:  
**450 mm**

Internal dimensions base:  
748 x 548 x 283 mm  
Volume: 122 litres  
Weight: 11.7 kg



Height:  
**475 mm**

Internal dimensions base:  
748 x 548 x 305 mm  
Volume: 134 litres  
Weight: 12 kg



Height:  
**575 mm**

Internal dimensions base:  
748 x 548 x 408 mm  
Volume: 175 litres  
Weight: 13.1 kg

| Order no.    | Sidewalls |            |         | Base  |         |              |        |          |                 |                | Handles      |              |  |
|--------------|-----------|------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|--|
|              | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |  |
| 3-222U-72-33 | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |  |
| 3-221Z-72-33 | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |  |
| 3-224U-72-33 | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |  |
| 3-220Z-72-33 | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |  |
| 3-219U-72-33 | •         |            |         | •     |         |              |        |          |                 |                | 2            |              |  |

## Accessories – Lids



Hinged lid



Hook-in lid



Snap lock



3-944-0

3-944-1

3-944-2

200 x 150 mm



3-215N-0

3-215N-1-11

3-215N-2-11

20-2124

21-2930

20-2065.1

300 x 200 mm



3-214Z-0

3-214Z-1-11

3-214Z-2-11

3-924-3-11

20-0509

21-2539

20-2130

400 x 300 mm

### Standard colours

-  1) dark grey
-  2) natural
-  3) dark blue
-  4) scarlet
-  5) translucent
-  6) pale blue

| Order no.       | Model                                              | Standard colour |
|-----------------|----------------------------------------------------|-----------------|
| 3-944-0         | loose lid                                          |                 |
| 3-944-1         | hinged lid                                         | 1               |
| 3-944-2         | hook-in lid                                        |                 |
| 3-215N-0        | loose lid                                          | 1               |
| 3-215N-1-11     | hinged lid                                         | 1, 3            |
| 3-215N-2-11     | hook-in lid                                        |                 |
| 20-2124         | sliding lid                                        |                 |
| 21-2930         | slip lid, vacuum formed                            | 2               |
| 20-2065.1       | dust-cover, vacuum formed<br>wall thickness 0.5 mm | 2               |
| 3-214Z-0        | loose lid                                          | 1               |
| 3-214Z-1-11     | hinged lid                                         | 1, 3, 4         |
| 3-214Z-1-255-11 | hinged lid                                         | 5               |
| 3-214Z-2-11     | hook-in lid                                        | 1               |
| 3-924-3-11      | slip lid with hooks                                | 6               |
| 20-0509         | slip lid                                           |                 |
| 21-2539         | sliding lid                                        |                 |
| 20-2130         | slip lid, vacuum formed,<br>wall thickness 2 mm    | 2               |

Stock items, for all other items please request the minimum order quantities.



38-1966-0

38-1966-1

38-1966-2

400 x 400 mm



3-213Z-0

3-213Z-1-11

3-213Z-2-11

3-213A-9

3-925-5

20-0252

3-923-3

21-2811

53-6040-001-00

21-2895-1

600 x 400 mm

| Order no. | Model       | Standard colour |
|-----------|-------------|-----------------|
| 38-1966-0 | loose lid   |                 |
| 38-1966-1 | hinged lid  |                 |
| 38-1966-2 | hook-in lid |                 |

|                 |                                               |         |
|-----------------|-----------------------------------------------|---------|
| 3-213Z-0        | loose lid                                     | 1       |
| 3-213Z-1-11     | hinged lid                                    | 1, 4, 3 |
| 3-213Z-1-255-11 | hinged lid                                    | 5       |
| 3-213Z-2-11     | hook-in lid                                   | 1       |
| 3-213A-9        | loose lid, foldable                           |         |
| 3-925-5         | slip lid                                      | 6       |
| 20-0252         | slip lid with gripping action                 |         |
| 3-923-3         | slip lid                                      |         |
| 21-2811         | sliding lid                                   |         |
| 53-6040-001-00  | snap-on lid                                   | 5       |
| 21-2895-1       | slip lid, vacuum formed wall thickness 2,5 mm | 2       |

Snap lock

| Order no. | Colour         |
|-----------|----------------|
| 89-4-865  | plastic, white |



Hinge reinforcement

| Order no.  | Colour             |
|------------|--------------------|
| 89-4-867.2 | plastic, dark grey |
| 89-4-867   | plastic, white     |
| 89-3-832   | metal              |



#### Standard colours

-  1) dark grey
-  2) natural
-  3) dark blue
-  4) scarlet
-  5) translucent
-  6) pale blue

Stock items, for all other items please request the minimum order quantities.

## Accessories – Lids / Covers



800 x 600 mm

3-223U-0

20-2103-2

21-0600

21-0600-5

40-86-1-11



1200 x 800 mm



1200 x 1000 mm

20-2127-2

21-0780-1

Standard colours



1) dark grey



2) black

| Order no.  | Model                                                        | Standard colour |
|------------|--------------------------------------------------------------|-----------------|
| 3-223U-0   | slip lid                                                     | 1               |
| 3-223U-1   | slip lid, with notches on both short sides for shell handles |                 |
| 20-2103-2  | slip lid, vacuum formed                                      |                 |
| 21-0600    | slip lid with gripping action, with spaces for handles       | 2               |
| 21-0600-2  | slip lid without gripping action, with spaces for handles    |                 |
| 21-0600-4  | slip lid with gripping action, without spaces for handles    |                 |
| 21-0600-5  | slip lid without gripping action, without spaces for handles |                 |
| 40-86-1-11 | hinged lid with snap locks                                   |                 |
| 20-0751    | cover                                                        | 2               |
| 20-2127-2  | cover                                                        |                 |
| 21-0780-1  | cover                                                        |                 |

Stock items, for all other items please request the minimum order quantities.

## RAKO with lid



**Equipment:**  
1 RAKO container  
1 hinged lid  
2 hinge reinforcem.  
2 snap locks

**All sizes listed are available for delivery in quantities as low as 1 unit.**

### Standard colours for containers

36-201-13 / 36-203-13 / 36-204 13:

light grey, scarlet, dark blue, yellow, translucent

36-200-13 / 36-202-13:

light grey, scarlet, dark blue

36-206-13 / 36-207-13 / 36-208-13:

light grey, dark blue

all other containers: light grey

### Standard colours for lids

300 x 200 mm:

dark grey, dark blue

400 x 300 mm / 600 x 400 mm:

dark grey, scarlet, dark blue, translucent

## Cases



**Equipment:**  
1 RAKO container  
1 hinged lid  
2 hinge reinforcem.  
2 snap locks  
1 case handle

### Standard colours

35-211: light grey, translucent

all other cases: light grey



A



B



C



D

### Case handles

| Order no.  | External dimensions | Volume    | Weight | Handle Model |
|------------|---------------------|-----------|--------|--------------|
| 36-217-13  | 300 x 200 x 80 mm   | 3 litres  | 0.4 kg |              |
| 36-206-13  | 300 x 200 x 132 mm  | 5 litres  | 0.7 kg |              |
| 36-210-13  | 300 x 200 x 235 mm  | 9 litres  | 0.9 kg |              |
| 36-211-13  | 400 x 300 x 81 mm   | 5 litres  | 1.3 kg |              |
| 36-203-13  | 400 x 300 x 132 mm  | 10 litres | 1.3 kg |              |
| 36-4313-13 | 400 x 300 x 160 mm  | 12 litres | 1.6 kg |              |
| 36-207-13  | 400 x 300 x 184 mm  | 15 litres | 1.6 kg |              |
| 36-204-13  | 400 x 300 x 235 mm  | 20 litres | 1.9 kg |              |
| 36-212-13  | 400 x 300 x 287 mm  | 24 litres | 2.1 kg |              |
| 36-205-13  | 400 x 300 x 336 mm  | 30 litres | 2.0 kg |              |
| 36-227-13  | 600 x 400 x 90 mm   | 14 litres | 2.0 kg |              |
| 36-200-13  | 600 x 400 x 132 mm  | 20 litres | 2.5 kg |              |
| 36-208-13  | 600 x 400 x 184 mm  | 30 litres | 3.0 kg |              |
| 36-201-13  | 600 x 400 x 235 mm  | 40 litres | 3.1 kg |              |
| 36-6426-13 | 600 x 400 x 293 mm  | 53 litres | 3.9 kg |              |
| 36-202-13  | 600 x 400 x 338 mm  | 60 litres | 4.0 kg |              |
| 36-209-13  | 600 x 400 x 441 mm  | 90 litres | 4,9 kg |              |

|           |                    |           |        |   |
|-----------|--------------------|-----------|--------|---|
| 35-206    | 300 x 200 x 132 mm | 5 litres  | 0.7 kg | A |
| 35-210-0  | 300 x 200 x 235 mm | 9 litres  | 1.0 kg | B |
| 35-211    | 400 x 300 x 81 mm  | 5 litres  | 1.0 kg | A |
| 35-203    | 400 x 300 x 132 mm | 10 litres | 1.3 kg | A |
| 35-4313-0 | 400 x 300 x 160 mm | 12 litres | 1.4 kg | B |
| 35-207    | 400 x 300 x 184 mm | 15 litres | 1.6 kg | A |
| 35-204-0  | 400 x 300 x 235 mm | 20 litres | 1.9 kg | B |
| 35-212-7  | 400 x 300 x 287 mm | 24 litres | 2.1 kg | B |
| 35-205-7  | 400 x 300 x 336 mm | 30 litres | 2.2 kg | B |
| 35-227-7  | 600 x 400 x 90 mm  | 14 litres | 2.0 kg | B |
| 35-200    | 600 x 400 x 132 mm | 20 litres | 2.5 kg | A |
| 35-208    | 600 x 400 x 184 mm | 30 litres | 3.0 kg | A |
| 35-201-7  | 600 x 400 x 235 mm | 40 litres | 3.1 kg | B |
| 35-6426-7 | 600 x 400 x 293 mm | 53 litres | 3.9 kg | B |

All RAKO containers from the basic dimensions 400 x 300 x 145 mm on can be provided with two "B" handles fitted on the short side (only applies to containers from stock).

| Order no. | Model                                               |
|-----------|-----------------------------------------------------|
| 89-2-1-1  | A = handle for cases with integrated handle sockets |
| 89-2-1-2  | B = standard model, rivetted                        |
| 89-2-1-3  | C = leather effect handle                           |
| 89-2-1-5  | D = spring-loaded steel case handle                 |

Stock items, for all other items please request the minimum order quantities.

# RAKO with lid – Cases

## Double case



600 x 400 x 170 mm

| Order no. | Internal dimensions                    | Volume                     | Weight |
|-----------|----------------------------------------|----------------------------|--------|
| 35-227-70 | both containers:<br>552 x 352 x 71 mm  | both containers: 14 litres | 3.8 kg |
| 35-200-70 | both containers:<br>558 x 358 x 114 mm | both containers: 20 litres | 4.4 kg |

600 x 400 x 250 mm

## Archive box



Standard colour  
light grey

400 x 300 x 338 mm

Internal dim. base:  
352 x 252 x 320 mm  
Width file rails:  
330 mm  
Weight: 2.4 kg  
No. of files: 30-35

| Order no. | Cylinder lock       |
|-----------|---------------------|
| 36-421    | without             |
| 36-421-1  | individual-key lock |
| 36-421-7  | same-key lock       |



Standard colour  
light grey



600 x 400 x 338 mm

Internal dim. base:  
552 x 352 x 320 mm  
Width file rails:  
330 mm  
Weight: 5.6 kg  
No. of files: 60-70

|          |                     |
|----------|---------------------|
| 36-420   | without             |
| 36-420-1 | individual-key lock |
| 36-420-7 | same-key lock       |


## Locking systems

Choose from five locking systems. (When ordering please quote the required order no. suffix).



| Order no. suffix | Version                                                                                                                              |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| -A-VH            | padlock hole (padlock separate)                                                                                                      |
| -SG              | same-key lock for one or several containers                                                                                          |
| -HS              | locks with an individual key and one or several master keys for all containers                                                       |
| -GHS             | safety locks with individual keys for each container; one or several master keys for individual container groups; overall master key |

Stock items, for all other items please request the minimum order quantities.



1 Identification

|                                |                    |
|--------------------------------|--------------------|
| can be positioned individually | <b>Version</b>     |
|                                | barcode-Label      |
|                                | transponder / RFID |
|                                | inmould label      |

2 Adhesive label area

| Order no. | Size         |
|-----------|--------------|
| 97-N107   | 150 x 80 mm  |
| 97-N109   | 100 x 100 mm |
| 97-N110   | 200 x 100 mm |

3 Removable boxes

|  |                  |
|--|------------------|
|  | see page 70 - 71 |
|--|------------------|

4 Label pockets

|  |             |
|--|-------------|
|  | see page 74 |
|--|-------------|

5 Label clips

|  |             |
|--|-------------|
|  | see page 75 |
|--|-------------|

6 Foam inserts

|  |             |
|--|-------------|
|  | see page 72 |
|--|-------------|

7 Covering for handle slots

| Order no. | Version                                                                                          |
|-----------|--------------------------------------------------------------------------------------------------|
| 9-4033    | handle cover: smooth on the inside on the container. Is subsequently inserted in the handle slot |
| 80-936    | recessed handle: reach-through remains in place. Is subsequently inserted in the handle hole     |

8 Dollies

|  |                       |
|--|-----------------------|
|  | see section "Dollies" |
|--|-----------------------|

9 Individual labeling

|                                           |                  |
|-------------------------------------------|------------------|
| an individual version requires a template | <b>Version</b>   |
|                                           | hot stamping     |
|                                           | pad printing     |
|                                           | screen printing  |
|                                           | script inserts   |
|                                           | inmould labeling |
|                                           | foil embossing   |

10 Hot-stamping

|                    |                                         |
|--------------------|-----------------------------------------|
| Standard font size | HELVETICA capital letters 14 mm / 30 mm |
|--------------------|-----------------------------------------|

11 Dividers

|  |             |
|--|-------------|
|  | see page 72 |
|--|-------------|

## Accessories – Removable boxes

### for 400 x 300 mm



Standard colour  
light grey



Standard colour  
light grey



Standard colour  
light grey

### for 400 x 400 mm



For containers  
with a height of  
65 mm or above

| Order no. | External dim. | Height | Size                                                                                    |
|-----------|---------------|--------|-----------------------------------------------------------------------------------------|
| 3-291N-1  | 174 x 127 mm  | 32 mm  |  1/4 |

Transparent lid

|       |              |
|-------|--------------|
| 3-295 | 174 x 128 mm |
|-------|--------------|

For containers  
with a height of  
120 mm or above

|          |              |       |                                                                                         |
|----------|--------------|-------|-----------------------------------------------------------------------------------------|
| 3-286N-0 | 127 x 87 mm  | 50 mm |  1/8 |
| 3-292N-0 | 174 x 127 mm | 50 mm |  1/4 |

Transparent lid

|       |              |
|-------|--------------|
| 3-290 | 130 x 86 mm  |
| 3-295 | 174 x 128 mm |

For containers  
with a height of  
120 mm or above

|         |              |       |                                                                                           |
|---------|--------------|-------|-------------------------------------------------------------------------------------------|
| 21-0414 | 178 x 127 mm | 65 mm |  1/4  |
| 21-0413 | 257 x 178 mm | 65 mm |  1/2 |

For containers  
with a height of  
120 mm or above

|       |              |       |                                                                                           |
|-------|--------------|-------|-------------------------------------------------------------------------------------------|
| 3-655 | 262 x 121 mm | 98 mm |  1/3 |
|-------|--------------|-------|-------------------------------------------------------------------------------------------|

Transparent lid

|         |              |
|---------|--------------|
| 3-655-2 | 262 x 119 mm |
|---------|--------------|

For containers  
with a height of  
120 mm or above

|         |              |       |                                                                                           |
|---------|--------------|-------|-------------------------------------------------------------------------------------------|
| 21-0483 | 183 x 92 mm  | 82 mm |  1/8 |
| 21-0482 | 183 x 183 mm | 82 mm |  1/4 |
| 21-0481 | 168 x 183 mm | 82 mm |  1/2 |

Stock items, for all other items please  
request the minimum order quantities.

## for 600 x 400 mm



Standard colour  
light grey



Standard colour  
light grey



For containers  
with a height of  
120 mm or above

| Order no. | External dim. | Height | Size                                                                                     |
|-----------|---------------|--------|------------------------------------------------------------------------------------------|
| 3-939N-42 | 139 x 89 mm   | 99 mm  |  1/16 |
| 3-903N-43 | 177 x 139 mm  | 99 mm  |  1/8  |
| 3-902N-43 | 277 x 177 mm  | 99 mm  |  1/4  |
| 3-901N-43 | 355 x 277 mm  | 99 mm  |  1/2  |

Transparent lid

|         |              |
|---------|--------------|
| 20-2117 | 139 x 89 mm  |
| 20-2116 | 177 x 139 mm |
| 20-2115 | 277 x 177 mm |
| 20-2114 | 355 x 277 mm |

For containers  
with a height of  
278 mm or above

|         |              |        |                                                                                         |
|---------|--------------|--------|-----------------------------------------------------------------------------------------|
| 3-922-3 | 277 x 177 mm | 230 mm |  1/4 |
|---------|--------------|--------|-----------------------------------------------------------------------------------------|

For containers  
with a height of  
120 mm or above

|         |              |       |                                                                                           |
|---------|--------------|-------|-------------------------------------------------------------------------------------------|
| 3-930-2 | 555 x 89 mm  | 99 mm |  1/4 |
| 3-929-3 | 555 x 177 mm | 99 mm |  1/2 |

Transparent lid

|         |              |
|---------|--------------|
| 20-2118 | 555 x 177 mm |
|---------|--------------|

For containers  
with a height of  
75 mm or above

|         |              |       |                                                                                           |
|---------|--------------|-------|-------------------------------------------------------------------------------------------|
| 21-0503 | 180 x 140 mm | 49 mm |  1/8 |
| 21-0502 | 280 x 180 mm | 49 mm |  1/4 |
| 21-0501 | 557 x 180 mm | 49 mm |  1/2 |


For containers  
with a height of  
170 mm or above

|         |              |        |                                                                                           |
|---------|--------------|--------|-------------------------------------------------------------------------------------------|
| 21-0500 | 280 x 180 mm | 148 mm |  1/4 |
|---------|--------------|--------|-------------------------------------------------------------------------------------------|

Stock items, for all other items please  
request the minimum order quantities.

## Accessories – Foam inserts, Dividers

### Foam inserts



Standard colour

dark grey

The foam inserts are pre-punched for individual assembly.  
The set consist of:  
1 foam insert container  
1 foam insert lid  
5 adhesive spots

| Order no. | External dimensions | To fit container |
|-----------|---------------------|------------------|
| 80-925-11 | 360 x 260 x 62 mm   | 35-211           |
| 80-925-12 | 360 x 260 x 112 mm  | 35-203           |
| 80-925-24 | 560 x 360 x 112 mm  | 35-200           |

### Foam inserts for lids




Standard colour

dark grey

|           |                   |              |
|-----------|-------------------|--------------|
| 89-6-0014 | 355 x 255 x 12 mm | 400 x 300 mm |
| 89-6-0015 | 560 x 360 x 12 mm | 600 x 400 mm |

### Dividers



Standard colour

light grey

*To fit containers  
300 x 200 mm*

| Order no. | External dimensions | No. of slots | Distance of slots | Position |
|-----------|---------------------|--------------|-------------------|----------|
| 80-990-3  | 285 x 47 x 2 mm     | 15           | 15 mm             | lengthw. |
| 80-991-3  | 158 x 45 x 2 mm     | 9            | 15 mm             | crossw.  |

*To fit containers  
400 x 300 mm*

|          |                 |    |       |          |
|----------|-----------------|----|-------|----------|
| 80-990-2 | 352 x 47 x 2 mm | 21 | 15 mm | lengthw. |
| 80-991-2 | 252 x 45 x 2 mm | 15 | 15 mm | crossw.  |

*To fit containers  
600 x 400 mm*

|          |                 |    |       |          |
|----------|-----------------|----|-------|----------|
| 80-990-1 | 552 x 47 x 2 mm | 32 | 15 mm | lengthw. |
| 80-991-1 | 352 x 45 x 2 mm | 21 | 15 mm | crossw.  |

*Layer pads for  
dividers*

| Order no. | External dim.    | To fit RAKO  |
|-----------|------------------|--------------|
| 80-992-3  | 258 x 158 x 2 mm | 300 x 200 mm |
| 80-992-2  | 352 x 45 x 2 mm  | 400 x 300 mm |
| 80-992-1  | 352 x 45 x 2 mm  | 600 x 400 mm |

#### Remark:

In higher containers the dividers can be stacked on top of each other.  
Custom made dividers are available on request.

Stock items, for all other items please request the minimum order quantities.

## Compartment trays

*Basic size*  
400 x 300 mm

The set consists of:  
1 compartment tray  
1 foam insert and  
5 adhesive spots



20-2001.1



20-2002.1



20-2005.1

Standard colour

 black

*Basic size*  
400 x 300 mm




In combination with one compartment tray for the base size 600 x 400 mm.



| Order no. | Dimensions of compartments                                                | To fit case |
|-----------|---------------------------------------------------------------------------|-------------|
| 20-2001.1 | 2 comp. at 52 x 243 mm<br>4 comp. at 57 x 109 mm<br>8 comp. at 55 x 51 mm | 35-211      |
| 20-2002.1 | 10 comp. at 62 x 116 mm                                                   | 35-211      |
| 20-2005.1 | 24 comp. at 52 x 56 mm                                                    | 35-211      |

|           |                                   |        |
|-----------|-----------------------------------|--------|
| 21-2496-U | 5 compartments at 125 x 65 x 45mm | 35-211 |
|-----------|-----------------------------------|--------|

*To fit base size*  
600 x 400 mm




21-2484-1-U



21-2484-2-U



21-2484-4-U



21-2484-20-U



4 compartment trays in any desired arrangement fit the base size 600 x 400 mm.

|              |                                    |        |
|--------------|------------------------------------|--------|
| 21-2484-1-U  | 1 compartment at 335 x 95 x 45mm   | 35-227 |
| 21-2484-2-U  | 2 compartments at 335 x 45 x 45 mm |        |
| 21-2484-4-U  | 4 compartments at 165 x 45 x 45 mm |        |
| 21-2484-20-U | 20 compartments at 44 x 27 x 45 mm |        |

Stock items, for all other items please request the minimum order quantities.

## Accessories – Marking

### Label pockets



**to be welded**

Material: PP natural (translucent), 1.5 mm



**to be rivetted**

Material: PET-G transparent, 1.5 mm  
with order no. suffix: -PET

For paper size  
A4  
(210 x 297 mm)


For paper size  
A5  
(148 x 210 mm)

For paper size  
A6  
(105 x 148 mm)


For paper size  
A7  
(74 x 105 mm)

| Order no.  | Execution            | Internal dim.<br>(LxWxD) | Immersion<br>depth |
|------------|----------------------|--------------------------|--------------------|
| 89-21-2401 | border on<br>2 sides | 216 x 300 x 4 mm         | vertical, 100%     |
| 89-21-2402 |                      | 216 x 225 x 4 mm         | vertical, 75%      |
| 89-21-2403 |                      | 303 x 213 x 4 mm         | horiz., 100%       |
| 89-21-2404 |                      | 303 x 160 x 4 mm         | horiz., 75%        |
| 89-21-3401 | border on<br>3 sides | 216 x 300 x 4 mm         | vertical, 100%     |
| 89-21-3402 |                      | 216 x 225 x 4 mm         | vertical, 75%      |
| 89-21-3403 |                      | 303 x 213 x 4 mm         | horiz., 100%       |
| 89-21-3404 |                      | 303 x 160 x 4 mm         | horiz., 75%        |
| 89-21-2501 | border on<br>2 sides | 154 x 213 x 2.5 mm       | vertical, 100%     |
| 89-21-2502 |                      | 154 x 160 x 2.5 mm       | vertical, 75%      |
| 89-21-2503 |                      | 216 x 151 x 2.5 mm       | horiz., 100%       |
| 89-21-2504 |                      | 216 x 115 x 2.5 mm       | horiz., 75%        |
| 89-21-3501 | border on<br>3 sides | 154 x 213 x 2.5 mm       | vertical, 100%     |
| 89-21-3502 |                      | 154 x 160 x 2.5 mm       | vertical, 75%      |
| 89-21-3503 |                      | 216 x 151 x 2.5 mm       | horiz., 100%       |
| 89-21-3504 |                      | 216 x 115 x 2.5 mm       | horiz., 75%        |
| 89-21-2601 | border on<br>2 sides | 111 x 151 x 2.5 mm       | vertical, 100%     |
| 89-21-2602 |                      | 111 x 115 x 2.5 mm       | vertical, 75%      |
| 89-21-2603 |                      | 154 x 108 x 2.5 mm       | horiz., 100%       |
| 89-21-2604 |                      | 154 x 80 x 2.5 mm        | horiz., 75%        |
| 89-21-3601 | border on<br>3 sides | 111 x 151 x 2.5 mm       | vertical, 100%     |
| 89-21-3602 |                      | 111 x 115 x 2.5 mm       | vertical, 75%      |
| 89-21-3603 |                      | 154 x 108 x 2.5 mm       | horiz., 100%       |
| 89-21-3604 |                      | 154 x 80 x 2.5 mm        | horiz., 75%        |
| 89-21-2701 | border on<br>2 sides | 80 x 108 x 2.5 mm        | vertical, 100%     |
| 89-21-2702 |                      | 80 x 80 x 2.5 mm         | vertical, 75%      |
| 89-21-2703 |                      | 111 x 77 x 2.5 mm        | horiz., 100%       |
| 89-21-2704 |                      | 111 x 55 x 2.5 mm        | horiz., 75%        |
| 89-21-3701 | border on<br>3 sides | 80 x 108 x 2.5 mm        | vertical, 100%     |
| 89-21-3702 |                      | 80 x 80 x 2.5 mm         | vertical, 75%      |
| 89-21-3703 |                      | 111 x 77 x 2.5 mm        | horiz., 100%       |
| 89-21-3704 |                      | 111 x 55 x 2.5 mm        | horiz., 75%        |

**Border on 2 sides**



**Border on 3 sides**



### Adhesive label pocket



| Order no.  | Execution         | Internal dimensions |
|------------|-------------------|---------------------|
| 89-20-39-5 | border on 3 sides | 90 x 52 mm          |

Stock items, for all other items please  
request the minimum order quantities.

## Label pocket



*With reversible carrier plate*

| Order no.   | Model                     | Execution         | External dimensions |
|-------------|---------------------------|-------------------|---------------------|
| 89-21-21-1  | label pocket, translucent | border on 3 sides | 114 x 70 mm         |
| 26-2-0001.2 | reversible carrier plate  |                   | 112 x 225 mm        |

## Label clips



| Order no.  | Execution       | Width | Fixation       |
|------------|-----------------|-------|----------------|
| 80-417     | galvanised      | 30 mm | to mount       |
| 80-417-1   | galvanised      | 19 mm |                |
| 80-417-2.1 | blue galvanised | 19 mm |                |
| 80-985-E   | stainless steel | 30 mm | to be rivetted |
| 80-169     | galvanised      | 30 mm |                |

## Adhesive label



plastic-coated and washable

| Order no.   | For paper size | External dimensions |
|-------------|----------------|---------------------|
| 89-26U-0058 | A6             | 165 x 114 mm        |
| 89-26U-0059 | A5             | 230 x 170 mm        |
| 89-26U-0060 | A4             | 335 x 230 mm        |



Stock items, for all other items please request the minimum order quantities.

Special RAKO



RAKO with partition guide

External dimensions:  
400 x 300 x 325 mm  
Internal dimensions base:  
358 x 258 x 320 mm  
Volume: 30 litres  
Weight: 1.6 kg

| Order no.  | Sidewalls |            |         | Base  |         |              |        |          |                 | Handles        |              |              |
|------------|-----------|------------|---------|-------|---------|--------------|--------|----------|-----------------|----------------|--------------|--------------|
|            | solid     | perforated | slotted | solid | slotted | with ribbing | grated | SGL base | enclosed double | profile handle | shell handle | handle slots |
| 3-205G-185 | ●         |            |         |       |         | ●            |        |          |                 |                |              | 2            |



Injected grooves for partitions on long and short sides for the insertion of compartment dividers.



RAKO with access opening

| Version                   |                                                                                                                                                          |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| individual sizes possible | One section of this RAKO's short side was removed and stabilised with a plastic pipe. This allows access to the contents of the containers when stacked. |



RAKO in special dimensions

| Version |                                                                                                    |
|---------|----------------------------------------------------------------------------------------------------|
|         | RAKO containers can also be manufactured in small series production at various special dimensions. |



*Hazardous  
goods container*

| Remark                                                  |
|---------------------------------------------------------|
| refer to chapter<br>"Hazardous Goods Containers GGVSEB" |



*RAKO –  
electrically  
conductive ESD*

| Remark                                                                                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------|
|  refer to chapter<br>"Electrically conductive products ESD" |



*Tray containers*

| Order no.     | External dimensions | Version            |
|---------------|---------------------|--------------------|
| 36-201-TK     | 600 x 400 x 220 mm  | without front door |
| 36-201-TK-200 | 600 x 400 x 220 mm  | with front door    |
| 36-209-TK     | 600 x 400 x 425 mm  | without front door |
| 36-209-TK-200 | 600 x 400 x 425 mm  | with front door    |

*Lids for  
tray containers*

| Order no.   | Model       |
|-------------|-------------|
| 3-213Z-0    | loose lid   |
| 3-213Z-1-11 | hinged lid  |
| 3-213Z-2-11 | hook-in lid |

*Trays*

| Order no. | Usable internal dim. | 36-201-TK | 36-209-TK |
|-----------|----------------------|-----------|-----------|
| 20-0703   | 509 x 308 x 22 mm    | 5 trays   | 12 trays  |
| 20-0704   | 498 x 297 x 80 mm    | 1 tray    | 4 trays   |
| 20-0705   | 498 x 297 x 105 mm   | 1 tray    | 3 trays   |

*Lid for trays*

| Order no. | Model     |
|-----------|-----------|
| 21-0793   | loose lid |

Stock items, for all other items please  
request the minimum order quantities.