



Webbing slings, round slings & web lashings
Løftebånd, rundsling & surringer



Index

Round Slings 6.4
Round Slings Heavy Duty - WLL upto 600 ton 6.4
HMPE Slings for Heavy Lifting 6.5
Webbing Slings..... 6.6
Endless Webbing Slings 6.7
Boat Webbing Slings..... 6.7
Pulling Round Sling..... 6.8
Web Lashings 6.9
Corner Protectors 6.9
Loadbinders 6.10
Chain Lashing Set - Grade 8 6.10
Lashing Chains..... 6.11
MC Lashing..... 6.11

Indhold

Rundsling 6.4
Rundsling HD - WLL op til 600 ton 6.4
HMPE Sling til Tunge Løft..... 6.5
Løftebånd..... 6.6
Endeløs Løftebånd..... 6.7
Båd Løftestropper 6.7
Slæbestrop 6.8
Båndsurringer..... 6.9
Kantbeskyttere 6.9
Kædestrammere 6.10
Kædesurringssæt - Klasse 8 6.10
Surrings Kæder 6.11
MC Surring..... 6.11

Round Slings

- Polyester
- Seamless
- Safety factor 7:1
- According to EN 1492-2

Rundsling

- Polyester
- Sømløs
- Sikkerhedsfaktor 7:1
- I henhold til EN 1492-2



WLL →	1 Ton	2 Ton	3 Ton	5 Ton	8 Ton	10 Ton	12 Ton
Color →							
EWL* ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
0.5	06 01 0101	06 01 0201	06 01 0301	-	-	-	-
1	06 01 0102	06 01 0202	06 01 0302	06 01 0501	06 01 0801	06 01 1001	06 01 1201
1.5	06 01 0103	06 01 0203	06 01 0303	06 01 0502	06 01 0802	06 01 1002	06 01 1202
2	06 01 0104	06 01 0204	06 01 0304	06 01 0503	06 01 0803	06 01 1003	06 01 1203
2.5	06 01 0105	06 01 0205	06 01 0305	06 01 0504	06 01 0804	06 01 1004	06 01 1204
3	06 01 0106	06 01 0206	06 01 0306	06 01 0505	06 01 0805	06 01 1005	06 01 1205
4	06 01 0108	06 01 0208	06 01 0308	06 01 0507	06 01 0807	06 01 1007	06 01 1207
5	06 01 0110	06 01 0210	06 01 0310	06 01 0509	06 01 0809	06 01 1009	06 01 1209
6	06 01 0112	06 01 0212	06 01 0312	06 01 0511	06 01 0811	06 01 1011	06 01 1211
8	06 01 0116	06 01 0216	06 01 0316	06 01 0515	06 01 0815	06 01 1015	06 01 1215
10	06 01 0120	06 01 0220	06 01 0320	06 01 0519	06 01 0819	06 01 1019	06 01 1219

Other sizes and lengths available on request / Andre størrelser og længder muligt på forespørgsel
* EWL - Effective Work Length / EWL - Effektiv arbejdslængde

Round Slings Heavy Duty - WLL upto 600 ton

- Round sling with one layer special rip type HD
- The slings are made with a special protection sleeve in a weave structure, which makes the sleeve significantly more resistant to abrasion than a standard polyester sleeve.
- Produced according to EN 1492-2

Rundsling HD - WLL op til 600 ton

- Rundsling med et-lags sliddug type HD
- Rundslingene er lavet med en special vævestruktur, hvilket gør dugen særdeles slid stærk, sammenlignet med en standard polyesterdug
- Produceret iht. EN 1492-2



HMPE Slings for Heavy Lifting

- High quality slings
- WLL up to 500 ton
- Length up to 150m (on request)
- Working temp. -40 to +60 °C
- 8 to 10 times lighter than quality steel
- 2,5 times lighter than polyester roundslings
- 3 cover options: 2,4 HMPE, 1,3 HMPE or Polyester
- Floats on water
- Good resistance against acids and alkalies
- Supplied according to 2006/42/EC


HMPE Sling til Tunge Løft

- Højkvalitets sling
- WLL op til 500 ton
- Længde op til 150m (på forespørgsel)
- Arbejdstemp. -40 til +60 °C
- 8 til 10 gange lettere end stål
- 2,5 gange lettere end polyesterrundsling
- 3 sliddugs muligheder: 2,4 HMPE, 1,3 HMPE eller polyester
- Flyder på vand
- God resistens mod syrer og baser
- Leveres iht. 2006/42/EC



WLL	MBL	SF	Core dia. B (mm)	Minimum bending C (mm)	Weight pr. metre (kg)
10	70	7	34	47	1.5
50	350	7	75	105	4
100	700	7	106	166	7.5
200	1400	7	150	255	13.5
300	2100	7	184	319	19
400	2800	7	212	395	25.5
500	3500	7	237	441	32

Other lengths and WLL available on request / Andre længder og WLL muligt på forespørgsel



Webbing Slings

- Polyester - protected eye in each end
- Safety factor 7:1
- According to EN 1492-1

Løftebånd

- Polyester - beskyttet øje i begge ender
- Sikkerhedsfaktor 7:1
- I henhold til EN 1492-1



WLL →	1 Ton	2 Ton	3 Ton	5 Ton	8 Ton	10 Ton	12 Ton
Color →							
Width - mm →	30	60	90	150	240	300	300
EWL* ↓	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.	Art. No.
1	06 05 0101	06 05 0201	06 05 0301	-	-	-	-
1.5	06 05 0102	06 05 0202	06 05 0302	-	-	-	-
2	06 05 0103	06 05 0203	06 05 0303	06 05 0501	-	-	-
2.5	06 05 0104	06 05 0204	06 05 0304	06 05 0502	-	-	-
3	06 05 0105	06 05 0205	06 05 0305	06 05 0503	06 05 0801	06 05 1001	06 05 1201
4	06 05 0107	06 05 0207	06 05 0307	06 05 0505	06 05 0803	06 05 1003	06 05 1203
5	06 05 0109	06 05 0209	06 05 0309	06 05 0507	06 05 0805	06 05 1005	06 05 1205
6	06 05 0111	06 05 0211	06 05 0311	06 05 0509	06 05 0807	06 05 1007	06 05 1207
7	06 05 0112	06 05 0212	06 05 0312	06 05 0510	06 05 0808	06 05 1008	06 05 1208
8	06 05 0113	06 05 0213	06 05 0313	06 05 0511	06 05 0809	06 05 1009	06 05 1209
10	06 05 0115	06 05 0215	06 05 0315	06 05 0513	06 05 0811	06 05 1011	06 05 1211

Other lengths and WLL available on request / Andre ængder og WLL muligt på forespørgsel
* EWL - Effective Work Length / EWL - Effektiv arbejdslængde

Endless Webbing Slings

- Polyester
- Safety factor 7:1
- According to EN 1492-1

Endeløs Løftebånd

- Polyester
- Sikkerhedsfaktor 7:1
- I henhold til EN 1492-1



Art. No.	WLL	EWL	Length (cm)	Color
06 07 0100	1	1	100	Purple
06 07 0101	1	1.5	150	Purple
06 07 0102	1	2	200	Purple

Other lengths and WLL available on request / Andre længder og WLL muligt på forespørgsel

Boat Webbing Slings

- Polyester - protected eye in each end
- Safety factor 7:1
- According to EN 1492-1

Båd Løftestropper

- Polyester - beskyttet øje i begge ender
- Sikkerhedsfaktor 7:1
- I henhold til EN 1492-1



Art. No.	WLL	Length (cm)	Width (cm)	Color
06 05 3510	5	10.000	15	White

Other lengths and WLL available on request / Andre længder og WLL muligt på forespørgsel

Pulling Round Sling

- Polyester - protected eye in each end
- Safety factor 7:1
- According to EN 1492-2

Slæbestrop

- Polyester - beskyttet øje i begge ender
- Sikkerhedsfaktor 7:1
- I henhold til EN 1492-2



Art. No.	WLL	MBL (ton)	Length (cm)	Color
06 01 7806	8	56	6000	Blue

Web Lashings

- 25 - 35 - 50 - 75 mm
- According to EN 12195-2
- Must be inspected*

Båndsurringer

- 25 - 35 - 50 - 75 mm
- I henhold til EN 12195-2
- Skal efterses*



Art. No.	Width (mm)	Length (mtr)	Type	Lashing capacity daN	Lashing capacity daN
06 08 0001	25	0.5 x 4.5	Cambuckle - hook/hook	200	400
06 08 0002	25	0.5 x 5.5	Ratchet - hook/hook	375	750
06 08 0003	25	6.5	Ratchet - endless	375	750
06 08 0004	35	0.5 x 5.5	Ratchet - hook/hook	1000	2000
06 08 0005	50	0.5 x 9.5	Ratchet - hook/hook	2500	5000
06 08 0009	50	0.5 x 9.5	*ERGO Ratchet - hook/hook	2000	4000
06 08 0007	75	0.5 x 9.5	Ratchet - hook/hook	5000	10000

Other sizes and models available on request / Andre størrelser og modeller muligt på forespørgsel.
* ERGO = Long ergonomic handle, which is pulled down to lash the goods - the reverse of traditional lashings /
Langt ergonomisk håndtag, som trækkes ned for at surre godset - omvendt af traditionelle surringer

Corner Protectors / Kantbeskyttere

- Must be inspected / Skal efterses*




Art. No.	Model	Material	For web mm	Length mtr	Size cm
06 19 0002	Standard white	Plastic	50	-	9 x 9 x 10
06 19 0003	Blue	Plastic	-	6	12 x 12 x 1.5

* According to the danish labour inspections, all lashing equipment must be inspected every 12. months /
Alt surringsgrej skal efterses minimum hver 12. måned (bekendtgørelse 1109/92 §14)

Loadbinders / Kædestrammere

- Must be inspected / Skal efterses*



Art. No.	Chain mm	Lashing capacity kN	Dimensions - mm						STF daN	Weight kg
			A	B	C	D	E	F		
06 39 0001	8	40	47	71	340-500	12	9	383	3150	4.8
06 39 0002	10	63	47	79	375-530	14	12	383	3150	5.5
06 39 0003	13	100	71	106	365-520	20	16	385	3150	9.5
06 39 0004	16	160	78	130	390-550	24	18	385	3150	14.0

Loadbinders / Kædestrammere

- Must be inspected / Skal efterses*



Art. No.	Chain mm	Lashing capacity kN	Handle mm	Closed/Open length - mm	Take-up mm	Weight approx. kg
06 39 0101	8	40	403	495.05 / 589.28	94.20	3.90
06 39 0102	10	63	438	560.07 / 670.05	109.98	5.50
06 39 0103	13	106	533.4	654.80 / 765.05	110.25	8.94

Chain Lashing Set - Grade 8

- Length on request
- I henhold til EN 12195-3
- Must be inspected*



Kædesurringssæt - Klasse 8

- Ønsket længde på forespørgsel
- I henhold til EN 12195-3
- Skal efterses*

Art. No.	Type	Chain Dia. mm	Lashing capacity kN	Breaking force kN
06 40 0001	Sling Hook / Sling Hook	8	40	80.4
06 40 0002	Sling Hook / Sling Hook	10	63	126.0
06 40 0003	Sling Hook / Sling Hook	13	100	212.0

* According to the danish labour inspections, all lashing equipment must be inspected every 12. months /
Alt surringsgrej skal efterses minimum hver 12. måned (bekendtgørelse 1109/92 §14)


Lashing Chains

- Grade 80
- Painted
- Must be inspected*



Surrings Kæder

- Klasse 80
- Malet
- Skal efterses*



Art. No.	Dimensions - mm			Break load kN	Weight pr mtr - kg
	Chain Dia. (A)	Inside length (B)	Inside width (C)		
06 22 0001	9	57	16	100	1.5
06 22 0002	11	66	18	150	2.1
06 22 0003	13	81	22	200	2.9
06 22 0004	16	100	28	320	4.4

Other types available on request / Andre størrelser muligt på forespørgsel
Length: To be specified / Længde: Skal angives

MC Lashing

- Set of 2 pieces (1 x left handle lashing, 1 x right handle lashing)
- Polymer coated hook
- Must be inspected*



MC Surring

- Sæt med 2 stykker (1 x venstre håndtags-surring, 1 x højre håndtagssurring)
- Polymerovertrukket krog
- Skal efterses*

Art. No.	Width mm	Length mtr.	Type	Lashing capacity daN	Lashing capacity daN
06 11 1002	35	2 + 0.48	Cambuckle hook / loop	250	500

* According to the danish labour inspections, all lashing equipment must be inspected every 12. months /
Alt surringsgrej skal efterses minimum hver 12. måned (bekendtgørelse 1109/92 §14)

NOS A/S is supplier to the MARITIME INDUSTRY

NOS A/S is supplier to the maritime industry at sea or on land. When you work on a ship and don't get deliveries every day, it is especially important that what you get, is exactly what you need.

Here at NOS A/S we make sure that whenever you call us, we will do anything to make sure you will get exactly what you need, as anything else may result in expensive delays.

From our experience, we know that our maritime customers often need:

- Steel wire ropes
- Fiber ropes
- Lifting equipment
- Lashing equipment
- Anchor chains

Vi er leverandør til MARINE INDUSTRIEN

NOS A/S er leverandør til marine industrien på vand eller på land. Når man arbejder på et skib og ikke får leveret varer hver dag, er det ekstra vigtigt, at man rent faktisk får leveret præcist det, man skal bruge.

Her hos NOS A/S sørger vi for, hver gang du ringer til os, at vi vil gøre alt for at sikre os at du får præcis det du har brug for. Alt andet kan resultere i fordyrende forsinkelse af arbejdet

Vi ved af erfaring, at vores maritime kunder ofte har brug for:

- Stålwirer
- Tovværk
- Løftegrej
- Surringsgrej
- Ankerkæder

