



HYDRAULIK

- Gevindfremstilling i hydraulik komponenter !



VP-DC-MT

ISO 2
6HX

M

DIN
371

PM

H2,5H



EDP	M	x	P	L	l1	d	a
48020138	3		0,50	56	18	3,5	2,7
48020144	4		0,70	63	21	4,5	3,4
48020149	5		0,80	70	25	6	4,9
48020155	6		1	80	30	6	4,9
48020161	8		1,25	90	35	8	6,2
48020169	10		1,50	100	39	10	8

DIN
376



EDP	M	x	P	L	l	d	a
48020179	12		1,75	110	21	9	7
48022191	14		2	110	24	11	9
48022202	16		2	110	24	12	9
48022214	18		2,50	125	30	14	11
48022228	20		2,50	140	30	16	12

VP-DC-MT

ISO 2
6HX

DIN
374

PM

MF

H2,5H



EDP	MF	x	P	L	l	d	a
48023162	8		1	90	15	6	4,9
48023171	10		1	90	18	7	5,5
48023170	10		1,25	100	18	7	5,5
48023181	12		1,25	100	21	9	7
48023180	12		1,50	100	21	9	7
48023192	14		1,50	100	24	11	9
48023203	16		1,50	100	24	12	9
48023216	18		1,50	110	30	14	11
48023230	20		1,50	125	30	16	12

VP-DC-SC-MT

ISO 2
6HX

M

DIN
371

PM

H1,5H



EDP	M	x	P	L	l1	d	a
48037138	3		0,5	56	18	3,5	2,7
48037144	4		0,7	63	21	4,5	3,4
48037149	5		0,8	70	25	6	4,9
48037155	6		1	80	30	6	4,9
48037161	8		1,25	90	35	8	6,2
48037169	10		1,50	100	39	10	8

DIN
376



EDP	M	x	P	L	l	d	a
48037179	12		1,75	110	21	9	7
48037191	14		2	110	24	11	9
48037202	16		2	110	24	12	9

OSG SPECIALPRODUKTER

Fremstillet for de nordiske lande og på lager i DK.

PM

H1,5H

EDP	Betegnelse	Gevind	L	l	d
T0905141	VP-DC-SC-MT	G 1/4-19	100	20	11
T1001960	VP-DC-SC-MT	MF 18x1,5	110	30	11
T1002108	VP-DC-SC-MT	UNF 7/16-20	100	20	8
T1001961	VP-DC-SC-SPT	G 1/2-14	125	22	16

VPO-DC-MT

ISO 2
6HX

M

DIN
371

PM

h=2,5+l

h=2,5+l



EDP	M	x	P	L	l1	d	a
48021155	6		1	80	30	6	4,9
48021161	8		1,25	90	35	8	6,2
48021169	10		1,50	100	39	10	8

DIN
376



EDP	M	x	P	L	l1	d	a
48021179	12		1,75	110	21	9	7
48024191	14		2	110	24	11	9
48024202	16		2	110	24	12	9
48024214	18		2,50	125	30	14	11
48024228	20		2,50	140	30	16	12

VPO-DC-MT

ISO 2
6HX

DIN
374

PM

MF

h=2,5+l

h=2,5+l



EDP	MF	x	P	L	l	d	a
48024162	8		1	90	15	6	4,9
48024171	10		1	90	18	7	5,5
48024170	10		1,25	100	18	7	5,5
48024181	12		1,25	100	21	9	7
48024180	12		1,50	100	21	9	7
48024192	14		1,50	100	24	11	9
48024203	16		1,50	100	24	12	9
48024216	18		1,50	110	30	14	11
48024230	20		1,50	125	30	16	12

VPO-DC-SC-MT

ISO 2
6HX

M

DIN
371

PM

h=1,5+l

h=1,5+l




EDP	M	x	P	L	l1	d	a
48038155	6		1	80	30	6	4,9
48038161	8		1,25	90	35	8	6,2
48038169	10		1,50	100	39	10	8

DIN
376




EDP	M	x	P	L	l1	d	a
48021179	12		1,75	110	21	9	7
48024191	14		2	110	24	11	9
48024202	16		2	110	24	12	9

DIN 371



DIN 376



SKÆREDATA

Materiale	GG	GGG	Støbt Aluminium
Vc	15~60	15~40	25~70

HS-O-OTT





EDP	M	x	P	Opløb	L	I	d	a
8315721	6		1	5	100	19	6	4,5
8315722	6		1	2	100	19	6	4,5
8315727	8		1,25	5	100	22	8	6
7315728	8		1,25	2	100	22	8	6
8315733	10		1,5	5	100	24	8	6
8315734	10		1,5	2	100	24	8	6
8315735	10		1,25	5	100	24	8	6
8315736	10		1,25	2	100	24	8	6
8315738	12		1,75	5	100	29	10	8
8315739	12		1,75	2	100	29	10	8
8315741	12		1,5	5	100	29	10	8
8315742	12		1,5	2	100	29	10	8
8315744	12		1,25	5	100	29	10	8
8315745	12		1,25	2	100	29	10	8

OT-DC-HT



EDP	M	x	P	Opløb	L	I	d	a
8315454	3		0,5	3	46	11	4	3,2
8315455	3		0,5	1,5	46	11	4	3,2
8315460	4		0,7	3	52	13	5	4
7315461	4		0,7	1,5	52	13	5	4
8315466	5		0,8	3	60	16	5,5	4,5
8315467	5		0,8	1,5	60	16	5,5	4,5
8315472	6		1	3	62	19	6	4,5
8315473	6		1	1,5	62	19	6	4,5
8315484	8		1,25	3	70	22	6,2	5
8315485	8		1,25	1,5	70	22	6,2	5
8315496	10		1,5	3	75	24	7	5,5
8315497	10		1,5	1,5	75	24	7	5,5
8315502	10		1,25	3	75	24	7	5,5
8315503	10		1,25	1,5	75	24	7	5,5
8315514	12		1,75	3	82	29	8,5	6,5
8315515	12		1,75	1,5	82	29	8,5	6,5
8315520	12		1,5	3	82	29	8,5	6,5
8315521	12		1,5	1,5	82	29	8,5	6,5
8315526	12		1,25	3	82	29	8,5	6,5
8315527	12		1,25	1,5	82	29	8,5	6,5



SKÆREDATA

Materiale		GG	GGG	Støbt Aluminium
Vc	HS-O-OTT	50~100	50~100	50~100
	OT-DC-HT	40~80	40~80	40~80



Langebjergvænget 16, DK4000 Roskilde

Tel. +45 4675 6555

Fax. +45 46756700

E-mail: osg@osg-scandinavia.com

<http://dk.ogseurope.com>



OSG EUROPE s.a.
Member of
OSG CORPORATION