

**STAINLESS STEEL
LOCKERS AND CUPBOARDS
FOR THE FOOD INDUSTRY**

**TECHNICAL
CATALOG**

NTF-Aalborg A/S

Hagensvej 17
DK-9530 Støvring

Telefon: +45 98 37 37 66
Fax : +45 98 37 37 51

<http://www.ntf.dk>
E-mail: mail@ntf.dk



STAINLESS STEEL CHARACTERISTICS

STAINLESS STEEL, also known as inox steel or inox from the Italian word *inossidabile*, is a steel alloy with a minimum of 10.5% chromium content by mass.

APPLICATIONS

- Food processing equipment and furniture, particularly in the meat/fish/poultry processing, wine making and dairy industry.
- Professional kitchens, trough equipment and appliances (sinks, tables, fittings, railing, etc.).
- Architectural paneling, railings & trim.
- Food or chemical containers.

470LI-24Cr *Nickel free*

Belongs to the new generation of superferritic grade stainless steel. Produced by means of VOD (Vacuum Oxygen Decarburation). This particular production process ensures the achieving of excellent corrosion resistance comparable or superior to AISI 316 but at a fraction of the cost.

AISI 304

European norm 1.4301 is the most common austenitic stainless steel. Very good corrosion resistance makes this stainless steel the standard in the food industry.

AISI 441 *Nickel free*

European norm 1.4509 is a more common ferritic grade stainless steel. Good corrosion resistance, often comparable to that of general austenitic grade AISI 304 (1.4301). AISI 441 is the standard in the large-scale supermarket trade.

PREN - Pitting Resistance Equivalent Number	
Tipo Acciaio Stainless Grade	Resistenza alla corrosione Corrosion Resistance
470li-24Cr	24,50
316L	24,00
304	20,00
441	18,50
430	16,50








TABLE OF CONTENTS





CHANGING ROOM LOCKERS

Page 6 - 11



BROOM CABINETS MOP CABINETS EMPTY CABINETS

Page 12 - 14





STORAGE CUPBOARDS PC CUPBOARD BOOT STORAGE CUPBOARD

Page 15 - 17






STAND UP DESKS CHEST OF DRAWERS

Page 18 - 20




PIGEONHOLE LOCKERS PIGEONHOLE BENCHES BENCHES


Page 21 - 27




SLIDING DOOR STORAGE CUPBOARDS DISPENSERS

Page 28 - 31





CHANGING ROOM LOCKERS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, padlockable knob or key lock, adjustable screw on feet.
Internal partition for dirty/clean clothes.

STANDARD

X1001


1 door, dirty / clean partition
mm 500 x 500 x 1800 / 2160 H

X1012

2 doors, dirty / clean partition
mm 950 x 500 x 1800 / 2160 H

X1014

3 doors, dirty / clean partition
mm 1200 x 500 x 1800 / 2160 H



mm 500 deep

C400

C001E


1 door, dirty / clean partition
mm 500 x 400 x 1800 / 2000 H

C012E


2 doors, dirty / clean partition
mm 950 x 400 x 1800 / 2000 H

C014E


3 doors, dirty / clean partition
mm 1200 x 400 x 1800 / 2000 H



mm 400 deep



CHANGING ROOM LOCKERS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, padlockable knob or key lock, adjustable screw on feet.
Internal partition for dirty/clean clothes.

STANDARD

X1009


2 doors

mm 500 x 500 x 1800 / 2160 H

X1013

4 doors

mm 950 x 500 x 1800 / 2160 H



mm 500 deep

EASY SERIES

X1ED1

1 door, dirty / clean partition

mm 325 x 400 x 1800 / 2000 H

X1ED2

2 doors, dirty / clean partition

mm 615 x 400 x 1800 / 2000 H

X1ED3

3 doors, dirty / clean partition

mm 910 x 400 x 1800 / 2000 H


X1ED4

4 doors, dirty / clean partition



mm 1200 x 400 x 1800 / 2000 H



mm 400 deep



CHANGING ROOM LOCKERS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, padlockable knob or key lock, internal top shelf, adjustable screw on feet.

EASY SERIES

X1E1

1 door

mm 325 x 400 x 1800 / 2000 H

X1E2

2 doors

mm 615 x 400 x 1800 / 2000 H

X1E3

3 doors






mm 910 x 400 x 1800 / 2000 H

X1E4


4 doors

mm 1200 x 400 x 1800 / 2000 H


Standard door ventilation



mm 400 deep



CHANGING ROOM LOCKERS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, padlockable knob or key lock, adjustable screw on feet.

EASY MULTIPLE 2 TIER LOCKERS

X1E1-2

1 column, 2 tier (doors)
mm 325 x 400 x 1800 / 2000 H

X1E2-4

2 columns, 4 tier (doors)
mm 615 x 400 x 1800 / 2000 H

X1E3-6






3 columns, 6 tier (doors)
mm 910 x 400 x 1800 / 2000 H

X1E4-8


4 columns, 8 tier (doors)
mm 1200 x 400 x 1800 / 2000 H

X1E4-10


5 columns, 10 tier (doors)
mm 1200 x 400 x 1800 / 2000 H



mm 400 deep



CHANGING ROOM LOCKERS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, padlockable knob or key lock, adjustable screw on feet.

EASY MULTIPLE 3 TIER LOCKERS

X1E1-3

1 column, 3 tier (doors)

mm 325 x 400 x 1800 / 2000 H

X1E2-6

2 columns, 6 tier (doors)

mm 615 x 400 x 1800 / 2000 H

X1E3-9

3 columns, 9 tier (doors)






mm 910 x 400 x 1800 / 2000 H

X1E4-12


4 columns, 12 tier (doors)

mm 1200 x 400 x 1800 / 2000 H


Standard door ventilation



mm 400 deep



CHANGING ROOM LOCKERS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, padlockable knob or key lock, adjustable screw on feet.

EASY MULTIPLE 4 TIER LOCKERS

X1E1-4

1 column, 4 tier (doors)

mm 325 x 400 x 1800 / 2000 H

X1E2-8

2 columns, 8 tier (doors)

mm 615 x 400 x 1800 / 2000 H

X1E3-12

3 columns, 12 tier (doors)






mm 910 x 400 x 1800 / 2000 H

X1E4-16


4 columns, 16 tier (doors)

mm 1200 x 400 x 1800 / 2000 H

Standard door ventilation




mm 400 deep



BROOM STORAGE CABINET

MOP STORAGE CABINET

EMPTY CABINETS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, handle lock with key, adjustable screw on feet.
One side for brooms/mops, one side for storage with shelves.


BROOM – STANDARD

X2010

1 door, internal vertical partition
mm 500 x 500 x 1800 / 2160 H

X2002

2 doors, internal vertical partition
mm 950 x 500 x 1800 / 2160 H



MOPS – STANDARD

X2013


1 door, internal vertical partition
mm 500 x 500 x 1800 / 2160 H

X2014


1 door, internal vertical partition
mm 600 x 500 x 1800 / 2160 H

X2012

2 doors, internal vertical partition
mm 950 x 500 x 1800 / 2160 H




mm 500 deep



BROOM STORAGE CABINET

MOP STORAGE CABINET

EMPTY CABINETS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, handle lock with key, adjustable screw on feet.
One side for brooms/mops, one side for storage with shelves.


BROOM – C400

C2010E

1 door, internal vertical partition
mm 500 x 400 x 1800 / 2000 H

C002E

2 doors, internal vertical partition
mm 950 x 400 x 1800 / 2000 H




MOPS – C400

C2013E


1 door, internal vertical partition
mm 500 x 400 x 1800 / 2000 H

C2012E

2 doors, internal vertical partition
mm 950 x 400 x 1800 / 2000 H




mm 400 deep



BROOM STORAGE CABINET

MOP STORAGE CABINET

EMPTY CABINETS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, handle lock with key, adjustable screw on feet.
Inside empty but with side shelf support racks for eventual shelf positioning.


EMPTY – STANDARD

X2011

1 door, empty on the inside
mm 500 x 500 x 1800 / 2160 H

X2016

2 doors, empty on the inside
mm 950 x 500 x 1800 / 2160 H



mm 500 deep


EMPTY – C400

C2011E


1 door, empty on the inside
mm 500 x 400 x 1800 / 2000 H


C2016E

2 doors, empty on the inside
mm 950 x 400 x 1800 / 2000 H



mm 400 deep






STORAGE CUPBOARDS

PC CUPBOARD

BOOT STORAGE CUPBOARD




0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, handle lock with key, 4 adjustable reinforced shelves, adjustable screw on feet.

STORAGE CUPBOARDS – STANDARD


X2004

1 door, 4 adjustable shelves
mm 500 x 500 x 1800 / 2160 H




X2003

2 door, 4 adjustable shelves
mm 950 x 500 x 1800 / 2160 H




X2017

2 door, 4 adjustable shelves
mm 1200 x 500 x 1800 / 2160 H




X2018

2 door, 4 adjustable shelves
mm 1400 x 500 x 1800 / 2160 H




mm 500 deep



STORAGE CUPBOARDS

PC CUPBOARD

BOOT STORAGE CUPBOARD



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, handle lock with key, 4 adjustable reinforced shelves, adjustable screw on feet.

STORAGE CUPBOARDS – C400

C004E


1 door, 4 adjustable shelves
mm 500 x 400 x 1800 / 2000 H

C003E

2 door, 4 adjustable shelves
mm 950 x 400 x 1800 / 2000 H

C017E

2 door, 4 adjustable shelves
mm 1200 x 400 x 1800 / 2000 H






mm 400 deep


PC CUPBOARD

X2003-PC

2 doors, 1 drawer for keyboard
mm 600 x 520 x 1800 H




mm 520 deep



STORAGE CUPBOARDS

PC CUPBOARD

BOOT STORAGE CUPBOARD



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, handle lock with key, adjustable boot racks, adjustable screw on feet.


BOOT STORAGE CUPBOARDS

X2025

1 door, tubes for 6 pair of boots
mm 500 x 500 x 1800 / 2160 H


X2026

2 door, tubes for 12 pair of boots
mm 950 x 500 x 1800 / 2160 H




X2027

2 door, tubes for 16 pair of boots
mm 1200 x 500 x 1800 / 2160 H




mm 500 deep



STAND-UP DESKS

CHEST OF DRAWERS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), inclined writing top with pen stop, with or without drawer, doors and drawer closed with key lock, adjustable screw on feet or on 4 wheels (front 2 with breaks).

STAND-UP DESKS- STANDARD

X40650

1 door, 1 drawer, with feet
mm 500 x 400 x 1170 H

X4010

1 door, 1 drawer, with wheels
mm 500 x 400 x 1170 H

X40590

2 doors, 1 drawer, with feet
mm 800 x 400 x 1170 H

X4030

2 doors, 1 drawer, with wheels
mm 800 x 400 x 1170 H

X4006

1 door, 2 shelves, with feet
mm 500 x 400 x 1170 H

X4040









1 door, 2 shelves, with wheels
mm 500 x 400 x 1170 H

X4005

2 doors, 2 shelves, with feet
mm 800 x 400 x 1170 H

X4020

2 doors, 2 shelves, with wheels
mm 800 x 400 x 1170 H




mm 400 deep



STAND-UP DESKS

CHEST OF DRAWERS



Tubular pedestal structure 40 x 40 mm with 0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), inclined writing top with pen stop.
Non-lockable lid or drawer closed with key lock, adjustable feet.

STAND-UP DESKS- ECO

X4101

For wall mounting, non-lockable lid
mm 500 x 400 x 280 H

X4102

For wall mounting, non-lockable lid
mm 800 x 400 x 280 H

X4103

On pedestal, non-lockable lid
mm 500 x 400 x 1150 H

X4104

On pedestal, non-lockable lid
mm 800 x 400 x 1150 H

X4105

For wall mounting, 1 drawer
mm 500 x 400 x 280 H

X4106





For wall mounting, 1 drawer
mm 800 x 400 x 280 H

X4107


On pedestal, 1 drawer
mm 500 x 400 x 1150 H

X4108

On pedestal, 1 drawer
mm 800 x 400 x 1150 H



mm 400 deep



STAND-UP DESKS

CHEST OF DRAWERS



0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, with 4, 5 or 6 drawers closed with key lock, adjustable screw on feet or on 4 wheels (front 2 with breaks) as an option.

CHEST OF DRAWERS – STANDARD

X4150

4 drawers with key lock
mm 500 x 400 x 1170 H

X4250

5 drawers with key lock
mm 500 x 400 x 1360 H

X4350

6 drawers with key lock
mm 500 x 400 x 1570 H



X4180

4 drawers with key lock
mm 800 x 400 x 1170 H

X4280


5 drawers with key lock
mm 800 x 400 x 1360 H

X4380

6 drawers with key lock
mm 800 x 400 x 1570 H




mm 400 deep



PIGEONHOLE LOCKERS

SIT-OVER PIGEONHOLE BENCHES

STAND-ALONE BENCHES




0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, adjustable screw on feet.

PIGEONHOLE LOCKERS – WITHOUT DOORS


X4007/05-01

1 column, 5 compartments
mm 325 x 400 x 1950 / 2160 H




X4007/10-01

2 columns, 10 compartments
mm 615 x 400 x 1950 / 2160 H




X4007/15-01

3 columns, 15 compartments
mm 910 x 400 x 1950 / 2160 H




X4007/20-01

4 columns, 20 compartments
mm 1200 x 400 x 1950 / 2160 H




mm 400 deep



PIGEONHOLE LOCKERS

SIT-OVER PIGEONHOLE BENCHES

STAND-ALONE BENCHES




0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, adjustable screw on feet.

PIGEONHOLE LOCKERS – WITHOUT DOORS

Clothes mm 300
Clothes mm 300
Shoos mm 195


X4007/06-01

1 column, 6 compartments
mm 325 x 400 x 1950 / 2160 H




X4007/12-01

2 columns, 12 compartments
mm 615 x 400 x 1950 / 2160 H




X4007/18-01

3 columns, 18 compartments
mm 910 x 400 x 1950 / 2160 H




X4007/24-01

4 columns, 24 compartments
mm 1200 x 400 x 1950 / 2160 H




mm 400 deep



PIGEONHOLE LOCKERS

SIT-OVER PIGEONHOLE BENCHES

STAND-ALONE BENCHES




0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, padlockable knob or key lock, doors with ventilation slots, adjustable screw on feet.

PIGEONHOLE LOCKERS – WITH DOORS

X4007/05-02

1 column, 5 doors


mm 325 x 400 x 1950 / 2160 H



X4007/10-02

2 columns, 10 doors


mm 615 x 400 x 1950 / 2160 H



X4007/15-02

3 columns, 15 doors


mm 910 x 400 x 1950 / 2160 H




X4007/20-02

4 columns, 20 doors

mm 1200 x 400 x 1950 / 2160 H



mm 400 deep



PIGEONHOLE LOCKERS

SIT-OVER PIGEONHOLE BENCHES

STAND-ALONE BENCHES

0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), dustproof slanting top, padlockable knob or key lock, adjustable screw on feet.
1 main tubular frame door and 4, 6, 8, 10, 12 sub doors.

PIGEONHOLE CLEAN CLOTHES DISTRIBUTION LOCKERS

X4000-4

1 column, 1 + 4 doors
mm 400 x 400 x 1800 / 2160 H

X4000-6

1 column, 1 + 6 doors
mm 400 x 400 x 1800 / 2160 H

X4000-8



1 column, 1 + 8 doors
mm 400 x 400 x 1800 / 2160 H

X4000-10

1 column, 1 + 10 doors
mm 400 x 400 x 1800 / 2160 H

X4000-12

1 column, 1 + 12 doors
mm 400 x 400 x 1800 / 2160 H




mm 400 deep

PIGEONHOLE LOCKERS

SIT-OVER PIGEONHOLE BENCHES

STAND-ALONE BENCHES



1,0 mm thick stainless steel brushed 2J finish (Scotch-Brite) structure, strengthened base board. Reinforced stainless steel seat or food grade white polyethylene seat. Pigeonholes for shoe storage.


REINFORCED STAINLESS STEEL SEAT or WHITE POLYETHYLENE SEAT

X7005

X7005PE (polyethylene)

1 side with 6 compartments

mm 1000 x 300 x 525 H





X7006

X7006PE PE (polyethylene)

2 sided with 6+6 compartments

mm 1000 x 600 x 525 H




X7007

X7007PE (polyethylene)

1 side with 12 compartments

mm 2000 x 300 x 525 H




X7008


X7008 PE (polyethylene)

2 sided with 12+12 compartments

mm 2000 x 600 x 525 H



mm 300 - 600 deep



PIGEONHOLE LOCKERS

SIT-OVER PIGEONHOLE BENCHES

STAND-ALONE BENCHES




0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite), inclined writing top with pen stop, with or without drawer, doors and drawer closed with key lock, adjustable screw on feet or on 4 wheels (front 2 with breaks).

CHEST OF DRAWERS – STANDARD

X4190

4 drawers with key lock
mm 800 x 600 x 1100 H




mm 600 deep

LOW PIGEONHOLE LOCKER – WITH DOORS

X4007/6

3 columns, 6 doors
mm 800 x 400 x 1170 H




mm 400 deep

PIGEONHOLE LOCKERS

SIT-OVER PIGEONHOLE BENCHES

STAND-ALONE BENCHES



40 x 40 mm stainless steel structure, reinforced 1.0 mm stainless steel seat.
Adjustable feet.

STAND-ALONE BENCH

X7001

4 legs

mm 1000 x 400 x 450 H

X7002


4 legs

mm 1500 x 400 x 450 H


X7003

4 legs

mm 2000 x 400 x 450 H



mm 400 deep



SLIDING DOOR STORAGE CUPBOARDS DISPENSERS

1,0 mm thick stainless steel brushed 2J finish (Scotch-Brite) structure, sliding doors closed with push-in key lock, adjustable shelves on stainless steel pegs, adjustable fixed feet. Lockers 1600 mm wide with internal vertical partition.



DUSTPROOF SLANTING TOP

4 adjustable shelves

X6001	950 x 400 x 2160 H
X6002	950 x 500 x 2160 H
X6003	950 x 600 x 2160 H
X6004	950 x 700 x 2160 H
X6005	950 x 800 x 2160 H
X6006	1200 x 400 x 2160 H
X6007	1200 x 500 x 2160 H
X6008	1200 x 600 x 2160 H
X6009	1200 x 700 x 2160 H
X6010	1200 x 800 x 2160 H
X6011	1400 x 400 x 2160 H
X6012	1400 x 500 x 2160 H
X6013	1400 x 600 x 2160 H
X6014	1400 x 700 x 2160 H
X6015	1400 x 800 x 2160 H


4+4 adjustable shelves with vertical partition

X6016	1600 x 400 x 2160 H
X6017	1600 x 500 x 2160 H
X6018	1600 x 600 x 2160 H
X6019	1600 x 700 x 2160 H
X6020	1600 x 800 x 2160 H
X6021	1800 x 400 x 2160 H
X6022	1800 x 500 x 2160 H
X6023	1800 x 600 x 2160 H
X6024	1800 x 700 x 2160 H
X6025	1800 x 800 x 2160 H
X6026	1950 x 400 x 2160 H
X6027	1950 x 500 x 2160 H
X6028	1950 x 600 x 2160 H
X6029	1950 x 700 x 2160 H
X6030	1950 x 800 x 2160 H



SLIDING DOOR STORAGE CUPBOARDS

DISPENSERS



1,0 mm thick stainless steel brushed 2J finish (Scotch-Brite) structure, sliding doors closed with push-in key lock, adjustable shelves on stainless steel pegs, adjustable fixed feet. Lockers 1600 mm wide with internal vertical partition.



FLAT TOP


4 adjustable shelves

X6031	950 x 400 x 1900 H
X6032	950 x 500 x 1900 H
X6033	950 x 600 x 1900 H
X6034	950 x 700 x 1900 H
X6035	950 x 800 x 1900 H
X6036	1200 x 400 x 1900 H
X6037	1200 x 500 x 1900 H
X6038	1200 x 600 x 1900 H
X6039	1200 x 700 x 1900 H
X6040	1200 x 800 x 1900 H
X6041	1400 x 400 x 1900 H
X6042	1400 x 500 x 1900 H
X6043	1400 x 600 x 1900 H
X6044	1400 x 700 x 1900 H
X6045	1400 x 800 x 1900 H

4+4 adjustable shelves with vertical partition

X6046	1600 x 400 x 1900 H
X6047	1600 x 500 x 1900 H
X6048	1600 x 600 x 1900 H
X6049	1600 x 700 x 1900 H
X6050	1600 x 800 x 1900 H
X6051	1800 x 400 x 1900 H
X6052	1800 x 500 x 1900 H
X6053	1800 x 600 x 1900 H
X6054	1800 x 700 x 1900 H
X6055	1800 x 800 x 1900 H
X6056	1950 x 400 x 1900 H
X6057	1950 x 500 x 1900 H
X6058	1950 x 600 x 1900 H
X6059	1950 x 700 x 1900 H
X6060	1950 x 800 x 1900 H






SLIDING DOOR STORAGE CUPBOARDS DISPENSERS


0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite) structure, ready for wall mounting

FOR WALL MOUNTING


D001 – universal dispenser
mm 270 x 230 x 350 H




D009 – universal dispenser
mm 300 x 220 x 400 H




D005 – trash bin
mm 370 x 280 x 420 H



D006 – document holder
mm 250 x 140 x 280 H




SLIDING DOOR STORAGE CUPBOARDS DISPENSERS




0,8 mm thick stainless steel brushed 2J finish (Scotch-Brite) structure, ready for wall mounting

FOR WALL MOUNTING


D010 – medical supplies
mm 600 x 200 x 700 H




D003 – paper roll 300 dispenser
mm 375 x 350 x 440 H










D004 – paper roll 250 dispenser
mm 270 x 250 x 300 H



A61-DA – coat hanger 5 nylon hooks
mm 1000 x 20 x 105 H







NOTES



Stainless steel designed for your benefit !

STAINLESS STEEL
LOCKERS AND CUPBOARDS
FOR THE FOOD INDUSTRY

NTF-Aalborg A/S

Hagensvej 17
DK-9530 Støvring

Telefon: +45 98 37 37 66
Fax : +45 98 37 37 51

<http://www.ntf.dk>
E-mail: mail@ntf.dk