

COMPACT SERIES

 GREEN ENERGY WHENEVER, WHEREVER
HYBRIDGENERATOR.dk



REPLACES DIESEL GENERATORS FROM 0-60 KVA (DEPENDING ON LOAD PROFILE)

Why use the **HYBRID**GENERATOR?

- Green energy at construction sites.
- Grid stable energy at site from mobile generator system.
- Adjustable frequency and volt to compensate cable loss – reduces contactor failures and problems during installation and commissioning – Ability of startup from zero load to full peak power directly.
- No frequency variation at any load – No volt variation at any load.
- Fuel consumption reduced up to 80%.

Options

- Flood lights
- Video surveillance. (4 X 4k Cams for 360 degree)
- Wifi guest network
- Ready for solar panels

BENEFITS

Reduces fuel consumption / emissions

Extended service intervals


Guaranteed stable AC output

No surges / outages

Silent running option

Optimize power mix according to local circumstances

- Emission reduced up to 90%,
- Trailer, road or site movement made easy.
- Less maintenance.
- 350 liters diesel tank, long run time.
- Cloud management, notifications, low fuel warning and monitoring
- From 0,1 l/h idle diesel consumption



Additional highlights

- WiFi capability
- Ready for satellite uplink
- Security lighting available
- Area surveillance capable (sound / video)

ULTRA STABLE
HIGHLY MOBILE
MODULAR
OFF-GRID POWER SOLUTION


COMPACT SERIES



Specs

	Basic	Standard	Plus
Peak power	30 kW	60 kW	75 kW
Inverter nominal	15 kVA	30 kVA	45 kVA
Charge power	35 kVA	35 kVA	35 kVA
Machine length including trailer	400 cm	400 cm	400 cm
Width	200 cm	200 cm	200 cm
Height	170 cm	170 cm	170 cm
Weight including the trailer	2000 kg	2050 kg	2100 kg
Trailer legal total weight – road	2400 kg	2400 kg	2400 kg
Diesel tank	350 liters	350 liters	350 liters
Power Distribution Board	230 v, 400 v, 16-32-63 amp		
Replaces diesel generators from 0 – 60 kVA (depending on load profile)			





Available for purchase or leasing now

Further information on
www.hybridgenerator.eu

Contact us

Hybridgenerator ApS
Nørrevang 15, 5792 Årslev, Denmark
Mail: info@hybridgenerator.dk

Phone

+45 38 33 00 00