

# ORGANIZE SPACE

# LET'S REORG



## ■ TOOL HOLDER SYSTEM SERIES NC

NORMAL EXTENSION DRAWERS 87%

FULL EXTENSION DRAWERS 100%

VERSATILE


SEVERAL SERIES AVAILABLE



GANZE SPACE LET'S REOR

**SERIES NC**

## TOOL HOLDERS SERIES NC-TOOL



## ORD. NO.

## PACKAGE OF

## DIMENSIONS mm

**F NC 9510 00 03**

1 PIECE


65x138x48 h

**F NC 9510 01 03**

10 PIECES

65x138x48 h

Tool holder ISO 30



## ORD. NO.

## PACKAGE OF

## DIMENSIONS mm

**F NC 9530 00 03**

1 PIECE

65x138x63 h

**F NC 9530 01 03**

10 PIECES


65x138x63 h

Tool holder ISO 40

RED F. .... 03


## INFO ■

[www.famispa.com](http://www.famispa.com)


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm      |
|------------------------|------------|--------------------|
| <b>F NC 9540 00 03</b> | 1 PIECE    | <b>83x138x63 h</b> |
| <b>F NC 9540 01 03</b> | 10 PIECES  | <b>83x138x63 h</b> |

Tool holder ISO 45




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm       |
|------------------------|------------|---------------------|
| <b>F NC 9550 00 03</b> | 1 PIECE    | <b>101x138x63 h</b> |
| <b>F NC 9550 01 03</b> | 10 PIECES  | <b>101x138x63 h</b> |

Tool holder ISO 50




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm      |
|------------------------|------------|--------------------|
| <b>F NC 9560 00 03</b> | 1 PIECE    | <b>65x138x76 h</b> |
| <b>F NC 9560 01 03</b> | 24 PIECES  | <b>65x138x76 h</b> |

Tool holder VDI 30




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm      |
|------------------------|------------|--------------------|
| <b>F NC 9570 00 03</b> | 1 PIECE    | <b>83x138x84 h</b> |
| <b>F NC 9570 01 03</b> | 24 PIECES  | <b>83x138x84 h</b> |

Tool holder VDI 40




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm      |
|------------------------|------------|--------------------|
| <b>F NC 9580 00 03</b> | 1 PIECE    | <b>83x138x99 h</b> |
| <b>F NC 9580 01 03</b> | 16 PIECES  | <b>83x138x99 h</b> |

Tool holder VDI 50




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm        |
|------------------------|------------|----------------------|
| <b>F NC 9590 00 03</b> | 1 PIECE    | <b>101x138x114 h</b> |
| <b>F NC 9590 01 03</b> | 16 PIECES  | <b>101x138x114 h</b> |

Tool holder VDI 60



| ORD. NO.               | PACKAGE OF | DIMENSIONS mm      |
|------------------------|------------|--------------------|
| <b>F NC 9640 00 03</b> | 1 PIECE    | <b>83x138x99 h</b> |
| <b>F NC 9640 01 03</b> | 24 PIECES  | <b>83x138x99 h</b> |

Tool holder 2"




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm        |
|------------------------|------------|----------------------|
| <b>F NC 9650 00 03</b> | 1 PIECE    | <b>101x138x114 h</b> |
| <b>F NC 9650 01 03</b> | 16 PIECES  | <b>101x138x114 h</b> |


Tool holder 2" 1/4




## TOOL HOLDERS SERIES NC-TOOL




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9720 00 03</b> | 1 PIECE    | 64x138x50 h   |
| <b>F NC 9720 01 03</b> | 4 PIECES   | 64x138x50 h   |

Tool holder **MORSE TAPER 2**


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9730 00 03</b> | 1 PIECE    | 64x138x50 h   |
| <b>F NC 9730 01 03</b> | 4 PIECES   | 64x138x50 h   |

Tool holder **MORSE TAPER 3**


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9740 00 03</b> | 1 PIECE    | 64x138x50 h   |
| <b>F NC 9740 01 03</b> | 4 PIECES   | 64x138x50 h   |

Tool holder **MORSE TAPER 4**


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9750 00 03</b> | 1 PIECE    | 82x138x50 h   |
| <b>F NC 9750 01 03</b> | 4 PIECES   | 82x138x50 h   |

Tool holder **MORSE TAPER 5**


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9270 00 03</b> | 1 PIECE    | 64x138x40 h   |
| <b>F NC 9270 01 03</b> | 10 PIECES  | 64x138x40 h   |

Tool holder **CAPTO C3**


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9275 00 03</b> | 1 PIECE    | 82x138x40 h   |
| <b>F NC 9275 01 03</b> | 10 PIECES  | 82x138x40 h   |

Tool holder **CAPTO C4**

| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9280 00 03</b> | 1 PIECE    | 82x138x40 h   |
| <b>F NC 9280 01 03</b> | 10 PIECES  | 82x138x40 h   |

Tool holder **CAPTO C5**

| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9285 00 03</b> | 1 PIECE    | 82x138x40 h   |
| <b>F NC 9285 01 03</b> | 10 PIECES  | 82x138x40 h   |

Tool holder **CAPTO C6**


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9290 00 03</b> | 1 PIECE    | 106x138x40 h  |
| <b>F NC 9290 01 03</b> | 10 PIECES  | 106x138x40 h  |

Tool holder **CAPTO C8**


RED F. .... 03

## INFO


[www.famispa.com](http://www.famispa.com)


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm H |
|------------------------|------------|-----------------|
| <b>F NC 9210 00 03</b> | 1 PIECE    | 64x138x30       |
| <b>F NC 9210 01 03</b> | 10 PIECES  | 64x138x30       |

Tool holder **HSK A32-B40**


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9220 00 03</b> | 1 PIECE    | 64x138x30 h   |
| <b>F NC 9220 01 03</b> | 10 PIECES  | 64x138x30 h   |

Tool holder **HSK A40-B50**


| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9230 00 03</b> | 1 PIECE    | 82x138x30 h   |
| <b>F NC 9230 01 03</b> | 10 PIECES  | 82x138x30 h   |

Tool holder **HSK A50-B63**

| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9240 00 03</b> | 1 PIECE    | 82x138x30 h   |
| <b>F NC 9240 01 03</b> | 10 PIECES  | 82x138x30 h   |

Tool holder **HSK A63-B80**

| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9250 00 03</b> | 1 PIECE    | 106x138x30 h  |
| <b>F NC 9250 01 03</b> | 10 PIECES  | 106x138x30 h  |

Tool holder **HSK A80-B100**

| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9260 00 03</b> | 1 PIECE    | 106x138x30 h  |
| <b>F NC 9260 01 03</b> | 10 PIECES  | 106x138x30 h  |

Tool holder **HSK A100-B125****CABINET WITH LEAF DOORS****ORD. NO.****F AE 3040 S1 50**


Including 4 drawers

2 tool holder frames with supports


1 cover MDF top

**Dimensions mm 717x750x1030 h**

Tools and tool holders excluded


RAL 7035 +  
RAL 5012

## TOOL HOLDERS SERIES NC-TOOL




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9010 00 03</b> | 1 PIECE    | 58x138x20 h   |
| <b>F NC 9010 01 03</b> | 10 PIECES  | 58x138x20 h   |

Tool holder 58 mm




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9020 00 03</b> | 1 PIECE    | 65x138x20 h   |
| <b>F NC 9020 01 03</b> | 10 PIECES  | 65x138x20 h   |

Tool holder 65 mm




| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9030 00 03</b> | 1 PIECE    | 75x138x20 h   |
| <b>F NC 9030 01 03</b> | 10 PIECES  | 75x138x20 h   |

Tool holder 75 mm



| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9040 00 03</b> | 1 PIECE    | 87x138x20 h   |
| <b>F NC 9040 01 03</b> | 10 PIECES  | 87x138x20 h   |

Tool holder 87 mm



| ORD. NO.               | PACKAGE OF | DIMENSIONS mm |
|------------------------|------------|---------------|
| <b>F NC 9050 00 03</b> | 1 PIECE    | 105x138x20 h  |
| <b>F NC 9050 01 03</b> | 10 PIECES  | 105x138x20 h  |

Tool holder 105 mm



| ORD. NO.<br>TOOL HOLDERS | TOOL HOLDER<br>TYPE | MAX. QUANTITY PER TOOL<br>FRAME F NC 2010 00 .. |
|--------------------------|---------------------|-------------------------------------------------|
| <b>F NC 9510 00 03</b>   | ISO 30              | 24                                              |
| <b>F NC 9530 00 03</b>   | ISO 40              | 24                                              |
| <b>F NC 9540 00 03</b>   | ISO 45              | 18                                              |
| <b>F NC 9550 00 03</b>   | ISO 50              | 15                                              |
| <b>F NC 9560 00 03</b>   | VDI 30              | 24                                              |
| <b>F NC 9570 00 03</b>   | VDI 40              | 18                                              |
| <b>F NC 9580 00 03</b>   | VDI 50              | 18                                              |
| <b>F NC 9590 00 03</b>   | VDI 60              | 15                                              |
| <b>F NC 9720 00 03</b>   | MORSE TAPER 2       | 24                                              |
| <b>F NC 9730 00 03</b>   | MORSE TAPER 3       | 24                                              |
| <b>F NC 9740 00 03</b>   | MORSE TAPER 4       | 24                                              |
| <b>F NC 9750 00 03</b>   | MORSE TAPER 5       | 18                                              |
| <b>F NC 9270 00 03</b>   | CAPTO C3            | 24                                              |
| <b>F NC 9275 00 03</b>   | CAPTO C4            | 18                                              |
| <b>F NC 9280 00 03</b>   | CAPTO C5            | 18                                              |



| ORD. NO.<br>TOOL HOLDERS | TOOL HOLDER<br>TYPE | MAX. QUANTITY PER TOOL<br>FRAME F NC 2010 00 .. |
|--------------------------|---------------------|-------------------------------------------------|
| <b>F NC 9285 00 03</b>   | CAPTO C6            | 18                                              |
| <b>F NC 9290 00 03</b>   | CAPTO C8            | 12                                              |
| <b>F NC 9210 00 03</b>   | HSK A32-B40         | 24                                              |
| <b>F NC 9220 00 03</b>   | HSK A40-B50         | 24                                              |
| <b>F NC 9230 00 03</b>   | HSK A50-B63         | 18                                              |
| <b>F NC 9240 00 03</b>   | HSK A63-B80         | 18                                              |
| <b>F NC 9250 00 03</b>   | HSK A80-B100        | 12                                              |
| <b>F NC 9260 00 03</b>   | HSK A100-B125       | 12                                              |
| <b>F NC 9640 00 03</b>   | 2"                  | 18                                              |
| <b>F NC 9650 00 03</b>   | 2" 1/4              | 15                                              |
| <b>F NC 9010 00 03</b>   | 58 mm               | 27                                              |
| <b>F NC 9020 00 03</b>   | 65 mm               | 24                                              |
| <b>F NC 9030 00 03</b>   | 75 mm               | 21                                              |
| <b>F NC 9040 00 03</b>   | 87 mm               | 18                                              |
| <b>F NC 9050 00 03</b>   | 105 mm              | 15                                              |

RED F... .. 03

INFO ■

[www.famispa.com](http://www.famispa.com)


**TOOL STAND****ORD. NO.****F NC 2010 00 04****Dimensions mm 565x450x350 h**

Tool holders excluded

01  
02  
04  
08



RAL 1004

**ORD. NO.****F CN 5720 00 30**

Pair of side protections ■ RAL 1004

**Dimensions mm 988x270 h**

■ RAL 5012 +  
■ RAL 7000

**TOOL TROLLEY****ORD. NO.****F CN K600 10 51**

Including 1 frame with 4-rows

1 pair of carriers for frame 4-rows

6 frames with 1-row

4 angled carriers for frames with 1-row

2 horizontal carriers for frames with 1-row

**Dimensions mm 1073x685x935 h**

Tools and tool holders excluded

**CABINET WITH SLIDING DOORS****ORD. NO.****F AF 1040 S1 08**

Including 4 drawers, 2 retractable shelves

2 tool holder frames

1 rubber cover top with 3 edges

**Dimensions mm 1431x632x1020 h**

Tools and tool holders excluded



RAL 7035

## TROLLEY SERIES NC-COMBI

LENGTH = 1064 mm DEPTH = 512 mm



**ORD. NO. F CN F100 06 51**  
RAL 5012+7000



**ORD. NO. F CN K600 06 51**  
RAL 5012+7000

**TOOL TROLLEY****ORD. NO.****F CN F100 06 51**

Dimensions mm 1064x512x890 h

Tool holders excluded

**TOOL TROLLEY****ORD. NO.****F CN K600 06 51**

Dimensions mm 1073x685x935h

Tool holders excluded

**ORD. NO.****F CN 5710 00 30**

Pair of side protections ■ RAL 1004

Dimensions mm 690x270 h

**TOOL TROLLEY****ORD. NO.****F CN F100 10 51**

Dimensions mm 1064x512x890 h

Tool holders excluded



■ RAL 1004

■ RAL 5012 +  
■ RAL 7000

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 +  
RAL 7000 F. ....51 RAL 7035 +  
RAL 7000 F. ....56


**KEY ■**

■ Partitioning material: see page B47



LENGTH = 1064 mm DEPTH = 512 mm

## TROLLEY SERIES NC-COMBI



**ORD. NO.** **TROLLEY LOAD CAPACITY kg**

**F CN F100 01 51** 500

Including:

2 nylon swivel wheels with brake Ø 125 mm

2 nylon fixed wheels Ø 125 mm

1 tool holder frame 3-rows ORD. NO. **F NC 5120 00 01**

1 pair of carriers ORD. NO. **F NC 5620 00 01**

4 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**

4 pair of angled carriers ORD. NO. **F NC 5711 00 99**

1 shelf ORD. NO. **F CN 5510 00 04**

1 rubber mat ORD. NO. **F CN 5210 00 07**

**Dimensions mm 1064x512x890 h**

Tool holders excluded

**ORD. NO.** **TROLLEY LOAD CAPACITY kg**

**F CN F100 06 51** 500

Including:

2 nylon swivel wheels with brake Ø 125 mm

2 nylon fixed wheels Ø 125 mm in

5 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**

4 pair of angled carriers ORD. NO. **F NC 5711 00 99**

1 pair of horizontal carriers ORD. NO. **F NC 5710 00 99**

1 shelf ORD. NO. **F CN 5510 00 04**

1 rubber mat ORD. NO. **F CN 5210 00 07**

1 adjustable shelf ORD. NO. **F CN 5100 00 01**

1 rubber mat ORD. NO. **F CN 5220 00 07**

**Dim. mm 1064x512x890 h** Tool holders excluded

**ORD. NO.** **TROLLEY LOAD CAPACITY kg**

**F CN F100 10 51** 500

Including:

2 nylon swivel wheels with brake Ø 125 mm

2 nylon fixed wheels Ø 125 mm

1 tool holder frame 3-rows ORD. NO. **F NC 5120 00 01**

1 pair of carriers ORD. NO. **F NC 5620 00 01**

2 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**

2 pair of angled carriers ORD. NO. **F NC 5711 00 99**

1 shelf ORD. NO. **F CN 5510 00 04**

1 rubber mat ORD. NO. **F CN 5210 00 07**

**Dimensions mm 1064x512x890 h**

Tool holders excluded



**ORD. NO.** **TROLLEY LOAD CAPACITY kg**

**F CN F100 07 51** 500

Including:

2 nylon swivel wheels with brake Ø 125 mm

2 nylon fixed wheels Ø 125 mm

4 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**

4 pair of angled carriers ORD. NO. **F NC 5711 00 99**

1 shelf ORD. NO. **F CN 5510 00 04**

1 rubber mat ORD. NO. **F CN 5210 00 07**

**Dimensions mm 1064x512x890 h**

Tool holders excluded

**ORD. NO.** **TROLLEY LOAD CAPACITY kg**

**F CN F100 11 51** 500

Including:

2 nylon swivel wheels with brake Ø 125 mm

2 nylon fixed wheels Ø 125 mm

5 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**

4 pair of angled carriers ORD. NO. **F NC 5711 00 99**

1 pair of horizontal carriers ORD. NO. **F NC 5710 00 99**

1 shelf ORD. NO. **F CN 5510 00 04**

1 rubber mat ORD. NO. **F CN 5210 00 07**

**Dim. mm 1064x512x890 h** Tool holders excluded

**ORD. NO.** **TROLLEY LOAD CAPACITY kg**

**F CN F100 08 51** 500

Including:

2 nylon swivel wheels with brake Ø 125 mm

2 nylon fixed wheels Ø 125 mm

1 tool holder frame 3-rows ORD. NO. **F NC 5120 00 01**

1 pair of carriers ORD. NO. **F NC 5620 00 01**

1 shelf ORD. NO. **F CN 5510 00 04**

1 rubber mat ORD. NO. **F CN 5210 00 07**

**Dimensions mm 1064x512x890 h**

Tool holders excluded

### KEY

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 +  
RAL 7000 F. ....51



RAL 7035 +  
RAL 7000 F. ....56



- Tool holders: see page B11
- All indicated loads are net and refer to evenly distributed weights.



## TROLLEY SERIES NC-COMBI



## ORD. NO. TROLLEY LOAD CAPACITY kg

**F CN K600 08 51** 840

## Including:

2 nylon swivel wheels with brake Ø 160 mm  
2 nylon fixed wheels Ø 160 mm  
1 tool holder frame 4-rows ORD. NO. **F NC 5220 00 01**  
1 pair of carriers ORD. NO. **F NC 5640 00 01**  
2 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**  
2 pair of angled carriers ORD. NO. **F NC 5711 00 99**  
2 adjustable shelves ORD. NO. **F CN 5100 00 01**  
2 rubber mat ORD. NO. **F CN 5220 00 07**  
**Dimensions mm 1073x685x935 h**

Tool holders excluded

## ORD. NO. TROLLEY LOAD CAPACITY kg

**F CN K600 10 51** 840

## Including:

2 nylon swivel wheels with brake Ø 160 mm  
2 nylon fixed wheels Ø 160 mm  
1 tool holder frame 4-rows ORD. NO. **F NC 5220 00 01**  
1 pair of carriers ORD. NO. **F NC 5640 00 01**  
6 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**  
4 pair of angled carriers ORD. NO. **F NC 5711 00 99**  
2 pair of horizontal carriers ORD. NO. **F NC 5710 00 99**  
**Dimensions mm 1073x685x935 h**

Tool holders excluded

## ORD. NO. TROLLEY LOAD CAPACITY kg

**F CN K600 09 51** 840

## Including:

2 nylon swivel wheels with brake Ø 160 mm  
2 nylon fixed wheels Ø 160 mm  
1 tool holder frame 4-rows ORD. NO. **F NC 5220 00 01**  
1 pair of carriers ORD. NO. **F NC 5640 00 01**  
5 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**  
5 pair of angled carriers ORD. NO. **F NC 5711 00 99**  
1 adjustable shelf ORD. NO. **F CN 5100 00 01**  
1 rubber mat ORD. NO. **F CN 5220 00 07**  
**Dimensions mm 1073x685x935 h**

Tool holders excluded



## ORD. NO. TROLLEY LOAD CAPACITY kg

**F CN K600 06 51** 840

## Including:

2 nylon swivel wheels with brake Ø 160 mm  
2 nylon fixed wheels Ø 160 mm  
1 tool holder frame 4-rows ORD. NO. **F NC 5220 00 01**  
1 pair of carriers ORD. NO. **F NC 5640 00 01**  
4 tool holder frames 1-row ORD. NO. **F NC 5020 00 01**  
2 pair of angled carriers ORD. NO. **F NC 5711 00 99**  
2 pair of horizontal carriers ORD. NO. **F NC 5710 00 99**  
1 adjustable shelf ORD. NO. **F CN 5120 00 01**  
1 rubber mat ORD. NO. **F CN 5240 00 07**  
2 adjustable shelves ORD. NO. **F CN 5100 00 01**  
2 rubber mat ORD. NO. **F CN 5220 00 07**  
1 empty drawer ORD. NO. **F NC 8610 00 04**

**Dim. mm 1073x685x935 h** Tool holders excluded

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 + RAL 7000 F. ....51 RAL 7035 + RAL 7000 F. ....56

## KEY ■

■ All indicated loads are net and refer to evenly distributed weights.





**ORD. NO.  
TOOL HOLDERS**

TOOL HOLDER  
TYPE

MAX. QUANTITY PER TOOL  
FRAME F NC 5020 00 ..

MAX. QUANTITY PER TOOL  
FRAME F NC 5120 00 ..

MAX. QUANTITY PER TOOL  
FRAME F NC 5220 00 ..

|                 |               |   |    |    |
|-----------------|---------------|---|----|----|
| F NC 9510 00 03 | ISO 30        | 7 | 24 | 32 |
| F NC 9530 00 03 | ISO 40        | 7 | 24 | 32 |
| F NC 9540 00 03 | ISO 45        | 5 | 18 | 24 |
| F NC 9550 00 03 | ISO 50        | 5 | 15 | 20 |
| F NC 9560 00 03 | VDI 30        | 7 | 24 | 32 |
| F NC 9570 00 03 | VDI 40        | 5 | 18 | 24 |
| F NC 9580 00 03 | VDI 50        | 5 | 18 | 24 |
| F NC 9590 00 03 | VDI 60        | 5 | 15 | 20 |
| F NC 9720 00 03 | MORSE TAPER 2 | 7 | 24 | 32 |
| F NC 9730 00 03 | MORSE TAPER 3 | 7 | 24 | 32 |
| F NC 9740 00 03 | MORSE TAPER 4 | 7 | 24 | 32 |
| F NC 9750 00 03 | MORSE TAPER 5 | 5 | 18 | 24 |
| F NC 9270 00 03 | CAPTO C3      | 7 | 24 | 32 |
| F NC 9275 00 03 | CAPTO C4      | 5 | 18 | 24 |
| F NC 9280 00 03 | CAPTO C5      | 5 | 18 | 24 |
| F NC 9285 00 03 | CAPTO C6      | 5 | 18 | 24 |
| F NC 9290 00 03 | CAPTO C8      | 4 | 12 | 16 |
| F NC 9210 00 03 | HSK A32-B40   | 7 | 24 | 32 |
| F NC 9220 00 03 | HSK A40-B50   | 7 | 24 | 32 |
| F NC 9230 00 03 | HSK A50-B63   | 5 | 18 | 24 |
| F NC 9240 00 03 | HSK A63-B80   | 5 | 18 | 24 |
| F NC 9250 00 03 | HSK A80-B100  | 4 | 12 | 16 |
| F NC 9260 00 03 | HSK A100-B125 | 4 | 12 | 16 |
| F NC 9640 00 03 | 2"            | 5 | 18 | 24 |
| F NC 9650 00 03 | 2" 1/4        | 5 | 15 | 20 |
| F NC 9010 00 03 | 58 mm         | 9 | 27 | 36 |
| F NC 9020 00 03 | 65 mm         | 8 | 24 | 32 |
| F NC 9030 00 03 | 75 mm         | 7 | 21 | 28 |
| F NC 9040 00 03 | 87 mm         | 6 | 18 | 24 |
| F NC 9050 00 03 | 105 mm        | 5 | 15 | 20 |



■ INFO

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 + RAL 7000 F. ....51 RAL 7035 + RAL 7000 F. ....56



[www.famispa.com](http://www.famispa.com)




## TROLLEY SERIES NC-COMBI


## TOOL TROLLEY F CN 0100 (NC102)



**ORD. NO.** TROLLEY LOAD CAPACITY kg  
**F CN F100 00 04** 500  
Including: 2 nylon swivel wheels with brake Ø 125 mm,  
2 nylon fixed wheels Ø 125 mm  
**Dimensions mm 758x512x890 h**



**ORD. NO.**  
**F CN 0100 00 04**  
Trolley prepared for wheels:  
Ø 100 mm / 125 mm / 150 mm  
**Dimensions mm 758x512x730 h**



**ORD. NO.**  
**F CN 0101 00 04**  
Including: 2 fork lift base prepared for wheels  
Ø 100 mm / 125 mm / 150 mm  
**Dimensions mm 758x512x810 h**

**1 ORD. NO. F CN 5210 00 07**

Rubber mat for shelf  
ORD. NO. F CN 5510 00 ..  
Overall dimensions mm: **485x300**

**2 ORD. NO. F CN 5510 00 01** ■ RAL 7000**2 ORD. NO. F CN 5510 00 02** ■ RAL 6011**2 ORD. NO. F CN 5510 00 04** ■ RAL 5012**2 ORD. NO. F CN 5510 00 08** ■ RAL 7035Shelf dimensions mm: **490x300x170 h****3 ORD. NO. F CN 5220 00 07**

Rubber mat for adjustable shelf  
ORD. NO. F CN 5100 00 ..  
Overall dimensions mm: **595x295**

**4 ORD. NO. F CN 5100 00 01** ■ RAL 7000**4 ORD. NO. F CN 5100 00 02** ■ RAL 6011

Height adjustable shelf

Overall dimensions mm: **600x300x42 h**

Load capacity: 30 kg

**5 ORD. NO. F CN 5250 00 07**

Rubber mat for bottom shelf of  
trolley  
Overall dimensions mm: **595x495**

**6 ORD. NO. F CN 5230 00 07**

Rubber mat for adjustable shelf  
ORD. NO. F CN 5110 00 ..  
Overall dimensions mm: **595x455**

**7 ORD. NO. F CN 5110 00 01** ■ RAL 7000**7 ORD. NO. F CN 5110 00 02** ■ RAL 6011

Height adjustable shelf

Overall dimensions mm: **600x460x42 h**

Load capacity: 30 kg

**8+9 ORD. NO. F CN 5710 00 30** ■ RAL 1004

Pair of side protections for trolley series CN 0100

Overall dimensions mm: **690x270 h**

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

## KEY ■

■ Wheels see  
page B18


■ All indicated loads are net and refer to evenly distributed weights.



LENGTH = 1073 mm DEPTH = 685 mm

## TROLLEY SERIES NC-COMBI

### TOOL TROLLEY F CN 0600 (NC104)




ORD. NO. TROLLEY LOAD CAPACITY kg

**F CN K600 00 04** 840

Including: 2 nylon swivel wheels with brake Ø 160 mm,  
2 fixed wheels Ø 160 mm in nylon

Dimensions mm 1073x685x935 h




ORD. NO.

**F CN 0600 00 04**

Trolley prepared for wheels: Ø 160 mm / 200 mm

Dimensions mm 1073x685x731 h



ORD. NO.

**F CN 0601 00 04**

Including: 2 fork lift base prepared for wheels  
Ø 160 mm / 200 mm

Dimensions mm 1073x685x811 h



#### 1 ORD. NO. F CN 5220 00 07

Rubber mat for adjustable shelf

ORD. NO. F CN 5100 00 ..

Overall dimensions mm: 595x295

#### 2 ORD. NO. F CN 5100 00 01 ■ RAL 7000

#### 2 ORD. NO. F CN 5100 00 02 ■ RAL 6011

Height adjustable shelf

Overall dimensions mm: 600x300x42 h

Load capacity: 30 kg

#### 3 ORD. NO. F CN 5230 00 07

Rubber mat for adjustable shelf

ORD. NO. F CN 5110 00 ..

Overall dimensions mm: 595x455

#### 4 ORD. NO. F CN 5110 00 01 ■ RAL 7000

#### 4 ORD. NO. F CN 5110 00 02 ■ RAL 6011

Height adjustable shelf

Overall dimensions mm: 600x460x42 h

Load capacity: 30 kg

#### 5 ORD. NO. F CN 5260 00 07

Rubber mat for bottom shelf of  
trolley


Overall dimensions mm: 675x595

#### 6 ORD. NO. F CN 5240 00 07

Rubber mat for adjustable shelf

ORD. NO. F CN 5120 00 ..

Overall dimensions mm: 595x655



#### 7 ORD. NO. F CN 5120 00 01 ■ RAL 7000

#### 7 ORD. NO. F CN 5120 00 02 ■ RAL 6011

Height adjustable shelf


Overall dimensions mm: 600x660x42 h

Load capacity: 30 kg

#### 8+9 ORD. NO. F CN 5720 00 30 ■ RAL 1004

Pair of side protections per carrello  
serie CN 0600

Overall dimensions mm: 988x270 h



### KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

■ Wheels see  
page B19



■ All indicated loads are net and refer to evenly distributed weights.



## TROLLEY SERIES NC-COMBI

## TOOL HOLDER FRAME AND ACCESSORIES FOR TOOL TROLLEY F CN 0100 (NC102) / F CN 0600 (NC104)



## TOOL HOLDER FRAME

ORD. NO.

**F NC 5020 00 01**

Horizontal frame load capacity: 50 kg

Dimensions mm 584x140x146 h



## PAIR OF GALVANISED HANDLES

ORD. NO.

**F NC 5005 00 99**

For frame ORD. NO. F NC 5020 00 ..


PAIR OF GALVANISED TOOL HOLDER  
FRAME CARRIERS, HORIZONTAL

ORD. NO.

**F NC 5710 00 99**

For frame ORD. NO. F NC 5020 00 ..

Overall dimensions mm 140x150 h

PAIR OF GALVANISED TOOL HOLDER  
FRAME CARRIERS, ANGLED

ORD. NO.

**F NC 5711 00 99**

For frame ORD. NO. F NC 5020 00 ..

Overall dimensions mm 140x150 h

TOOL HOLDER FRAME 3-ROWS AND ACCESSORIES  
FOR TROLLEYS F CN 0100 (NC102)


## TOOL HOLDER FRAME 3-ROWS

ORD. NO.

**F NC 5120 00 01**

Horizontal frame load capacity: 150 kg

Overall dimensions mm 584x444x69 h




## HORIZONTAL PAIR OF CARRIERS

ORD. NO.

**F NC 5620 00 01**

For frame ORD. NO. F NC 5120 00 ..

Overall dimensions mm 430x112 h



## ANGLED PAIR OF CARRIERS

ORD. NO.

**F NC 5721 00 01**

For frame ORD. NO. F NC 5120 00 ..

Overall dimensions mm 430x114 h

RAL 7000 F. ....01 RAL 6011 F. ....02 ZINCATO F. ....99

## KEY ■



■ All indicated loads are net and refer to evenly distributed weights.




**TOOL HOLDER FRAME 4-ROWS AND ACCESSORIES  
FOR TROLLEYS F CN 0600 (NC104)**



01  
02



01  
02



01  
02

**TOOL HOLDER FRAME 4 ROWS**

**ORD. NO.**

**F NC 5220 00 01**

Horizontal frame load capacity: **150 kg**

Overall dimensions mm 584x592x69 h

**HORIZONTAL PAIR OF CARRIERS**

**ORD. NO.**

**F NC 5640 00 01**

For frame ORD. NO. **F NC 5220 00 ..**

Overall dimensions mm 577x112 h

**ANGLED PAIR OF CARRIERS**

**ORD. NO.**

**F NC 5741 00 01**

For frame ORD. NO. **F NC 5220 00 ..**

Overall dimensions mm 577x114 h



**ORD. NO.  
TOOL HOLDERS**

**TOOL HOLDER  
TYPE**

**MAX. QUANTITY PER TOOL  
FRAME F NC 5020 00 ..**

**MAX. QUANTITY PER TOOL  
FRAME F NC 5120 00 ..**

**MAX. QUANTITY PER TOOL  
FRAME F NC 5220 00 ..**

| ORD. NO.<br>TOOL HOLDERS | TOOL HOLDER<br>TYPE | MAX. QUANTITY PER TOOL<br>FRAME F NC 5020 00 .. | MAX. QUANTITY PER TOOL<br>FRAME F NC 5120 00 .. | MAX. QUANTITY PER TOOL<br>FRAME F NC 5220 00 .. |
|--------------------------|---------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|
| F NC 9510 00 03          | ISO 30              | 7                                               | 24                                              | 32                                              |
| F NC 9530 00 03          | ISO 40              | 7                                               | 24                                              | 32                                              |
| F NC 9540 00 03          | ISO 45              | 5                                               | 18                                              | 24                                              |
| F NC 9550 00 03          | ISO 50              | 5                                               | 15                                              | 20                                              |
| F NC 9560 00 03          | VDI 30              | 7                                               | 24                                              | 32                                              |
| F NC 9570 00 03          | VDI 40              | 5                                               | 18                                              | 24                                              |
| F NC 9580 00 03          | VDI 50              | 5                                               | 18                                              | 24                                              |
| F NC 9590 00 03          | VDI 60              | 5                                               | 15                                              | 20                                              |
| F NC 9720 00 03          | MORSE TAPER 2       | 7                                               | 24                                              | 32                                              |
| F NC 9730 00 03          | MORSE TAPER 3       | 7                                               | 24                                              | 32                                              |
| F NC 9740 00 03          | MORSE TAPER 4       | 7                                               | 24                                              | 32                                              |
| F NC 9750 00 03          | MORSE TAPER 5       | 5                                               | 18                                              | 24                                              |
| F NC 9270 00 03          | CAPTO C3            | 7                                               | 24                                              | 32                                              |
| F NC 9275 00 03          | CAPTO C4            | 5                                               | 18                                              | 24                                              |
| F NC 9280 00 03          | CAPTO C5            | 5                                               | 18                                              | 24                                              |
| F NC 9285 00 03          | CAPTO C6            | 5                                               | 18                                              | 24                                              |
| F NC 9290 00 03          | CAPTO C8            | 4                                               | 12                                              | 16                                              |
| F NC 9210 00 03          | HSK A32-B40         | 7                                               | 24                                              | 32                                              |
| F NC 9220 00 03          | HSK A40-B50         | 7                                               | 24                                              | 32                                              |
| F NC 9230 00 03          | HSK A50-B63         | 5                                               | 18                                              | 24                                              |
| F NC 9240 00 03          | HSK A63-B80         | 5                                               | 18                                              | 24                                              |
| F NC 9250 00 03          | HSK A80-B100        | 4                                               | 12                                              | 16                                              |
| F NC 9260 00 03          | HSK A100-B125       | 4                                               | 12                                              | 16                                              |
| F NC 9640 00 03          | 2"                  | 5                                               | 18                                              | 24                                              |
| F NC 9650 00 03          | 2" 1/4              | 5                                               | 15                                              | 20                                              |
| F NC 9010 00 03          | 58 mm               | 9                                               | 27                                              | 36                                              |
| F NC 9020 00 03          | 65 mm               | 8                                               | 24                                              | 32                                              |
| F NC 9030 00 03          | 75 mm               | 7                                               | 21                                              | 28                                              |
| F NC 9040 00 03          | 87 mm               | 6                                               | 18                                              | 24                                              |
| F NC 9050 00 03          | 105 mm              | 5                                               | 15                                              | 20                                              |

**KEY**

RAL 7000 F. ....01

RAL 6011 F. ....02



■ All indicated loads are net and refer to evenly distributed weights.



## TROLLEY SERIES NC-COMBI

## TOOL HOLDER FRAME FOR WOODEN INSERT OF MULTIPLEX FOR TROLLEYS F CN 0100 (NC102) / F CN 0600 (NC104)

■ 01  
■ 02TOOL FOR WOODEN INSERT OF MULTIPLEX  
ORD. NO.**F NC 5021 00 01**

Horizontal frame load capacity: 50 kg

Overall dimensions mm 584x140x146 h

WOODEN INSERT OF MULTIPLEX  
ORD. NO.**F NC 2510 00 00**

Overall dimensions mm 525x138x50 h


Example of tool holder frame  
ORD. NO. **F NC 5021 00 ..** with  
wooden insertALUMINIUM INSERT FOR TROLLEYS  
F CN 0100 (NC102) / F CN 0600 (NC104)

## ORD. NO.

**F NC 2410 00 00**

Aluminium insert with rubber

Overall dim. mm 525x135x45 h

Example of tool holder frame ORD. NO. **F NC 5020 00 ..** with aluminium supportDRAWING POCKET FOR TROLLEYS  
F CN 0100 (NC102) / F CN 0600 (NC104)


■ 01 ■ 02 ■ 04

## ORD. NO.

**F CN 5560 00 04**

Drawing pocket for size DIN A4

Overall dimensions mm 312x35x190 h

TOOLING SHELF FOR TROLLEYS  
F CN 0100 (NC102) / F CN 0600 (NC104)■ 01  
■ 02  
■ 04

## ORD. NO.


**F CN 5320 00 04**

Tooling shelf

Overall dimensions mm 598x303x59 h

DRAWERS 31,5x27 EH FULL TELESCOPIC EXTENSION FOR TROLLEYS  
F CN 0600 (NC104)

■ 01 ■ 02 ■ 04 ■ 08

■ Drawers including the  
single drawer opening  
device.■ It is not possible to insert tool holder  
frames in these drawers.■ Partitioning material: see page **B47**

## ORD. NO.

FRONT HEIGHT mm

LOAD CAPACITY kg

USABLE DIM. mm

**F NC 8607 00 04**

75

30

**523x447x54 h****F NC 8610 00 04**

100

30

**523x447x79 h****F NC 8615 00 04**

150

30

**523x447x129 h**

Extension 100%

## KEY ■

■ Partitioning material: see page **A180**

Arbor holders

Cutter holders

■ All indicated  
loads are net and  
refer to evenly  
distributed  
weights.

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



TRAVERSE GUARDS FOR TROLLEYS F CN 0600 (NC104)



**A ORD. NO. F CN 3010 00 01** ■ RAL 7000

**A ORD. NO. F CN 3010 00 02** ■ RAL 6011

Perforated traverse guards

Overall dimensions mm: 623x28x50 h

**B ORD. NO. F CN 3030 00 07**

Neoprene cover




FIXING BRACKET

| ORD. NO.        | FOR TOOLS Ø<br>MAX. mm | REQUIRED Q.TY OF<br>FIXING BRACKETS | QUANTITY<br>UNITS |
|-----------------|------------------------|-------------------------------------|-------------------|
| F CN 3105 00 99 | 15                     | 16                                  | 2                 |
| F CN 3110 00 99 | 27                     | 12                                  | 3                 |
| F CN 3115 00 99 | 35                     | 9                                   | 4                 |
| F CN 3120 00 99 | 48                     | 8                                   | 5                 |
| F CN 3125 00 99 | 60                     | 6                                   | 6                 |
| F CN 3130 00 99 | 73                     | 6                                   | 7                 |
| F CN 3135 00 99 | 85                     | 5                                   | 8                 |
| F CN 3140 00 99 | 98                     | 4                                   | 9                 |
| F CN 3145 00 99 | 110                    | 4                                   | 10                |
| F CN 3150 00 99 | 123                    | 4                                   | 11                |
| F CN 3155 00 99 | 135                    | 3                                   | 12                |



TOOL HANGING FRAMES FOR TROLLEYS F CN 0600 (NC104)



| ORD. NO.        | FOR TOOLS | Ø MAX. mm | MAX. Q.TY OF TOOLS | WIDTH mm | DEPTH mm |
|-----------------|-----------|-----------|--------------------|----------|----------|
| F CN 3210 00 01 | ISO 40    | 63/50     | 9                  | 597      | 56       |
| F CN 3220 00 01 | ISO 45    | 82/63     | 7                  | 597      | 75       |
| F CN 3230 00 01 | ISO 50    | 98/80     | 5                  | 597      | 84       |
| F CN 3240 00 01 | ISO 50    | 112/80    | 5                  | 597      | 100      |
| F CN 3260 00 01 | ISO 55    | 130/89    | 4                  | 597      | 120      |
| F CN 3270 00 01 | ISO 60    | 160/109   | 3                  | 597      | 140      |

■ INFO

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



## WHEELS SERIES NC-COMBI

## STANDARD RUBBER



## SWIVEL WHEEL WITH BRAKE

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RG DAC11 100</b> | 100  | 130  | 75               |
| <b>C RG DAC12 125</b> | 125  | 160  | 100              |
| <b>C RG DAC13 150</b> | 150  | 185  | 115              |



## FIXED WHEEL

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RG BAC11 100</b> | 100  | 130  | 75               |
| <b>C RG BAC12 125</b> | 125  | 160  | 100              |
| <b>C RG BAC13 150</b> | 150  | 185  | 115              |

## NYLON



## SWIVEL WHEEL WITH BRAKE

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RN DAD10 100</b> | 100  | 130  | 125              |
| <b>C RN DAD11 125</b> | 125  | 160  | 180              |



## FIXED WHEEL

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RN BAD10 100</b> | 100  | 130  | 125              |
| <b>C RN BAD11 125</b> | 125  | 160  | 180              |

## NO-SMEAR RUBBER



## SWIVEL WHEEL WITH BRAKE

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RG DPH22 125</b> | 125  | 160  | 100              |



## FIXED WHEEL

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RG BPH22 125</b> | 125  | 160  | 100              |

## ELASTIC RUBBER



## SWIVEL WHEEL WITH BRAKE

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RG DCE15 125</b> | 125  | 160  | 180              |



## FIXED WHEEL


| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RG BCE15 125</b> | 125  | 160  | 180              |

## POLYURETHANE



## SWIVEL WHEEL WITH BRAKE

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RN DDD31 125</b> | 125  | 160  | 180              |



## FIXED WHEEL

| ORD. NO.              | Ø mm | C mm | LOAD CAPACITY kg |
|-----------------------|------|------|------------------|
| <b>C RN BDD31 125</b> | 125  | 160  | 180              |

## KEY ■

■ Follow the formula to calculate the load capacity of the trolley:

**(Ax3) – 40 kg**

A = load capacity of the wheel

40 kg = average weight of the trolley



## WHEELS

## WHEELS SERIES NC-COMBI

## STANDARD RUBBER



## SWIVEL WHEEL WITH BRAKE

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RG DAC15 200

200

242

205



## FIXED WHEEL

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RG BAC15 200

200

242

205

## NYLON



## SWIVEL WHEEL WITH BRAKE

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RN DAD04 160

160

204

300



## FIXED WHEEL

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RN BAD04 160

160

204

300

## NO-SMEAR RUBBER



## SWIVEL WHEEL WITH BRAKE

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RG DPH25 160

160

204

200



## FIXED WHEEL

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RG BPH25 160

160

204

200

## ELASTIC RUBBER



## SWIVEL WHEEL WITH BRAKE

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RG DCE15 160

160

204

300



## FIXED WHEEL

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RG BCE15 160

160

204

300

## POLYURETHANE



## SWIVEL WHEEL WITH BRAKE

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RN DDD44 160

160

204

300



## FIXED WHEEL

## ORD. NO.

Ø mm

C mm

LOAD CAPACITY kg

C RN BDD44 160

160



204

300

## ■ KEY



■ Follow the formula to calculate the load capacity of the trolley:  
 $(A \times 3) - 60 \text{ kg}$   
 A = load capacity of the wheel  
 60 kg = average weight of the trolley



54 EH (906 mm)

27 EH (447 mm)





**ORD. NO. F AA 1400 19 08**  
RAL 7035



**ORD. NO. F AA 1800 08 08**  
RAL 7035

- The max. height of the tool holder taper which can be inserted in the drawer frame is **143 mm**. For higher tapers, please see page B28.



- Frames ORD. NO. **F NC 5160 00 04** are height-adjustable and can be assembled horizontally or angled.

### FLOOR FIXING SET



2x

- 2 "HILTI" plugs for concrete floors  $\geq$  to classes B25/RBK250/MPa 25 N/mm<sup>2</sup>
- Recommended traction of the plug: 2.9 KN
- Plug diameter:  $\varnothing$  6 mm

**ORD. NO. F AG 9204 00 99**

### CABINET WITH LEAF DOORS

**ORD. NO.** **DRAWERS**

**F AA 1400 19 08** **2**

Including 2 drawers (100 kg)  
2 tool holder frames for drawers  
1 height adjustable tool holder frame  
2 height adjustable galvanised shelves (100 kg)  
**Dimensions mm 1023x555x2000 h**

Tools and tool holders excluded

### ROLLER SHUTTER CABINET

**ORD. NO.**

**F AA 1800 08 08**

Including 4 height adjustable tool holder frames

**Dimensions mm 1023x555x2200 h**

Tools and tool holders excluded

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

### SUPPLEMENTARY PARTS ■

- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. R CSC 0002 00

- **Master key.** This type of key opens all the 45 and 46 series locks.

ORD. NO. R CSC 0001 00



LENGTH = 1023 mm DEPTH = 555 mm (54x27 Eh)

# CABINETS SERIES NC-PERFORM



## ORD. NO.

**F AA 1401 01 04**

Including: 2 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**

2 frames 3-rows ORD. NO. **F NC 5140 00 01**

2 pair of carriers ORD. NO. **F NC 5630 00 01**

2 telescopic extension drawers ORD. NO. **F AC 1250 00 04**

**Dimensions mm 1023x555x2000 h**

Tool holders excluded

## ORD. NO.

**F AA 1401 02 04**

Including: 4 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**

**Dimensions mm 1023x555x2000 h**

Tool holders excluded



## ORD. NO. TOOL HOLDERS

| TOOL HOLDER<br>TYPE | MAX. QUANTITY<br>PER TOOL FRAME<br>F NC 5160 00 .. | MAX. QUANTITY<br>PER TOOL FRAME<br>F NC 5140 00 .. |
|---------------------|----------------------------------------------------|----------------------------------------------------|
|---------------------|----------------------------------------------------|----------------------------------------------------|

|                        |               |    |    |
|------------------------|---------------|----|----|
| <b>F NC 9510 00 03</b> | ISO 30        | 36 | 33 |
| <b>F NC 9530 00 03</b> | ISO 40        | 36 | 33 |
| <b>F NC 9540 00 03</b> | ISO 45        | 30 | 27 |
| <b>F NC 9550 00 03</b> | ISO 50        | 24 | 24 |
| <b>F NC 9560 00 03</b> | VDI 30        | 36 | 33 |
| <b>F NC 9570 00 03</b> | VDI 40        | 30 | 27 |
| <b>F NC 9580 00 03</b> | VDI 50        | 30 | 27 |
| <b>F NC 9590 00 03</b> | VDI 60        | 24 | 24 |
| <b>F NC 9720 00 03</b> | MORSE TAPER 2 | 36 | 33 |
| <b>F NC 9730 00 03</b> | MORSE TAPER 3 | 36 | 33 |
| <b>F NC 9740 00 03</b> | MORSE TAPER 4 | 36 | 33 |
| <b>F NC 9750 00 03</b> | MORSE TAPER 5 | 30 | 27 |
| <b>F NC 9270 00 03</b> | CAPTO C3      | 36 | 33 |
| <b>F NC 9275 00 03</b> | CAPTO C4      | 30 | 27 |
| <b>F NC 9280 00 03</b> | CAPTO C5      | 30 | 27 |



## ORD. NO. TOOL HOLDERS

| TIPO<br>TOOL HOLDER | MAX. QUANTITY<br>PER TOOL FRAME<br>F NC 5160 00 .. | MAX. QUANTITY<br>PER TOOL FRAME<br>F NC 5140 00 .. |
|---------------------|----------------------------------------------------|----------------------------------------------------|
|---------------------|----------------------------------------------------|----------------------------------------------------|

|                        |               |    |    |
|------------------------|---------------|----|----|
| <b>F NC 9285 00 03</b> | CAPTO C6      | 30 | 27 |
| <b>F NC 9290 00 03</b> | CAPTO C8      | 24 | 21 |
| <b>F NC 9210 00 03</b> | HSK A32-B40   | 36 | 33 |
| <b>F NC 9220 00 03</b> | HSK A40-B50   | 36 | 33 |
| <b>F NC 9230 00 03</b> | HSK A50-B63   | 30 | 27 |
| <b>F NC 9240 00 03</b> | HSK A63-B80   | 30 | 27 |
| <b>F NC 9250 00 03</b> | HSK A80-B100  | 24 | 21 |
| <b>F NC 9260 00 03</b> | HSK A100-B125 | 24 | 21 |
| <b>F NC 9640 00 03</b> | 2"            | 30 | 27 |
| <b>F NC 9650 00 03</b> | 2" 1/4        | 24 | 24 |
| <b>F NC 9010 00 03</b> | 58 mm         | 45 | 42 |
| <b>F NC 9020 00 03</b> | 65 mm         | 42 | 39 |
| <b>F NC 9030 00 03</b> | 75 mm         | 36 | 33 |
| <b>F NC 9040 00 03</b> | 87 mm         | 30 | 27 |
| <b>F NC 9050 00 03</b> | 105 mm        | 24 | 24 |

## KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



- Cabinet load capacity: **800 kg**
- Frame load capacity: **150 kg**
- Drawers load capacity: **100 kg**
- All indicated loads are net and refer to evenly distributed weights.



## CABINETS SERIES NC-PERFOM

LENGTH = 1023 mm DEPTH = 555 mm (54x27 Eh)



## ORD. NO.

**F AA 1400 17 04**

Including: 2 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**, 2 frames 3-rows ORD. NO. **F NC 5140 00 01**, 2 pair of carriers ORD. NO. **F NC 5630 00 01**  
2 telescopic extension drawers ORD. NO. **F AC 1250 00 04**

**Dimensions mm 1023x555x2000 h**

Tool holders excluded



## ORD. NO.

**F AA 1400 18 04**

Including: 4 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**

**Dimensions mm 1023x555x2000 h**

Tool holders excluded



## ORD. NO.

**F AA 1402 07 04**

Including: 2 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**, 2 frames 3-rows ORD. NO. **F NC 5140 00 01**, 2 pair of carriers ORD. NO. **F NC 5630 00 01**  
2 telescopic extension drawers ORD. NO. **F AC 1250 00 04**

**Dimensions mm 1023x555x2000 h**

Tool holders excluded

■ 3 mm thickness polycarbonate doors



## ORD. NO.

**F AA 1402 08 04**

Including: 4 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**

**Dimensions mm 1023x555x2000 h**

Tool holders excluded

LENGTH = 1023 mm DEPTH = 555 mm (54x27 Eh)

## CABINETS SERIES NC-PERFORM



■ RAL 7035

### CABINET WITH LEAF DOORS

| ORD. NO.                                        | DRAWERS  |
|-------------------------------------------------|----------|
| <b>F AA 1400 19 08</b>                          | <b>2</b> |
| Including 2 drawers (100 kg)                    |          |
| 2 tool holder frames for drawers                |          |
| 1 height adjustable tool holder frame           |          |
| 2 height adjustable galvanised shelves (100 kg) |          |
| <b>Dimensions mm 1023x555x2000 h</b>            |          |
| Tools, tool holders and toolboxes excluded      |          |



■ RAL 7035

### ROLLER SHUTTER CABINET

#### ORD. NO.

#### **F AA 1800 09 08**

Including 2 height adjustable tool holder frames

2 height adjustable galvanised shelves (100 kg)

**Dimensions mm 1023x555x2200 h**

Tools, tool holders and toolboxes excluded



- Cabinet load capacity: **800 kg**
- Frame load capacity: **150 kg**
- Drawers load capacity: **100 kg**
- All indicated loads are net and refer to evenly distributed weights
- The cabinets must be secured to the floor or to the wall

#### ■ KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



■ Detail of  
roller shutter  
door

■ Partitioning  
material see  
page B29



**SLIDING DOORS CABINET****ORD. NO.****F AB 8302 05 04**

## Including:

- 4 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**
- 4 frames 3-rows ORD. NO. **F NC 5140 00 01**
- 4 pair of carriers ORD. NO. **F NC 5630 00 01**
- 4 telescopic extension drawers ORD. NO. **F AC 1250 00 04**

**Dimensions mm 2046x600x2000 h**

Tool holders excluded

- 4 mm thickness polycarbonate doors

**SLIDING DOORS CABINET****ORD. NO.****F AB 8300 12 04**

## Including:

- 4 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**
- 4 frames 3-rows ORD. NO. **F NC 5140 00 01**
- 4 pair of carriers ORD. NO. **F NC 5630 00 01**
- 4 telescopic extension drawers ORD. NO. **F AC 1250 00 04**

**Dimensions mm 2046x600x2000 h**

Tool holders excluded

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

**KEY ■**

■ Partitioning material see page B29

- Cabinet load capacity: **800 kg** per compartment
- Frame load capacity: **150 kg**
- Drawers load capacity: **100 kg**
- All indicated loads are net and refer to evenly distributed weights
- The cabinets must be secured to the floor or to the wall



LENGTH = 1023 mm DEPTH = 555 mm (54x27 Eh)

# CABINETS SERIES NC-PERFORM



ORD. NO.

**F AA 1800 07 04**

Including: 2 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**, 2 frames 3-rows ORD. NO. **F NC 5140 00 01**, 2 pair of carriers ORD. NO. **F NC 5630 00 01**  
2 telescopic extension drawers ORD. NO. **F AC 1250 00 04**

Dimensions mm 1023x555x2200 h

Tool holders excluded



ORD. NO.

**F AA 1800 08 04**

Including: 4 frames 3-rows with carriers ORD. NO. **F NC 5160 00 04**

Dimensions mm 1023x555x2200 h

Tool holders excluded



ORD. NO.  
TOOL HOLDERS

TOOL HOLDER  
TYPE

MAX. QUANTITY  
PER TOOL FRAME  
F NC 5160 00 ..

MAX. QUANTITY  
PER TOOL FRAME  
F NC 5140 00 ..

|                        |               |    |    |
|------------------------|---------------|----|----|
| <b>F NC 9510 00 03</b> | ISO 30        | 36 | 33 |
| <b>F NC 9530 00 03</b> | ISO 40        | 36 | 33 |
| <b>F NC 9540 00 03</b> | ISO 45        | 30 | 27 |
| <b>F NC 9550 00 03</b> | ISO 50        | 24 | 24 |
| <b>F NC 9560 00 03</b> | VDI 30        | 36 | 33 |
| <b>F NC 9570 00 03</b> | VDI 40        | 30 | 27 |
| <b>F NC 9580 00 03</b> | VDI 50        | 30 | 27 |
| <b>F NC 9590 00 03</b> | VDI 60        | 24 | 24 |
| <b>F NC 9720 00 03</b> | MORSE TAPER 2 | 36 | 33 |
| <b>F NC 9730 00 03</b> | MORSE TAPER 3 | 36 | 33 |
| <b>F NC 9740 00 03</b> | MORSE TAPER 4 | 36 | 33 |
| <b>F NC 9750 00 03</b> | MORSE TAPER 5 | 30 | 27 |
| <b>F NC 9270 00 03</b> | CAPTO C3      | 36 | 33 |
| <b>F NC 9275 00 03</b> | CAPTO C4      | 30 | 27 |
| <b>F NC 9280 00 03</b> | CAPTO C5      | 30 | 27 |

ORD. NO.  
TOOL HOLDERS

TOOL HOLDER  
TYPE

MAX. QUANTITY  
PER TOOL FRAME  
F NC 5160 00 ..

MAX. QUANTITY  
PER TOOL FRAME  
F NC 5140 00 ..

|                        |               |    |    |
|------------------------|---------------|----|----|
| <b>F NC 9285 00 03</b> | CAPTO C6      | 30 | 27 |
| <b>F NC 9290 00 03</b> | CAPTO C8      | 24 | 21 |
| <b>F NC 9210 00 03</b> | HSK A32-B40   | 36 | 33 |
| <b>F NC 9220 00 03</b> | HSK A40-B50   | 36 | 33 |
| <b>F NC 9230 00 03</b> | HSK A50-B63   | 30 | 27 |
| <b>F NC 9240 00 03</b> | HSK A63-B80   | 30 | 27 |
| <b>F NC 9250 00 03</b> | HSK A80-B100  | 24 | 21 |
| <b>F NC 9260 00 03</b> | HSK A100-B125 | 24 | 21 |
| <b>F NC 9640 00 03</b> | 2"            | 30 | 27 |
| <b>F NC 9650 00 03</b> | 2" 1/4        | 24 | 24 |
| <b>F NC 9010 00 03</b> | 58 mm         | 45 | 42 |
| <b>F NC 9020 00 03</b> | 65 mm         | 42 | 39 |
| <b>F NC 9030 00 03</b> | 75 mm         | 36 | 33 |
| <b>F NC 9040 00 03</b> | 87 mm         | 30 | 27 |
| <b>F NC 9050 00 03</b> | 105 mm        | 24 | 24 |

KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



- Cabinet load capacity: **800 kg**
- Frame load capacity: **150 kg**
- Drawers load capacity: **100 kg**
- All indicated loads are net and refer to evenly distributed weights
- The cabinets must be secured to the floor or to the wall



■ Detail of  
roller shutter  
door

■ Partitioning  
material see  
page **B29**



## CABINETS SERIES NC-PERFORM

## EMPTY CABINET WITH DOORS

■ 01  
■ 02  
■ 04  
■ 08



## ORD. NO.

**F AA 1400 00 04**

Cabinet load capacity: 800 kg

**Dimensions mm 1023x555x2000 h**

Internal dimensions mm 995x500x1850 h

The cabinet series F AA 1400 is standard supplied with 2 floor fixing brackets and 2 wall fixing brackets.

## EMPTY CABINET WITH DOORS WITH PERFORATED PANELS

■ 01  
■ 02  
■ 04  
■ 08



## ORD. NO.

**F AA 1403 00 04**

Cabinet load capacity: 800 kg

Load capacity of each individual door: 40 kg

**Dimensions mm 1023x555x2000 h**

Internal dimensions mm 995x500x1850 h

The cabinet series F AA 1403 is standard supplied with 2 floor fixing brackets and 2 wall fixing brackets.

## EMPTY CABINET WITH PAIR OF 3 mm THICKNESS POLYCARBONATE DOORS

■ 01  
■ 02  
■ 04  
■ 08



## ORD. NO.

**F AA 1402 00 04**

Cabinet load capacity: 800 kg

**Dimensions mm 1023x555x2000 h**

Internal dimensions mm 995x500x1850 h

The cabinet series F AA 1402 is standard supplied with 2 floor fixing brackets and 2 wall fixing brackets.

## EMPTY CABINET WITHOUT DOOR

■ 01  
■ 02  
■ 04  
■ 08



## ORD. NO.

**F AA 1401 00 04**

Cabinet load capacity: 800 kg

**Dimensions mm 1023x555x2000 h**

Internal dimensions mm 995x500x1850 h

The cabinet series F AA 1401 is standard supplied with 2 floor fixing brackets and 2 wall fixing brackets.

## EMPTY CABINET WITH ROLLER SHUTTER DOOR

■ 01  
■ 02  
■ 04  
■ 08



## ORD. NO.

**F AA 1800 00 04**

Cabinet load capacity: 800 kg

**Dimensions mm 1023x555x2200 h**

Internal dimensions mm 995x500x1820 h

The cabinet series F AA 1800 is standard supplied with 2 floor fixing brackets and 2 wall fixing brackets.

## EMPTY CABINET WITH POLYCARB. DOORS 4 mm THICKNESS AND CENTRE SUPPORT

■ 01  
■ 02  
■ 04  
■ 08



## ORD. NO.

**F AB 8302 00 04**

Cabinet load capacity: 800 kg per compartment

**Dimensions mm 2046x600x2000 h**

Internal dim. of each compart. mm 995x500x1850 h

The cabinet series F AB 8302 is standard supplied with 4 floor fixing brackets and 4 wall fixing brackets.

■ The cabinet must be secured to the floor or wall. If one or more drawers are fitted, the cabinets must be secured to the floor or to the wall (if the drawers are fitted at a height over 1000 mm from the floor, the cabinet must be secured to the wall only).  
The cabinet with doors with perforated panels must be fixed to the wall.



■ Each drawer introduced into the cabinet compartments has a maximum load capacity of 350 kg regardless of the load capacity of the cabinet

■ 01  
■ 02  
■ 04  
■ 08



## EMPTY CABINET WITH DOORS AND CENTRE SUPPORT

## ORD. NO.

**F AB 8300 00 04**

Cabinet load capacity: 800 kg per compartment

**Dimensions mm 2046x600x2000 h**

Internal dim. of each compart. mm 995x500x1850 h


The cabinet series F AB 8300 is standard supplied with 4 floor fixing brackets and 4 wall fixing brackets.

LENGTH = 1023/2046 mm DEPTH = 555/600 mm (54x27 Eh)

## CABINETS SERIES NC-PERFORM

### PAIR OF NORMAL OR TELESCOPIC EXTENSION DRAWERS 24x27 EH

| ORD. NO.                                                 | EXTENSION  |
|----------------------------------------------------------|------------|
| F AC 1600 00 04                                          | NORMAL     |
| F AC 1650 00 04                                          | TELESCOPIC |
| Load capacity of each normal extension drawer: 50 kg     |            |
| Load capacity of each telescopic extension drawer: 60 kg |            |
| Internal dimensions mm 396x447x85 h (for drawer)         |            |




### NORMAL OR TELESCOPIC EXTENSION DRAWERS 54x27 EH

| ORD. NO.                                             | EXTENSION  |
|------------------------------------------------------|------------|
| F AC 1200 00 04                                      | NORMAL     |
| F AC 1250 00 04                                      | TELESCOPIC |
| Load capacity of normal extension drawer: 50 kg      |            |
| Load capacity of telescopic extension drawer: 100 kg |            |
| Internal dimensions mm 906x447x85 h                  |            |



### FULL EXTENSION SUSPENSION FOLDER FRAME FOR SUSPENSION FOLDER DIN A4

|                                                                                                                      |  |
|----------------------------------------------------------------------------------------------------------------------|--|
| ORD. NO.                                                                                                             |  |
| F AC 7500 00 07                                                                                                      |  |
| The suspension folder frames are supplied with full extension guide rails (100% extraction) with 30 kg load capacity |  |
| Overall dimensions: 990x500 mm                                                                                       |  |
| For suspension folder DIN A4                                                                                         |  |



### ADJUSTABLE SHELF DEPTH 500 mm



| ORD. NO.        | DIM. mm      | Q.TY STRENG. BAR | LOAD CAPACITY kg |
|-----------------|--------------|------------------|------------------|
| F AC 2500 01 99 | 995x500x35 h | 0                | 100              |
| F AC 2500 03 99 | 995x500x35 h | 1                | 180              |

Including 4 hooks

The depth of this shelf is suitable for the following containers:  
size 4A2 / size 4 / size 4A5



■ This type of shelf can be assembled only if the perforated back panel is not fitted.

■ Contenitori vedi pag. G28 – G30



## CABINETS SERIES NC-PERFORM

LENGTH = 1023/2046 mm DEPTH = 555/600 mm (54x27 Eh)


TOOL HOLDER FRAMES 3-ROWS  
FOR DRAWERS

01  
02

## ORD. NO.


F NC 5140 00 01

Overall dim. mm 890x444x69 h



01  
02

■ The tool holder  
frame load  
capacity  
is given by  
the drawer  
load capacity.



## PAIR OF CARRIERS

## ORD. NO.

DIMENSIONS mm

FOR LENGTH TAPERS mm REF. A

F NC 5630 00 01

446x86 h

A = 93 / 118 / 143

F NC 5830 00 01

446x136 h

A = 143 / 168 / 193

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5140 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9510 00 03 | ISO 30        | 33 |
| F NC 9530 00 03 | ISO 40        | 33 |
| F NC 9540 00 03 | ISO 45        | 27 |
| F NC 9550 00 03 | ISO 50        | 24 |
| F NC 9560 00 03 | VDI 30        | 33 |
| F NC 9570 00 03 | VDI 40        | 27 |
| F NC 9580 00 03 | VDI 50        | 27 |
| F NC 9590 00 03 | VDI 60        | 24 |
| F NC 9720 00 03 | MORSE TAPER 2 | 33 |
| F NC 9730 00 03 | MORSE TAPER 3 | 33 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5140 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9740 00 03 | MORSE TAPER 4 | 33 |
| F NC 9750 00 03 | MORSE TAPER 5 | 27 |
| F NC 9270 00 03 | CAPTO C3      | 33 |
| F NC 9275 00 03 | CAPTO C4      | 27 |
| F NC 9280 00 03 | CAPTO C5      | 27 |
| F NC 9285 00 03 | CAPTO C6      | 27 |
| F NC 9290 00 03 | CAPTO C8      | 21 |
| F NC 9210 00 03 | HSK A32-B40   | 33 |
| F NC 9220 00 03 | HSK A40-B50   | 33 |
| F NC 9230 00 03 | HSK A50-B63   | 27 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5140 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9240 00 03 | HSK A63-B80   | 27 |
| F NC 9250 00 03 | HSK A80-B100  | 21 |
| F NC 9260 00 03 | HSK A100-B125 | 21 |
| F NC 9640 00 03 | 2"            | 27 |
| F NC 9650 00 03 | 2" 1/4        | 24 |
| F NC 9010 00 03 | 58 mm         | 42 |
| F NC 9020 00 03 | 65 mm         | 39 |
| F NC 9030 00 03 | 75 mm         | 33 |
| F NC 9040 00 03 | 87 mm         | 27 |
| F NC 9050 00 03 | 105 mm        | 24 |

## TILTING TOOL HOLDER FRAMES WITH 3 ROWS FOR CABINET

01 02 04



## TOOL HOLDER FRAME 3-ROWS

## ORD. NO.

F NC 5160 00 01

Horizontal frame load capacity: 150 kg

Overall dimensions mm 965x500x69

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5160 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9510 00 03 | ISO 30        | 36 |
| F NC 9530 00 03 | ISO 40        | 36 |
| F NC 9540 00 03 | ISO 45        | 30 |
| F NC 9550 00 03 | ISO 50        | 24 |
| F NC 9560 00 03 | VDI 30        | 36 |
| F NC 9570 00 03 | VDI 40        | 30 |
| F NC 9580 00 03 | VDI 50        | 30 |
| F NC 9590 00 03 | VDI 60        | 24 |
| F NC 9720 00 03 | MORSE TAPER 2 | 36 |
| F NC 9730 00 03 | MORSE TAPER 3 | 36 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5160 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9740 00 03 | MORSE TAPER 4 | 36 |
| F NC 9750 00 03 | MORSE TAPER 5 | 30 |
| F NC 9270 00 03 | CAPTO C3      | 36 |
| F NC 9275 00 03 | CAPTO C4      | 30 |
| F NC 9280 00 03 | CAPTO C5      | 30 |
| F NC 9285 00 03 | CAPTO C6      | 30 |
| F NC 9290 00 03 | CAPTO C8      | 24 |
| F NC 9210 00 03 | HSK A32-B40   | 36 |
| F NC 9220 00 03 | HSK A40-B50   | 36 |
| F NC 9230 00 03 | HSK A50-B63   | 30 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5160 00..


|                 |               |    |
|-----------------|---------------|----|
| F NC 9240 00 03 | HSK A63-B80   | 30 |
| F NC 9250 00 03 | HSK A80-B100  | 24 |
| F NC 9260 00 03 | HSK A100-B125 | 24 |
| F NC 9640 00 03 | 2"            | 30 |
| F NC 9650 00 03 | 2" 1/4        | 24 |
| F NC 9010 00 03 | 58 mm         | 45 |
| F NC 9020 00 03 | 65 mm         | 42 |
| F NC 9030 00 03 | 75 mm         | 36 |
| F NC 9040 00 03 | 87 mm         | 30 |
| F NC 9050 00 03 | 105 mm        | 24 |

24x27 EH / 54x27 EH


## CABINETS SERIES NC-PERFORM



| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0050 01 00</b> | 100               |
| Set including:         |                   |
| 1 Slotted partition    | 455 mm            |
| 2 Plain partitions     | 200 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0050 02 00</b> | 100               |
| Set including:         |                   |
| 2 Slotted partitions   | 455 mm            |
| 3 Plain partitions     | 132 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0050 03 00</b> | 100               |
| Set including:         |                   |
| 3 Slotted partitions   | 455 mm            |
| 4 Plain partitions     | 98 mm             |


24x27 EH



| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0050 07 00</b> | 100               |
| Set including:         |                   |
| 1 Slotted partition    | 455 mm            |
| 4 Plastic boxes        | 150x75 mm         |
| 4 Plastic boxes        | 150x150 mm        |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0050 08 00</b> | 100               |
| Set including:         |                   |
| 3 Plastic boxes        | 150x75 mm         |
| 6 Plastic boxes        | 150x150 mm        |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0050 09 00</b> | 100               |
| Set including:         |                   |
| 15 Plastic boxes       | 150x75 mm         |

■ Partitioning material see page A180




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0200 01 00</b> | 100               |
| Set including:         |                   |
| 4 Slotted partitions   | 455 mm            |
| 4 Plain partitions     | 149 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0200 02 00</b> | 100               |
| Set including:         |                   |
| 5 Slotted partitions   | 455 mm            |
| 10 Plain partitions    | 149 mm            |

54x27 EH



| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0200 05 00</b> | 100               |
| Set including:         |                   |
| 36 Plastic boxes       | 150x75 mm         |



| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 0200 06 00</b> | 100               |
| Set including:         |                   |
| 12 Plastic boxes       | 150x75 mm         |
| 12 Plastic boxes       | 150x150 mm        |



**ORD. NO. F NC 0822 12 51**  
RAL 5012+7000



**ORD. NO. F NC 0211 01 51**  
RAL 5012+7000

#### FIXING SET



■ Fixing material including (for 1 upright frame) 2 steel floor bolts M8x75 mm for uninterrupted concrete floors equal to higher than class: B25 / RBK250 / MPa 25 N for mm<sup>2</sup>.

**ORD. NO. F NC 8999 00 99**

■ The shelving system must be fixed to the floor or to the wall.

#### SHELVING SYSTEM WITH ROLLER SHUTTER

##### ORD. NO.

**F NC 0822 12 51**

Including 4 telescopic extension drawers with tool holder frame 3-rows and carriers

**Dimensions mm 1042x645x2200 h**

Tools and tool holders excluded

#### SHELVING SYSTEM WITH LEAF DOORS

##### ORD. NO.

**F NC 0211 01 51**

Including 16 tool holder frames 1-row with angled carriers

**Dimensions mm 1290x505x2000 h**

Tools and tool holders excluded

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 +  
RAL 7000 F. ....51

RAL 7035 +  
RAL 7000 F. ....56

#### SUPPLEMENTARY PARTS ■

■ **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. R CSC 0002 00

■ **Master key.** This type of key opens all the 45 and 46 series locks.

ORD. NO. R CSC 0001 00



# SHELVING SYSTEM SERIES NC-SYSTEM



## ORD. NO.

**F NC 0110 01 51**


Including: 8 frames 1-row ORD. NO. **F NC 5020 00 01**

8 pair of angled carriers ORD. NO. **F NC 5711 00 99**

Load capacity of shelving system: 1500 kg

**Dimensions mm 660x470x2000 h**

Tool holders excluded



## ORD. NO.

**F NC 0210 01 51**

Including: 16 frames 1-row ORD. NO. **F NC 5020 00 01**

16 pair of angled carriers ORD. NO. **F NC 5711 00 99**

Load capacity of shelving system for compartment: 500 kg

**Dimensions mm 1290x470x2000 h**

Tool holders excluded



## ORD. NO.

**F NC 0111 01 51**

Including: 8 frames 1-row ORD. NO. **F NC 5020 00 01**

8 pair of angled carriers ORD. NO. **F NC 5711 00 99**

Load capacity of shelving system: 1500 kg

**Dimensions mm 660x495x2000 h**

Tool holders excluded



## ORD. NO.

**F NC 0211 01 51**

Including: 16 frames 1-row ORD. NO. **F NC 5020 00 01**

16 pair of angled carriers ORD. NO. **F NC 5711 00 99**

Load capacity of shelving system for compartment: 500 kg

**Dimensions mm 1290x495x2000 h**

Tool holders excluded

## KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 + RAL 7000 F. ....51 RAL 7035 + RAL 7000 F. ....56



- The shelving system must be fixed to the floor or to the wall
- All indicated loads are net and refer to evenly distributed weights

Tool holders  
see page B32



## SHELVING SYSTEM SERIES NC-SYSTEM

**ORD. NO.  
TOOL HOLDERS**TOOL HOLDER  
TYPEMAX. QUANTITY PER  
TOOL FRAME F NC 5020 00 ..

|                        |               |   |
|------------------------|---------------|---|
| <b>F NC 9510 00 03</b> | ISO 30        | 7 |
| <b>F NC 9530 00 03</b> | ISO 40        | 7 |
| <b>F NC 9540 00 03</b> | ISO 45        | 5 |
| <b>F NC 9550 00 03</b> | ISO 50        | 5 |
| <b>F NC 9560 00 03</b> | VDI 30        | 7 |
| <b>F NC 9570 00 03</b> | VDI 40        | 5 |
| <b>F NC 9580 00 03</b> | VDI 50        | 5 |
| <b>F NC 9590 00 03</b> | VDI 60        | 5 |
| <b>F NC 9720 00 03</b> | MORSE TAPER 2 | 7 |
| <b>F NC 9730 00 03</b> | MORSE TAPER 3 | 7 |
| <b>F NC 9740 00 03</b> | MORSE TAPER 4 | 7 |
| <b>F NC 9750 00 03</b> | MORSE TAPER 5 | 5 |
| <b>F NC 9270 00 03</b> | CAPTO C3      | 7 |
| <b>F NC 9275 00 03</b> | CAPTO C4      | 5 |
| <b>F NC 9280 00 03</b> | CAPTO C5      | 5 |

**ORD. NO.  
TOOL HOLDERS**TOOL HOLDER  
TYPEMAX. QUANTITY PER  
TOOL FRAME F NC 5020 00 ..

|                        |               |   |
|------------------------|---------------|---|
| <b>F NC 9285 00 03</b> | CAPTO C6      | 5 |
| <b>F NC 9290 00 03</b> | CAPTO C8      | 4 |
| <b>F NC 9210 00 03</b> | HSK A32-B40   | 7 |
| <b>F NC 9220 00 03</b> | HSK A40-B50   | 7 |
| <b>F NC 9230 00 03</b> | HSK A50-B63   | 5 |
| <b>F NC 9240 00 03</b> | HSK A63-B80   | 5 |
| <b>F NC 9250 00 03</b> | HSK A80-B100  | 4 |
| <b>F NC 9260 00 03</b> | HSK A100-B125 | 4 |
| <b>F NC 9640 00 03</b> | 2"            | 5 |
| <b>F NC 9650 00 03</b> | 2" 1/4        | 5 |
| <b>F NC 9010 00 03</b> | 58 mm         | 9 |
| <b>F NC 9020 00 03</b> | 65 mm         | 8 |
| <b>F NC 9030 00 03</b> | 75 mm         | 7 |
| <b>F NC 9040 00 03</b> | 87 mm         | 6 |
| <b>F NC 9050 00 03</b> | 105 mm        | 5 |



RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

INFO ■


[www.famispa.com](http://www.famispa.com)


EMPTY SHELVING SYSTEM SERIES F NC 0110 / F NC 0111



| ORD. NO.                                         | ORD. NO.                                                             |
|--------------------------------------------------|----------------------------------------------------------------------|
| <b>F NC 0110 00 04</b>                           | <b>F NC 0110 X0 04</b>                                               |
| Single shelving system                           | Add-on shelving system                                               |
| Load capacity of single shelving system: 1500 kg | Load cap. of single shelving system + add-on: 500 kg for compartment |
| Dim. mm 660x470x2000 h                           | Dim. mm 630x470x2000 h                                               |



| ORD. NO.                                         | ORD. NO.                                                             |
|--------------------------------------------------|----------------------------------------------------------------------|
| <b>F NC 0111 00 04</b>                           | <b>F NC 0111 X0 04</b>                                               |
| Single shelving system                           | Add-on shelving system                                               |
| Load capacity of single shelving system: 1500 kg | Load cap. of single shelving system + add-on: 500 kg for compartment |
| Dim. mm 660x495x2000 h                           | Dim. mm 630x495x2000 h                                               |

ADJUSTABLE SHELF



| ORD. NO.                           | LOAD CAPACITY kg |
|------------------------------------|------------------|
| <b>F NC 3200 01 04</b>             | 30               |
| Overall dimensions mm 600x470x30 h |                  |

RUBBER MAT



| ORD. NO.                      |
|-------------------------------|
| <b>F NC 3950 00 07</b>        |
| Overall dimensions mm 595x465 |

ALUMINIUM INSERT FOR SHELVING SYSTEM F NC 0110 / F NC 0111



| ORD. NO.                           |
|------------------------------------|
| <b>F NC 2410 00 00</b>             |
| Aluminium insert with rubber       |
| Overall dimensions mm 525x135x45 h |




Example of tool holder frame ORD. NO.  
F NC 5020 00 .. with aluminium support

KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



- The shelving system must be fixed to the floor or to the wall
- All indicated loads are net and refer to evenly distributed weights



## SHELVING SYSTEM SERIES NC-SYSTEM

## TOOL FOR WOODEN INSERT OF MULTIPLEX FOR SHELVING SYSTEM F NC 0110 / F NC 0111

■ 01  
■ 02TOOL FOR WOODEN INSERT OF MULTIPLEX  
ORD. NO.

F NC 5021 00 01

Horizontal frame load capacity: 50 kg

Overall dimensions mm 584x140x146 h


WOODEN INSERT OF MULTIPLEX  
ORD. NO.

F NC 2510 00 00

Overall dimensions mm 525x138x50 h

Example of tool holder frame  
ORD. NO. F NC 5021 00 ..

## TOOL HOLDER FRAME AND ACCESSORIES FOR SHELVING SYSTEM F NC 0110 / F NC 0111

■ 01  
■ 02TOOL HOLDER FRAME  
ORD. NO.

F NC 5020 00 01

Horizontal frame load capacity: 50 kg

Dimensions mm 584x140x146 h

PAIR OF GALVANISED HANDLES  
ORD. NO.

F NC 5005 00 99

For frame ORD. NO. F NC 5020 00 ..



■ 99

PAIR OF GALVANISED HORIZONTAL CARRIERS  
ORD. NO.

F NC 5710 00 99

For frame ORD. NO. F NC 5020 00 ..

Overall dimensions mm 140x150 h



■ 99

PAIR OF GALVANISED ANGLED CARRIERS  
ORD. NO.

F NC 5711 00 99

For frame ORD. NO. F NC 5020 00 ..

Overall dimensions mm 140x150 h

TOOL HOLDER FRAME 3-ROWS AND ACCESSORIES  
FOR SHELVING SYSTEM F NC 0110 / F NC 0111■ 01  
■ 02TOOL HOLDER FRAME 3-ROWS  
ORD. NO.

F NC 5120 00 01

Horizontal frame load capacity: 150 kg

Overall dimensions mm 584x444x69 h

■ 01  
■ 02HORIZONTAL PAIR OF CARRIERS  
ORD. NO.

F NC 5620 00 01

For frame ORD. NO. F NC 5120 00 ..

Overall dimensions mm 430x112 h

■ 01  
■ 02ANGLED PAIR OF CARRIERS  
ORD. NO.

F NC 5721 00 01

For frame ORD. NO. F NC 5120 00 ..

Overall dimensions mm 430x114 h

RAL 7000 F. ....01

RAL 6011 F. ....02

## KEY ■

■ All indicated loads are net and refer to evenly distributed weights



SHELVING SYSTEM SERIES NC-SYSTEM



ORD. NO.  
TOOL HOLDERS

TOOL HOLDER  
TYPE

MAX. QUANTITY  
PER TOOL FRAME  
F NC 5020 00 ..

MAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00 ..

|                 |               |   |    |
|-----------------|---------------|---|----|
| F NC 9510 00 03 | ISO 30        | 7 | 24 |
| F NC 9530 00 03 | ISO 40        | 7 | 24 |
| F NC 9540 00 03 | ISO 45        | 5 | 18 |
| F NC 9550 00 03 | ISO 50        | 5 | 15 |
| F NC 9560 00 03 | VDI 30        | 7 | 24 |
| F NC 9570 00 03 | VDI 40        | 5 | 18 |
| F NC 9580 00 03 | VDI 50        | 5 | 18 |
| F NC 9590 00 03 | VDI 60        | 5 | 15 |
| F NC 9720 00 03 | MORSE TAPER 2 | 7 | 24 |
| F NC 9730 00 03 | MORSE TAPER 3 | 7 | 24 |
| F NC 9740 00 03 | MORSE TAPER 4 | 7 | 24 |
| F NC 9750 00 03 | MORSE TAPER 5 | 5 | 18 |
| F NC 9270 00 03 | CAPTO C3      | 7 | 24 |
| F NC 9275 00 03 | CAPTO C4      | 5 | 18 |
| F NC 9280 00 03 | CAPTO C5      | 5 | 18 |



ORD. NO.  
TOOL HOLDERS

TOOL HOLDER  
TYPE

MAX. QUANTITY  
PER TOOL FRAME  
F NC 5020 00 ..

MAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00 ..


|                 |               |   |    |
|-----------------|---------------|---|----|
| F NC 9285 00 03 | CAPTO C6      | 5 | 18 |
| F NC 9290 00 03 | CAPTO C8      | 4 | 12 |
| F NC 9210 00 03 | HSK A32-B40   | 7 | 24 |
| F NC 9220 00 03 | HSK A40-B50   | 7 | 24 |
| F NC 9230 00 03 | HSK A50-B63   | 5 | 18 |
| F NC 9240 00 03 | HSK A63-B80   | 5 | 18 |
| F NC 9250 00 03 | HSK A80-B100  | 4 | 12 |
| F NC 9260 00 03 | HSK A100-B125 | 4 | 12 |
| F NC 9640 00 03 | 2"            | 5 | 18 |
| F NC 9650 00 03 | 2" 1/4        | 5 | 15 |
| F NC 9010 00 03 | 58 mm         | 9 | 27 |
| F NC 9020 00 03 | 65 mm         | 8 | 24 |
| F NC 9030 00 03 | 75 mm         | 7 | 21 |
| F NC 9040 00 03 | 87 mm         | 6 | 18 |
| F NC 9050 00 03 | 105 mm        | 5 | 15 |



■ INFO



[www.famispa.com](http://www.famispa.com)



## SHELVING SYSTEM SERIES NC-SYSTEM



## ORD. NO.

**F NC 0120 01 51**

Including:

3 frames 4-rows ORD. NO. **F NC 5220 00 01**3 pair of carriers ORD. NO. **F NC 5741 00 01**

Load capacity of shelving system: 1500 kg

**Dimensions mm 660x620x2000 h**

Tool holders excluded



## ORD. NO.

**F NC 0220 01 51**

## DRAWERS

**2**Including: 18 frames 1-row ORD. NO. **F NC 5020 00 01**18 pair of angled carriers ORD. NO. **F NC 5711 00 99**2 adjustable shelves ORD. NO. **F NC 3210 00 04**2 telescopic extension drawers ORD. NO. **F NC 8610 00 04**

Load capacity of shelving system for compartment: 500 kg

**Dimensions mm 1290x620x2000 h**

Tool holders excluded



## ORD. NO.

**F NC 0121 01 51**Including: 9 frames 1-row ORD. NO. **F NC 5020 00 01**9 pair of angled carriers ORD. NO. **F NC 5711 00 99**

Load capacity of shelving system: 1500 kg

**Dimensions mm 660x645x2000 h**

Tool holders excluded



## ORD. NO.

**F NC 0221 01 51**Including: 18 frames 1-row ORD. NO. **F NC 5020 00 01**18 pair of angled carriers ORD. NO. **F NC 5711 00 99**

Load capacity of shelving system for compartment: 500 kg

**Dimensions mm 1290x645x2000 h**

Tool holders excluded

RAL 7000 F. ....01    RAL 6011 F. ....02    RAL 5012 RAL 7000 F. ....51    RAL 7035 RAL 7000 F. ....56

## KEY ■



■ Partitioning material see page **B47**

- The shelving system must be fixed to the floor or to the wall
- All indicated loads are net and refer to evenly distributed weights



# SHELVING SYSTEM SERIES NC-SYSTEM

## EMPTY SHELVING SYSTEM SERIES F NC 0120 / F NC 0121



### ORD. NO.

**F NC 0120 00 04**

Single shelving system

Load capacity of single shelving system: 1500 kg

Dim. mm 660x620x2000 h

### ORD. NO.

**F NC 0120 X0 04**

Add-on shelving system

Load capacity of single shelving system + add-on: 500 kg for compartment

Dim. mm 630x620x2000 h



### ORD. NO.

**F NC 0121 00 04**

Single shelving system with door

Load capacity of single shelving system: 1500 kg

Dim. mm 660x645x2000 h

### ORD. NO.

**F NC 0121 X0 04**

Add-on shelving system with door

Load capacity of single shelving system + add-on: 500 kg for comp.

Dim. mm 630x645x2000 h

## ADJUSTABLE SHELF



### ORD. NO.

**F NC 3210 01 04**

LOAD CAPACITY kg

30

Overall dimensions mm 600x620x30 h

## RUBBER MAT



### ORD. NO.

**F NC 3955 00 07**

Overall dimensions mm 595x615

## FIXING SET

■ Fixing material including (for 1 upright frame) 2 steel floor bolts M8x75 mm for uninterrupted concrete floors equal to higher than class: B25 / RBK250 / MPa 25 N for mm<sup>2</sup>.

ORD. NO. **F NC 8999 00 99**

■ The shelving system must be fixed to the floor or to the wall.

## ALUMINIUM INSERT FOR SHELVING SYSTEM F NC 0120 / F NC 0121



### ORD. NO.

**F NC 2410 00 00**

Aluminium insert with rubber

Overall dimensions mm 525x135x45 h




Example of tool holder frame ORD. NO. **F NC 5020 00 ..** with aluminium support

## KEY



RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



- The shelving system must be fixed to the floor or to the wall
- All indicated loads are net and refer to evenly distributed weights




## SHELVING SYSTEM SERIES NC-SYSTEM

TOOL HOLDER FRAMES 3-ROWS FOR DRAWERS  
FOR SHELVING SYSTEM F NC 0120 / F NC 0121

Example of drawer  
ORD. NO. **F NC 8610 00 04**  
application with tool holder  
frame 3-rows  
ORD. NO. **F NC 5110 00 01**,  
1 pair of carriers  
ORD. NO. **F NC 5630 00 01**  
and 12 tool holders ISO 50.

■ The tool holder frame load capacity is given by the drawer load capacity.



## TOOL HOLDER FRAME 3-ROWS

ORD. NO.

F NC 5110 00 01

Overall dimensions mm 515x444x69 h

## PAIR OF CARRIERS

ORD. NO.

DIMENSIONS mm

FOR LENGTH TAPERS MM REF. A

F NC 5630 00 01

446x86 h

A = 93 / 118 / 143

F NC 5830 00 01

446x136 h

A = 143 / 168 / 193

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5110 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9510 00 03 | ISO 30        | 21 |
| F NC 9530 00 03 | ISO 40        | 21 |
| F NC 9540 00 03 | ISO 45        | 15 |
| F NC 9550 00 03 | ISO 50        | 12 |
| F NC 9560 00 03 | VDI 30        | 21 |
| F NC 9570 00 03 | VDI 40        | 15 |
| F NC 9580 00 03 | VDI 50        | 15 |
| F NC 9590 00 03 | VDI 60        | 12 |
| F NC 9720 00 03 | MORSE TAPER 2 | 21 |
| F NC 9730 00 03 | MORSE TAPER 3 | 21 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5110 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9740 00 03 | MORSE TAPER 4 | 21 |
| F NC 9750 00 03 | MORSE TAPER 5 | 15 |
| F NC 9270 00 03 | CAPTO C3      | 21 |
| F NC 9275 00 03 | CAPTO C4      | 15 |
| F NC 9280 00 03 | CAPTO C5      | 15 |
| F NC 9285 00 03 | CAPTO C6      | 15 |
| F NC 9290 00 03 | CAPTO C8      | 12 |
| F NC 9210 00 03 | HSK A32-B40   | 21 |
| F NC 9220 00 03 | HSK A40-B50   | 21 |
| F NC 9230 00 03 | HSK A50-B63   | 15 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5110 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9240 00 03 | HSK A63-B80   | 15 |
| F NC 9250 00 03 | HSK A80-B100  | 12 |
| F NC 9260 00 03 | HSK A100-B125 | 12 |
| F NC 9640 00 03 | 2"            | 15 |
| F NC 9650 00 03 | 2" 1/4        | 12 |
| F NC 9010 00 03 | 58 mm         | 24 |
| F NC 9020 00 03 | 65 mm         | 21 |
| F NC 9030 00 03 | 75 mm         | 18 |
| F NC 9040 00 03 | 87 mm         | 15 |
| F NC 9050 00 03 | 105 mm        | 12 |

## 31,5x27 EH FULL TELESCOPIC EXTENSION DRAWERS FOR SHELVING SYSTEM F NC 0120 / F NC 0121



ORD. NO.

USABLE DIM.  
mmFRONT  
HEIGHT mmLOAD CAPACITY  
kg

F NC 8607 00 04

523x447x54 h

75

150

F NC 8610 00 04

523x447x79 h

100

150

F NC 8615 00 04

523x447x129 h

150

150

Extension: 100%

■ In the tool storage shelving system series **F NC 0120 / 121 / 220 / 221** drawers have to be assembled from the bottom to the top till a max. height of 1000 mm, paying attention that the load capacity of one drawer is 150 kg and that the total weight in all the drawers do not exceed 400 kg per compartment.



■ Drawers including the single drawer opening device.

■ Partitioning material see page **B47**

## TOOL FOR WOODEN INSERT OF MULTIPLEX FOR SHELVING SYSTEM F NC 0120 / F NC 0121

01  
02

## TOOL FOR WOODEN INSERT OF MULTIPLEX

ORD. NO. F NC 5021 00 01

Horizontal frame load capacity: 50 kg

Overall dimensions mm 584x140x146 h

## WOODEN INSERT OF MULTIPLEX

ORD. NO. F NC 2510 00 00

Overall dimensions mm 525x138x50 h



Example of tool holder frame  
ORD. NO. **F NC 5021 00 ..**

## SHELVING SYSTEM SERIES NC-SYSTEM

### TOOL HOLDER FRAME AND ACCESSORIES FOR SHELVING SYSTEM F NC 0120 / F NC 0121



**TOOL HOLDER FRAME**

**ORD. NO.** F NC 5020 00 01

Horizontal frame load capacity: 50 kg

Dimensions mm 584x140x146 h



**PAIR OF GALVANISED HANDLES**

**ORD. NO.** F NC 5005 00 99

For frame ORD. NO. F NC 5020 00 ..



**PAIR OF GALVANISED HORIZONTAL CARRIERS**

**ORD. NO.** F NC 5710 00 99

For frame ORD. NO. F NC 5020 00 ..

Overall dimensions mm 140x150 h



**PAIR OF GALVANISED ANGLED CARRIERS**

**ORD. NO.** F NC 5711 00 99

For frame ORD. NO. F NC 5020 00 ..

Overall dimensions mm 140x150 h

### TOOL HOLDER FRAME 4-ROWS AND ACCESSORIES FOR SHELVING SYSTEM F NC 0120 / F NC 0121



**TOOL HOLDER FRAME 4-ROWS**

**ORD. NO.**

**F NC 5220 00 01**

Horizontal frame load capacity: 150 kg

Overall dimensions mm 584x592x69 h




**HORIZONTAL PAIR OF CARRIERS**

**ORD. NO.**

**F NC 5640 00 01**

For frame ORD. NO. F NC 5220 00 ..

Overall dimensions mm 577x112 h



**ANGLED PAIR OF CARRIERS**

**ORD. NO.**

**F NC 5741 00 01**

For frame ORD. NO. F NC 5220 00 ..

Overall dimensions mm 577x114 h



#### ORD. NO. TOOL HOLDERS

| ORD. NO.<br>TOOL HOLDERS | TOOL HOLDER<br>TYPE | MAX. QUANTITY<br>PER TOOL FRAME<br>F NC 5020 00 .. | MAX. QUANTITY<br>PER TOOL FRAME<br>F NC 5220 00 .. |
|--------------------------|---------------------|----------------------------------------------------|----------------------------------------------------|
| F NC 9510 00 03          | ISO 30              | 7                                                  | 32                                                 |
| F NC 9530 00 03          | ISO 40              | 7                                                  | 32                                                 |
| F NC 9540 00 03          | ISO 45              | 5                                                  | 24                                                 |
| F NC 9550 00 03          | ISO 50              | 5                                                  | 20                                                 |
| F NC 9560 00 03          | VDI 30              | 7                                                  | 32                                                 |
| F NC 9570 00 03          | VDI 40              | 5                                                  | 24                                                 |
| F NC 9580 00 03          | VDI 50              | 5                                                  | 24                                                 |
| F NC 9590 00 03          | VDI 60              | 5                                                  | 20                                                 |
| F NC 9720 00 03          | MORSE TAPER 2       | 7                                                  | 32                                                 |
| F NC 9730 00 03          | MORSE TAPER 3       | 7                                                  | 32                                                 |
| F NC 9740 00 03          | MORSE TAPER 4       | 7                                                  | 32                                                 |
| F NC 9750 00 03          | MORSE TAPER 5       | 5                                                  | 24                                                 |
| F NC 9270 00 03          | CAPTO C3            | 7                                                  | 32                                                 |
| F NC 9275 00 03          | CAPTO C4            | 5                                                  | 24                                                 |
| F NC 9280 00 03          | CAPTO C5            | 5                                                  | 24                                                 |

#### ORD. NO. TOOL HOLDERS

| ORD. NO.<br>TOOL HOLDERS | TOOL HOLDER<br>TYPE | MAX. QUANTITY<br>PER TOOL FRAME<br>F NC 5020 00 .. | MAX. QUANTITY<br>PER TOOL FRAME<br>F NC 5220 00 .. |
|--------------------------|---------------------|----------------------------------------------------|----------------------------------------------------|
| F NC 9285 00 03          | CAPTO C6            | 5                                                  | 24                                                 |
| F NC 9290 00 03          | CAPTO C8            | 4                                                  | 16                                                 |
| F NC 9210 00 03          | HSK A32-B40         | 7                                                  | 32                                                 |
| F NC 9220 00 03          | HSK A40-B50         | 7                                                  | 32                                                 |
| F NC 9230 00 03          | HSK A50-B63         | 5                                                  | 24                                                 |
| F NC 9240 00 03          | HSK A63-B80         | 5                                                  | 24                                                 |
| F NC 9250 00 03          | HSK A80-B100        | 4                                                  | 16                                                 |
| F NC 9260 00 03          | HSK A100-B125       | 4                                                  | 16                                                 |
| F NC 9640 00 03          | 2"                  | 5                                                  | 24                                                 |
| F NC 9650 00 03          | 2" 1/4              | 5                                                  | 20                                                 |
| F NC 9010 00 03          | 58 mm               | 9                                                  | 36                                                 |
| F NC 9020 00 03          | 65 mm               | 8                                                  | 32                                                 |
| F NC 9030 00 03          | 75 mm               | 7                                                  | 28                                                 |
| F NC 9040 00 03          | 87 mm               | 6                                                  | 24                                                 |
| F NC 9050 00 03          | 105 mm              | 5                                                  | 20                                                 |

## SHELVING SYSTEM SERIES NC-SYSTEM



## ORD. NO.

**F NC 0822 01 51**

Including:

4 frames 1-row ORD. NO. **F NC 5050 00 01**4 angled pair of carriers ORD. NO. **F NC 5711 00 99**

1 telescopic extension drawer

ORD. NO. **F NC 8910 00 04**1 tool frame a 3 file ORD. NO. **F NC 5140 00 01**1 pair of carriers ORD. NO. **F NC 5630 00 01**

1 telescopic extension drawer

ORD. NO. **F NC 8915 00 04**1 telescopic retract. shelf ORD. NO. **F NC 8660 00 04**

Load capacity of shelving system: 1500 kg

**Dimensions mm 1042x645x2200 h**

Tool holders excluded

## ORD. NO.

**F NC 0822 04 51**

Including:

8 frames 1-row ORD. NO. **F NC 5050 00 01**8 pair of angled carriers ORD. NO. **F NC 5711 00 99**

Load capacity of shelving system: 1500 kg

**Dimensions mm 1042x645x2200 h**

Tool holders excluded

## ORD. NO.

**F NC 0822 06 51**


Including:

4 frames 4-rows ORD. NO. **F NC 5250 00 01**4 pair of angled carriers ORD. NO. **F NC 5741 00 01**

Load capacity of shelving system: 1500 kg

**Dimensions mm 1042x645x2200 h**

Tool holders excluded



■ Detail of roller shutter door

RAL 7000 F. ....01    RAL 6011 F. ....02    RAL 5012 +  
 RAL 7000 F. ....51    RAL 7035 +  
 RAL 7000 F. ....56

## INFO ■

■ Partitioning material see page B46

[www.famispa.com](http://www.famispa.com)



DIMENSIONS = 1042x645x2200 mm

## SHELVING SYSTEM SERIES NC-SYSTEM

01 02 51 56



ORD. NO. F NC 0822 13 51

### ORD. NO.

#### F NC 0822 13 51

Including:

3 frames 1-row ORD. NO. F NC 5050 00 01

3 pair of angled carriers ORD. NO. F NC 5711 00 99

2 frames 3-rows ORD. NO. F NC 5140 00 01

2 pair of carriers ORD. NO. F NC 5630 00 01

2 telescopic extension drawers

ORD. NO. F NC 8915 00 04

1 telescopic retract. shelf ORD. NO. F NC 8660 00 04

Load capacity of shelving system: 1500 kg

Dimensions mm 1042x645x2200 h

Tool holders excluded

### ORD. NO.

#### F NC 0822 12 51

Including:

4 frames 3-rows ORD. NO. F NC 5140 00 01

4 pair of carriers ORD. NO. F NC 5630 00 01

4 telescopic extension drawers

ORD. NO. F NC 8915 00 04

Dimensions mm 1042x645x2200 h

Tool holders excluded

01 02 51 56



ORD. NO. F NC 0822 12 51



### ORD. NO. TOOL HOLDERS

TOOL HOLDER  
TYPE

MAX. QUANTITY PER  
TOOL FRAME F NC 5050 00 ..

MAX. QUANTITY PER  
TOOL FRAME F NC 5140 00 ..

MAX. QUANTITY PER  
TOOL FRAME F NC 5250 00 ..

| ORD. NO.<br>TOOL HOLDERS | TOOL HOLDER<br>TYPE | MAX. QUANTITY PER<br>TOOL FRAME F NC 5050 00 .. | MAX. QUANTITY PER<br>TOOL FRAME F NC 5140 00 .. | MAX. QUANTITY PER<br>TOOL FRAME F NC 5250 00 .. |
|--------------------------|---------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|
| F NC 9510 00 03          | ISO 30              | 12                                              | 33                                              | 48                                              |
| F NC 9530 00 03          | ISO 40              | 12                                              | 33                                              | 48                                              |
| F NC 9540 00 03          | ISO 45              | 10                                              | 27                                              | 40                                              |
| F NC 9550 00 03          | ISO 50              | 8                                               | 24                                              | 32                                              |
| F NC 9560 00 03          | VDI 30              | 12                                              | 33                                              | 48                                              |
| F NC 9570 00 03          | VDI 40              | 10                                              | 27                                              | 40                                              |
| F NC 9580 00 03          | VDI 50              | 10                                              | 27                                              | 40                                              |
| F NC 9590 00 03          | VDI 60              | 8                                               | 24                                              | 32                                              |
| F NC 9720 00 03          | MORSE TAPER 2       | 12                                              | 33                                              | 48                                              |
| F NC 9730 00 03          | MORSE TAPER 3       | 12                                              | 33                                              | 48                                              |
| F NC 9740 00 03          | MORSE TAPER 4       | 12                                              | 33                                              | 48                                              |
| F NC 9750 00 03          | MORSE TAPER 5       | 10                                              | 27                                              | 40                                              |
| F NC 9270 00 03          | CAPTO C3            | 12                                              | 33                                              | 48                                              |
| F NC 9275 00 03          | CAPTO C4            | 10                                              | 27                                              | 40                                              |
| F NC 9280 00 03          | CAPTO C5            | 10                                              | 27                                              | 40                                              |
| F NC 9285 00 03          | CAPTO C6            | 10                                              | 27                                              | 40                                              |
| F NC 9290 00 03          | CAPTO C8            | 8                                               | 21                                              | 32                                              |
| F NC 9210 00 03          | HSK A32-B40         | 12                                              | 33                                              | 48                                              |
| F NC 9220 00 03          | HSK A40-B50         | 12                                              | 33                                              | 48                                              |
| F NC 9230 00 03          | HSK A50-B63         | 10                                              | 27                                              | 40                                              |
| F NC 9240 00 03          | HSK A63-B80         | 10                                              | 27                                              | 40                                              |
| F NC 9250 00 03          | HSK A80-B100        | 8                                               | 21                                              | 32                                              |
| F NC 9260 00 03          | HSK A100-B125       | 8                                               | 21                                              | 32                                              |
| F NC 9640 00 03          | 2"                  | 10                                              | 27                                              | 40                                              |
| F NC 9650 00 03          | 2" 1/4              | 8                                               | 24                                              | 32                                              |
| F NC 9010 00 03          | 58 mm               | 15                                              | 42                                              | 60                                              |
| F NC 9020 00 03          | 65 mm               | 14                                              | 39                                              | 56                                              |
| F NC 9030 00 03          | 75 mm               | 12                                              | 33                                              | 48                                              |
| F NC 9040 00 03          | 87 mm               | 10                                              | 27                                              | 40                                              |
| F NC 9050 00 03          | 105 mm              | 8                                               | 24                                              | 32                                              |

EMPTY SHELVING SYSTEM SERIES F NC 0822

|                                                                                                                                                                                                                             |                                                                 |   |                        |  |                         |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|---|------------------------|--|-------------------------|--|--|
|                                                                                                                                            | <div><div>01</div><div>02</div><div>04</div><div>08</div></div> |   |                        |  |                         |  |  |
| <div><div>ORD. NO.</div><div>ANTI-TILT ROD LENGTH</div></div> <table><tr><td>F NC 0822 00 04</td><td>-</td></tr><tr><td>Load capacity: 1500 kg</td><td></td></tr><tr><td>Dim. mm 1042x645x2200 h</td><td></td></tr></table> | F NC 0822 00 04                                                 | - | Load capacity: 1500 kg |  | Dim. mm 1042x645x2200 h |  |  |
| F NC 0822 00 04                                                                                                                                                                                                             | -                                                               |   |                        |  |                         |  |  |
| Load capacity: 1500 kg                                                                                                                                                                                                      |                                                                 |   |                        |  |                         |  |  |
| Dim. mm 1042x645x2200 h                                                                                                                                                                                                     |                                                                 |   |                        |  |                         |  |  |

|                                                                                                                                                                                                                                                                                   |                                                                 |        |                 |         |                        |  |                         |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------|-----------------|---------|------------------------|--|-------------------------|--|--|
|                                                                                                                                                                                                  | <div><div>01</div><div>02</div><div>04</div><div>08</div></div> |        |                 |         |                        |  |                         |  |  |
| <div><div>ORD. NO.</div><div>ANTI-TILT ROD LENGTH</div></div> <table><tr><td>F NC 0822 11 04</td><td>900 mm</td></tr><tr><td>F NC 0822 10 04</td><td>1225 mm</td></tr><tr><td>Load capacity: 1500 kg</td><td></td></tr><tr><td>Dim. mm 1042x645x2200 h</td><td></td></tr></table> | F NC 0822 11 04                                                 | 900 mm | F NC 0822 10 04 | 1225 mm | Load capacity: 1500 kg |  | Dim. mm 1042x645x2200 h |  |  |
| F NC 0822 11 04                                                                                                                                                                                                                                                                   | 900 mm                                                          |        |                 |         |                        |  |                         |  |  |
| F NC 0822 10 04                                                                                                                                                                                                                                                                   | 1225 mm                                                         |        |                 |         |                        |  |                         |  |  |
| Load capacity: 1500 kg                                                                                                                                                                                                                                                            |                                                                 |        |                 |         |                        |  |                         |  |  |
| Dim. mm 1042x645x2200 h                                                                                                                                                                                                                                                           |                                                                 |        |                 |         |                        |  |                         |  |  |

|                                                                                                                                                                                                                                   |                                                                 |         |                        |  |                         |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------|------------------------|--|-------------------------|--|--|
|                                                                                                                                                | <div><div>01</div><div>02</div><div>04</div><div>08</div></div> |         |                        |  |                         |  |  |
| <div><div>ORD. NO.</div><div>ANTI-TILT ROD LENGTH</div></div> <table><tr><td>F NC 0822 09 04</td><td>1900 mm</td></tr><tr><td>Load capacity: 1500 kg</td><td></td></tr><tr><td>Dim. mm 1042x645x2200 h</td><td></td></tr></table> | F NC 0822 09 04                                                 | 1900 mm | Load capacity: 1500 kg |  | Dim. mm 1042x645x2200 h |  |  |
| F NC 0822 09 04                                                                                                                                                                                                                   | 1900 mm                                                         |         |                        |  |                         |  |  |
| Load capacity: 1500 kg                                                                                                                                                                                                            |                                                                 |         |                        |  |                         |  |  |
| Dim. mm 1042x645x2200 h                                                                                                                                                                                                           |                                                                 |         |                        |  |                         |  |  |

FIXING SET



■ Fixing material including (for 1 upright frame) 2 steel floor bolts M8x75 mm for uninterrupted concrete floors equal or higher than class: B25 / RBK250 / MPa 25 N for mm².

ORD. NO. F NC 8999 00 99

■ The shelving system must be fixed to the floor or to the wall.



■ Detail of roller shutter door

PLINTHS FOR TRANSPALLET FOR SHELVING SYSTEM F NC 0822



■ 07


ORD. NO.

|                 |                      |
|-----------------|----------------------|
| F NC 8410 00 07 | Plinth height 100 mm |
| F NC 8430 00 07 | Facing piece         |

DIMENSIONS = 1042x645x2200 mm


SHELVING SYSTEM SERIES NC-SYSTEM

### ADJUSTABLE SHELF FOR SHELVING SYSTEM WITHOUT ANTI-TILT ROD F NC 0822




| ORD. NO.        | OVERALL DIMENSIONS mm | LOAD CAPACITY kg |
|-----------------|-----------------------|------------------|
| F NC 3810 01 04 | 980x625x30 h          | 100              |

### ADJUSTABLE SHELF FOR SHELVING SYSTEM WITH ANTI-TILT ROD F NC 0822



| ORD. NO.        | USABLE DIMENSIONS mm | SIDE HEIGHT mm | LOAD CAPACITY kg |
|-----------------|----------------------|----------------|------------------|
| F NC 3820 01 04 | 967x465              | 25             | 100              |
| Extension: 100% |                      |                |                  |

### 54x27 EH FULL TELESCOPIC EXTENSION DRAWERS FOR SHELVING SYSTEM F NC 0822




| ORD. NO.        | USABLE DIMENSIONS mm | FRONT HEIGHT mm | LOAD CAPACITY kg |
|-----------------|----------------------|-----------------|------------------|
| F NC 8907 00 04 | 906x447x54 h         | 75              | 150              |
| F NC 8910 00 04 | 906x447x79 h         | 100             | 150              |
| F NC 8915 00 04 | 906x447x129 h        | 150             | 150              |
| Extension: 100% |                      |                 |                  |

■ Drawers can be assembled in shelvings with anti-tilt rod.

■ Partitioning material see page B46

### 54x27 EH FULL TELESCOPIC EXTENSION SHELVES FOR SHELVING SYSTEM F NC 0822



| ORD. NO.        | USABLE DIMENSIONS mm | FRONT HEIGHT mm | LOAD CAPACITY kg |
|-----------------|----------------------|-----------------|------------------|
| F NC 8660 00 04 | 916x457 h            | 85              | 150              |
| Extension: 100% |                      |                 |                  |


■ Full telescopic extension shelves must be assembled in shelvings with anti-tilt rod.

#### ■ KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



■ All indicated loads are net and refer to evenly distributed weights



## SHELVING SYSTEM SERIES NC-SYSTEM

## TOOL HOLDER FRAME 4-ROWS AND ACCESSORIES FOR SHELVING SYSTEM F NC 0822



■ 01  
■ 02

## TOOL HOLDER FRAME 4-ROWS

ORD. NO.

F NC 5250 00 01

Horizontal frame load capacity: 150 kg

Overall dimensions mm 966x592x69 h



■ 01  
■ 02


## HORIZONTAL PAIR OF CARRIERS

ORD. NO.

F NC 5640 00 01

For frame ORD. NO. F NC 5250 00 ..

Overall dimensions mm 577x112 h



■ 01  
■ 02

## ANGLED PAIR OF CARRIERS

ORD. NO.

F NC 5741 00 01

For frame ORD. NO. F NC 5250 00 ..

Overall dimensions mm 577x114 h

## TOOL HOLDER FRAME AND ACCESSORIES FOR SHELVING SYSTEM F NC 0822



■ 01  
■ 02

## TOOL HOLDER FRAME

ORD. NO.

F NC 5050 00 01

Horizontal frame load capacity: 80 kg

Dimensions mm 968x140x146 h



■ 99

## PAIR OF GALVANISED HANDLES

ORD. NO.

F NC 5005 00 99

For frame ORD. NO. F NC 5050 00 ..



■ 99



## PAIR OF GALVANISED HORIZONTAL CARRIERS

ORD. NO.

F NC 5710 00 99

For frame ORD. NO. F NC 5050 00 ..

Overall dimensions mm 140x150 h



■ 99

## PAIR OF GALVANISED ANGLED CARRIERS

ORD. NO.

F NC 5711 00 99

For frame ORD. NO. F NC 5050 00 ..

Overall dimensions mm 140x150 h

RAL 7000 F. ....01

RAL 6011 F. ....02

## KEY ■

■ All indicated loads are net and refer to evenly distributed weights




DIMENSIONS = 1042x645x2200 mm

# SHELVING SYSTEM SERIES NC-SYSTEM


## TOOL HOLDER FRAME 3-ROWS FOR DRAWERS FOR SHELVING SYSTEM F NC 0822



01  
02



■ The tool holder frame load capacity is given by the drawer load capacity.



### TOOL HOLDER FRAME 3-ROWS

ORD. NO.

F NC 5140 00 01

Overall dimensions mm 890x444x69 h

### PAIR OF CARRIERS

ORD. NO.

DIMENSIONS mm

FOR LENGTH TAPERS MM REF. A

F NC 5630 00 01

446x86 h

A = 93 / 118 / 143

F NC 5830 00 01

446x136 h

A = 143 / 168 / 193



### ORD. NO. TOOL HOLDERS

TOOL HOLDER  
TYPE

MAX. QUANTITY PER  
TOOL FRAME F NC 5050 00 ..

MAX. QUANTITY PER  
TOOL FRAME F NC 5140 00 ..

MAX. QUANTITY PER  
TOOL FRAME F NC 5250 00 ..

| ORD. NO.<br>TOOL HOLDERS | TOOL HOLDER<br>TYPE | MAX. QUANTITY PER<br>TOOL FRAME F NC 5050 00 .. | MAX. QUANTITY PER<br>TOOL FRAME F NC 5140 00 .. | MAX. QUANTITY PER<br>TOOL FRAME F NC 5250 00 .. |
|--------------------------|---------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|
| F NC 9510 00 03          | ISO 30              | 12                                              | 33                                              | 48                                              |
| F NC 9530 00 03          | ISO 40              | 12                                              | 33                                              | 48                                              |
| F NC 9540 00 03          | ISO 45              | 10                                              | 27                                              | 40                                              |
| F NC 9550 00 03          | ISO 50              | 8                                               | 24                                              | 32                                              |
| F NC 9560 00 03          | VDI 30              | 12                                              | 33                                              | 48                                              |
| F NC 9570 00 03          | VDI 40              | 10                                              | 27                                              | 40                                              |
| F NC 9580 00 03          | VDI 50              | 10                                              | 27                                              | 40                                              |
| F NC 9590 00 03          | VDI 60              | 8                                               | 24                                              | 32                                              |
| F NC 9720 00 03          | MORSE TAPER 2       | 12                                              | 33                                              | 48                                              |
| F NC 9730 00 03          | MORSE TAPER 3       | 12                                              | 33                                              | 48                                              |
| F NC 9740 00 03          | MORSE TAPER 4       | 12                                              | 33                                              | 48                                              |
| F NC 9750 00 03          | MORSE TAPER 5       | 10                                              | 27                                              | 40                                              |
| F NC 9270 00 03          | CAPTO C3            | 12                                              | 33                                              | 48                                              |
| F NC 9275 00 03          | CAPTO C4            | 10                                              | 27                                              | 40                                              |
| F NC 9280 00 03          | CAPTO C5            | 10                                              | 27                                              | 40                                              |
| F NC 9285 00 03          | CAPTO C6            | 10                                              | 27                                              | 40                                              |
| F NC 9290 00 03          | CAPTO C8            | 8                                               | 21                                              | 32                                              |
| F NC 9210 00 03          | HSK A32-B40         | 12                                              | 33                                              | 48                                              |
| F NC 9220 00 03          | HSK A40-B50         | 12                                              | 33                                              | 48                                              |
| F NC 9230 00 03          | HSK A50-B63         | 10                                              | 27                                              | 40                                              |
| F NC 9240 00 03          | HSK A63-B80         | 10                                              | 27                                              | 40                                              |
| F NC 9250 00 03          | HSK A80-B100        | 8                                               | 21                                              | 32                                              |
| F NC 9260 00 03          | HSK A100-B125       | 8                                               | 21                                              | 32                                              |
| F NC 9640 00 03          | 2"                  | 10                                              | 27                                              | 40                                              |
| F NC 9650 00 03          | 2" 1/4              | 8                                               | 24                                              | 32                                              |
| F NC 9010 00 03          | 58 mm               | 15                                              | 42                                              | 60                                              |
| F NC 9020 00 03          | 65 mm               | 14                                              | 39                                              | 56                                              |
| F NC 9030 00 03          | 75 mm               | 12                                              | 33                                              | 48                                              |
| F NC 9040 00 03          | 87 mm               | 10                                              | 27                                              | 40                                              |
| F NC 9050 00 03          | 105 mm              | 8                                               | 24                                              | 32                                              |


### ■ INFO

RAL 7000 F. ....01

RAL 6011 F. ....02




www.famispaspa.com




## SHELVING SYSTEM SERIES NC-SYSTEM

## SET OF PARTITIONS FOR DRAWERS 54x27 EH




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4005 12 00</b> | 75-150            |
| Set including:         |                   |
| 6 Throughs             | 4 grooves         |
| 15 Through dividers    | 36 mm             |
| 6 Throughs             | 3 grooves         |
| 10 Plain partitions    | 47 mm             |
| 6 Throughs             | 2 grooves         |
| 6 Plain partitions     | 73 mm             |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4005 15 00</b> | 75-150            |
| Set including:         |                   |
| 12 Throughs            | 4 grooves         |
| 30 Through dividers    | 36 mm             |
| 6 Throughs             | 3 grooves         |
| 10 Plain partitions    | 47 mm             |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4007 01 00</b> | 75                |
| <b>F FH 4010 01 00</b> | 100               |
| <b>F FH 4015 01 00</b> | 150               |
| Set including:         |                   |
| 2 Plain partitions     | 914 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4007 03 00</b> | 75                |
| <b>F FH 4010 03 00</b> | 100               |
| <b>F FH 4015 03 00</b> | 150               |
| Set including:         |                   |
| 5 Slotted partitions   | 455 mm            |
| 12 Plain partitions    | 149 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4007 04 00</b> | 75                |
| <b>F FH 4010 04 00</b> | 100               |
| <b>F FH 4015 04 00</b> | 150               |
| Set including:         |                   |
| 4 Plain partitions     | 455 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4007 05 00</b> | 75                |
| <b>F FH 4010 05 00</b> | 100               |
| <b>F FH 4015 05 00</b> | 150               |
| Set including:         |                   |
| 4 Slotted partitions   | 455 mm            |
| 2 Plain partitions     | 149 mm            |
| 3 Plain partitions     | 200 mm            |



| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4007 11 00</b> | 75                |
| <b>F FH 4010 11 00</b> | 100               |
| Set including:         |                   |
| 18 Plastic boxes       | 150x150 mm        |



| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4007 13 00</b> | 75                |
| <b>F FH 4010 13 00</b> | 100               |
| Set including:         |                   |
| 12 Plastic boxes       | 150x75 mm         |
| 12 Plastic boxes       | 150x150 mm        |



| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 4007 16 00</b> | 75                |
| Set including:         |                   |
| 20 Plastic boxes       | 75x75 mm          |
| 14 Plastic boxes       | 150x75 mm         |
| 6 Plastic boxes        | 150x150 mm        |

## KEY ■


■ Partitioning material see page A180




31,5x27 EH

# SHELVING SYSTEM SERIES NC-SYSTEM


## SET OF PARTITIONS FOR DRAWERS 31,5x27 EH




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 8707 01 00</b> | 75-150            |
| Set including:         |                   |
| 3 Throughs             | 4 grooves         |
| 6 Throughs             | 3 grooves         |
| 16 Through dividers    | 36 mm             |
| 7 Plain partitions     | 47 mm             |
| 1 Plain partition      | 455 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 8707 02 00</b> | 75-150            |
| Set including:         |                   |
| 3 Throughs             | 3 grooves         |
| 6 Throughs             | 2 grooves         |
| 15 Through dividers    | 47 mm             |
| 8 Plain partitions     | 73 mm             |
| 1 Plain partition      | 455 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 8707 03 00</b> | 75-150            |
| Set including:         |                   |
| 9 Throughs             | 2 grooves         |
| 18 Through dividers    | 73 mm             |
| 1 Plain partition      | 455 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 8707 04 00</b> | 75                |
| <b>F FH 8710 04 00</b> | 100               |
| <b>F FH 8715 04 00</b> | 150               |
| Set including:         |                   |
| 2 Slotted partitions   | 455 mm            |
| 4 Plain partitions     | 149 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 8407 13 00</b> | 75                |
| <b>F FH 8410 13 00</b> | 100               |
| <b>F FH 8415 13 00</b> | 150               |
| Set including:         |                   |
| 2 Plain partitions     | 455 mm            |



| ORD. NO.                 | FOR FRONT HEIGHTS |
|--------------------------|-------------------|
| <b>F FH 8605 19 00</b>   | 75-150            |
| Set including:           |                   |
| 2 Multi-purpose supports | 440 mm            |



| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 8707 05 00</b> | 75                |
| Set including:         |                   |
| 8 Plastic boxes        | 75x75 mm          |
| 6 Plastic boxes        | 150x75 mm         |
| 4 Plastic boxes        | 150x150 mm        |
| 1 Plain partition      | 455 mm            |




| ORD. NO.               | FOR FRONT HEIGHTS |
|------------------------|-------------------|
| <b>F FH 8707 06 00</b> | 75                |
| <b>F FH 8710 06 00</b> | 100               |
| Set including:         |                   |
| 6 Plastic boxes        | 150x75 mm         |
| 6 Plastic boxes        | 150x150 mm        |
| 1 Plain partition      | 455 mm            |



■ KEY



■ Partitioning material see page A180



## CABINETS SERIES NC-STANDARD F27

LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)





**ORD. NO. F AF 1040 15 08**  
RAL 7035



**ORD. NO. F AE 1040 14 50**  
RAL 7035 + 5012

- The max. height of the tool holder taper which can be inserted in the drawer frame is **143 mm**. For higher tapers, please see page **B69**.



## FLOOR FIXING SET



2x

- 2 "HILTI" plugs for concrete floors  $\geq$  to classes B25/RBK250/MPa 25 N/mm<sup>2</sup>
- Recommended traction of the plug: 2.9 KN
- Plug diameter:  $\varnothing$  6 mm

**ORD. NO. F AG 9204 00 99**

## CABINET WITH SLIDING DOORS

**ORD. NO.** **DRAWERS**

**F AF 1040 15 08** **4**

Including 4 drawers

2 retractable shelves

2 tool holder frames

**Dimensions mm 1431x632x1000 h**

Tools and tool holders excluded

## CABINET WITH LEAF DOORS

**ORD. NO.** **DRAWERS**

**F AE 1040 14 50** **2**

Including 2 drawers

2 retractable shelves

**Dimensions mm 717x597x1000 h**

Tools excluded

RAL 7000 F.....01

RAL 6011 F.....02

RAL 5012 F.....04

RAL 7035 F.....08

## SUPPLEMENTARY PARTS ■

- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. R CSC 0002 00



- **Master key.** This type of key opens all the 45 and 46 series locks.

ORD. NO. R CSC 0001 00



LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)

## CABINETS SERIES NC-STANDARD F27



## ORD. NO.

**F AE 1040 17 04**

Including:

2 normal extension drawers ORD. NO. **F FG 1007 00 04**2 telescopic extension drawers ORD. NO. **F FG 1110 00 04**2 frames 3-rows ORD. NO. **F NC 5120 00 01**2 pairs of carriers ORD. NO. **F NC 5630 00 01****Dimensions mm 717x597x1000 h**


Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

|           | Height frame with drawer | Usable height   | Max. height of the tool taper |
|-----------|--------------------------|-----------------|-------------------------------|
| <b>A1</b> | 115 mm                   | <b>B</b> 235 mm | <b>D</b> 93 mm                |
| <b>A2</b> | 140 mm                   | <b>B</b> 210 mm | <b>D</b> 118 mm               |
| <b>A3</b> | 165 mm                   | <b>B</b> 185 mm | <b>D</b> 143 mm               |
| <b>A1</b> | 115 mm                   | <b>C</b> 260 mm | <b>D</b> 93 mm                |
| <b>A2</b> | 140 mm                   | <b>C</b> 235 mm | <b>D</b> 118 mm               |
| <b>A3</b> | 165 mm                   | <b>C</b> 210 mm | <b>D</b> 143 mm               |

The adjustment pitch of the drawer is 25 mm in height.

Height drawer with frame

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY PER  
TOOL FRAME F NC 5120 00 ..

|                        |               |    |
|------------------------|---------------|----|
| <b>F NC 9510 00 03</b> | ISO 30        | 24 |
| <b>F NC 9530 00 03</b> | ISO 40        | 24 |
| <b>F NC 9540 00 03</b> | ISO 45        | 18 |
| <b>F NC 9550 00 03</b> | ISO 50        | 15 |
| <b>F NC 9560 00 03</b> | VDI 30        | 24 |
| <b>F NC 9570 00 03</b> | VDI 40        | 18 |
| <b>F NC 9580 00 03</b> | VDI 50        | 18 |
| <b>F NC 9590 00 03</b> | VDI 60        | 15 |
| <b>F NC 9720 00 03</b> | MORSE TAPER 2 | 24 |
| <b>F NC 9730 00 03</b> | MORSE TAPER 3 | 24 |
| <b>F NC 9740 00 03</b> | MORSE TAPER 4 | 24 |
| <b>F NC 9750 00 03</b> | MORSE TAPER 5 | 18 |
| <b>F NC 9270 00 03</b> | CAPTO C3      | 24 |
| <b>F NC 9275 00 03</b> | CAPTO C4      | 18 |
| <b>F NC 9280 00 03</b> | CAPTO C5      | 18 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY PER  
TOOL FRAME F NC 5120 00 ..

|                        |               |    |
|------------------------|---------------|----|
| <b>F NC 9285 00 03</b> | CAPTO C6      | 18 |
| <b>F NC 9290 00 03</b> | CAPTO C8      | 12 |
| <b>F NC 9210 00 03</b> | HSK A32-B40   | 24 |
| <b>F NC 9220 00 03</b> | HSK A40-B50   | 24 |
| <b>F NC 9230 00 03</b> | HSK A50-B63   | 18 |
| <b>F NC 9240 00 03</b> | HSK A63-B80   | 18 |
| <b>F NC 9250 00 03</b> | HSK A80-B100  | 12 |
| <b>F NC 9260 00 03</b> | HSK A100-B125 | 12 |
| <b>F NC 9640 00 03</b> | 2"            | 18 |
| <b>F NC 9650 00 03</b> | 2" 1/4        | 15 |
| <b>F NC 9010 00 03</b> | 58 mm         | 27 |
| <b>F NC 9020 00 03</b> | 65 mm         | 24 |
| <b>F NC 9030 00 03</b> | 75 mm         | 21 |
| <b>F NC 9040 00 03</b> | 87 mm         | 18 |
| <b>F NC 9050 00 03</b> | 105 mm        | 15 |

## ■ KEY

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08



- **S** = normal extension (87%)
- **TT** = telescopic full extension (100%)
- All indicated loads are net and refer to evenly distributed weights




■ Tool frame in the lowest position

■ Partitioning material see page **B57**



## CABINETS SERIES NC-STANDARD F27

LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)



## ORD. NO.

## F AE 2040 14 04

Including: 1 normal extension drawer ORD. NO. F FG 1007 00 04

1 telescopic extension drawer ORD. NO. F FG 1110 00 04

1 telescopic retractable shelf ORD. NO. F FG 8110 00 04

1 frame 3-rows ORD. NO. F NC 5120 00 01, 1 pair of carriers ORD. NO. F NC 5630 00 01


Dimensions mm 717x597x1000 h

Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

|    | Height frame with drawer | Usable height | Max. height of the tool taper |
|----|--------------------------|---------------|-------------------------------|
| A1 | 115 mm                   | B 410 mm      | D 93 mm                       |
| A2 | 140 mm                   | B 385 mm      | D 118 mm                      |
| A3 | 165 mm                   | B 360 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.



## ORD. NO.

## F AE 2040 15 04

Including: 1 normal extension drawer ORD. NO. F FG 1010 00 04

2 telescopic extension drawers ORD. NO. F FG 1110 00 04

2 frames 3-rows ORD. NO. F NC 5120 00 01

2 pairs of carriers ORD. NO. F NC 5630 00 01

Dimensions mm 717x597x1000 h



Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

|    | Height frame with drawer | Usable height | Max. height of the tool taper |
|----|--------------------------|---------------|-------------------------------|
| A1 | 115 mm                   | B 260 mm      | D 93 mm                       |
| A2 | 140 mm                   | B 235 mm      | D 118 mm                      |
| A3 | 165 mm                   | B 210 mm      | D 143 mm                      |
| A1 | 115 mm                   | C 285 mm      | D 93 mm                       |
| A2 | 140 mm                   | C 260 mm      | D 118 mm                      |
| A3 | 165 mm                   | C 235 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.

## Height drawer with frame

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9510 00 03 | ISO 30        | 24 |
| F NC 9530 00 03 | ISO 40        | 24 |
| F NC 9540 00 03 | ISO 45        | 18 |
| F NC 9550 00 03 | ISO 50        | 15 |
| F NC 9560 00 03 | VDI 30        | 24 |
| F NC 9570 00 03 | VDI 40        | 18 |
| F NC 9580 00 03 | VDI 50        | 18 |
| F NC 9590 00 03 | VDI 60        | 15 |
| F NC 9720 00 03 | MORSE TAPER 2 | 24 |
| F NC 9730 00 03 | MORSE TAPER 3 | 24 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9740 00 03 | MORSE TAPER 4 | 24 |
| F NC 9750 00 03 | MORSE TAPER 5 | 18 |
| F NC 9270 00 03 | CAPTO C3      | 24 |
| F NC 9275 00 03 | CAPTO C4      | 18 |
| F NC 9280 00 03 | CAPTO C5      | 18 |
| F NC 9285 00 03 | CAPTO C6      | 18 |
| F NC 9290 00 03 | CAPTO C8      | 12 |
| F NC 9210 00 03 | HSK A32-B40   | 24 |
| F NC 9220 00 03 | HSK A40-B50   | 24 |
| F NC 9230 00 03 | HSK A50-B63   | 18 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9240 00 03 | HSK A63-B80   | 18 |
| F NC 9250 00 03 | HSK A80-B100  | 12 |
| F NC 9260 00 03 | HSK A100-B125 | 12 |
| F NC 9640 00 03 | 2"            | 18 |
| F NC 9650 00 03 | 2" 1/4        | 15 |
| F NC 9010 00 03 | 58 mm         | 27 |
| F NC 9020 00 03 | 65 mm         | 24 |
| F NC 9030 00 03 | 75 mm         | 21 |
| F NC 9040 00 03 | 87 mm         | 18 |
| F NC 9050 00 03 | 105 mm        | 15 |

RAL 7000 F, .....01

RAL 6011 F, .....02

RAL 5012 F, .....04

RAL 7035 F, .....08

## KEY

- S = normal extension (87%)
- TT = telescopic full extension (100%)
- All indicated loads are net and refer to evenly distributed weights



LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)

## CABINETS SERIES NC-STANDARD F27



RAL 7035 + RAL 5012

## CABINET WITH LEAF DOORS

## ORD. NO.

**F AE 1040 S1 50**

including 2 drawers

2 retractable shelves

1 rubber cover with 4 edges

**Dimensions mm 717x597x1020 h**

Tools excluded



RAL 7000

## CABINET WITH LEAF DOORS

## ORD. NO.

**F AE 2040 S1 01**

including 4 drawers

2 tool holder frames

1 rubber cover with 3 edges

**Dimensions mm 717x597x1020 h**Tools, tool holders,  
partitioning material excluded

## ■ INFO

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08




www.famispas.com

■ Tool  
frame in the  
lowest  
position■ Partitioning  
material see  
page A180

## CABINETS SERIES NC-STANDARD F27

LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)



## ORD. NO.

## F AF 1040 15 04

Including: 2 normal extension drawers ORD. NO. F FG 1007 00 04

2 telescopic extension drawers ORD. NO. F FG 1110 00 04

2 telescopic retractable shelves ORD. NO. F FG 8110 00 04

2 frame 3-rows ORD. NO. F NC 5120 00 01, 2 pairs of carriers ORD. NO. F NC 5630 00 01


Dimensions mm 1431x632x1000 h

Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height | Max. height of the tool taper |
|--------------------------|---------------|-------------------------------|
| A1 115 mm                | B 360 mm      | D 93 mm                       |
| A2 140 mm                | B 335 mm      | D 118 mm                      |
| A3 165 mm                | B 310 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.



## ORD. NO.

## F AF 1040 16 04

Including: 2 normal extension drawers ORD. NO. F FG 1007 00 04

4 telescopic extension drawers ORD. NO. F FG 1110 00 04

4 frames 3-rows ORD. NO. F NC 5120 00 01

4 pairs of carriers ORD. NO. F NC 5630 00 01

Dimensions mm 1431x632x1000 h



Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height | Max. height of the tool taper |
|--------------------------|---------------|-------------------------------|
| A1 115 mm                | B 285 mm      | D 93 mm                       |
| A2 140 mm                | B 260 mm      | D 118 mm                      |
| A3 165 mm                | B 235 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.

## Height drawer with frame

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9510 00 03 | ISO 30        | 24 |
| F NC 9530 00 03 | ISO 40        | 24 |
| F NC 9540 00 03 | ISO 45        | 18 |
| F NC 9550 00 03 | ISO 50        | 15 |
| F NC 9560 00 03 | VDI 30        | 24 |
| F NC 9570 00 03 | VDI 40        | 18 |
| F NC 9580 00 03 | VDI 50        | 18 |
| F NC 9590 00 03 | VDI 60        | 15 |
| F NC 9720 00 03 | MORSE TAPER 2 | 24 |
| F NC 9730 00 03 | MORSE TAPER 3 | 24 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9740 00 03 | MORSE TAPER 4 | 24 |
| F NC 9750 00 03 | MORSE TAPER 5 | 18 |
| F NC 9270 00 03 | CAPTO C3      | 24 |
| F NC 9275 00 03 | CAPTO C4      | 18 |
| F NC 9280 00 03 | CAPTO C5      | 18 |
| F NC 9285 00 03 | CAPTO C6      | 18 |
| F NC 9290 00 03 | CAPTO C8      | 12 |
| F NC 9210 00 03 | HSK A32-B40   | 24 |
| F NC 9220 00 03 | HSK A40-B50   | 24 |
| F NC 9230 00 03 | HSK A50-B63   | 18 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9240 00 03 | HSK A63-B80   | 18 |
| F NC 9250 00 03 | HSK A80-B100  | 12 |
| F NC 9260 00 03 | HSK A100-B125 | 12 |
| F NC 9640 00 03 | 2"            | 18 |
| F NC 9650 00 03 | 2" 1/4        | 15 |
| F NC 9010 00 03 | 58 mm         | 27 |
| F NC 9020 00 03 | 65 mm         | 24 |
| F NC 9030 00 03 | 75 mm         | 21 |
| F NC 9040 00 03 | 87 mm         | 18 |
| F NC 9050 00 03 | 105 mm        | 15 |

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

## KEY

- S = normal extension (87%)
- TT = telescopic full extension (100%)
- All indicated loads are net and refer to evenly distributed weights



LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)

CABINETS SERIES NC-STANDARD F27



■ RAL 7035

**CABINET WITH SLIDING DOORS****ORD. NO.****F AF 1040 S1 08**including 4 drawers, 2 retractable shelves, 2 tool holder frames,  
1 rubber cover with 3 edges**Dimensions mm 1431x632x1020 h**

Tools and tool holders excluded

■ **INFO**[www.famispa.com](http://www.famispa.com)■ Tool  
frame in the  
lowest  
position■ Partitioning  
material see  
page **A180**

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

## CABINETS SERIES NC-STANDARD F27

LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)

## EMPTY CABINET (FB102)

01  
02  
04  
08



| ORD. NO.                                      | LOAD CAPACITY kg |
|-----------------------------------------------|------------------|
| <b>F AE 1040 00 04</b>                        | <b>3000</b>      |
| Dimensions mm 717x597x1000 h                  |                  |
| Usable height mm 150+725                      |                  |
| Cabinet including 2 cylinder locks and 4 keys |                  |

| ORD. NO.                                              |
|-------------------------------------------------------|
| <b>R CSR 0003 00</b><br>Spare lock (for cabinet)      |
| <b>R CSR 0008 00</b><br>Spare lock (for door)         |
| <b>R XAE 0001 99</b><br>Pair of spare rods (for door) |

## EMPTY CABINET (FB100)

01  
02  
04  
08



| ORD. NO.                                   | LOAD CAPACITY kg |
|--------------------------------------------|------------------|
| <b>F AE 2040 00 04</b>                     | <b>3000</b>      |
| Dimensions mm 717x597x1000 h               |                  |
| Usable height mm 875                       |                  |
| Cabinet including cylinder lock and 2 keys |                  |

| ORD. NO.                                              |
|-------------------------------------------------------|
| <b>R CSR 0008 00</b><br>Spare lock (for door)         |
| <b>R XAE 0002 99</b><br>Pair of spare rods (for door) |

## EMPTY CABINET (FD100)

01  
02  
04  
08



| ORD. NO.                                   | LOAD CAPACITY kg |
|--------------------------------------------|------------------|
| <b>F AF 1040 00 04</b>                     | <b>1500+1500</b> |
| Dimensions mm 1431x632x1000 h              |                  |
| Usable height mm 875                       |                  |
| Cabinet including cylinder lock and 2 keys |                  |

| ORD. NO.                                      |
|-----------------------------------------------|
| <b>R CSR 0012 00</b><br>Spare lock (for door) |

■ The cabinet must be fixed to the wall or floor.  
Further information of set of fixing  
see page B48.

## NORMAL EXTENSION DRAWERS (S)

| ORD. NO.               | FRONT HEIGHT mm | LOAD CAPACITY kg | USABLE DIM. mm |
|------------------------|-----------------|------------------|----------------|
| <b>F FG 1005 00 04</b> | 50              | 60               | 600x447x36 h   |
| <b>F FG 1007 00 04</b> | 75              | 80               | 600x447x61 h   |
| <b>F FG 1010 00 04</b> | 100             | 100              | 600x447x86 h   |
| <b>F FG 1012 00 04</b> | 125             | 100              | 600x447x111 h  |

Normal extension (87%)



■ Partitioning material see page B57

## TELESCOPIC EXTENSION DRAWERS (TT)

| ORD. NO.               | FRONT HEIGHT mm | LOAD CAPACITY kg | USABLE DIM. mm |
|------------------------|-----------------|------------------|----------------|
| <b>F FG 1107 00 04</b> | 75              | 200              | 600x447x54 h   |
| <b>F FG 1110 00 04</b> | 100             | 200              | 600x447x79 h   |
| <b>F FG 1112 00 04</b> | 125             | 200              | 600x447x104 h  |
| <b>F FG 1115 00 04</b> | 150             | 200              | 600x447x129 h  |
| <b>F FG 1120 00 04</b> | 200             | 200              | 600x447x179 h  |
| <b>F FG 1125 00 04</b> | 250             | 200              | 600x447x229 h  |
| <b>F FG 1130 00 04</b> | 300             | 200              | 600x447x279 h  |

Telescopic extension (100%)




■ Partitioning material see page B57

## NORMAL EXTENSION SHELVES (PE-S)

| ORD. NO.               | SIDE HEIGHT mm | LOAD CAPACITY kg | USABLE DIM. mm |
|------------------------|----------------|------------------|----------------|
| <b>F FG 8010 00 04</b> | —              | 100              | 610x459        |


Normal extension (87%)



## TELESCOPIC EXTENSION SHELVES (PE-TT)

| ORD. NO.               | SIDE HEIGHT mm | LOAD CAPACITY kg | USABLE DIM. mm |
|------------------------|----------------|------------------|----------------|
| <b>F FG 8110 00 04</b> | —              | 200              | 610x459        |

Telescopic extension (100%)



## ADJUSTABLE SHELVES

| ORD. NO.               | SIDE HEIGHT mm | LOAD CAPACITY kg | USABLE DIM. mm |
|------------------------|----------------|------------------|----------------|
| <b>F SR 1210 01 04</b> | 25             | 150              | 655x460        |

Without extension system




LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)

CABINETS SERIES NC-STANDARD F27

**CABINET TO CABINET  
FIXING**

■ The article includes:  
4 M8 nuts and bolts.  
Suitable for fixing same  
series cabinets only.

**ORD. NO.** F AG 9202 00 99**TWO SIDED ADHESIVE TAPE****ORD. NO.****R CMV 0025 00**width 15 mm  
length 50 metres

■ 07

**PLINTHS**

for cabinet F AE 1040 - F AE 2040

**ORD. NO.****F RR 0060 00 07**

Plinth height 50 mm



■ 07

**PLINTHS**

for cabinet F AF 1040

**ORD. NO.****F RR 0110 00 07**

Plinth height 50 mm



■ 07

**PLINTHS FOR TRANSPALLET**

for cabinet F AE 1040 - F AE 2040

**ORD. NO.****F RR 0305 00 07** Plinth height 100 mm**F RR 0405 00 07** Facing piece

■ 07

**PLINTHS FOR TRANSPALLET**

for cabinet F AF 1040

**ORD. NO.****F RR 0225 00 07**

Pair of plinths height 100 mm

**F RR 0445 00 07**

Facing piece



■ 07

**PLINTHS FOR FORK LIFT TRUCK**

for cabinet F AE 1040 - F AE 2040

**ORD. NO.****F RR 0210 00 07**

Pair of plinths height 60 mm

**F RR 0400 00 07**

Facing piece



■ 07

**PLINTHS FOR FORK LIFT TRUCK**

for cabinet F AF 1040

**ORD. NO.****F RR 0220 00 07**

Pair of plinths height 60 mm

**F RR 0440 00 07**

Facing piece



■ 07

**TOP SHELF**

for cabinet F AE 1040

**ORD. NO.**

DIMENSIONS mm

**F AG 9000 01 07**

717x573x20 H

oil-resistant rubber cover top with 3 edges



■ 07

**TOP SHELF**

for cabinet F AE 2040

**ORD. NO.**

DIMENSIONS mm

**F AE 9003 01 07**

717x597x20 h

oil-resistant rubber cover top with 3 edges



■ 07

**TOP SHELF**

for cabinet F AF 1040

**ORD. NO.**

DIMENSIONS mm


**F AF 9000 01 07**

1431x630x20 h

oil-resistant rubber cover top with 3 edges

## CABINETS SERIES NC-STANDARD F27

## TOOL HOLDERS FRAME



## ORD. NO.

**F NC 5020 00 01**

Horizontal frame load capacity: 50 kg

Dimensions mm 584x140x146 h




## PAIR OF CARRIERS FOR FRAME

## ORD. NO.

**F NC 5730 00 01**

For frame ORD. NO. F NC 5020 00 ..

Overall dim. mm 442x150 h



■ Example of drawer ORD. NO. F FG 1110 00 04 application with the frames 1-row ORD. NO. F NC 5020 00 01, pair of carriers ORD. NO. F NC 5730 00 01 and 15 tool holders ISO 50.



## PAIR OF GALVANISED HANDLES

## ORD. NO.

**F NC 5005 00 99**

For frame ORD. NO. F NC 5020 00 ..

## TOOL FOR WOODEN INSERT OF MULTIPLEX



## ORD. NO.

**F NC 5021 00 01**

Horizontal frame load capacity: 50 kg

Overall dimensions mm 584x140x146 h



## ORD. NO.

**F NC 2510 00 00**

Wooden insert of multiplex

Overall dimensions mm 525x138x50 h



Example of tool holder frame  
ORD. NO. F NC 5021 00 .. with  
wooden insert

ALUMINIUM  
INSERT

## ORD. NO.

**F NC 2410 00 00**

Aluminium insert with rubber

OVERALL DIMENSIONS mm

525x135x45 h



Example of tool holder  
frame ORD. NO. F NC  
5020 00 .. with  
aluminium support

WOODEN  
INSERT

## ORD. NO.

**F NC 2530 00 01**

Wooden insert

OVERALL DIMENSIONS mm

600x450x160 h




Example of drawer  
ORD. NO. F FG 1110 00 04  
with wooden insert


LENGTH = 717 mm DEPTH = 597/632 mm (36x27 Eh)

## CABINETS SERIES NC-STANDARD F27

## TOOL HOLDER FRAMES 3-ROWS FOR DRAWERS



■ The tool holder frame load capacity is given by the drawer load capacity.



## ORD. NO.

F NC 5120 00 01

Overall dim. mm 584x444x69 h

## PAIR OF CARRIERS

## ORD. NO.

DIMENSIONS mm

FOR HEIGHT TAPER mm REF. A

F NC 5630 00 01

446x86 h

A = 93 / 118 / 143

F NC 5830 00 01

446x136 h

A = 143 / 168 / 193


ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5020 00 ..MAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00 ..

|                 |               |   |    |
|-----------------|---------------|---|----|
| F NC 9510 00 03 | ISO 30        | 7 | 24 |
| F NC 9530 00 03 | ISO 40        | 7 | 24 |
| F NC 9540 00 03 | ISO 45        | 5 | 18 |
| F NC 9550 00 03 | ISO 50        | 5 | 15 |
| F NC 9560 00 03 | VDI 30        | 7 | 24 |
| F NC 9570 00 03 | VDI 40        | 5 | 18 |
| F NC 9580 00 03 | VDI 50        | 5 | 18 |
| F NC 9590 00 03 | VDI 60        | 5 | 15 |
| F NC 9720 00 03 | MORSE TAPER 2 | 7 | 24 |
| F NC 9730 00 03 | MORSE TAPER 3 | 7 | 24 |
| F NC 9740 00 03 | MORSE TAPER 4 | 7 | 24 |
| F NC 9750 00 03 | MORSE TAPER 5 | 5 | 18 |
| F NC 9270 00 03 | CAPTO C3      | 7 | 24 |
| F NC 9275 00 03 | CAPTO C4      | 5 | 18 |
| F NC 9280 00 03 | CAPTO C5      | 5 | 18 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5020 00 ..MAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00 ..

|                 |               |   |    |
|-----------------|---------------|---|----|
| F NC 9285 00 03 | CAPTO C6      | 5 | 18 |
| F NC 9290 00 03 | CAPTO C8      | 4 | 12 |
| F NC 9210 00 03 | HSK A32-B40   | 7 | 24 |
| F NC 9220 00 03 | HSK A40-B50   | 7 | 24 |
| F NC 9230 00 03 | HSK A50-B63   | 5 | 18 |
| F NC 9240 00 03 | HSK A63-B80   | 5 | 18 |
| F NC 9250 00 03 | HSK A80-B100  | 4 | 12 |
| F NC 9260 00 03 | HSK A100-B125 | 4 | 12 |
| F NC 9640 00 03 | 2"            | 5 | 18 |
| F NC 9650 00 03 | 2" 1/4        | 5 | 15 |
| F NC 9010 00 03 | 58 mm         | 9 | 27 |
| F NC 9020 00 03 | 65 mm         | 8 | 24 |
| F NC 9030 00 03 | 75 mm         | 7 | 21 |
| F NC 9040 00 03 | 87 mm         | 6 | 18 |
| F NC 9050 00 03 | 105 mm        | 5 | 15 |

■ Partitioning material see page A180



## ORD. NO.

FOR FRONT  
HEIGHTS

F FH 1005 15 00

50-300

Set including:

|                     |            |
|---------------------|------------|
| 5 Troughs           | 4 grooves  |
| 20 Plain partitions | 36 mm      |
| 6 Troughs           | 3 grooves  |
| 20 Plain partitions | 47 mm      |
| 1 Allen key tray    | 150x150 mm |

## ORD. NO.

FOR FRONT  
HEIGHTS

F FH 1005 10 00

50-300

Set including:

|                     |           |
|---------------------|-----------|
| 9 Troughs           | 4 grooves |
| 36 Plain partitions | 36 mm     |
| 3 Troughs           | 3 grooves |
| 12 Plain partitions | 47 mm     |

## ORD. NO.

FOR FRONT  
HEIGHTS

F FH 1005 13 00

50-300

Set including:

|                     |           |
|---------------------|-----------|
| 6 Troughs           | 3 grooves |
| 18 Plain partitions | 47 mm     |
| 6 Troughs           | 2 grooves |
| 12 Plain partitions | 73 mm     |

## ORD. NO.

FOR FRONT  
HEIGHTS

F FH 1005 03 00

50

F FH 1007 03 00

75

F FH 1010 03 00

100-125

F FH 1015 03 00

150-175



F FH 1020 03 00

200-250

Set including:

|                      |        |
|----------------------|--------|
| 3 Slotted partitions | 455 mm |
| 8 Plain partitions   | 149 mm |

■ Partitioning material see page A80 - A81



## CABINETS SERIES NC-STANDARD F36

LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)





**ORD. NO. F AF 3040 17 08**  
RAL 7035



**ORD. NO. F AE 4058 14 01**  
RAL 7000

- The max. height of the tool holder taper which can be inserted in the drawer frame is **143 mm**. For higher tapers, please see page **B69**.



## FLOOR FIXING SET



2x

- 2 "HILTI" plugs for concrete floors  $\geq$  to classes B25/RBK250/MPa 25 N/mm<sup>2</sup>
- Recommended traction of the plug: 2.9 KN
- Plug diameter:  $\varnothing$  6 mm

**ORD. NO. F AG 9204 00 99**

## CABINET WITH SLIDING DOORS

**ORD. NO.** **DRAWERS**

**F AF 3040 17 08** **4**

Including 4 drawers

2 retractable shelves

2 tool holder frames

**Dimensions mm 1431x785x1000 h**

Tools and tool holders excluded

## CABINET WITH LEAF DOORS

**ORD. NO.** **DRAWERS**

**F AE 4058 14 01** **3**

Including 3 drawers

2 retractable shelves

1 tool holders frame

**Dimensions mm 717x750x1450 h**

Tools and tool holders excluded

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08

## SUPPLEMENTARY PARTS ■

- **Spare key.** Always indicate the number on the cylinder lock of the key to be replaced.

ORD. NO. R CSC 0002 00



- **Master key.** This type of key opens all the 45 and 46 series locks.

ORD. NO. R CSC 0001 00



LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)

## CABINETS SERIES NC-STANDARD F36



## ORD. NO.

**F AE 3040 19 04**

Including:

2 normal extension drawers ORD. NO. **F FG 2007 00 04**2 telescopic extension drawers ORD. NO. **F FG 2110 00 04**2 frames 4-rows ORD. NO. **F NC 5220 00 01**2 pair of carriers ORD. NO. **F NC 5650 00 01****Dimensions mm 717x750x1000 h**


Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

|           | Height frame with drawer | Usable height   | Max. height of the tool taper |
|-----------|--------------------------|-----------------|-------------------------------|
| <b>A1</b> | 115 mm                   | <b>B</b> 235 mm | <b>D</b> 93 mm                |
| <b>A2</b> | 140 mm                   | <b>B</b> 210 mm | <b>D</b> 118 mm               |
| <b>A3</b> | 165 mm                   | <b>B</b> 185 mm | <b>D</b> 143 mm               |
| <b>A1</b> | 115 mm                   | <b>C</b> 260 mm | <b>D</b> 93 mm                |
| <b>A2</b> | 140 mm                   | <b>C</b> 235 mm | <b>D</b> 118 mm               |
| <b>A3</b> | 165 mm                   | <b>C</b> 210 mm | <b>D</b> 143 mm               |

The adjustment pitch of the drawer is 25 mm in height.

Height drawer with frame

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY PER  
TOOL FRAME F NC 5220 00 ..

|                        |               |    |
|------------------------|---------------|----|
| <b>F NC 9510 00 03</b> | ISO 30        | 32 |
| <b>F NC 9530 00 03</b> | ISO 40        | 32 |
| <b>F NC 9540 00 03</b> | ISO 45        | 24 |
| <b>F NC 9550 00 03</b> | ISO 50        | 20 |
| <b>F NC 9560 00 03</b> | VDI 30        | 32 |
| <b>F NC 9570 00 03</b> | VDI 40        | 24 |
| <b>F NC 9580 00 03</b> | VDI 50        | 24 |
| <b>F NC 9590 00 03</b> | VDI 60        | 20 |
| <b>F NC 9720 00 03</b> | MORSE TAPER 2 | 32 |
| <b>F NC 9730 00 03</b> | MORSE TAPER 3 | 32 |
| <b>F NC 9740 00 03</b> | MORSE TAPER 4 | 32 |
| <b>F NC 9750 00 03</b> | MORSE TAPER 5 | 24 |
| <b>F NC 9270 00 03</b> | CAPTO C3      | 32 |
| <b>F NC 9275 00 03</b> | CAPTO C4      | 24 |
| <b>F NC 9280 00 03</b> | CAPTO C5      | 24 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY PER  
TOOL FRAME F NC 5220 00 ..

|                        |               |    |
|------------------------|---------------|----|
| <b>F NC 9285 00 03</b> | CAPTO C6      | 24 |
| <b>F NC 9290 00 03</b> | CAPTO C8      | 16 |
| <b>F NC 9210 00 03</b> | HSK A32-B40   | 32 |
| <b>F NC 9220 00 03</b> | HSK A40-B50   | 32 |
| <b>F NC 9230 00 03</b> | HSK A50-B63   | 24 |
| <b>F NC 9240 00 03</b> | HSK A63-B80   | 24 |
| <b>F NC 9250 00 03</b> | HSK A80-B100  | 16 |
| <b>F NC 9260 00 03</b> | HSK A100-B125 | 16 |
| <b>F NC 9640 00 03</b> | 2"            | 24 |
| <b>F NC 9650 00 03</b> | 2" 1/4        | 20 |
| <b>F NC 9010 00 03</b> | 58 mm         | 36 |
| <b>F NC 9020 00 03</b> | 65 mm         | 32 |
| <b>F NC 9030 00 03</b> | 75 mm         | 28 |
| <b>F NC 9040 00 03</b> | 87 mm         | 24 |
| <b>F NC 9050 00 03</b> | 105 mm        | 20 |

## KEY



- S** = normal extension (87%)
- TT** = telescopic full extension (100%)
- All indicated loads are net and refer to evenly distributed weights



■ Tool frame in the lowest position


■ Partitioning material see page **B69**



RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

## CABINETS SERIES NC-STANDARD F36

LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)



## ORD. NO.

## F AE 4040 16 04

Including: 1 normal extension drawer ORD. NO. F FG 2007 00 04

1 telescopic extension drawer ORD. NO. F FG 2110 00 04

1 telescopic retractable shelf ORD. NO. F FG 8120 00 04

1 frame 4-rows ORD. NO. F NC 5220 00 01, 1 pair of carriers ORD. NO. F NC 5650 00 01

Dimensions mm 717x750x1000 h

Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height | Max. height of the tool taper |
|--------------------------|---------------|-------------------------------|
| A1 115 mm                | B 410 mm      | D 93 mm                       |
| A2 140 mm                | B 385 mm      | D 118 mm                      |
| A3 165 mm                | B 360 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.



## ORD. NO.

## F AE 4040 17 04

Including: 1 normal extension drawer ORD. NO. F FG 2010 00 04

2 telescopic extension drawers ORD. NO. F FG 2110 00 04

2 frames 4-rows ORD. NO. F NC 5220 00 01

2 pairs of carriers ORD. NO. F NC 5650 00 01

Dimensions mm 717x750x1000 h



Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height | Max. height of the tool taper |
|--------------------------|---------------|-------------------------------|
| A1 115 mm                | B 260 mm      | D 93 mm                       |
| A2 140 mm                | B 235 mm      | D 118 mm                      |
| A3 165 mm                | B 210 mm      | D 143 mm                      |
| A1 115 mm                | C 285 mm      | D 93 mm                       |
| A2 140 mm                | C 260 mm      | D 118 mm                      |
| A3 165 mm                | C 235 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.

## Height drawer with frame

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9510 00 03 | ISO 30        | 32 |
| F NC 9530 00 03 | ISO 40        | 32 |
| F NC 9540 00 03 | ISO 45        | 24 |
| F NC 9550 00 03 | ISO 50        | 20 |
| F NC 9560 00 03 | VDI 30        | 32 |
| F NC 9570 00 03 | VDI 40        | 24 |
| F NC 9580 00 03 | VDI 50        | 24 |
| F NC 9590 00 03 | VDI 60        | 20 |
| F NC 9720 00 03 | MORSE TAPER 2 | 32 |
| F NC 9730 00 03 | MORSE TAPER 3 | 32 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9740 00 03 | MORSE TAPER 4 | 32 |
| F NC 9750 00 03 | MORSE TAPER 5 | 24 |
| F NC 9270 00 03 | CAPTO C3      | 32 |
| F NC 9275 00 03 | CAPTO C4      | 24 |
| F NC 9280 00 03 | CAPTO C5      | 24 |
| F NC 9285 00 03 | CAPTO C6      | 24 |
| F NC 9290 00 03 | CAPTO C8      | 16 |
| F NC 9210 00 03 | HSK A32-B40   | 32 |
| F NC 9220 00 03 | HSK A40-B50   | 32 |
| F NC 9230 00 03 | HSK A50-B63   | 24 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9240 00 03 | HSK A63-B80   | 24 |
| F NC 9250 00 03 | HSK A80-B100  | 16 |
| F NC 9260 00 03 | HSK A100-B125 | 16 |
| F NC 9640 00 03 | 2"            | 24 |
| F NC 9650 00 03 | 2" 1/4        | 20 |
| F NC 9010 00 03 | 58 mm         | 36 |
| F NC 9020 00 03 | 65 mm         | 32 |
| F NC 9030 00 03 | 75 mm         | 28 |
| F NC 9040 00 03 | 87 mm         | 24 |
| F NC 9050 00 03 | 105 mm        | 20 |

RAL 7000 F... ..01

RAL 6011 F... ..02

RAL 5012 F... ..04

RAL 7035 F... ..08

## KEY ■

- S = normal extension (87%)
- TT = telescopic full extension (100%)
- All indicated loads are net and refer to evenly distributed weights



■ Partitioning material see page B69

■ Tool frame in the lowest position



LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)

CABINETS SERIES NC-STANDARD F36

**CABINET WITH LEAF DOORS****ORD. NO.****F AE 3040 S1 50**

including 4 drawers

2 tool holder frames

1 MDF top shelf

**Dimensions mm 717x750x1030 h**

Tools and tool holders excluded

RAL 7035 + RAL 5012

**CABINET WITH LEAF DOORS****ORD. NO.****F AE 4058 S1 01**

Including 3 drawers

2 retractable shelves

1 tool holders frame

1 rubber cover with 3 edges

**Dimensions mm 717x750x1470 h**

Tools and tool holders excluded



RAL 7000

■ **INFO**[www.famispa.com](http://www.famispa.com)■ Tool  
frame in the  
lowest  
position■ Partitioning  
material see  
page **A180**

RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

CABINETS SERIES NC-STANDARD F36

LENGTH = 717 mm    DEPTH = 750/785 mm (36x36 Eh)



ORD. NO.

**F AE 4058 13 04**

Including: 1 normal extension drawer ORD. NO. **F FG 2010 00 04**  
2 telescopic extension drawers ORD. NO. **F FG 2110 00 04**  
2 frames 4-rows ORD. NO. **F NC 5220 00 01**, 2 pairs of carriers ORD. NO. **F NC 5650 00 01**  
2 telescopic retractable shelves ORD. NO. **F FG 8120 00 04**

Dimensions mm 717x750x1450 h Tools excluded

THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height | Max. height of the tool taper |
|--------------------------|---------------|-------------------------------|
| A1 115 mm                | B 235 mm      | D 93 mm                       |
| A2 140 mm                | B 210 mm      | D 118 mm                      |
| A3 165 mm                | B 185 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.



ORD. NO.

**F AE 4058 14 04**

Including: 2 normal extension drawers ORD. NO. **F FG 2010 00 04**  
1 telescopic extension drawer ORD. NO. **F FG 2110 00 04**  
1 frames 4-rows ORD. NO. **F NC 5220 00 01**, 1 pair of carriers ORD. NO. **F NC 5650 00 01**  
2 telescopic retractable shelves ORD. NO. **F FG 8120 00 04**



Dimensions mm 717x750x1450 h Tools excluded

THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height | Max. height of the tool taper |
|--------------------------|---------------|-------------------------------|
| A1 115 mm                | B 460 mm      | D 93 mm                       |
| A2 140 mm                | B 435 mm      | D 118 mm                      |
| A3 165 mm                | B 410 mm      | D 143 mm                      |


The adjustment pitch of the drawer is 25 mm in height.

Height drawer with frame



RAL 7000 F. ....01 RAL 6011 F. ....02 RAL 5012 F. ....04 RAL 7035 F. ....08

KEY ■



■ Partitioning material see page B69

■ Tool frame in the lowest position




- S = normal extension (87%)
- TT = telescopic full extension (100%)
- All indicated loads are net and refer to evenly distributed weights



LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)

## CABINETS SERIES NC-STANDARD F36




## ORD. NO.

**F AE 4058 15 04**

Including:

4 telescopic extension drawers ORD. NO. **F FG 2110 00 04**4 frames 4-rows ORD. NO. **F NC 5220 00 01**4 pairs of carriers ORD. NO. **F NC 5650 00 01**Dimensions mm **717x750x1450 h**

Tools excluded



## ORD. NO.

**F AE 4058 16 04**

Including:

3 telescopic extension drawers ORD. NO. **F FG 2110 00 04**3 frames 4-rows ORD. NO. **F NC 5220 00 01**3 pairs of carriers ORD. NO. **F NC 5650 00 01**Dimensions mm **717x750x1450 h**

Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height   | Max. height of the tool taper |
|--------------------------|-----------------|-------------------------------|
| <b>A1</b> 115 mm         | <b>B</b> 210 mm | <b>D</b> 93 mm                |
| <b>A2</b> 140 mm         | <b>B</b> 185 mm | <b>D</b> 118 mm               |
| <b>A3</b> 165 mm         | <b>B</b> 160 mm | <b>D</b> 143 mm               |
| <b>A1</b> 115 mm         | <b>C</b> 235 mm | <b>D</b> 93 mm                |
| <b>A2</b> 140 mm         | <b>C</b> 210 mm | <b>D</b> 118 mm               |
| <b>A3</b> 165 mm         | <b>C</b> 185 mm | <b>D</b> 143 mm               |

The adjustment pitch of the drawer is 25 mm in height.

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height   | Max. height of the tool taper |
|--------------------------|-----------------|-------------------------------|
| <b>A1</b> 115 mm         | <b>B</b> 335 mm | <b>D</b> 93 mm                |
| <b>A2</b> 140 mm         | <b>B</b> 310 mm | <b>D</b> 118 mm               |
| <b>A3</b> 165 mm         | <b>B</b> 285 mm | <b>D</b> 143 mm               |

The adjustment pitch of the drawer is 25 mm in height.

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                        |               |    |
|------------------------|---------------|----|
| <b>F NC 9510 00 03</b> | ISO 30        | 32 |
| <b>F NC 9530 00 03</b> | ISO 40        | 32 |
| <b>F NC 9540 00 03</b> | ISO 45        | 24 |
| <b>F NC 9550 00 03</b> | ISO 50        | 20 |
| <b>F NC 9560 00 03</b> | VDI 30        | 32 |
| <b>F NC 9570 00 03</b> | VDI 40        | 24 |
| <b>F NC 9580 00 03</b> | VDI 50        | 24 |
| <b>F NC 9590 00 03</b> | VDI 60        | 20 |
| <b>F NC 9720 00 03</b> | MORSE TAPER 2 | 32 |
| <b>F NC 9730 00 03</b> | MORSE TAPER 3 | 32 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                        |               |    |
|------------------------|---------------|----|
| <b>F NC 9740 00 03</b> | MORSE TAPER 4 | 32 |
| <b>F NC 9750 00 03</b> | MORSE TAPER 5 | 24 |
| <b>F NC 9270 00 03</b> | CAPTO C3      | 32 |
| <b>F NC 9275 00 03</b> | CAPTO C4      | 24 |
| <b>F NC 9280 00 03</b> | CAPTO C5      | 24 |
| <b>F NC 9285 00 03</b> | CAPTO C6      | 24 |
| <b>F NC 9290 00 03</b> | CAPTO C8      | 16 |
| <b>F NC 9210 00 03</b> | HSK A32-B40   | 32 |
| <b>F NC 9220 00 03</b> | HSK A40-B50   | 32 |
| <b>F NC 9230 00 03</b> | HSK A50-B63   | 24 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                        |               |    |
|------------------------|---------------|----|
| <b>F NC 9240 00 03</b> | HSK A63-B80   | 24 |
| <b>F NC 9250 00 03</b> | HSK A80-B100  | 16 |
| <b>F NC 9260 00 03</b> | HSK A100-B125 | 16 |
| <b>F NC 9640 00 03</b> | 2"            | 24 |
| <b>F NC 9650 00 03</b> | 2 1/4"        | 20 |
| <b>F NC 9010 00 03</b> | 58 mm         | 36 |
| <b>F NC 9020 00 03</b> | 65 mm         | 32 |
| <b>F NC 9030 00 03</b> | 75 mm         | 28 |
| <b>F NC 9040 00 03</b> | 87 mm         | 24 |
| <b>F NC 9050 00 03</b> | 105 mm        | 20 |

## KEY

RAL 7000 F. ....01

RAL 6011 F. ....02

RAL 5012 F. ....04

RAL 7035 F. ....08



- **S** = normal extension (87%)
- **TT** = telescopic full extension (100%)
- All indicated loads are net and refer to evenly distributed weights




■ Tool  
frame in the  
lowest  
position

■ Partitioning  
material see  
page **B69**



## CABINETS SERIES NC-STANDARD F36

LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)



## ORD. NO.

## F AF 3040 17 04

Including: 2 normal extension drawers ORD. NO. F FG 2007 00 04

2 telescopic extension drawers ORD. NO. F FG 2110 00 04

2 telescopic retractable shelves ORD. NO. F FG 8120 00 04

2 frames 4-rows ORD. NO. F NC 5220 00 01, 2 pairs of carriers ORD. NO. F NC 5650 00 01


Dimensions mm 1431x785x1000 h

Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height | Max. height of the tool taper |
|--------------------------|---------------|-------------------------------|
| A1 115 mm                | B 360 mm      | D 93 mm                       |
| A2 140 mm                | B 335 mm      | D 118 mm                      |
| A3 165 mm                | B 310 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.



## ORD. NO.

## F AF 3040 18 04

Including: 2 normal extension drawers ORD. NO. F FG 2007 00 04

4 telescopic extension drawers ORD. NO. F FG 2110 00 04

4 frames 4-rows ORD. NO. F NC 5220 00 01

4 pairs of carriers ORD. NO. F NC 5650 00 01

Dimensions mm 1431x785x1000 h



Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame with drawer | Usable height | Max. height of the tool taper |
|--------------------------|---------------|-------------------------------|
| A1 115 mm                | B 285 mm      | D 93 mm                       |
| A2 140 mm                | B 260 mm      | D 118 mm                      |
| A3 165 mm                | B 235 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.

## Height drawer with frame

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9510 00 03 | ISO 30        | 32 |
| F NC 9530 00 03 | ISO 40        | 32 |
| F NC 9540 00 03 | ISO 45        | 24 |
| F NC 9550 00 03 | ISO 50        | 20 |
| F NC 9560 00 03 | VDI 30        | 32 |
| F NC 9570 00 03 | VDI 40        | 24 |
| F NC 9580 00 03 | VDI 50        | 24 |
| F NC 9590 00 03 | VDI 60        | 20 |
| F NC 9720 00 03 | MORSE TAPER 2 | 32 |
| F NC 9730 00 03 | MORSE TAPER 3 | 32 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9740 00 03 | MORSE TAPER 4 | 32 |
| F NC 9750 00 03 | MORSE TAPER 5 | 24 |
| F NC 9270 00 03 | CAPTO C3      | 32 |
| F NC 9275 00 03 | CAPTO C4      | 24 |
| F NC 9280 00 03 | CAPTO C5      | 24 |
| F NC 9285 00 03 | CAPTO C6      | 24 |
| F NC 9290 00 03 | CAPTO C8      | 16 |
| F NC 9210 00 03 | HSK A32-B40   | 32 |
| F NC 9220 00 03 | HSK A40-B50   | 32 |
| F NC 9230 00 03 | HSK A50-B63   | 24 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9240 00 03 | HSK A63-B80   | 24 |
| F NC 9250 00 03 | HSK A80-B100  | 16 |
| F NC 9260 00 03 | HSK A100-B125 | 16 |
| F NC 9640 00 03 | 2"            | 24 |
| F NC 9650 00 03 | 2" 1/4        | 20 |
| F NC 9010 00 03 | 58 mm         | 36 |
| F NC 9020 00 03 | 65 mm         | 32 |
| F NC 9030 00 03 | 75 mm         | 28 |
| F NC 9040 00 03 | 87 mm         | 24 |
| F NC 9050 00 03 | 105 mm        | 20 |

RAL 7000 F... ..01

RAL 6011 F... ..02

RAL 5012 F... ..04

RAL 7035 F... ..08

## KEY

- S = normal extension (87%)
- TT = telescopic full extension (100%)
- All indicated loads are net and refer to evenly distributed weights




Partitioning material see page B69

Tool frame in the lowest position



LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)

## CABINETS SERIES NC-STANDARD F36



## ORD. NO. F AG 2040 28 04

Including: 1 flap door ORD. NO. F AG 9530 00 04,  
1 telescopic extension drawer ORD. NO. F FG 2115 00 04,  
2 normal extension drawers ORD. NO. F FG 2007 00 04,  
1 normal extension drawer ORD. NO. F FG 2010 00 04,  
1 normal extension drawer ORD. NO. F FG 2020 00 04, 1 frame 3-rows ORD. NO. F NC 5120 00 01,  
1 pair of carriers ORD. NO. F NC 5630 00 01, 1 slotted partition ORD. NO. F HA 1440 00 99  
1 plain partition ORD. NO. F HA 3440 00 00


Dimensions mm 717x726x1000 h

Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS


| Height frame | Usable height | Max. height of the tool taper |
|--------------|---------------|-------------------------------|
| A1 115 mm    | B 300 mm      | D 93 mm                       |
| A2 140 mm    | B 275 mm      | D 118 mm                      |
| A3 165 mm    | B 250 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.



■ Cabinet  
ORD. NO.  
F AG 2040 28 04  
with closed flap door

■ Frame 3-rows and carriers  
see page B57.  
■ Example of the open drawer  
with frame 3-rows, slotted  
partitions and plain partitions.



■ The door can be closed by the edge of the lower drawer handle (ref. Y)

## ORD. NO. F AG 2058 12 04

Including: 2 flap doors ORD. NO. F AG 9530 00 04,  
2 telescopic extension drawers ORD. NO. F FG 2115 00 04,  
2 normal extension drawers ORD. NO. F FG 2007 00 04,  
1 normal extension drawer ORD. NO. F FG 2010 00 04,  
1 normal extension drawer ORD. NO. F FG 2020 00 04, 2 frames 3-rows ORD. NO. F NC 5120 00 01,  
2 pairs of carriers ORD. NO. F NC 5630 00 01, 2 slotted partitions ORD. NO. F HA 1440 00 99,  
2 plain partitions ORD. NO. F HA 3440 00 00


Dimensions mm 717x726x1450 h

Tools excluded

## THE TOOL FRAME CAN BE ADJUSTED IN 3 DIFFERENT HEIGHTS

| Height frame | Usable height | Max. height of the tool taper |
|--------------|---------------|-------------------------------|
| A1 115 mm    | B 300 mm      | D 93 mm                       |
| A2 140 mm    | B 275 mm      | D 118 mm                      |
| A3 165 mm    | B 250 mm      | D 143 mm                      |

The adjustment pitch of the drawer is 25 mm in height.

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9510 00 03 | ISO 30        | 24 |
| F NC 9530 00 03 | ISO 40        | 24 |
| F NC 9540 00 03 | ISO 45        | 18 |
| F NC 9550 00 03 | ISO 50        | 15 |
| F NC 9560 00 03 | VDI 30        | 24 |
| F NC 9570 00 03 | VDI 40        | 18 |
| F NC 9580 00 03 | VDI 50        | 18 |
| F NC 9590 00 03 | VDI 60        | 15 |
| F NC 9720 00 03 | MORSE TAPER 2 | 24 |
| F NC 9730 00 03 | MORSE TAPER 3 | 24 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9740 00 03 | MORSE TAPER 4 | 24 |
| F NC 9750 00 03 | MORSE TAPER 5 | 18 |
| F NC 9270 00 03 | CAPTO C3      | 24 |
| F NC 9275 00 03 | CAPTO C4      | 18 |
| F NC 9280 00 03 | CAPTO C5      | 18 |
| F NC 9285 00 03 | CAPTO C6      | 18 |
| F NC 9290 00 03 | CAPTO C8      | 12 |
| F NC 9291 00 03 | HSK A32-B40   | 24 |
| F NC 9220 00 03 | HSK A40-B50   | 24 |
| F NC 9230 00 03 | HSK A50-B63   | 18 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5120 00..

|                 |               |    |
|-----------------|---------------|----|
| F NC 9240 00 03 | HSK A63-B80   | 18 |
| F NC 9250 00 03 | HSK A80-B100  | 12 |
| F NC 9260 00 03 | HSK A100-B125 | 12 |
| F NC 9640 00 03 | 2"            | 18 |
| F NC 9650 00 03 | 2" 1/4        | 15 |
| F NC 9010 00 03 | 58 mm         | 27 |
| F NC 9020 00 03 | 65 mm         | 24 |
| F NC 9030 00 03 | 75 mm         | 21 |
| F NC 9040 00 03 | 87 mm         | 18 |
| F NC 9050 00 03 | 105 mm        | 15 |

## CABINETS SERIES NC-STANDARD F36

LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)

## EMPTY CABINET (FA100)



01  
02  
04  
08

## ORD. NO.

LOAD CAPACITY kg

**F AE 3040 00 04** 3000

Dimensions mm 717x750x1000 h

Usable height mm 150+725

Cabinet including 2 cylinder locks and 4 keys

## ORD. NO.

**R CSR 0003 00**

Spare lock (for cabinet)

**R CSR 0008 00**

Spare lock (for door)

**R XAE 0001 99**

Pair of spare rods (for door)

## EMPTY CABINET (F100 - F145)



01  
02  
04  
08

## ORD. NO.

LOAD CAPACITY kg

**F AE 4040 00 04** 3000

Dimensions mm 717x750x1000 h

Usable height mm 875

**F AE 4058 00 04** 3000

Dimensions mm 717x750x1450 h

Usable height mm 1325

Cabinet including cylinder lock and 2 keys

## ORD. NO.

**R CSR 0008 00**

Spare lock (for door)

**R XAE 0002 99**

Pair of spare rods (for door) cabinet F AE 4040

**R XAE 0003 99**

Pair of spare rods (for door) cabinet F AE 4058

## EMPTY CABINET (FC100)



01  
02  
04  
08

## ORD. NO.

LOAD CAPACITY kg

**F AF 3040 00 04** 1500+1500

Dimensions mm 1431x785x1000 h

Usable height mm 875

Cabinet including cylinder lock and 2 keys

## ORD. NO.

**R CSR 0012 00**

Spare lock (for door)

■ The cabinet must be fixed to the wall or floor.  
Further information of set of fixing  
see page B48.

## NORMAL EXTENSION DRAWERS (S)

## ORD. NO.


FRONT HEIGHT mm

LOAD CAPACITY kg

USABLE DIM. mm

**F FG 2005 00 04** 50 60 600x600x36 h**F FG 2007 00 04** 75 80 600x600x61 h**F FG 2010 00 04** 100 100 600x600x86 h**F FG 2012 00 04** 125 100 600x600x111 h**F FG 2015 00 04** 150 100 600x600x136 h**F FG 2017 00 04** 175 100 600x600x161 h**F FG 2020 00 04** 200 100 600x600x186 h**F FG 2030 00 04** 300 100 600x600x286 h

Normal extension (87%)



01  
02  
04  
08

■ Partitioning material see page B69

## TELESCOPIC EXTENSION DRAWERS (TT)

## ORD. NO.

FRONT HEIGHT mm

LOAD CAPACITY kg

USABLE DIM. mm

**F FG 2107 00 04** 75 200 600x600x54 h**F FG 2110 00 04** 100 200 600x600x79 h**F FG 2112 00 04** 125 200 600x600x104 h**F FG 2115 00 04** 150 200 600x600x129 h**F FG 2117 00 04** 175 200 600x600x154 h**F FG 2120 00 04** 200 200 600x600x179 h**F FG 2125 00 04** 250 200 600x600x229 h**F FG 2130 00 04** 300 200 600x600x279 h**F FG 2140 00 04** 400 200 600x600x379 h

Telescopic extension (100%)



01  
02  
04  
08

■ Partitioning material see page B69

## NORMAL EXTENSION SHELVES (PE-S)

## ORD. NO.


SIDE HEIGHT mm

LOAD CAPACITY kg

USABLE DIM. mm

**F FG 8020 00 04** - 100 610x610

Normal extension (87%)



01  
02  
04  
08

LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)

## CABINETS SERIES NC-STANDARD F36

## TELESCOPIC EXTENSION SHELVES (PE-TT)

| ORD. NO.        | SIDE HEIGHT mm | LOAD CAPACITY kg | USABLE DIM. mm |
|-----------------|----------------|------------------|----------------|
| F FG 8120 00 04 | —              | 200              | 610x610        |


Telescopic extension (100%)



## ADJUSTABLE SHELVES


| ORD. NO.        | SIDE HEIGHT mm | LOAD CAPACITY kg | USABLE DIMENSIONS mm |
|-----------------|----------------|------------------|----------------------|
| F SR 1260 01 04 | 25             | 150              | 618x618              |

Without extension

CABINET TO CABINET  
FIXING

■ The article includes:  
4 M8 nuts and bolts.  
Suitable for fixing same  
series cabinets only.

ORD. NO. F AG 9202 00 99



## TWO SIDED ADHESIVE TAPE

| ORD. NO.      |
|---------------|
| R CMV 0025 00 |

width 15 mm  
length 50 metres



## PLINTHS

for cabinet F AE 3040 - F AE 4040 - F AE 4058

## ORD. NO.

F RR 0080 00 07

Plinth height 50 mm



## PLINTHS

for cabinet F AF 3040

## ORD. NO.

F RR 0145 00 07

Plinth height 50 mm



## PLINTHS FOR TRANSPALLET

for cabinet F AE 3040 - F AE 4040 - F AE 4058

## ORD. NO.

F RR 0315 00 07 Plinth height 100 mm

F RR 0405 00 07 Facing piece



## PLINTHS FOR TRANSPALLET

for cabinet F AF 3040

## ORD. NO.

F RR 0255 00 07 Pair of plinths height 100 mm

F RR 0445 00 07 Facing piece



## PLINTHS FOR FORK LIFT TRUCK

for cabinet F AE 3040 - F AE 4040 - F AE 4058

## ORD. NO.

F RR 0240 00 07 Pair of plinths height 60 mm

F RR 0400 00 07 Facing piece



## PLINTHS FOR FORK LIFT TRUCK

for cabinet F AF 3040

## ORD. NO.

F RR 0250 00 07 Pair of plinths height 60 mm

F RR 0440 00 07 Facing piece



## TOP SHELF

for cabinet F AE 3040

## ORD. NO.

DIMENSIONS mm

F AG 9003 01 07 717x726x20 h

oil-resistant rubber cover top with 3 edges



## TOP SHELF

for cabinet F AE 4040 - F AE 4058

## ORD. NO.

DIMENSIONS mm

F AE 9009 01 07 717x750x20 h

oil-resistant rubber cover top with 3 edges



## TOP SHELF

for cabinet F AF 3040

## ORD. NO.

DIMENSIONS mm


F AF 9006 01 07 1431x785x20 h

oil-resistant rubber cover top with 3 edges

## CABINETS SERIES NC-STANDARD F36

LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)

## TOOL HOLDERS FRAME




## ORD. NO.

**F NC 5020 00 01**

Horizontal frame load capacity: 50 kg

Dimensions mm 584x140x146 h



## PAIR OF CARRIERS FOR FRAME

## ORD. NO.

**F NC 5750 00 01**

For frame ORD. NO. F NC 5020 00 ..

Overall dim. mm 592x150 h



## PAIR OF GALVANISED HANDLES

## ORD. NO.

**F NC 5005 00 99**

For frame ORD. NO. F NC 5020 00 ..

## TOOL FOR WOODEN INSERT OF MULTIPLEX



## ORD. NO.

**F NC 5021 00 01**

Horizontal frame load capacity: 50 kg

Overall dimensions mm 584x140x146 h



## ORD. NO.

**F NC 2510 00 00**

Wooden insert of multiplex

Overall dimensions mm 525x138x50 h



Example of tool holder frame  
ORD. NO. F NC 5021 00 .. with  
wooden insert

ALUMINIUM  
INSERT

## ORD. NO.

**F NC 2410 00 00**

Aluminium insert with rubber

OVERALL DIMENSIONS mm

525x135x45 h



Example of tool holder  
frame ORD. NO. F NC  
5020 00 .. with  
aluminium support

WOODEN  
INSERTS

## ORD. NO.

**F NC 2550 00 01**

Wooden insert

OVERALL DIMENSIONS mm

600x600x160 h




Example of drawer  
ORD. NO. F FG 2110 00 04  
with wooden insert

LENGTH = 717 mm DEPTH = 750/785 mm (36x36 Eh)



## CABINETS SERIES NC-STANDARD F36

## TOOL HOLDER FRAMES 4-ROWS FOR DRAWERS

01  
02



■ The tool holder frame load capacity is given by the drawer load capacity.



## ORD. NO.

F NC 5220 00 01

Overall dim. mm 584x592x69 h

## PAIR OF CARRIERS

## ORD. NO.

DIMENSIONS mm

FOR HEIGHT TAPER mm REF. A

F NC 5650 00 01

594x86 h

A = 93 / 118 / 143

F NC 5840 00 01

594x136 h

A = 143 / 168 / 193


ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5020 00 ..MAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00 ..

|                 |               |   |    |
|-----------------|---------------|---|----|
| F NC 9510 00 03 | ISO 30        | 7 | 32 |
| F NC 9530 00 03 | ISO 40        | 7 | 32 |
| F NC 9540 00 03 | ISO 45        | 5 | 24 |
| F NC 9550 00 03 | ISO 50        | 5 | 20 |
| F NC 9560 00 03 | VDI 30        | 7 | 32 |
| F NC 9570 00 03 | VDI 40        | 5 | 24 |
| F NC 9580 00 03 | VDI 50        | 5 | 24 |
| F NC 9590 00 03 | VDI 60        | 5 | 20 |
| F NC 9720 00 03 | MORSE TAPER 2 | 7 | 32 |
| F NC 9730 00 03 | MORSE TAPER 3 | 7 | 32 |
| F NC 9740 00 03 | MORSE TAPER 4 | 7 | 32 |
| F NC 9750 00 03 | MORSE TAPER 5 | 5 | 24 |
| F NC 9270 00 03 | CAPTO C3      | 7 | 32 |
| F NC 9275 00 03 | CAPTO C4      | 5 | 24 |
| F NC 9280 00 03 | CAPTO C5      | 5 | 24 |

ORD. NO.  
TOOL HOLDERSTOOL HOLDER  
TYPEMAX. QUANTITY  
PER TOOL FRAME  
F NC 5020 00 ..MAX. QUANTITY  
PER TOOL FRAME  
F NC 5220 00 ..

|                 |               |   |    |
|-----------------|---------------|---|----|
| F NC 9285 00 03 | CAPTO C6      | 5 | 24 |
| F NC 9290 00 03 | CAPTO C8      | 4 | 16 |
| F NC 9210 00 03 | HSK A32-B40   | 7 | 32 |
| F NC 9220 00 03 | HSK A40-B50   | 7 | 32 |
| F NC 9230 00 03 | HSK A50-B63   | 5 | 24 |
| F NC 9240 00 03 | HSK A63-B80   | 5 | 24 |
| F NC 9250 00 03 | HSK A80-B100  | 4 | 16 |
| F NC 9260 00 03 | HSK A100-B125 | 4 | 16 |
| F NC 9640 00 03 | 2"            | 5 | 24 |
| F NC 9650 00 03 | 2" 1/4        | 5 | 20 |
| F NC 9010 00 03 | 58 mm         | 9 | 36 |
| F NC 9020 00 03 | 65 mm         | 8 | 32 |
| F NC 9030 00 03 | 75 mm         | 7 | 28 |
| F NC 9040 00 03 | 87 mm         | 6 | 24 |
| F NC 9050 00 03 | 105 mm        | 5 | 20 |

■ Partitioning material see page A180



## ORD. NO.


FOR FRONT  
HEIGHTS

F FH 2005 15 00

50-300

Set including:

16 Troughs 2 grooves  
35 Plain partitions 73 mm



## ORD. NO.


FOR FRONT  
HEIGHTS

F FH 2005 16 00

50-300

Set including:

16 Troughs 3 grooves  
50 Plain partitions 47 mm



## ORD. NO.


FOR FRONT  
HEIGHTS

F FH 2005 17 00

50-300

Set including:

16 Troughs 4 grooves  
65 Plain partitions 36 mm



## ORD. NO.

FOR FRONT  
HEIGHTS

F FH 2005 07 00

50

F FH 2007 07 00

75

F FH 2010 07 00

100-125

F FH 2015 07 00

150-175

F FH 2020 07 00

200-250

Set including:

3 Slotted partitions 610 mm  
15 Plain partitions 149 mm

■ Partitioning material see page A96 - A97