CabMark™

An all in one solution for industrial marking

- A combined solution that covers every aspect of industrial marking.

CabMark

CabMark™ is a complete marking system for identification of industrial products.
With CabMark you are able to mark wire, cables, control panels, components etc.
– In CabMark™ you have an “all-in-one-system”.

By using the combined solution of labels, markers and the CabSoft™ software with our high performance printers, you will be able to lower the “labour cost” in your production.

We offer a wide variety of high quality products, if you require sizes or colours beyond the specified please feel free to make a special requests.

Cabicon regularly design and develop new products and will keep you informed as soon there are any changes or news in our program.

To make your marking life easier we offer our customers a service agreement – CSA (CabMark Service Agreement) – with this agreement you are always ensured help when you need it.

Require further information? Call us right now.

Products

CabMark ZHS 4
Fixed sized heat shrinkable markers

CabMark ZHCO 6
Endless heat shrinkable markers

CabMark CMW 8
Wraparound cable markers

CabMark CPL 10
Control Panel Labels - raised for special marking

CabMark POL 12
Polyester labels

CabMark CMP 14
PUR cable marker in pre-cut liner format

CabMark CMSS 16
Pre-embossed stainless steel markers

CabMark CAB-ON 18
Wire markers on stick

Manual marking products 20
Laminat cable and manila markers

CabMark SQ Printer 22
SQ Accessories & Parts

CabMark E4 Printer 23
E4 Accessories & Parts

Printer Parts 24
Parts & Accessories for previous printer models

CabMark Ribbons 26
TT CCR & CC XT

CabSoft 27
Label creation software

CabMark Print Shop 28
Let us do your work

CabMark ZHS

Liner organized heat shrinkable wire markers

CabMark ZHS – heat shrinkable markers is one of the fastest wire-marking products on the market.

The flattened tube is designed for thermal transfer printing and is recommended to be printed with CabMark ribbons, to ensure you a high quality print.

The markers are placed on a carrier/liner and can easily be removed, and attached to your wires.

Sizes from Ø2,4 up to Ø50,8 mm and lengths from 12,5 to 50 mm makes CabMark ZHS very flexible and supports you on all necessary sizes of wires.

Sizes from Ø2,4mm to Ø50,8mm and legths from 12,5mm to 50mm makes CabMark ZHS a flexible solution fit for any wires you may have.

We offer as standard CabMark ZHS in yellow and white tubing.

Other colours can be supplied on request.

Material:
Polyolefin 2:1 / 3:1. Paper carrier with adhesive tape

Operating temperature:
-30° C – +125° C

Shrink temperature:
+95° C

Specification:
UL 2556 / MIL-DTL-23053E

Colours:
Yellow/White other colours on request

Printer recommended:
CabMark SQ-M 4/300

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at 45-55% RH

Use within 2 years from manufacture

ZHS 2:1 Shrink

Article no. 5710190-	Colour & Size	Sales Unit
-544004	Yellow 2:1 - 2,4 x 12,5 mm	4000 PCS.
-544011	Yellow 2:1 - 2,4 x 25 mm	2000 PCS.
-544028	Yellow 2:1 - 2,4 x 50 mm	1000 PCS.
-544035	Yellow 2:1 - 3,2 x 12,5 mm	4000 PCS.
-544042	Yellow 2:1 - 3,2 x 25 mm	2000 PCS.
-544059	Yellow 2:1 - 3,2 x 50 mm	1000 PCS.
-544066	Yellow 2:1 - 4,8 x 12,5 mm	4000 PCS.
-544073	Yellow 2:1 - 4,8 x 25 mm	2000 PCS.
-544080	Yellow 2:1 - 4,8 x 50 mm	1000 PCS.
-544097	Yellow 2:1 - 6,4 x 12,5 mm	4000 PCS.
-544103	Yellow 2:1 - 6,4 x 25 mm	2000 PCS.
-544110	Yellow 2:1 - 6,4 x 50 mm	1000 PCS.
-544127	Yellow 2:1 - 9,5 x 12,5 mm	2000 PCS.
-544134	Yellow 2:1 - 9,5 x 25 mm	1000 PCS.
-544141	Yellow 2:1 - 9,5 x 50 mm	500 PCS.
-544158	Yellow 2:1 - 12,7 x 12,5 mm	2000 PCS.
-544165	Yellow 2:1 - 12,7 x 25 mm	1000 PCS.
-544172	Yellow 2:1 - 12,7x 50 mm	500 PCS.
-544189	Yellow 2:1 - 19 x 12,5 mm	2000 PCS.
-544196	Yellow 2:1 - 19 x 25 mm	1000 PCS.
-544202	Yellow 2:1 - 19 x 50 mm	500 PCS.
-544226	Yellow 2:1 - 25,4 x 25 mm	600 PCS.
-544233	Yellow 2:1 - 25,4 x 50 mm	300 PCS.
-544257	Yellow 2:1 - 38,1 x 50 mm	100 PCS.
-544271	Yellow 2:1 - 50,1 x 50 mm	100 PCS.

-544387	White 2:1 - 2,4 x 12,5 mm	4000 PCS.
-544394	White 2:1 - 2,4 x 25 mm	2000 PCS.
-544400	White 2:1 - 2,4 x 50 mm	1000 PCS.
-544417	White 2:1 - 3,2 x 12,5 mm	4000 PCS.
-544424	White 2:1 - 3,2 x 25 mm	2000 PCS.
-544431	White 2:1 - 3,2 x 50 mm	1000 PCS.
-544448	White 2:1 - 4,8 x 12,5 mm	4000 PCS.
-544455	White 2:1 - 4,8 x 25 mm	2000 PCS.
-544462	White 2:1 - 4,8 x 50 mm	1000 PCS.
-544479	White 2:1 - 6,4 x 12,5 mm	4000 PCS.
-544486	White 2:1 - 6,4 x 25 mm	2000 PCS.
-544493	White 2:1 - 6,4 x 50 mm	1000 PCS.
-544509	White 2:1 - 9,5 x 12,5 mm	2000 PCS.
-544516	White 2:1 - 9,5 x 25 mm	1000 PCS.
-544523	White 2:1 - 9,5 x 50 mm	500 PCS.
-544530	White 2:1 - 12,7 x 12,5 mm	2000 PCS.
-544547	White 2:1 - 12,7 x 25 mm	1000 PCS.
-544554	White 2:1 - 12,7x 50 mm	500 PCS.
-544561	White 2:1 - 19 x 12,5 mm	2000 PCS.
-544578	White 2:1 - 19 x 25 mm	1000 PCS.
-544585	White 2:1 - 19 x 50 mm	500 PCS.
-544608	White 2:1 - 25,4 x 25 mm	600 PCS.
-544615	White 2:1 - 25,4 x 50 mm	300 PCS.
-544639	White 2:1 - 38,1 x 50 mm	100 PCS.
-544653	White 2:1 - 50,1 x 50 mm	100 PCS.

ZHS 3:1 Shrink

Article no. 5710190-	Colour & Size	Sales Unit
-544783	Yellow 3:1 - 2,4 x 12,5 mm	4000 PCS.
-544790	Yellow 3:1 - 2,4 x 25 mm	2000 PCS.
-544806	Yellow 3:1 - 2,4 x 50 mm	1000 PCS.
-544813	Yellow 3:1 - 3,2 x 12,5 mm	4000 PCS.
-544820	Yellow 3:1 - 3,2 x 25 mm	2000 PCS.
-544837	Yellow 3:1 - 3,2 x 50 mm	1000 PCS.
-544844	Yellow 3:1 - 4,8 x 12,5 mm	4000 PCS.
-544851	Yellow 3:1 - 4,8 x 25 mm	2000 PCS.
-544868	Yellow 3:1 - 4,8 x 50 mm	2000 PCS.
-544875	Yellow 3:1 - 6,4 x 12,5 mm	4000 PCS.
-544882	Yellow 3:1 - 6,4 x 25 mm	2000 PCS.
-544899	Yellow 3:1 - 6,4 x 50 mm	1000 PCS.
-544905	Yellow 3:1 - 9,5 x 12,5 mm	2000 PCS.
-544912	Yellow 3:1 - 9,5 x 25 mm	1000 PCS.
-544929	Yellow 3:1 - 9,5 x 50 mm	500 PCS.
-544936	Yellow 3:1 - 12,7 x 12,5 mm	2000 PCS.
-544943	Yellow 3:1 - 12,7 x 25 mm	1000 PCS.
-544950	Yellow 3:1 - 12,7x 50 mm	500 PCS.
-544967	Yellow 3:1 - 19,1 x 12,5 mm	2000 PCS.
-544974	Yellow 3:1 - 19,1 x 25 mm	1000 PCS.
-544981	Yellow 3:1 - 19,1 x 50 mm	500 PCS.
-545001	Yellow 3:1 - 25,4 x 25 mm	600 PCS.
-545018	Yellow 3:1 - 25,4 x 50 mm	300 PCS.
-545025	Yellow 3:1 - 38,1 x 50 mm	100 PCS.
-545032	Yellow 3:1 - 50,1 x 50 mm	100 PCS.

-545179	White 3:1 - 2,4 x 12,5 mm	4000 PCS.
-545186	White 3:1 - 2,4 x 25 mm	2000 PCS.
-545193	White 3:1 - 2,4 x 50 mm	1000 PCS.
-545209	White 3:1 - 3,2 x 12,5 mm	4000 PCS.
-545216	White 3:1 - 3,2 x 25 mm	2000 PCS.
-545223	White 3:1 - 3,2 x 50 mm	1000 PCS.
-545230	White 3:1 - 4,8 x 12,5 mm	4000 PCS.
-545247	White 3:1 - 4,8 x 25 mm	2000 PCS.
-545254	White 3:1 - 4,8 x 50 mm	1000 PCS.
-545261	White 3:1 - 6,4 x 12,5 mm	4000 PCS.
-545278	White 3:1 - 6,4 x 25 mm	2000 PCS.
-545285	White 3:1 - 6,4 x 50 mm	1000 PCS.
-545292	White 3:1 - 9,5 x 12,5 mm	2000 PCS.
-545308	White 3:1 - 9,5 x 25 mm	1000 PCS.
-545315	White 3:1 - 9,5 x 50 mm	500 PCS.
-545322	White 3:1 - 12,7 x 12,5 mm	2000 PCS.
-545339	White 3:1 - 12,7 x 25 mm	1000 PCS.
-545346	White 3:1 - 12,7x 50 mm	500 PCS.
-545353	White 3:1 - 19,1 x 12,5 mm	2000 PCS.
-545360	White 3:1 - 19,1 x 25 mm	1000 PCS.
-545377	White 3:1 - 19,1 x 50 mm	500 PCS.
-545391	White 3:1 - 25,4 x 25 mm	600 PCS.
-545407	White 3:1 - 25,4 x 50 mm	300 PCS.
-545414	White 3:1 - 38,1 x 50 mm	100 PCS.
-545421	White 3:1 - 50,1 x 50 mm	100 PCS.

CabMark ZHCO

Continuous heat shrinkable sleeves 2:1 / 3:1

CabMark ZHCO – heat shrinkable endless tubing is one of the fastest wire-marking products on the market.

The flattened tube is designed for thermal transfer printing and is recommended to be printed with CabMark ribbons, to ensure you a high quality print.

The tubing is delivered on rolls and is designed for endless thermal transfer printing.
Used together with a cutter you are able to make exactly the lengths you request and a huge amount in a short time.

Sizes from Ø2,4mm to Ø50,8mm makes CabMark ZHCO a flexible solution fit for any wires you may have.
CabMark ZHCO is available in standard colours of yellow and white.

Other colours can be supplied on request.

UL Filenumber: E479361

Material:
Polyolefin 2:1 / 3:1. Paper carrier with adhesive tape

Operating temperature:
-30° C – +125° C

Shrink temperature:
+95° C

Specification:
UL 2556 / MIL-DTL-23053E

Colours:
Yellow/White other colours on request

Printer recommended:
CabMark SQ-M 4/300 or CabMark E4

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at 45-55% RH

Use within 2 years from manufacture

ZHCO 2:1 Shrink

Article no. 5710190-	Colour & Size	Sales Unit		Article no. 5710190-	Colour & Size	Sales Unit	
-548651	Yellow 2:1 Ø 1,6 mm	50 m	■	-548781	White 2:1 Ø 1,6 mm	50 m	□
-548668	Yellow 2:1 Ø 2,4 mm	50 m	■	-548798	White 2:1 Ø 2,4 mm	50 m	□
-548675	Yellow 2:1 Ø 3,2 mm	50 m	■	-548804	White 2:1 Ø 3,2 mm	50 m	□
-548682	Yellow 2:1 Ø 4,8 mm	100 m	■	-548811	White 2:1 Ø 4,8 mm	100 m	□
-548699	Yellow 2:1 Ø 6,4 mm	100 m	■	-548828	White 2:1 Ø 6,4 mm	100 m	□
-548705	Yellow 2:1 Ø 9,5 mm	100 m	■	-548835	White 2:1 Ø 9,5 mm	100 m	□
-548712	Yellow 2:1 Ø 12,7 mm	100 m	■	-548842	White 2:1 Ø 12,7 mm	100 m	□
-548729	Yellow 2:1 Ø 19,1 mm	100 m	■	-548859	White 2:1 Ø 19,1 mm	100 m	□
-548736	Yellow 2:1 Ø 25,4 mm	100 m	■	-548866	White 2:1 Ø 25,4 mm	100 m	□
-548743	Yellow 2:1 Ø 38,0 mm	100 m	■	-548873	White 2:1 Ø 38,1 mm	100 m	□
-548750	Yellow 2:1 Ø 50,8 mm	50 m	■	-548880	White 2:1 Ø 50,8 mm	100 m	□

ZHCO 3:1 Shrink

Article no. 5710190-	Colour & Size	Sales Unit		Article no. 5710190-	Colour & Size	Sales Unit	
-548378	Yellow 3:1 Ø 3,2 mm	50 m	■	-548507	White 3:1 Ø 3,2 mm	50 m	□
-548385	Yellow 3:1 Ø 4,8 mm	100 m	■	-548514	White 3:1 Ø 4,8 mm	100 m	□
-548392	Yellow 3:1 Ø 6,4 mm	100 m	■	-548521	White 3:1 Ø 6,4 mm	100 m	□
-548408	Yellow 3:1 Ø 9,5 mm	100 m	■	-548538	White 3:1 Ø 9,5 mm	100 m	□
-548415	Yellow 3:1 Ø 12,7 mm	100 m	■	-548545	White 3:1 Ø 12,7 mm	100 m	□
-548422	Yellow 3:1 Ø 19,1 mm	100 m	■	-548552	White 3:1 Ø 19,1 mm	100 m	□
-548439	Yellow 3:1 Ø 25,4 mm	100 m	■	-548569	White 3:1 Ø 25,4 mm	100 m	□
-548446	Yellow 3:1 Ø 38,1 mm	100 m	■	-548576	White 3:1 Ø 38,1 mm	100 m	□
-548453	Yellow 3:1 Ø 50,8 mm	50 m	■	-548583	White 3:1 Ø 50,8 mm	50 m	□

CabMark CMW

Wraparound cable markers

CabMark CMW – is designed for thermal transfer printing and can be used on all kind of wires and cables.

The material is specially designed for applications where squeezability, conformability and transparency are required.
The acrylic adhesive is developed for synthetic face materials. Excellent clarity, UV-stability and good water resistance once labeled.

Good adhesion properties and heat resistance. The advantage of CMW is, that it can be used on already mounted cables - mark your cables without disconnecting anything. The wide range of sizes allows you to use it on very small up to large sized cables.

Standard colours are white and yellow

Other colours can be delivered on request.



W = Width
TH = Text height
L = Lenght

Material:
Glossy top coated Polypropylene

Operating temperature:
-20° C – +100° C

Application temperature::
From + 5° C

Specification:
DIN 53147-53455-53370-53352

Colours:
Yellow/White other colours on request

Printer recommended:
CabMark SQ-M 4/300 or CabMark E4

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at 45-55% RH

Use within 2 years from manufacture

CMW Wraparound Cable Markers

Article no. 5710190-	Colour & Size W x TH x L	Sales Unit
-535002	White 10x5x20 mm	5.000 PCS.
-535040	White 12,7x9,1x19 mm	5.000 PCS.
-535057	White 12,7x8,3x23,8 mm	10.000 PCS.
-535064	White 12,7x12,7x38,1 mm	10.000 PCS.
-535095	White 15x5x30 mm	7.500 PCS.
-535125	White 20x10x40 mm	5.000 PCS.
-535170	White 25,4x12,7x38,1 mm	10.000 PCS.
-535187	White 25,4x19,0x57,2 mm	2.500 PCS.
-535194	White 25,4x25,4x95,2 mm	2.500 PCS.
-535200	White 38,1x19,0x57,2 mm / 2 kol	2.500 PCS.
-535224	White 25,4x25,4x152,4 mm	2.500 PCS.
-535231	White 25,4x25,4x175 mm	500 PCS.
-535248	White 25,4x38,1x190 mm	500 PCS.
-535262	White 30x15x175 mm	1.000 PCS.
-535316	White 40x30x150 mm	2.500 PCS.
-535323	White 40x30x210 mm	500 PCS.
-535361	White 50,8x19,1x57,1 mm	2.500 PCS.
-535408	White 50,8x25,4x95mm	2.000 PCS.
-535415	White 50,8x38,1x 150 mm	1.000 PCS.

Article no. 5710190-	Colour & Size W x TH x L	Sales Unit
-535514	Yellow 10x5x20 mm	5.000 PCS.
-535552	Yellow 12,7x9,1x19 mm	5000 PCS.
-535569	Yellow 12,7x8,3x23,8 mm	10.000 PCS.
-535576	Yellow 12,7x12,7x38,1 mm	10.000 PCS.
-535590	Yellow 15x5x30 mm	7.500 PCS.
-535637	Yellow 20x10x40 mm	5.000 PCS.
-535682	Yellow 25,4x12,7x38,1 mm	10.000 PCS.
-535699	Yellow 25,4x19,0x57,2 mm	2.500 PCS.
-535705	Yellow 25,4x25,4x95,2 mm	2.500 PCS.
-535712	Yellow 25,4x25,4x152,4 mm	2.500 PCS.
-535750	Yellow 25,4x38,1x190 mm	1.000 PCS.
-535774	Yellow 30x15x175 mm	1.000 PCS.
-535842	Yellow 38,1x12,7x38,1 mm	2.000 PCS.
-535866	Yellow 38,1x19,0x57,2 mm	2.500 PCS.
-535873	Yellow 40x30x95 mm	2.500 PCS.
-535897	Yellow 40x30x150 mm	2.500 PCS.
-535927	Yellow 40x30x210 mm	500 PCS.
-535941	Yellow 50,8x12,7x34,9 mm	2.500 PCS.
-535958	Yellow 50,8x19,1x57,1 mm	2.500 PCS.
-535972	Yellow 50,8x25,4x69,8 mm	2.000 PCS.
-536009	Yellow 50x25x150 mm	2.000 PCS.
-536023	Yellow 50x25x180 mm	2.000 PCS.
-536047	Yellow 50x25x200 mm	2.000 PCS.

Material:
Polyethylene overfolie / Polyethen foam, UV stable
Thickness: 0,6 mm

Operating temperature:
-30° C – +135° C

Application temperature::
+5° C – +40° C

Specification:
Over Foil UL approved

Colours:
Silver, white and yellow other colours on request

Printer recommended:
SQUIX-M 4 / E4

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at +15° C – +22° C and 45-55% RH. Use within 2 years from manufacture

CabMark CPL

Control Panel Labels - raised for special marking

CabMark CPL is a high quality label and can replace engraved and plotted plates. CPL is a cost saving label, it saves handling costs up to several times compared to normal plates and you can make them when you need them - no waiting time!

With its high durability and fantastic adhesion strength you have a great product for less money.

- Good resistance against scratching, smearing and rubbing
- Excellent UV resistance on printed image
- High tack adhesive, suitable for rough surfaces
- Easier, faster, and more cost-effective than engraved metal plates
- Up to 6 colours: black, white, yellow, silver, red and green
- Good chemical resistance against alcohols and diesel oil

Standard colours are metal, white, yellow and red.

Other colours can be supplied on request.
UL Recognized.

CPL Control Panel Labels - raised for special marking

Article no. 5710190-	Colour & Size	Sales Unit
-530007	Metal 27 X 8 mm	2.500 PCS.
-530014	Metal 27 X 12,5 mm	2.000 PCS.
-530021	Metal 27 X 15 mm	1.500 PCS.
-530038	Metal 27 X 18 mm	1.500 PCS.
-530113	Metal 35 X 18 mm	1.000 PCS.
-530182	Metal 45 X 15 mm	1.000 PCS.
-530250	Metal 48 X 19 mm	1.250 PCS.
-530328	Metal 60 X 30 mm	500 PCS.
-530403	Metal 70 x 18 mm	1.000 PCS.
-530465	Metal 80 X 60 mm	500 PCS.
-530533	Metal 90 X 45 mm	500 PCS.
-530618	Metal 100 X 30 mm	500 PCS.
-530632	Metal 100 X 50 mm	500 PCS.
-530663	Metal 100 X 90 mm	200 PCS.
-530687	Metal 100 X 140 mm	200 PCS.
-530786	White 27 X 8 mm	2.500 PCS.
-530793	White 27 X 12,5 mm	2.000 PCS.
-530809	White 27 X 15 mm	1.500 PCS.
-530816	White 27 X 18 mm	1.500 PCS.
-530892	White 35 X 18 mm	1.000 PCS.
-530977	White 45 X 15 mm	1.000 PCS.
-531042	White 48 X 19 mm	1.250 PCS.
-531110	White 60 X 30 mm	500 PCS.
-531196	White 70 x 18 mm	1.000 PCS.
-531264	White 80 X 60 mm	500 PCS.
-531318	White 90 X 45 mm	500 PCS.
-531370	White 100 X 30 mm	500 PCS.
-531387	White 100 X 50 mm	500 PCS.
-531400	White 100 X 90 mm	200 PCS.
-531424	White 100 X 140 mm	200 PCS.

Article no. 5710190-	Colour & Size	Sales Unit
-531585	Yellow 27 X 8 mm	2.500 PCS.
-531592	Yellow 27 X 12,5 mm	2.000 PCS.
-531608	Yellow 27 X 15 mm	1.500 PCS.
-531615	Yellow 27 X 18 mm	1.500 PCS.
-531684	Yellow 35 X 18 mm	1.000 PCS.
-531752	Yellow 45 X 15 mm	1.000 PCS.
-531837	Yellow 48 X 19 mm	1.250 PCS.
-531905	Yellow 60 X 30 mm	500 PCS.
-531974	Yellow 70 x 18 mm	1.000 PCS.
-532049	Yellow 80 X 60 mm	500 PCS.
-532117	Yellow 90 X 45 mm	500 PCS.
-532179	Yellow 100 X 30 mm	500 PCS.
-532186	Yellow 100 X 50 mm	500 PCS.
-532100	Yellow 100 X 90 mm	200 PCS.
-532223	Yellow 100 X 140 mm	200 PCS.
-532360	Red 27 X 8 mm	2.500 PCS.
-532377	Red 27 X 12,5 mm	2.000 PCS.
-532384	Red 27 X 15 mm	1.500 PCS.
-532391	Red 27 X 18 mm	1.500 PCS.
-532469	Red 35 X 18 mm	1.000 PCS.
-532537	Red 45 X 15 mm	1.000 PCS.
-532605	Red 48 X 19 mm	1.250 PCS.
-532681	Red 60 X 30 mm	500 PCS.
-532759	Red 70 X 18 mm	1.000 PCS.
-532834	Red 80 X 60 mm	500 PCS.
-532889	Red 90 X 45 mm	500 PCS.
-532957	Red 100 X 30 mm	500 PCS.
-532964	Red 100 X 50 mm	500 PCS.
-532971	Red 100 X 90 mm	200 PCS.
-533008	Red 100 X 140 mm	200 PCS.

CabMark POL

Polyester labels

CabMark POL - is a high-end polyester label for thermal transfer printing to be used in harsh environment if needed.

Printed with CabMark ribbon you are secured a high quality print to be used in a wide variety of applications.

Standard colours are metal and white.

Other colours can be delivered on request.
UL Recognized.

Material:
Polyester

Operating temperature:
-30° C – +150° C

Application temperature::
From +5° C

Specification:
UL94

Colours:
Silver, white - other colors on request

Printer recommended:
CabMark SQ-M 4/300 or CabMark E4

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at +10° C - +30° C and 45-55% RH.
Use within 2 years from manufacture

POL Polyester labels

Article no. 5710190-	Colour & Size	Sales Unit
-520008	Silver 15 X 5 mm	10.000 PCS.
-520015	Silver 12,7 X 6,35 mm	10.000 PCS.
-520077	Silver 25,4 X 12,7 mm	10.000 PCS.
-520107	Silver 30 X 20 mm	5.000 PCS.
-520152	Silver 40 X 10 mm	2.000 PCS.
-520220	Silver 50,8 X 25,4 mm	2.500 PCS.
-520237	Silver 50 X 35 mm	2.000 PCS.
-520350	Silver 70 X 30 mm	1.000 PCS.
-520374	Silver 75 X 10 mm	2.000 PCS.
-520381	Silver 76,2 X 50,8 mm	1.000 PCS.
-520541	Silver 95 X 20 mm	2.000 PCS.
-520589	Silver 100 X 28 mm	2.000 PCS.
-520633	Silver 100 X 50 mm	2.500 PCS.
-520640	Silver 101,6 X 57,15 mm	500 PCS.
-520923	Yellow 10 X 5 mm	10.000 PCS.
-520930	Yellow 15 X 5 mm	10.000 PCS.
-520947	Yellow 15 X 10 mm	2.000 PCS.
-521005	Yellow 28 X 20 mm	2.000 PCS.
-521029	Yellow 30 X 11 mm	2.000 PCS.
-521098	Yellow 40 X 20 mm	5.000 PCS.
-521166	Yellow 50,8 X 25,4 mm	2.500 PCS.
-521296	Yellow 70 X 30 mm	1.000 PCS.
-521333	Yellow 75 X 10 mm	2.000 PCS.
-521456	Yellow 95 X 20 mm	2.000 PCS.
-521494	Yellow 100 X 28 mm	2.000 PCS.
-521531	Yellow 100 X 50 mm	2.500 PCS.
-521692	Yellow 100x130 mm	500 PCS.

Article no. 5710190-	Colour & Size	Sales Unit
-522002	White 10 X 5 mm	10.000 PCS.
-522019	White 15 X 5 mm	10.000 PCS.
-522033	White 16 X 10 mm	10.000 PCS.
-522057	White 19,05 X 4,8 mm	10.000 PCS.
-522071	White 20 X 10 mm	3.000 PCS.
-522101	White 25,4 X 12,7 mm	10.000 PCS.
-522125	White 30 X 11 mm	2.000 PCS.
-522163	White 40 X 6 mm	4.000 PCS.
-522170	White 40 X 10 mm	2.000 PCS.
-522224	White 50 X 10 mm	2.500 PCS.
-522231	White 50 X 15 mm	2.000 PCS.
-522248	White 50,8 X 25,4 mm	2.500 PCS.
-522286	White 59 X 10 mm	4.000 PCS.
-522354	White 72 X 37 mm	2.500 PCS.
-522385	White 76,2 X 25,4 mm	2.500 PCS.
-522408	White 76,2 X 50,8 mm	2.500 PCS.
-522514	White 90 X 30 mm	1.500 PCS.
-522804	White Ø 10 mm	10.000 PCS.
-522828	White Ø 20 mm	9.000 PCS.
-519026	Red 20 X 10 mm	3.000 PCS.
-519040	Red 40 X 6 mm	4.000 PCS.
-519057	Red 40 X 10 mm	2.000 PCS.
-519231	Blue 40 X 6 mm	4.000 stk.
-519248	Blue 40 X 10 mm	2.000 stk.



CabMark CMP

PUR cable marker in pre-cut liner format

CabMark CMP - high performance cablemarkers made in PUR material. The smart-design with pre-punched markers integrated in the liner - enables you to remove and mount the markers very fast. We call it: Print, rib-off and mount. Together with CabMark high performance ribbon you are secured a high print quality - can be used in harsh environments.

Chose between 2 different types - standard type to be mounted with 2 cable-ties and our Octave marker to be mounted with 1 cable tie.

Standard colours are yellow, white, red, orange and black.

Other colours on request.

PUR cable marker in pre-cut liner format

Article no. 5710190-	Colour & Size	Sales Unit
-550005	White PUR 60 X 10 mm	1.000 PCS.
-550012	White PUR 75 X 15 mm	1.000 PCS.
-550029	White PUR 90 X 25 mm	750 PCS.
-550142	Black PUR 60 X 10 mm	1.000 PCS.
-550159	Black PUR 75 X 15 mm	1.000 PCS.
-550166	Black PUR 90 X 25 mm	750 PCS.
-550289	Red PUR 60 X 10 mm	1.000 PCS.
-550296	Red PUR 75 X 15 mm	1.000 PCS.
-550302	Red PUR 90 X 25 mm	750 PCS.

CMP PUR

Material:
Polyurethane, zero halogen, UV stable, Flame retardant

Operating temperature:
-30° C – +90° C

Specification:
Adherence MIL 81531/ V-0/3mm according to UL94

Colours:
Yellow, White, red, black and orange

Printer recommended:
CabMark SQ-M 4/300 or CabMark E4

Ribbon recommended:
CCR / CC XT black

Storage:
In original packing at 45-55% RH.
Use within 2 years from manufacture

Article no. 5710190-	Colour & Size	Sales Unit
-550074	Yellow PUR 60 X 10 mm	1.000 PCS.
-550081	Yellow PUR 75 X 15 mm	1.000 PCS.
-550098	Yellow PUR 90 X 25 mm	750 PCS.
-550210	Orange PUR 60 X 10 mm	1.000 PCS.
-550227	Orange PUR 75 X 15 mm	1.000 PCS.
-550234	Orange PUR 90 X 25 mm	750 PCS.
-550357	Green PUR 60 X 10 mm	1.000 PCS.
-550364	Green PUR 75 X 15 mm	1.000 PCS.
-550371	Green PUR 90 X 25 mm	750PCS.

CMP Octave

CMP Octave

Article no. 5710190-		Colour & Size	Sales Unit
-550807	2 in a row	White 30x24 mm	1.660 PCS.
-550852	1 in a row	White 40x25 mm	666 PCS.
-550838	2 in a row	Yellow 30x24 mm	1.660 PCS.
-550845	1 in a row	Yellow 40x25 mm	666 PCS.
-550869	1 in a row	Red 40x25 mm	666 PCS.
550876	1 in a row	Black 40x25	666 PCS.

CMP Octave marker to be mounted with 1 cable tie.

Standard colours are: yellow, white, other colours on request.

CMP Bonemark

Article no. 5710190-	Colour & Size	Sales Unit
-550753	Yellow 71x30 mm	700 PCS.
-550760	White 71x30 mm	700 PCS.
-550777	Orange 71x30 mm	700 PCS.
-550784	Red 71x30 mm	700 PCS.

CMP Bonemarker is a clever solution for marking cables, wires, components and valves etc. Print different information like dates, types or company logos.

It's easy to mount, fold the text area and stick it through the fixation hull and you are finished without using cable ties or others fixation products.

CMP Manila

Article no. 5710190-	Colour & Size	Sales Unit
-550868	White 90x11 mm	1.000 PCS.
-550890	Yellow 90x11 mm	1.000 PCS.

CMP Manila is made especially for components or valves etc. but can actually be used anywhere where you need a strong and reliable marking.

It is made as a hanger for fixation with cable ties or steel wire.

CMP Bonemark

CMP Manila

CabMark CMSS

Pre-embossed steel markers

- Easy to read in dimmed light and inaccessible places
- Complete range of individual letters, numbers and symbols
- Slide directly onto carrier strip to create a self-contained wrap tag

CabMark CMSS – a simple and flexible marking product especially designed for very harsh environments like Offshore and chemical industries.

You only need to secure your stock of the numbers and Carrier you need – delivered in a smart strong box you are always able to mark your applications fast and safe.



Material:
100% Stainless Steel 316 / UV stable

Operating temperature:
-80° C - +500° C

Specification:
Lloyd's register, DNV, ABS, and UL

Salt spray:
Tests without any signs of Corrosion or Reduction in Performance

Colours:
Metalized

Storage:
In original packing no limit

Pre-embossed steel markers

Article no. 5710190-	Type & Size	Sales Unit
-552016	**Carrier for 5 characters**	10 PCS.
-552023	**Carrier for 7 characters**	10 PCS.
-552030	**Carrier for 11 characters**	10 PCS.
-552047	**Carrier for 15 characters**	10 PCS.
-552146	Tag - "A"	200 PCS.
-552153	Tag - "B"	200 PCS.
-552160	Tag - "C"	200 PCS.
-552177	Tag - "D"	200 PCS.
-552184	Tag - "E"	200 PCS.
-552191	Tag - "F"	200 PCS.
-552207	Tag - "G"	200 PCS.
-552214	Tag - "H"	200 PCS.
-552221	Tag - "I"	200 PCS.
-552238	Tag - "J"	200 PCS.
-552245	Tag - "K"	200 PCS.
-552252	Tag - "L"	200 PCS.
-552269	Tag - "M"	200 PCS.
-552276	Tag - "N"	200 PCS.
-552283	Tag - "O"	200 PCS.
-552290	Tag - "P"	200 PCS.
-552306	Tag - "Q"	200 PCS.
-552313	Tag - "R"	200 PCS.
-552320	Tag - "S"	200 PCS.
-552337	Tag - "T"	200 PCS.

Article no. 5710190-	Type & Size	Sales Unit
-552344	Tag - "U"	200 PCS.
-552351	Tag - "V"	200 PCS.
-552368	Tag - "Q"	200 PCS.
-552375	Tag - "X"	200 PCS.
-552382	Tag - "Y"	200 PCS.
-552399	Tag - "Z"	200 PCS.
-552405	Tag - "1"	200 PCS.
-552412	Tag - "2"	200 PCS.
-552429	Tag - "3"	200 PCS.
-552436	Tag - "4"	200 PCS.
-552443	Tag - "5"	200 PCS.
-552450	Tag - "6"	200 PCS.
-552467	Tag - "7"	200 PCS.
-552474	Tag - "8"	200 PCS.
-552481	Tag - "9"	200 PCS.
-552498	Tag - "0"	200 PCS.
-552504	Tag - "BLANK"	200 PCS.
-552511	Tag - "+"	200 PCS.
-552528	Tag - "-"	200 PCS.
-552535	Tag - "~"	200 PCS.
-552542	Tag - "->"	200 PCS.
-552559	Tag - "/"	200 PCS.
-552566	Tag - "&"	200 PCS.
-552573	Tag - "±"	200 PCS.

Pre-embossed stainless steel markers

Article no. 5710190-	Stainless steel 316 Carrier size	Sales Unit
-551309	Embossed marker for 5 characters	1 PCS.
-551316	Embossed marker for 10 characters	1 PCS.
-551323	Embossed marker for 15 characters	1 PCS.
-551330	Embossed marker for 20 characters	1 PCS.
-551347	Embossed marker for 25 characters	1 PCS.
-551354	Embossed marker for 30 characters	1 PCS.

LET US DO YOUR WORK – We can offer you embossed markers – It is all up to you!

You only have to tell us what to be embossed. You can send us a Excel file or put it into a list.

Within 5 days we deliver the signs, you only have to mount them - easy and convenient!

CabMark CAB-ON

Wire markers on stick

CabMark Cab-on – Very flexible wire markers from small to bigger sizes.

Where few characters are needed this is a recommendable solution – it is fast, simple and easy to use.

Slide the marker forward and push it onto the cable or wire with your thumb to place it perfectly.

Material:
Super strong high performance Polyamide / PA 66 UV stabilized

Operating temperature:
-30° C – +105° C

Specification:
UL94 / UL746A

Colours:
Stab in different colours / signs in white colour

Storage:
In original packing at 30 – 70% RH
Use within 5 years

CabMark CAB-ON

Article no. 5710190-	Type	Colour & Size	Sales Unit
-583010	NO. 0	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583027	NO. 1	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583034	NO. 2	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583041	NO. 3	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583058	NO. 4	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583065	NO. 5	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583072	NO. 6	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583089	NO. 7	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583096	NO. 8	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583102	NO. 9	Dark Red 0,1 - 0,4 mm²	10 X 30 PCS.
-583515	NO. 0	Grey 0,5 mm²	10 X 30 PCS.
-583522	NO. 1	Grey 0,5 mm²	10 X 30 PCS.
-583539	NO. 2	Grey 0,5 mm²	10 X 30 PCS.
-583546	NO. 3	Grey 0,5 mm²	10 X 30 PCS.
-583553	NO. 4	Grey 0,5 mm²	10 X 30 PCS.
-583560	NO. 5	Grey 0,5 mm²	10 X 30 PCS.

CabMark CAB-ON

Article no. 5710190-	Type	Colour & Size	Sales Unit
-583577	NO. 6	Grey 0,5 mm²	10 X 30 PCS.
-583584	NO. 7	Grey 0,5 mm²	10 X 30 PCS.
-583591	NO. 8	Grey 0,5 mm²	10 X 30 PCS.
-583607	NO. 9	Grey 0,5 mm²	10 X 30 PCS.
-584017	NO. 0	Blue 0,75 mm²	10 X 30 PCS.
-584024	NO. 1	Blue 0,75 mm²	10 X 30 PCS.
-584031	NO. 2	Blue 0,75 mm²	10 X 30 PCS.
-584048	NO. 3	Blue 0,75 mm²	10 X 30 PCS.
-584055	NO. 4	Blue 0,75 mm²	10 X 30 PCS.
-584062	NO. 5	Blue 0,75 mm²	10 X 30 PCS.
-584079	NO. 6	Blue 0,75 mm²	10 X 30 PCS.
-584086	NO. 7	Blue 0,75 mm²	10 X 30 PCS.
-584093	NO. 8	Blue 0,75 mm²	10 X 30 PCS.
-584109	NO. 9	Blue 0,75 mm²	10 X 30 PCS.
-584147	NO. (.)	Blue 0,75 mm²	10 X 30 PCS.
-584154	NO. +	Blue 0,75 mm²	10 X 30 PCS.
-584161	NO. -	Blue 0,75 mm²	10 X 30 PCS.
-584383	NO. X	Blue 0,75 mm²	10 X 30 PCS.
-584512	NO. 0	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584529	NO. 1	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584536	NO. 2	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584543	NO. 3	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584550	NO. 4	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584567	NO. 5	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584574	NO. 6	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584581	NO. 7	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584598	NO. 8	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584604	NO. 9	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584642	NO. (.)	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584659	NO. +	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584666	NO. -	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-584727	NO. F	Green 1,0 - 1,5 mm²	10 X 30 PCS.
-585014	NO. 0	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585021	NO. 1	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585038	NO. 2	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585045	NO. 3	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585052	NO. 4	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585069	NO. 5	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585076	NO. 6	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585083	NO. 7	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585090	NO. 8	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585106	NO. 9	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585144	NO. (.)	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585151	NO. +	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585168	NO. -	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585229	NO. F	Red 1,5 - 2,5 mm²	10 X 30 PCS.
-585519	NO. 0	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585526	NO. 1	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585533	NO. 2	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585540	NO. 3	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585557	NO. 4	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585564	NO. 5	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585571	NO. 6	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585588	NO. 7	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585595	NO. 8	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-585601	NO. 9	Blue 2,5 - 4,0 mm²	10 X 30 PCS.
-586011	NO. 0	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586028	NO. 1	Brown 4,0 - 6,0 mm²	10 X 30 PCS.

Article no. 5710190-	Type	Colour & Size	Sales Unit
-586035	NO. 2	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586042	NO. 3	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586059	NO. 4	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586066	NO. 5	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586073	NO. 6	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586080	NO. 7	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586097	NO. 8	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586103	NO. 9	Brown 4,0 - 6,0 mm²	10 X 30 PCS.
-586516	NO. 0	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586523	NO. 1	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586530	NO. 2	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586547	NO. 3	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586554	NO. 4	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586561	NO. 5	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586578	NO. 6	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586585	NO. 7	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586592	NO. 8	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586608	NO. 9	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586646	NO. (.)	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586653	NO. +	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586660	NO. -	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586783	NO. L	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-586806	NO. N	Yellow 6,0 - 10,0 mm²	10 X 30 PCS.
-587025	NO. 1	16,0 - 25,0 mm²	5 X 10 PCS.
-587032	NO. 2	16,0 - 25,0 mm²	5 X 10 PCS.
-587049	NO. 3	16,0 - 25,0 mm²	5 X 10 PCS.
-587223	NO. L	16,0 - 25,0 mm²	5 X 10 PCS.
-587247	NO. N	16,0 - 25,0 mm²	5 X 10 PCS.
-587445	NO. L1	16,0 - 25,0 mm²	5 X 10 PCS.
-587452	NO. L2	16,0 - 25,0 mm²	5 X 10 PCS.
-587469	NO. L3	16,0 - 25,0 mm²	5 X 10 PCS.
-587520	NO. 1	25,0 - 70,0 mm²	5 X 10 PCS.
-587537	NO. 2	25,0 - 70,0 mm²	5 X 10 PCS.
-587544	NO. 3	25,0 - 70,0 mm²	5 X 10 PCS.
-587728	NO. L	25,0 - 70,0 mm²	5 X 10 PCS.
-587742	NO. N	25,0 - 70,0 mm²	5 X 10 PCS.
-587940	NO. L1	25,0 - 70,0 mm²	5 X 10 PCS.
-587957	NO. L2	25,0 - 70,0 mm²	5 X 10 PCS.
-587964	NO. L3	25,0 - 70,0 mm²	5 X 10 PCS.
-588022	NO. 1	70,0 - 95 mm²	2 X 10 PCS.
-588039	NO. 2	70,0 - 95 mm²	2 X 10 PCS.
-588046	NO. 3	70,0 - 95 mm²	2 X 10 PCS.
-588220	NO. L	70,0 - 95 mm²	2 X 10 PCS.
-588244	NO. N	70,0 - 95 mm²	2 X 10 PCS.
-588442	NO. L1	70,0 - 95 mm²	2 X 10 PCS.
-588459	NO. L2	70,0 - 95 mm²	2 X 10 PCS.
-588466	NO. L3	70,0 - 95 mm²	2 X 10 PCS.
-588527	NO. 1	120,0 mm²	2 X 10 PCS.
-588534	NO. 2	120,0 mm²	2 X 10 PCS.
-588541	NO. 3	120,0 mm²	2 X 10 PCS.
-588725	NO. L	120,0 mm²	2 X 10 PCS.
-588749	NO. N	120,0 mm²	2 X 10 PCS.
-588947	NO. L1	120,0 mm²	2 X 10 PCS.
-588954	NO. L2	120,0 mm²	2 X 10 PCS.
-588961	NO. L3	120,0 mm²	2 X 10 PCS.

Manual marking products

CabMark Booklet Markers

Article no. 5710190-	Colour & Size	Sales Unit
-539000	WHITE 25 x 50 x 15 MM / 1 Booklet	90 PCS.
-539017	WHITE 25 x 75 x 25 MM / 1 Booklet	60 PCS.
-539024	WHITE 25 x 25 x 150 MM / 1 Booklet	30 PCS.
-539031	WHITE 63 x 25 x 150 MM / 1 Booklet	30 PCS.

Choose between markers for wires or labels for different applications. This is the most simple way to mark your applications. Just write the characters with the special pen and attach the label.

- Write with a pencil or waterproof ball pen on the white writeable area.
- Pull the marker from carrier
- Press white text area firmly on the cable
- Wrap the transparent end of marker tightly around the cable and cover the text area



W = Width
TH = Text height
L = Lenght

Material: Transparent PVC foil
Thickness 0,08mm
White opaque write-on area
Adhesive: Permanent Acrylic
Temperature: Resistant from -30° C - + 120° C
Application temperature +10° C

Self-adhesive write-on labels

Article no. 5710190-		Colour & Size	Sales Unit
-539109	Labels	YELLOW 8 x 21 MM / 1 Booklet	40 PCS.
-539116	Labels	YELLOW 9 x 14 MM / 1 Booklet	840 PCS.
-539123	Labels	YELLOW 11 x 19 MM / 1 Booklet	440 PCS.
-539130	Labels	YELLOW 11 x 38 MM / 1 Booklet	220 PCS.
-572908	Tusch	Ink color: BLACK	1 PCS.
-572915	Grafit	Color: GRAFIT	1 PCS.

Self-adhesive, write-on labels made of a satin acetate material, designed for marking electrical applications, operational equipments, stores.

Material: Satin acetate fabric with highly gloss surface and high covering capacity. Backing paper is coated and siliconised on one side. Thickness 0,25 mm UV resistant.
Colour: White/yellow
Adhesive: Long lasting Acrylic
Temperature: -10° C - +100° C
Application temperature +10° C

Laminat cable and manila markers

Article no. 5710190-		Colour & Size	Sales Unit
-553327	Cable marker LMT	Yellow 100 X 15 mm	100 PCS.
-553341	Cable marker LMT	Yellow 125 X 15 mm	100 PCS.
-553426	Manila LMT	Yellow 63 X 28 mm	100 PCS.
-553488	Manila LMT	Yellow 145 X 28 mm	50 PCS.

Self-laminating markers for a wide variety of applications. Choose between LMT Manila and LMT Cable Markers. Bring CabMark LMT with you everywhere and secure your marking fast and simple.

Manila for valves, boxes, instruments, motors, tools etc.

Cable markers for wires and cables in different dimensions. Can also be used as manila.

Material carrier: UV stabilised Polypropylene/PP - 500µ thick and halogen free
Material over foil: Transparent Polyester, halogen free, 50µ thick
Material adhesive: Acrylic based long life adhesive specially for lamination. UV resistant
Material liner: White wood-free paper one side siliconised, chlorine free
Operation temperature: +0° C - +60° C
Specification: DS10944 – life time minimum 15 years
Storage: In original packing at 45-55% RH.

Use within 2 years from manufacture.



CabMark SQ

SQ Printer & Accessories

Article no. 5710190-	Product	Description	Sales Unit
-560905	SQ Printer	300 dpi + wifi	1 PCS.
-561551	Print roller	Green rubber	1 PCS.
-561735	Printhead	300 DPI	1 PCS.
-561278	Cutter	PCU4	1 PCS.

The SQ is the further development of A4+M and contains every function of the E4.

This is a printer with an extremely large range of industrial applications.
They have been developed with focus on easy and convenient operation and high reliability.

- The SQ can do everything from tiny labels up to big, thick labels and continuous materials.

CabMark includes a wide ranges of accessories for our printers and offer only the absolute best products in the market to be used together with the materials.

If you do not find the accessory you are looking for please contact us.

Cutter

Can be used on different materials as heat shrink and polyester.
Enables you to pre-cut/perforate the material.



Printhead

High performance print head for SQ thermal transfer printers.

Print roller

Print roller in rubber for SQ thermal transfer printers.

CabMark E4

E4 Printer & Accessories

Article no. 5710190-	Product	Description	Sales Unit
-561162	EOS4 Printer	300 dpi	1 PCS.
-561971	Print roller	Green rubber	1 PCS.
-561933	Printhead	300 DPI	1 PCS.
-561261	Cutter	PCU4	1 PCS.

E4 combines all functions of a solid label printer with the highest ease of operation.

- Fast printing with 300dpi resolution
- Compact dimensions and weight for smaller workspace
- 3,7" backlit touchscreen for easy operation
- Compatible with Windows
- Easy connection to PC or Laptop with USB 2.0
- Built-in Ethernet socket for network operation

CabMark includes a wide ranges of printers and accessories. If you do not find the accessory you are looking for please contact us.

We offer only the absolute best products in the market to be used together with our materials.

Cutter

Can be used on different materials as heat shrink and polyester.
Enable you to pre-cut/perforate the material.

Print roller

Print roller in rubber for E4 thermal transfer printers.



Printhead

High performance print head for E4 thermal transfer printers.

Printer Parts



A4/A4+ termal transfer printers

Article no. 5710190-	Product	Description	Sales Unit
-561551	Print roller	Green rubber	1 PCS.
-561674	Printhead	300 DPI	1 PCS.
-561285	Cutter	PCU4	1 PCS.
-561605	Front cover	Grey	1 PCS.
-561612	Tip arm	Green	1 PCS.

Print roller

Print roller in rubber for A4 thermal transfer printers.

Printhead

High performance print head for A4 thermal transfer printers.

Cover for controlpanel

Front cover for thermal transfer printers A4+ series.

Tip arm

Tip arm for thermal transfer printer - A4+ series.

Cutter PCU4 for A4+ series

Can be used on different materials as heat shrink and polyester.
Enable you to pre-cut/perforate the material.



External rewinder ER 4/6/8

Article no. 5710190-	Product	Description	Sales Unit
-561414	External rewinder ER 4/6/8	FOR A4+ SERIES	1 PCS.

The rewinder is bolted directly onto the printer.
The label winding is optionally inside or outside.
The electronic control via the swing arm provides a smooth and tight winding.

The rewinder can be attached to almost every printer.

CabMark Ribbon

CabMark™ Ribbons

Your advantage by using the CabMark™ System is that you only need one type of ribbon for all our materials - the CCR.

We developed a special ribbon with high print performance and it does not matter if you are using PUR or polyester materials – you can print them all with the same ribbon.

Ribbons for all printers

Article no. 5710190-	Product	Description	Sales Unit
-571659	TT CCR	Black 30 mm x 300 M	1 rl.
-571680	TT CCR	Black 55 mm x 300 M	1 rl.
-571703	TT CCR	Black 85 mm x 300 M	1 rl.
-571710	TT CCR	Black 110 mm x 300 M	1 rl.
-571734	TT CCR	White 55 mm x 150 M	1 rl.
-571741	TT CCR	White 85 mm x 150 M	1 rl.
-571758	TT CCR	White 110 mm x 150 M	1 rl.
-570027	CC XT	Black 30 mm x 360 M	1 rl.
-570058	CC XT	Black 55 mm x 360 M	1 rl.
-570072	CC XT	Black 85 mm x 360 M	1 rl.
-570096	CC XT	Black 110 mm x 360 M	1 rl.

Other colours on request.





CabMark Software

CabSoft™

CabSoft is a powerful software for creating all kind of labels and markers.
Create labels to be printed on heat shrink, PUR cable markers, CPL labels and standard labels.

You work directly on the label and can easily put in pictures, text or numbers.

Use the import facility and create thousands of markers or labels within a short time. It saves you time and money.

WYSIWYG - "What you see is what you get."

CabSoft™

With CabSoft you get:

- Graphic elements
- Import facilities
- Date and time printing
- Brilliant overview
- Working directly on the label
- Import pictures
- Barcodes
- Pre-defined labelsettings

CabMark Software

Article no. 5710190-	Product	Description	Sales Unit
-563036	Cabsoft	CabSoft 4.1.5 label software	1 PCS.

Choose from **predefined label settings** or create your own.

Simple creation of new labels. Work directly on the label.

Or import data from existing datafiles.

CabMark Print Shop

Easy and convenient - you create – we print!

If you do not have the time or the equipment, CabMark Print Shop is the right solution for you.

Choose among a wide range of cablemarkers, wiremarkers and labels for different applications.

Place your order before 10 AM and you will receive your markers within 24 hours.

Contact Cabicon a/s for further information.



Disclaimer

Cabicon a/s

Please notice that all data and information given in the catalogue is believed to be accurate and correct. Although the information and recommendations set forth herein are presented in good faith and believed to be correct of this date, Cabicon a/s assumes no liability for the completeness or accuracy therefore.

We place at your disposal the technical information necessary for the correct use of our products. As conditions and methods of use are beyond our control, we presuppose that the persons receiving the same will make their own determination as to the suitability for their purpose.

We reserve the rights to modify specifications and design with the aim of improving the products and adapting it to the requirement of the market and our customers.

Cabicon a/s reserves the rights to correct any errors or misprints and adjust our prices due to changes in currency rates, suppliers' increase in prices, increase in material prices, changes in wages, freight, customs, taxes, government interventions and any other changes beyond our control.

Cabicon a/s possesses all rights to the contents and design of this catalogue. Fully or partially rendering of contents, transmission of contents or permanent storage of contents must only be done after having obtained a preceding, written assent from Cabicon a/s.

Cabicon a/s
www.cabicon.com
www.cabmark.com

Cabicon a/s

Cabicon is a professional supplier of electrical products and equipment to the Danish and European market.

Our core business is: Electrical insulation, connectivity, fixation, cable glands, lighting, industrial marking, measurement instruments, tools and cable handling systems.

A close collaboration with our manufactures worldwide enable us to provide the best and competitive solution to our customers.

Email: sales@cabicon.com
Phone: +45 7623 4400

www.cabicon.com