

# Turnkey Systems


# ImplantInspector

## Flexible inspection system for dental implants


Checks the implants with high precision and in multiple areas.  
Detects defects and logs the results.

### FEATURES

- 2D and 3D inspection
  - Height
  - Diameters, angles
  - Shape
  - Surface
  - Roundness, flatness
- Cosmetic inspection
  - Surface defects
  - Shape
  - Scratches
  - Color
  - Chips
  - Threads
  - Foreign material



**Image**  
**Control**  
*We check it ✓*



## Reduce cost with ImplantInspector

ImplantInspector verifies that your products are manufactured according to specification. It gives you control over material costs, minimizes product returns and optimizes your production.

See production trends and act before defective products gets produced.

Easily compares productivity and quality between different production lines and tools.

## Well-proven in dental implant industry

ImplantInspector is well-proven for dental implant inspection, and has been in production for many years. The system can easily and rapidly switch between different products to inspect and it is easy to load both manually or by robot.

ImplantInspector is available for single product loading or with palette loading.

**Vision Systems and Automation Solutions**

# Turnkey Systems

# ImplantInspector

## OPTIONS

- Cavity measurements
- Vacuum palette
- Reject station
- Cleanroom adaptable
- Scalable performance


## BENEFITS

- Increased productivity
- Fewer product claims
- Higher quality
- Reduced costs
- Quick return of investment


### Technical Specifications

Inspection speed	Depending on product
Resolution	High resolution $\pm 5\mu\text{m}$
Adaptable to SCADA	Yes
User interface	Touch screen
Power	230VAC 10A
Product change	Automatic
Communication	Digital, serial, customized on demand
Service	Remote control
Dimensions LxHxW	700x700x800 mm

Swedish company Image Control Systems AB develops and manufactures standard and tailored solutions for the Swedish and international industry. We are dedicated to the delivery of high quality, customer friendly and sustainable systems. When you need to improve your products quality - We check it!



Palette loading



Single implant loading

## How does it work?

1. Select product recipe for the inspection.
2. Product or palette loads manually or by robot when the feeder axis is in its outer position.
3. The inspection process is activated manually or by external communication.
4. ImplantInspector moves the product into the system.
5. ImplantInspector runs the inspection sequence with optimized light and camera position.
6. The inspection result is presented on the screen and stored in ImplantInspectors internal database and also reported to external device.
7. The product is removed out of the system and replaced with next product to be inspected.

**Image**   
**Control**  
*We check it ✓*