

# OPEN UP NEW HORIZONS

EXOS. accessories and washbasins



*Make  
it  
Wonderful*

**FRANKE**





## OPEN UP NEW HORIZONS

EXOS. the new Franke system line, opens up new horizons with its accessories and washbasins for public and semi-public areas.

One line. One system.

One consistent design language, clear-cut shapes, a high quality standard, modular options for customised solutions. Sustainability is the key concept here.

EXOS. by Franke.

One line. One design.

Functionality in perfect harmony.

EXOS. accessories and washbasins combined with the EXOS. Eletronic pillar mixer.

## EXOS. ONE LINE

EXOS. by Franke for public and semi-public areas represents the future. For a system that opens up new horizons and combines worlds. The world of accessories and the world of washbasins. The world of functionality and design. For wheelchair accessible, customised areas. Straight lines, sophisticated, timeless. Perfect for every room. Personalised. A perfectly designed system.

EXOS. by Franke.  
Perfectly designed architecture in evidence.  
Highest quality. Tangible throughout the line.

### **Consistent design language**

The line can be harmonically integrated into any new or existing architectural setting due to its clear-cut, consistent, timeless, elegant design and material.

EXOS. by Franke represents harmony.  
Distinctive throughout the line.

### **Modular functionality**

EXOS. accessories and washbasins guarantee optimum design flexibility for architecture and planning. The line is suitable for individual, customised solutions for new or existing public or semi-public areas.

All EXOS. products are modular in design and the system will be constantly expandable and upgradeable: The front panels of the accessories are exchangeable and the operation of the soap dispenser can be changed. The bowls and the length of the washbasins can be selected. Thus the whole line represents a comprehensive range that guarantees maximum reliability and planning flexibility and the highest quality modular range of features.

EXOS. by Franke – there's method in it.  
Perfect solutions throughout the line.

### **Exceptional quality**

Well established materials, such as stainless steel, glass and mineral granite are used for EXOS. All EXOS. system components are high quality, easy to clean and durable.

The whole line – from the use of different materials up to modular washbasin designs – takes modern requirements into consideration.

EXOS. by Franke is quality.  
Tangible throughout the line.





## EXOS. ACCESSORIES

EXOS. accessories by Franke – functionality and performance. Interchangeable fronts made of high quality materials, such as stainless steel and glass, are beautifully designed and can be incorporated individually in any architectural setting. Clear-cut lines. Sophisticated shapes. The timeless design makes for harmonious proportions.

EXOS. accessories by Franke.  
Features and design in harmony.

### **EXOS. accessories**

With EXOS. accessories, Franke is setting a new direction: Clear-cut design, modular systems and high quality materials.

By the use of interchangeable fronts in different sorts of materials, such as stainless steel and glass, different room ambiances can be created. Flexibility can also be found in the soap dispenser product group. Here the inner operation can be easily changed from electronic to manual, from liquid soap to foam soap. This is possible at any time, even retrospectively.

EXOS. offers modular flexibility.  
Throughout the range.

far left: EXOS. Paper towel dispenser and waste bin with black glass front

top left: EXOS. Hygiene waste bin and Double toilet roll holder with stainless steel front and InoxPlus coating, recessed

bottom left: EXOS. Electronic soap dispenser with white glass front

## EXOS. WASHBASINS

With EXOS. washbasins, Franke has created a unique, perfectly designed system line. With an uniform design language for the whole EXOS. washbasin range. For both standard and also customised solutions.

EXOS. washbasins by Franke.  
For a perfectly designed system application.

### **EXOS. washbasins**

EXOS. mineral granite washbasins stand out because of their universal flexibility and their modular system. High quality and distinctive design as well as tailor made functionality can be experienced. The use of high quality stainless steel waste covers underlines once more the harmony of the system line.

EXOS. washbasins are excellent for any type of solution in standard areas, wheelchair accessible and customised washrooms. The selection ranges from common standard sizes up to variable dimensions. The range also stands out because of its different bowl sizes, washbasin lengths and integrated additional fitting options.

Increased comfort, safety and ergonomics were taken into account in the design, the dimensions of the worktops, the design of the integrated grab rails and the deliberate separation of wet and dry areas.

EXOS. offers modular flexibility.  
Throughout the range.







## EXOS. MATERIAL

Franke's modular EXOS. system with its range of high quality materials is perfect for any situation. Customised. Modular. In existing or new architectural settings.

EXOS. and its materials.

Sophisticated, high quality, robust, modern, easy to clean and hygienic. Everything well thought out. In one design line.

### **Stainless steel**

The use of stainless steel as a basic material for equipment in public and semi-public washrooms is standard, for good reason. This well established material combines a stylish appearance with functionality and durability. It can be perfectly combined and can be harmoniously supplemented with materials such as glass and ceramics. Because of its material properties, stainless steel can take on and reflect the colours of its environment. Stainless steel products can easily be integrated into almost any room. This material sets standards.

### **Stainless steel with InoxPlus refinement**

With Franke's InoxPlus surface coating the already easy to clean stainless steel has been approved once more. And so, annoying finger prints which previously often adhered stubbornly to stainless steel now belong practically in the past.

This is a technology where nano particles interlock with the molecules on the metal surface and thus nestle closely against microscopic imperfections. The results are deep finished, easy to clean, fingerprint-resistant surfaces.

### **MIRANIT**




Sanitary equipment made of solid MIRANIT resin-bonded mineral material are eminently suitable for the modern and simultaneously aesthetic design of washrooms in institutions. MIRANIT products made in the truest sense of the word in one piece without bond seams and joins stand out because of their excellent properties - a high level of stability and an elegant look and feel. The smooth, pore-free, hygienic, easy to clean gel coat surface also offers extremely high resistance.







### **Toughened safety glass**

Single glazed toughened safety glass is a material which, like stainless steel, is distinguished by its timeless character and its ability to be combined with other materials. Glass and stainless steel represent high quality and timeless elegance. You can no longer imagine modern room design without these two materials. Therefore, the deliberate combination of the two materials is particularly attractive.


In accordance with safety requirements in washrooms Franke only uses toughened safety glass.


## Sanitary Equipment EXOS.


VIEW	TYPE / MODEL	ITEM-NUMBER
<b>EXOS. Automatic soap dispenser</b>		
<p>Automatic soap dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, inspection window on side, infrared sensor activity for non-touch operation, LED display for low battery status, requires four 1.5 V AA batteries, suitable for liquid soap and lotions, includes 800 ml refill tank, dispenses 0.6 - 1.1 ml depending on soap, includes mounting materials. Fronts available in different versions.</p> <p>120 x 325 x 120 mm (W x H x D)</p>		
	InoxPlus-coated main housing and front panel <b>EXOS625X</b>	2030022942
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS625B</b>	2030022943
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS625W</b>	2030025231
<b>EXOS. Soap dispenser</b>		
<p>Soap dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, inspection window on side, suitable for liquid soap and lotions, 800 ml refill tank, with stainless steel push lever, easy to refill with soap tank on front panel, includes mounting materials. Fronts available in different versions.</p> <p>120 x 345 x 120 mm (W x H x D)</p>		
	InoxPlus-coated main housing and front panel <b>EXOS618X</b>	2030022939
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS618B</b>	2030022940
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS618W</b>	2030025230
<b>EXOS. Foam soap dispenser</b>		
<p>Foam soap dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, inspection window on side, with stainless steel pull lever, suitable for Franke foam soap, includes mounting materials and 650 ml Franke foam soap. Fronts available in different versions.</p> <p>120 x 357 x 120 mm (W x H x D)</p>		
	InoxPlus-coated main housing and front panel <b>EXOS616X</b>	2030022945
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS616B</b>	2030022946
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS616W</b>	2030025232

VIEW	TYPE / MODEL	ITEM-NUMBER
<b>EXOS. Automatic soap dispenser, recessed</b>		
	Automatic soap dispenser for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, infrared sensor activity for non-touch operation, LED display for low battery status, requires four 1.5 V AA batteries, suitable for liquid soaps or lotions, includes 800 ml refill tank, dispenses 0.6-1.1 ml depending on soap, includes mounting material. Fronts available in different versions.	
	124 x 500 x 120 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS625EX</b>	2030034639
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS625EB</b>	2030034641
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS625EW</b>	2030034668
<b>EXOS. Soap dispenser, recessed</b>		
	Soap dispenser for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, suitable for liquid soap and lotions, 800 ml refill tank, with stainless steel push lever, easy to refill with soap tank on front panel, includes mounting materials. Fronts available in different versions.	
	124 x 500 x 120 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS618EX</b>	2030034637
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS618EB</b>	2030034638
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS618EW</b>	2030034667
<b>EXOS. Foam soap dispenser, recessed</b>		
	Foam soap dispenser for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, with stainless steel pull lever, suitable for Franke foam soap, includes mounting materials and 650 ml Franke foam soap. Fronts available in different versions.	
	124 x 500 x 120 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS616EX</b>	2030034634
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS616EB</b>	2030034636
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS616EW</b>	2030034666

# Sanitary Equipment EXOS.

VIEW	TYPE / MODEL	ITEM-NUMBER
<b>Interchangeable front panels for EXOS. Soap dispenser</b>		
	InoxPlus-coated front panel <b>ZEXOS616</b>	2030022947
	Black toughened safety glass front panel <b>ZEXOS616B</b>	2030022948
	White toughened safety glass front panel <b>ZEXOS616W</b>	2030025238





<b>Interchangeable front panels for EXOS. Soap dispenser, recessed</b>		
	InoxPlus-coated front panel <b>ZEXOS616E</b>	2030034653
	Black toughened safety glass front panel <b>ZEXOS616EB</b>	2030034654
	White toughened safety glass front panel <b>ZEXOS616EW</b>	2030034710

<b>Conversion kits for EXOS. Soap dispenser</b>		
	Automatic soap dispenser conversion kit including automatic unit, refill tank, assembly plate and mounting material. For liquid and foam soap dispenser EXOS618/E and EXOS616/E. <b>ZEXOS625K</b>	2030022954
	Liquid soap dispenser conversion kit including soap pump, refill tank, stainless steel lever, assembly plate and mounting material. For automatic soap dispenser and foam soap dispenser EXOS625/E and EXOS616/E. <b>ZEXOS618K</b>	2030022956
	Foam soap dispenser conversion kit including soap pump, disposable cartridge, stainless steel lever, assembly plate and mounting material. For automatic soap dispenser and liquid soap dispenser EXOS625/E and EXOS618/E. <b>ZEXOS616K</b>	2030022955



VIEW	TYPE / MODEL	ITEM-NUMBER
<b>EXOS. Hand dryer</b>		
	Hand dryer for wall mounting, stainless steel with satin-finish and InoxPlus surface refinement, material thickness 1.2 mm, with opto-electronic sensor for touch-free operation, adjustable hot air temperature, sensor range adjustable from 10 to 25 cm, protection from continuous operation with automatic switch-off after 60 seconds, air speed adjustable, cable and plug not included. Front cover available in different versions.	
	Connection voltage: 230 V, 50-60 Hz Heater: 500 W Air volume: 80 m³/h	Total power: 1000 W Motor: 500 W Air velocity: 95-115 m/s
	200 x 325 x 120 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS220X</b>	2030027981
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS220B</b>	2030034622
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS220W</b>	2030034660
	<b>Interchangeable front covers for EXOS. Hand dryers</b>	
	InoxPlus-coated front cover <b>ZEXOS220</b>	2030035358
	InoxPlus-coated front cover, black toughened safety glass front panel <b>ZEXOS220B</b>	2030035359
	InoxPlus-coated front cover, white toughened safety glass front panel <b>ZEXOS220W</b>	2030035360
<b>EXOS. Paper towel roll dispenser</b>		
	Manual paper towel roll dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, max. roll width 205 mm, max. roll diameter 200 mm, paper perforation length 260 mm, adjustable paper roll holder for optimized paper dispensing, includes mounting materials. Fronts available in different versions.	
	300 x 425 x 210 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS637X</b>	2030022950
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS637B</b>	2030022951
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS637W</b>	2030025233
<b>Interchangeable front panels for EXOS. Paper towel roll dispenser</b>		
	InoxPlus-coated front panel <b>ZEXOS637</b>	2030022952
	Black toughened safety glass front panel <b>ZEXOS637B</b>	2030022953
	White toughened safety glass front panel <b>ZEXOS637W</b>	2030025239



## Sanitary Equipment EXOS.

VIEW	TYPE / MODEL	ITEM-NUMBER
<b>EXOS. Paper towel dispenser</b>		
	Paper towel dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, inspection window on side, capacity 300 - 400 pcs for Z-folded paper, includes mounting materials. Fronts available in different versions. 300 x 325 x 120 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS600X</b>	2030022933
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS600B</b>	2030022934
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS600W</b>	2030025229
<b>Interchangeable front panels for EXOS. Paper towel dispenser</b>		
	InoxPlus-coated front panel <b>ZEXOS600</b>	2030022936
	Black toughened safety glass front panel <b>ZEXOS600B</b>	2030022937
	White toughened safety glass front panel <b>ZEXOS600W</b>	2030025236
<b>EXOS. Paper towel dispenser, recessed</b>		
	Paper towel dispenser for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity 300 - 400 pcs for Z-folded paper, includes mounting materials. Fronts available in different versions. 304 x 500 x 120 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS600EX</b>	2030034624
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS600EB</b>	2030034625
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS600EW</b>	2030034662
<b>Interchangeable front panels for EXOS. Paper towel dispenser, recessed and combination unit</b>		
	InoxPlus-coated front panel <b>ZEXOS600E</b>	2030034647
	Black toughened safety glass front panel <b>ZEXOS600EB</b>	2030034648
	White toughened safety glass front panel <b>ZEXOS600EW</b>	2030034672







VIEW	TYPE / MODEL	ITEM-NUMBER
<b>EXOS. Waste bin</b>		
	<p>Waste bin for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity approx. 30 litres, integrated bag holder, includes mounting bracket and mounting materials. Fronts available in different versions.</p> <p>300 x 572 x 250 mm (W x H x D)</p> <p>InoxPlus-coated main housing and front panel <b>EXOS605X</b></p>	2030022928
	<p>InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS605B</b></p>	2030022929
	<p>InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS605W</b></p>	2030025228
<b>EXOS. Waste bin, recessed</b>		
	<p>Waste bin for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity approx. 30 litres, integrated bag holder, includes mounting bracket and mounting materials. Fronts available in different versions.</p> <p>304 x 790 x 251 mm (W x H x D)</p> <p>InoxPlus-coated main housing and front panel <b>EXOS605EX</b></p>	2030034628
	<p>InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS605EB</b></p>	2030034629
	<p>InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS605EW</b></p>	2030034664
<b>Interchangeable front panels for EXOS. Waste bin wall-mounted, recessed and combination unit</b>		
	<p>InoxPlus-coated front panel <b>ZEXOS605</b></p>	2030022930
	<p>Black toughened safety glass front panel <b>ZEXOS605B</b></p>	2030022931
	<p>White toughened safety glass front panel <b>ZEXOS605W</b></p>	2030025234

# Sanitary Equipment EXOS.

VIEW	TYPE / MODEL	ITEM-NUMBER
	<b>EXOS. Paper towel dispenser and waste bin combination, recessed</b>	
	Paper towel dispenser and waste bin combination for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity of paper towel dispenser approx. 300-400 pcs for Z-folded paper, capacity of waste bin approx. 30 litres, integrated bag holder, includes mounting bracket and mounting materials. Fronts available in different versions. 304 x 1166 x 251 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS602EX</b>	2030034626
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS602EB</b>	2030034627
	<b>EXOS. Toilet roll holder</b>	
	Toilet roll holder for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.5 mm, for rolls with a maximum diameter of 120 mm, stainless steel spindle with integrated roll stop function, includes mounting materials. 123 x 62 x 129 mm (W x H x D)	
	<b>EXOS675X</b>	2030031170
	<b>EXOS. Double toilet roll holder</b>	
	Double toilet roll holder with spindle system for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, closed casing, for two rolls with a maximum diameter of 120 mm, hidden spare roll is released once the first one has been used up, includes mounting materials. 280 x 193 x 147 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS676X</b>	2030033180
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS676B</b>	2030034645
	<b>Interchangeable front panels for EXOS. Double toilet roll holder</b>	
	InoxPlus-coated front panel <b>ZEXOS676</b>	2030034655
	Black toughened safety glass front panel <b>ZEXOS676B</b>	2030034656
	White toughened safety glass front panel <b>ZEXOS676W</b>	2030034711




VIEW	TYPE / MODEL	ITEM-NUMBER
	<b>EXOS. Double toilet roll holder, recessed</b>  Double toilet roll holder with spindle system for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, closed casing, for two rolls with a maximum diameter of 120 mm, hidden spare roll is released once the first one has been used up, includes mounting materials. Fronts available in different versions.  284 x 350 x 147 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS676EX</b>	2030034642
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS676EB</b>	2030034644
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS676EW</b>	2030034669
	<b>Interchangeable front panels for EXOS. Double toilet roll holder, recessed</b>  InoxPlus-coated front panel <b>ZEXOS676E</b>	2030034657
	Black toughened safety glass front panel <b>ZEXOS676EB</b>	2030034658
	White toughened safety glass front panel <b>ZEXOS676EW</b>	2030034712
	<b>EXOS. Jumbo toilet roll holder</b>  Jumbo toilet roll holder for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, closed casing with inspection windows on the side, paper dispensed over two serrated tear-off edges, for one jumbo roll with a maximum diameter of 280 mm (core 40 mm), includes mounting materials.  Conversion kit for retrofitting EXOS. Jumbo toilet roll holder to incorporate four toilet rolls is also available.  325 x 352 x 130 mm (W x H x D)	
	<b>EXOS670X</b>	2030028245
	<b>Conversion kit for EXOS. Jumbo toilet roll holder</b>  Conversion kit for retrofitting jumbo toilet roll holder EXOS670X to incorporate four toilet rolls, consisting of carousel, roll stopper, mounting materials.  <b>ZEXOS670K</b>	2030035972

# Sanitary Equipment EXOS.

VIEW	TYPE / MODEL	ITEM-NUMBER
<b>EXOS. Hygiene waste bin</b>		
	Hygiene waste bin for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity approx. 3.7 litres, hinged self-closing front, integrated plastic container for waste removal, includes mounting materials. Fronts available in different versions.  230 x 346 x 125 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS611X</b>	2030028001
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS611B</b>	2030030108
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS611W</b>	2030030111
<b>EXOS. Hygiene waste bin, recessed</b>		
	Hygiene waste bin for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity approx. 3.7 litres, hinged self-closing front, integrated plastic container for waste removal, includes mounting materials. Fronts available in different versions.  234 x 332 x 125 mm (W x H x D)	
	InoxPlus-coated main housing and front panel <b>EXOS611EX</b>	2030034630
	InoxPlus-coated main housing, black toughened safety glass front panel <b>EXOS611EB</b>	2030034631
	InoxPlus-coated main housing, white toughened safety glass front panel <b>EXOS611EW</b>	2030034665
<b>Interchangeable front panels for EXOS. Hygiene waste bin, wall-mounted and recessed</b>		
	InoxPlus-coated front panel <b>ZEXOS611</b>	2030034649
	Black toughened safety glass front panel <b>ZEXOS611B</b>	2030034650
	White toughened safety glass front panel <b>ZEXOS611W</b>	2030034707
<b>EXOS. Toilet brush holder</b>		
	Toilet brush holder for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.5 mm, closed casing to the front, brush withdrawal at the right, brush with stainless steel handle and black nylon brush head, removable plastic drip tray, includes mounting materials.  110 x 298 x 97 mm (W x H x D)	
	<b>EXOS687X</b>	2030027995



# Sanitary Equipment EXOS.

VIEW	TYPE / MODEL	ITEM-NUMBER
	<p><b>EXOS. Single washbasin - Standard</b></p> <p>Single washbasin made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.</p> <p>Washbasin: 600 x 125 x 500 mm (W x H x D) Bowl: 380 x 90 x 340 mm (W x H x D)</p>	
	<b>ANMW0010</b>	2030020677
	<p><b>EXOS. Single washbasin - Standard</b></p> <p>Single washbasin made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.</p> <p>Washbasin: 900 x 125 x 500 mm (W x H x D) Bowl: 500 x 90 x 340 mm (W x H x D)</p>	
	<b>ANMW0011</b>	2030020679
	<p><b>EXOS. Single washbasin - wheelchair accessible</b></p> <p>Single washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.</p> <p>Washbasin: 600 x 125 x 500 mm (W x H x D) Bowl: 380 x 90 x 340 mm (W x H x D)</p>	
	<b>ANMW0001</b>	2030020667



VIEW	TYPE / MODEL	ITEM-NUMBER
------	--------------	-------------



## EXOS. Single washbasin - wheelchair accessible

Single washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.

Washbasin: 900 x 125 x 500 mm (W x H x D)  
Bowl: 500 x 90 x 340 mm (W x H x D)

ANMW0002

2030020673



## EXOS. Multiple washbasin / washbasin solution - Standard

Multiple washbasin made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with storage surfaces and integral back panel with integrated brackets for wall mounting. The unit has up to 5 seamless moulded bowls, no overflow and lowered tap ledge with tap hole. Variable gaps between bowls, available with/without apron or gel-coated edges. Individual washbasin length up to 3600 mm, with or without splashback. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.

Minimum dimensions: 600 x 125 x 500 mm (W x H x D) (bowl 380 mm)  
Minimum dimensions: 700 x 125 x 500 mm (W x H x D) (bowl 500 mm)

### Bowl:

- ☐ 380 x 90 x 340 mm
- ☐ 500 x 90 x 340 mm

Number of bowls: ..... (min. 1 unit, max. 5 units)

### Manufacturing dimension:

Washbasin length: ..... mm (max. 3600 mm)

Distance between bowls: ..... mm  
(min. 600 mm with 380 mm bowl / min. 700 mm with 500 mm bowl)

### Splash back:

Rear splash back: ..... mm (min. 10 mm / max. 100 mm)

### Apron:

- ☐ Right
- ☐ Left
- ☐ Front
- ☐ Without apron (Edges with Gelcoat)

Apron height: ..... mm (max. 150 mm)


### Holes: for


- ☐ Soap dispenser
- ☐ Stainless steel waste disposal barrel
- ☐ Waste disposal flap
- ☐ Waste disposal with Gelcoat
- ☐ Paper towel dispenser
- ☐ Hand towel holder

Detailed specifications regarding type of installation and distance between bowls will be clarified when the order is received using manufacturing specifications (available on request from Franke).





ANMW0014

2030032423




VIEW	TYPE / MODEL	ITEM-NUMBER
	<b>EXOS. Washbasin solution - wheelchair accessible</b>	
	Washbasin solution, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Individual washbasin length up to 3600 mm, with/without splashback. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included. Colour: Alpine white.	
	Minimum dimensions: 780 x 125 x 500 mm (W x H x D) (bowl 380 mm) Minimum dimensions: 900 x 125 x 500 mm (W x H x D) (bowl 500 mm)	
	<b>Bowl:</b> <input type="checkbox"/> 380 x 90 x 340 mm <input type="checkbox"/> 500 x 90 x 340 mm	
	<b>Manufacturing dimension:</b> Washbasin length: ..... mm (max. 3600 mm)	
	<b>Splash back:</b> <input type="checkbox"/> Rear splash back: ..... mm (min. 10 mm / max. 100 mm)	
	<b>Holes: for</b> <input type="checkbox"/> Soap dispenser <input type="checkbox"/> Stainless steel waste disposal barrel <input type="checkbox"/> Waste disposal flap	<input type="checkbox"/> Waste disposal with Gelcoat <input type="checkbox"/> Paper towel dispenser
	Detailed specifications regarding type of installation will be clarified when the order is received using manufacturing specifications (available on request from Franke).	
	<b>ANMW0015</b>	2030032525

	<b>EXOS. Hand washbasin - wheelchair accessible</b>	
	Hand washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material, with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C), with integrated grab rails, storage surfaces and integral back panel with integrated brackets for wall mounting. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material included. Colour: Alpine white.	
	Washbasin: 500 x 121 x 400 mm (W x H x D) Bowl: 280 x 90 x 274 mm (W x H x D)	
	<b>ANMW0003</b>	2030020676
	Optional: <b>ZANMW900</b> Dome waste valve DN 32 <b>ZANMW901</b> Strainer waste DN 32	2000100861 2000100854



VIEW	TYPE / MODEL	ITEM-NUMBER
	<b>EXOS. Eletronic pillar mixer</b>	
	<p>EXOS. pillar mixer DN 15 for sanitary facilities, opto-electronically controlled. For connection to hot and cold water via hoses with integrated backflow preventer and strainers. Control electronics, solenoid valve cartridge, 6 V lithium battery (CR-P2) and sensor in all-metal housing, stainless steel. Temperature lever, chromium-plated, with adjustable, turn-proof temperature stop. Anti-theft aerator, design SLIM, with integrated flow regulator 5.0 l/min. Activated water hygiene flushing 24 hours after last activation, safety switch-off with continuous reflection. With option for parameterization via optional remote control.</p>	
	<p><b>EXOS130</b></p>	2030036618
	<p>With 100 - 240 V AC plug-in power supply unit.</p>	
	<p><b>EXOS0009</b></p>	2030036620
<hr/>		
	<b>Soap dispenser for table top mounting into worktops</b>	
	<p>Soap dispenser for table top mounting into worktops with max. 45 mm thickness, high polished chromated brass, requires 22 mm drilling hole, G 1/2 B thread, spout not movable, spout length 140 mm, suitable for liquid soaps and lotions, 1 litre soap tank with membrane for pressure balance, filled from above.</p>	
	<p>With standard body length (85 mm)</p>	
	<p><b>SD80</b></p>	2000056721
<hr/>		
	<b>Electronic soap dispenser for table top mounting</b>	
	<p>Deck mounted electronic soap dispenser, opto-electronically controlled, to be connected to an on-wall mounted intended unit. The unit consists of a tank for liquid soap, a power supply and a pump unit, including 4 adjustable volumes per sensor operation. Sensor located inside all-metal housing, polished chromium-plated brass. Mains plug-in power supply unit 230 V AC including optional backup battery or external battery operation 6 V DC only (4 x AA, batteries not included).</p>	
	<p><b>SD99-010</b></p>	2030039038
<hr/>		
	<b>Electronic soap dispenser for wall mounting</b>	
	<p>Wall mounted electronic soap dispenser for concealed backwall installations, opto-electronically controlled, to be connected to an either on-wall or backwall mounted intended unit. The unit consists of a tank for liquid soap, a power supply and a pump unit, including 4 adjustable volumes per sensor operation. Sensor located inside all-metal housing, polished chromium-plated brass. Mains plug-in power supply unit 230 V AC including optional backup battery or external battery operation 6V DC only (4 x AA, batteries not included).</p>	
	<p><b>SD99-009</b></p>	2030039032

## Complementary products

VIEW	TYPE / MODEL	ITEM-NUMBER
	<b>Waste disposal flap for table top installation</b>	
	Waste disposal flap for table top installation, stainless steel, visible surfaces satin finished, material thickness 0.8 mm, self-closing disposal flap, without waste container.	
	<b>RODX605TT</b>	2000101211
	<b>Waste chute for table top installation</b>	
	Waste chute for table top installation, stainless steel, visible surfaces satin finished, material thickness 0.8 mm, without waste container.	
	<b>RODX607TT</b>	2000101212
	<b>Paper towel dispenser for installation from the top</b>	
	Paper towel dispenser for installation from the top, stainless steel, surface satin finished, material thickness 0.8 mm, capacity for 600 Z-fold paper towels, filling from top, including stainless steel screws and dowels.	
	<b>RODX600TT</b>	2000102672
<b>Consumables</b>		
Organic liquid soap, 1 litre bottle (minimum order quantity 6 bottles), suitable for EXOS625 and EXOS618.		
	<b>SO1L</b>	2000057162
Liquid soap organic, 10 litre canister, suitable for EXOS625 and EXOS618.		
	<b>SO10L</b>	2000057168
Foam soap cartridge 650 ml (minimum order quantity 9 bottles), suitable for EXOS616.		
	<b>EXINX616FOAM</b>	2000100946
FH68 Z-folded paper towels, 255 x 92 mm, 168 pcs per pack, 20 packs per box (minimum order quantity 1 box), suitable for EXOS600.		
	<b>FH68</b>	2000100015



Make  
it  
Wonderful

Franke Water Systems

[ws-info.int@franke.com](mailto:ws-info.int@franke.com)  
[www.franke.com](http://www.franke.com)

**FRANKE**