



BAMBOO DECKING, FENCE SYSTEM & CLADDING

Living nature with bamboo



www.amboo.com



aMbooo

DECKING BOARDS + FENCE SYSTEMS

INDEX

| | |
|---------------------|----|
| Product information | 04 |
| Product care | 05 |
| Decking | |
| Primaverde | 06 |
| Vintage | 08 |
| Primus | 10 |
| Select | 12 |
| Elegance | 14 |
| Santos | 16 |
| Prestige | 18 |
| Supreme | 20 |
| MEGA DECK | 22 |
| Stairs | 24 |
| Decking overview | 26 |
| Accessories decking | 28 |
| Fence systems | |
| Acapulco | 30 |
| Deluxe | 34 |
| Poles | 38 |
| Accessories fence | 40 |
| Cladding Boards | |
| Signature | 42 |
| Care products | 44 |



Our promise:

aMbooo – Highland Bamboo Only stands for exclusive premium decking, patio fence systems and cladding made of bamboo.

aMbooo Outdoor - As green as it gets!

aMbooo

DECKING BOARDS, FENCE SYSTEMS + CLADDING

Useful facts about bamboo:

- Bamboo grows faster than any other plant on earth.
- Bamboo generates 10% - 30% more biomass as wood yearly.
- Some bamboo species grow up 1 meter in a day
- Bamboo has no thickness growth, stemming entirely from the ground
- Bamboo is used in the production of biodiesel.
- Bamboo is used to replace steel reinforced concrete in the building industry.
- Bamboo has been known for a long time as an unbeatable help against soil erosion.
- Bamboo derivatives are employed in car manufacturing and in other industrial products

Reasons which make aMbooo bamboo decking and fencing so worthwhile



100% Bamboo

As a basis we exclusively use highland bamboo, hard, fast re-growth and tree-free.



Long-lasting

Our thermal treatment modifies the bamboo fibres thus increasing durability.



Simple & fast

Frontal tongue + groove and longitudinal groove enable simple, safe and quick mounting,



Durable and hard

Strong as steel and as long-lasting as tropical wood but CO2 positive,



CO2- neutral

Up to 1 metre growth a day. A giant grass with best marks for ecology,



Dimensionally stable

No natural spiral grain as with wood. Very low absorption and contraction behaviour.



Decking, fence system and cladding

Tongue + groove short, minimized material waste during installation



Anti UV Shield

With our maintenance products guaranteed less color change caused by UV Light.



Flame retardant

Flame retardant accordl. DIN EN 31501-1 B1 S1



Slip resistant

Slip resistant accordl. Class C Ref. DIN EN 51907

Manufacturing aMbooo decking, fence and cladding boards

The manufacturing of aMbooo decking, fence + cladding boards is realised exclusively by using bamboo culms from sustainably managed bamboo forests. Each culm must be at least 5 years old and harvested in the highlands. Only highland bamboo possesses sufficient strength to stand up to both our and your demands for modern and resistant boards.

The culms are processed through thermo-mechanical technology. This process has been developed by us over decades and matched to the requirements of a premium product. All our boards are thermo modified.



The right

CARE for aMbooo Outdoor-Products

It is recommended that initial treatment be carried out with aMbooo Special Bamboo Care Oil after Decking boards have been installed (please observe the instructions given by the manufacturer). Decking boards, fence systems and cladding boards are subject to weather incidence, such as rain, sun, wind, ice and snow and may naturally change their form and appearance through the influence of these elements. This aging process underlines the natural quality of the materials employed.

With aMbooo care products, the surface can be preserved in its original color for a long time.

When laying aMbooo decking in the pool area, regular cleaning and care is particularly important. Further information on page 44.

aMbooo Outdoor - As green as it gets!



aMbooo

DECKING BOARDS

PRIMAVERDE

One decking board with a choice of two designs !



partly fine-ribbed,
smooth

With longitudinal groove and frontal
tongue and groove connection.

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 20 x 140 x 2200 mm
Colour: White oak
Surface: Pre-oiled



aMbooo

DECKING BOARDS

VINTAGE

One decking board with a choice of two designs!



With longitudinal groove and frontal tongue and groove connection.

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 20 x 140 x 2200 mm
Colour: Granite Grey
Surface: Pre-oiled



aMbooo

DECKING BOARDS

PRIMUS

One decking board with a choice of two designs!



rough notched,
fine-ribbed

With longitudinal groove and frontal
tongue and groove connection.

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 20 x 140 x 2200 mm
Colour: Coffee
Surface: Pre-oiled





aMbooo

DECKING BOARDS

SELECT

One decking board with a choice of two designs!



partly fine-ribbed,
smooth

With longitudinal groove and frontal
tongue and groove connection.

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 20 x 140 x 2200 mm
Colour: Coffee
Surface: Pre-oiled





Bamboo Technology & Innovation
Germany since 1994



Catalogue

Select

aMbooo

DECKING BOARDS

ELEGANCE

One decking board with a choice of two designs!



rough notched,
fine-ribbed

With longitudinal groove and frontal
tongue and groove connection.

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 20 x 139 x 1870 mm
Colour: Espresso
Surface: Pre-oiled





Bamboo Technology & Innovation
Germany since 1994



Catalogue
Elegance

aMbooo

DECKING BOARDS

SANTOS

One decking board with a choice of two designs!



partly fine-ribbed,
smooth

With longitudinal groove and frontal
tongue and groove connection.

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 20 x 139 x 1870 mm
Colour: Espresso
Surface: Pre-oiled





Bamboo Technology & Innovation
Germany since 1994



Catalogue

Santos

aMbooo

DECKING BOARDS

PRESTIGE

One decking board with a choice of two designs!



rough notched,
fine-ribbed

With longitudinal groove and frontal
tongue and groove connection.

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 20 x 200 x 2400 mm
Colour: Coffee
Surface: Pre-oiled





aMbooo

DECKING BOARDS

SUPREME

One decking board with a choice of two designs!



partly fine-ribbed,
smooth

With longitudinal groove and frontal
tongue and groove connection.

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 20 x 200 x 2400 mm
Colour: Coffee
Surface: Pre-oiled



aMbooo

DECKING TILE

MEGA DECK

One decking board with a choice of two designs!

partly fine-ribbed,
smooth

Attention: Natural colour differences are possible.

Material: Bamboo
Size: Ca. 30 x 300 x 950 mm
Colour: Coffee
Surface: Pre-oiled





aMbooo

STAIRBOARDS

STAIRS

One board with a choice of two designs!



Coffee

partly fine-ribbed,
rough notched



Espresso

partly fine-ribbed,
rough notched

Attention: Natural colour differences are possible.

| | |
|------------------|-------------------------------|
| Material: | Bamboo |
| Size: | Ca. 42 x 290 x 2200 mm |
| Colour: | Coffee |
| Size: | Ca. 42 x 290 x 2000 mm |
| Colour: | Espresso |
| Surface: | Pre-oiled |





aMbooo

DECKING BOARDS


ASSORTMENT



**aMbooo® Decking
Bamboo PrimaveraVerde**

20 x 140 x 2200 mm

Article: 65291 3295



**aMbooo® Decking
Bamboo Vintage**

20 x 140 x 2200 mm

Article: 65291 3995



**aMbooo® Decking
Bamboo Primus**

20 x 140 x 2200 mm

Article: 65333 3202



**aMbooo® Decking
Bamboo Select**

20 x 140 x 2200 mm

Article: 65390 3202



**aMbooo® Decking
Bamboo Elegance**

20 x 139 x 1870 mm

Article: 65335 3202



**aMbooo® Decking End
Board **NEW!****

20 x 70x 1860 mm

Coffee: 65422 3297

Espresso: 65422 3298

White Oak: 65422 3299

Granite Grey: 65422 3300

**aMbooo® Decking
Bamboo Santos**

20 x 139 x 1870 mm

Article: 65325 3202



**aMbooo® Decking
Bamboo Prestige**

20 x 200 x 2400 mm

Article: 65392 3295



**aMbooo® Decking
Bamboo Supreme**

20 x 200 x 2400 mm

Article: 65402 3296



**aMbooo®
MEGA DECK Bamboo**

30 x 300 x 950 mm

Article: 65363 3202



**aMbooo®
Bank / Stufe Bamboo**

Colour: Coffee

42 x 290 x 2200 mm

Article: 65342 3202

Colour: Espresso

42 x 290 x 2000 mm

Article: 65412 3202



**aMbooo®
Aluminium Drainage +
Ventilation Deck **NEW!****

20 x 140 x 2400 mm

Article: 65277 3212











































|  | Size (mm) | Tongue + groove | Tread | | | | Colour | | | | pre-oiled |
|---|-----------------|---|---|---|---|---|---|---|---|---|---|
| | | | rough notched | Partly fine- ribbed | fine-ribbed | smooth | Coffee | Espresso | White Oak | Granite Grey | |
| aMbooo® Decking Bamboo Primavera Article: 65291 3295 | 20 x 140 x 2200 |  | |  | |  | | |  | |  |
| aMbooo® Decking Bamboo Vintage Article: 65291 3995 | 20 x 140 x 2200 |  | |  | |  | | | |  |  |
| aMbooo® Decking Bamboo Primus Article: 65333 3202 | 20 x 140 x 2200 |  |  | |  | |  | | | |  |
| aMbooo® Decking Bamboo Select Article: 65390 3202 | 20 x 140 x 2200 |  | |  | |  |  | | | |  |
| aMbooo® Decking Bamboo Elegance Article: 65335 3202 | 20 x 139 x 1870 |  |  | |  | | |  | | |  |
| aMbooo® Decking Bamboo Santos Article: 65325 3202 | 20 x 139 x 1870 |  | |  | |  | |  | | |  |
| aMbooo® Decking Bamboo Prestige Article: 65392 3295 | 20 x 200 x 2400 |  |  | |  | |  | | | |  |
| aMbooo® Decking Bamboo Supreme Article: 65402 3296 | 20 x 200 x 2400 |  | |  | |  |  | | | |  |
| aMbooo® Decking End Board Article: look at left | 20 x 70 x 2200 | | | | |  |  |  |  |  |  |
| aMbooo® Tiles MEGA DECK Bamboo Article: 65363 3202 | 30 x 300 x 950 | | |  | |  |  | | | |  |
| aMbooo® Stairs Bamboo Article: 65342 3202 | 42 x 290 x 2200 | | |  | |  |  | | | |  |
| aMbooo® Stairs Bamboo Article: 65412 3202 | 42 x 290 x 2000 | | |  | |  | |  | | |  |



DECKING & TILES ACCESSOIRES

| Article-No. | Article description | Size (mm)/ Unit |
|--|---|---|
| Aluminium Drainage + Ventilation Deck <i>NEW!</i> | | |
| 65277 3212 | Aluminium  | 2400x140x20 |
| Bamboo substructures for decking | | |
| 65276 3202 | Colour: Coffee  | 60x40x2200 |
| Installationset - marinesteel clip for aMbooo® Decking | | |
| 59024 0100 | Content: (for ca. 5,5 m²) 100x marinesteel clip (black, teflon coated) 100x marinesteel screws (Ø4,8x35mm) 1x bit  | 1 set  |
| Marinesteel, teflon coated starterclipset aMbooo® Decking | | |
| 59024 0300 | Content: (for ca. 20 m²) 25x marinesteel clip (black, teflon coated) 25x marinesteel screws (Ø4,8x35mm)  | 1 set  |
| Installationset - end clip for aMbooo® Decking | | |
| 59024 0301 | Content: (for ca. 20 m²) 25x marinesteel clip (black, teflon coated) 25x marinesteel screws (Ø4,8x35mm)  | 1 set  |
| Aluminium substructures for decking | | |
| 65277 3202 |  | 35x23x2400  |
| Aluminium substructures for decking | | |
| 65278 3202 |  | 43x40x2400  |
| Extension for 35x23 mm aluminium substructures | | |
| 65279 3202 |  | 35x23  |
| Extension for 43x40 mm aluminium substructures | | |
| 65280 3202 |  | 43x40  |
| Polyamid adjustable base for aluminium substructures 40 x 40, 15-35 mm, adjustable after installation <i>NEW!</i> | | |
| 65290 3202 | adjustable in height 15 - 35 mm  | 1 St.  |

| Article-No. | Article description | Size (mm)/ Unit |
|---|--|--|
| Starter-/End-Close up clip für aluminium-substructure | | |
| 59024 0302 |  <p>Content: 25x clip for ca. 20 m²</p> | 1 set  |
| Board installationclip for aluminium-substructure 35x23 mm and 43x40 mm | | |
| 59024 0200 |  <p>Content: 100x clip</p> | 1 set  |
| Rectangular board installationclip for aluminium-substructure (MEGA DECK and Stairs) <i>NEW!</i> | | |
| 59022 0123 |  <p>Content: 1 piece</p> | 1 St.  |
| Installationset - round pad EPDM for aMbooo® MEGA DECK | | |
| 59022 0005 |  <p>Content: 5x round pad for 1 m²</p> | 1 set  |
| Installationset - rectangle clip pad PP for aMbooo® MEGA DECK | | |
| 59021 0000 |  <p>Content: 5x clip 20x installationspigot = 1 m²</p> | 1 set  |
| Terrace-pad 5 mm for substructure | | |
| 65283 3202 |  <p>Content: 24 pads 40x60 mm Thickness 5 mm</p> | 1 kit/3m ²  |
| Terrace-pad 10 mm for substructure | | |
| 65284 3202 |  <p>Content: 24 pads 40x60 mm Thickness 10 mm</p> | 1 kit/3m ²  |
| Terrace joint tape for aMbooo® Terrace-Deck | | |
| 50219 0003 |  <p>for joints of 4-7 mm, for aMbooo terraces 1 roll = 50 m</p> | 1 pc.  |
| Sting saw blade extra clean cut | | |
| 50219 0001 |  <p>Content: 3 saw blades</p> | 1 set  |
| Weed mat 90 gr/qm, Roll with 5 r.m. <i>NEW!</i> | | |
| 65285 5202 |  <p>1 roll = 5 r.m.</p> | 1 pc.  |

aMbooo


FENCE

ACAPULCO





Bamboo Technology & Innovation
Germany since 1994



Catalogue

Acapulco

aMbooo

FENCE

ACAPULCO

Wind barrier and partition

← Extra wide, 195 cm →



Height and width can be
changed as per situation.
With or without
intermediate profile.



Multiple choice!





Bamboo Technology & Innovation
Germany since 1994

Catalogue


Acapulco

aMbooo

FENCE

DELUXE

← Extra wide, 195 cm →



Height and width
adjustable.

2 different post types



With Adapterprofil also for ACAPULCO Pole.






aMbooo

FENCE

POST *DELUXE*



Material: Bamboo
Size: 70 x 70 x 2500 mm
Colour: Coffee
Surface: Pre-oiled

POST *ACAPULCO*



Material: Aluminium
Size: 70 x 70 x 2250 mm
 and 70 x 70 x 1950 mm
Colour: Anthracite
Surface: Powder coated



Assembly of Acapulco possible with post shoe for setting in concrete or for screwing on.



Bamboo Technology & Innovation
Germany since 1994

Catalogue

Posts

FENCE ACAPULCO

| Article-No. | Article description | Size (mm)/ pu | Material | Surface | Unit |
|--|--|------------------|------------------|---------------|------|
| Profileboard Starter/Connecting | | | | | |
| 25233 4108 |  Colour: Coffee | 1950x195x20 | Bamboo | pre-oiled | 3 |
| Profileboard End/Close up | | | | | |
| 25233 5108 |  Colour: Coffee | 1950x90x20 | Bamboo | pre-oiled | 3 |
| Post Acapulco aluminium anthracite, for concreting | | | | | |
| 25233 9208 |  incl. cap | 2250x70x70 | Aluminium | powder coated | 1 |
| Post Acapulco Aluminium anthracite, for screwing | | | | | |
| 25233 8208 |  incl. cap | 1950x70x70 | Aluminium | powder coated | 1 |
| Post shoe, anthracite, galvanized steel, for screwing | | | | | |
| 65281 3202 |  | | Steel galvanized | powder coated | 4 |
| Post shoe, anthracite, galvanized steel, for concreting | | | | | |
| 25234 1208 |  | | Steel galvanized | powder coated | 4 |

| Article-No. | Article description | Size (mm)/ pu | Material | Surface | Unit |
|---|---|------------------|------------------|---------------|------|
| Starter Profile Acapulco, aluminium, anthracite | | | | | |
| 25234 3208 |  | 1950x30x20 | Aluminium | powder coated | 20 |
| End/Closer Profile Acapulco, aluminium, anthracite | | | | | |
| 25234 4208 |  | 1950x40x20 | Aluminium | powder coated | 20 |
| Fasciaprofile Acapulco, aluminium, anthracite | | | | | |
| 25234 6208 |  | 1950x30x20 | Aluminium | powder coated | 30 |
| Adapterprofile Acapulco for 14 mm systemboard Deluxe | | | | | |
| 25235 5208 |  | 1950x22x11 | Aluminium | powder coated | 20 |
| Fitting/Fastening set for Acapulco incl. right angle and screws, 4-parts | | | | | |
| 25234 5208 |  | | Steel galvanized | powder coated | 50 |

FENCE DELUXE

| Article-No. | Article description | Size (mm)/ pu | Material | Surface | Unit |
|--|--|------------------|-----------------|---------------|------|
| Profilboard Starter/Connecting Deluxe Bamboo | | | | | |
| 25233 7208 |  Colour: Coffee | 1950x140x14 | Bamboo | pre-oiled | 3 |
| Profileboard End/Close up Deluxe Bamboo | | | | | |
| 25233 6208 |  Colour: Coffee | 1950x140x14 | Bamboo | pre-oiled | 3 |
| Post Deluxe bamboo Starter/End/Close up = 1 groove | | | | | |
| 25234 0208 |  Colour: Coffee | 2500x70x70 | Bamboo | pre-oiled | 1 |
| Post Deluxe bamboo Extension (H-Groove) = 2 grooves | | | | | |
| 25239 2008 |  Colour: Coffee | 2500x70x70 | Bamboo | pre-oiled | 1 |
| Adapterprofile Acapulco post for 14 mm systemboard Deluxe | | | | | |
| 25235 5208 |  Colour: Anthracite | 1950x22x11 | Aluminium | powder coated | 30 |
| Ornamental cap for bamboo post deluxe, material: Stainless steel | | | | | |
| 25234 7208 |  | 70x70x10 | Stainless steel | polished | 10 |



Bamboo Technology & Innovation
Germany since 1994

Catalogue

Deluxe

aMbooo

CLADDING

SIGNATURE



Material: Bamboo
Size: ca. 19 x 136 x 2032 mm
Colour: 4 different colours
Surface: Pre-oiled



42

Cladding Clip





CARE PRODUCTS

DECKING, FENCES + CLADDING

| Article-No. | Article description | Unit per package |
|---|---|---|
| aMbooo® Special bamboo care oil for aMbooo® decking boards | | |
| 40004 6007 |  Colour: Coffee Content: 1,0 litre (Consumption approx 1 litre per 10 m ²)  | 6 pcs.  |
| 40004 6025 |  Colour: Coffee Content: 2,5 litres (Consumption approx 1 litre per 10 m ²)  | 4 pcs.  |
| 40005 1007 |  Colour: Espresso Content: 1,0 litre (Consumption approx 1 litre per 10 m ²)  | 6 pcs.  |
| 40005 1025 |  Colour: Espresso Content: 2,5 litres (Consumption approx 1 litre per 10 m ²)  | 4 pcs.  |
| 40004 7025 |  Colour: Granite Grey Content: 2,5 litres (Consumption approx 1 litre per 10 m ²)  | 4 pcs.  |
| 40004 8025 |  Colour: White Oak Content: 2,5 litres (Consumption approx 1 litre per 10 m ²)  | 4 pcs.  |
| 40004 7025 |  Colour: Silver Grey <i>NEW!</i> Content: 2,5 litres (Consumption approx 1 litre per 10 m ²)  | 4 pcs.  |
| 40004 8025 |  Colour: Midnight Black <i>NEW!</i> Content: 2,5 litres (Consumption approx 1 litre per 10 m ²)  | 4 pcs.  |



| Article-No. | Article description | Unit per package |
|---|--|---|
| aMbooo® Oil applicator for aMbooo® decking + fences | | |
| 50181 0001 |  <p>(ca. 23 cm) Content: 1x Applicator 1x Pad</p> | 1 pc.  |
| aMbooo® Pad for aMbooo® oil applicator | | |
| 50181 0002 |  <p>Content: 10x Pads</p> | 10 pcs.  |
| Colour tub for aMbooo® decking boards and bamboo fences | | |
| 50181 0003 |  <p>Content: 1x Tub for 250 mm applicator /paint roller</p> | 1 pc.  |
| aMbooo® Cleaner for aMbooo® decking boards and bamboo fences | | |
| 40069 0010 |  <p>Content: 1,0 litre (Consumption approx 1 litre per 50 m²)</p> | 6 pcs.  |
| Decking brush aMbooo® special | | |
| 50217 0000 |  <p>(ca. 30 cm) FSC Beech For cleaning and smoothing the surface suitable for bamboo, wood and stone.</p> | 1 pc.  |
| Handle Decking brush aMbooo® special | | |
| 50219 0000 |  <p>Content: 1x Handle</p> | 1 pc.  |



Made in Germany



Made in the EU



Anti UV shield

With our maintenance products guarantee less colour change coated by UV radiation.





Bamboo Technology & Innovation
Germany since 1994

Catalogue

Acapulco



GS-Catalogue decking boards, fences & cladding, version 03/2019

Your specialist dealer (Stamp)